The charge-out number for this book is

633516
(Accession No.)
OCLC

NASA Reference Publication 1124 Revised

1987

Outgassing Data for Selecting Spacecraft Materials

William A. Campbell, Jr.,
and Richard S. Marriott

Goddard Space Flight Center
Greenbelt, Maryland

TECHNICAL LIBRARY
BUILDING 45

NOV 1 0 1987

Johnson Space Center
Houston, Te 77058

National Aeronautics
and Space Administration

**Scientific and Technical
Information Office**

This document makes use of international metric units according to the Systeme International d'Unites (SI). In certain cases, utility requires the retention of other systems of units in addition to the SI units. The conventional units stated in parentheses following the computed SI equivalents are the basis of the measurements and calculations reported.

TABLE OF CONTENTS

	Page
INTRODUCTION	1
EQUIPMENT	1
DATA PRESENTATION	2
USE OF THE DATA	3
REFERENCES	5
SECTION A: MATERIALS	7
1. Adhesives	9
2. Cable Insulation and Shrink Tubing	34
3. Conformal Coating	40
4. Electrical Components	48
5. Electrical Shields	53
6. Films and Sheet Materials	55
7. Foams	61
8. Greases and Lubricants	66
9. Lacing Tape and Cord Cable Ties	69
10. Laminates and Circuit Boards	72
11. Marking Materials and Inks	77
12. Molding Compounds	81
13. Paints, Lacquers, and Varnishes	86
14. Potting Compounds	97
15. Rubbers and Elastomers	109
16. Tapes	117
17. Thermal Greases	123
18. Miscellaneous	124

Distribution

CONTENTS (continued)

	Page
SECTION B: MATERIALS–ALPHABETICAL LISTING	129
SECTION C: MATERIALS HAVING A TML OF 1.0 PERCENT OR LESS AND A CVCM OF 0.10 PERCENT OR LESS	237
1. Adhesives	239
2. Cable Insulation and Shrink Tubing	249
3. Conformal Coating	252
4. Electrical Components	255
5. Electrical Shields	258
6. Films and Sheet Materials	260
7. Foams	263
8. Greases and Lubricants	265
9. Lacing Tape and Cord Cable Ties	266
10. Laminates and Circuit Boards	267
11. Marking Materials and Inks	271
12. Molding Compounds	273
13. Paints, Lacquers, and Varnishes	277
14. Potting Compounds	280
15. Rubbers and Elastomers	287
16. Tapes	291
17. Thermal Greases	293
18. Miscellaneous	294
APPENDIX: CODE LIST OF MANUFACTURERS	297

OUTGASSING DATA FOR SELECTING SPACECRAFT MATERIALS

William A. Campbell, Jr., and Richard S. Marriott
Goddard Space Flight Center
Greenbelt, Maryland

INTRODUCTION

The seventh compilation of outgassing data of materials, intended for spacecraft use, supplements the data in the previous Reference Publication 1124 which it replaces. The data were obtained at the Goddard Space Flight Center (GSFC), utilizing equipment developed at Stanford Research Institute (SRI) under contract to the Jet Propulsion Laboratory (JPL). This publication contains data generated in addition to data from the previous reports.

SRI personnel developed a system for determining the mass loss in vacuum and for collecting the outgassed compounds. Their report (Reference 1), which contained data from June 1964 to August 1967, served admirably as a foundation for selecting spacecraft materials with low outgassing properties. The equipment was also constructed at GSFC and, based on the SRI data and GSFC data, a GSFC report (Reference 2) was published that included data for those materials meeting two criteria: a maximum total mass loss of 1.0 percent and a maximum of 0.10 percent condensable materials.

After a series of tests and verification of procedures, an American Society for Testing and Materials (ASTM) Standard Test Method was developed, based upon this apparatus. The method, "Total Mass Loss (TML) and Collected Volatile Condensable Materials (CVCM) from Outgassing in a Vacuum Environment," is identified as E 595-77. The data developed have been reported (References 3, 4, 5, and 6) as a means of assisting engineers in selecting materials for spacecraft use.

EQUIPMENT

The equipment used at GSFC is the Micro-VCM apparatus, as described by SRI. The title is derived from the testing of micro-quantities as opposed to larger amounts (macro-quantities) and from the technique of condensing the volatile products to determine the amount of volatile condensable materials.

The testing is done in vacuum at stated temperatures for specific times. The apparatus presented in ASTM E 595-77 has a number of critical dimensions to ensure that similar systems should produce similar results. These critical dimensions are as stated in E 595-77.

A number of samples can be tested at one time in the vacuum system. Each sample, of about 100 to 300 milligrams mass, is placed into a preweighed aluminum foil boat which has been thoroughly cleaned and dried. Following a 24-hour preconditioning in 50-percent relative humidity atmosphere to ensure that the samples receive a common preliminary treatment, the individual samples are weighed. The samples are then loaded into individual compartments in a solid copper bar that can be heated. Each compartment is closed by a solid copper cover, requiring that all volatile materials escape through a 6.3-mm (0.25-in.) diameter exit port only.

The copper heater bar, having 12 sample compartments, is heated to 398 K (125°C) for 24 hours. The sample, being heated by conduction and radiation, also is heated to 398 K (125°C). This heating causes the volatile materials to be driven off with their only escape being through the exit port. At a distance of 12.7 mm (0.5 in.),

a chromium-plated collector is in direct line of sight of the exit port and is maintained at 298 K (25°C). The escaping volatile compounds collect on the chromium-plated disk if their condensation temperature is 298 K (25°C) or above. Barriers are near the collector plate to prevent cross-contamination between adjacent samples.

The mass loss of the sample is determined from the weights before and after the 398 K (125°C) exposure, and the percentage loss is calculated to provide the TML. In a similar manner, the difference between the weight of a clean collector and of the collector having condensed materials will provide the mass of condensables. This mass of condensables is calculated as a percentage of the starting mass of the sample and is stated as CVCM.

DATA PRESENTATION

The data presented in the various sections contains GSFC data generated through May 1987. Some of the materials included in the previous reports have been deleted to reduce duplication and to remove materials that are unavailable or could not be duplicated. The various heat treatments or postcure bakings intended to reduce TML or CVCM have been limited to those treatments that produce acceptably low outgassing or to show the extreme treatment to produce the stated result which may or may not meet the outgassing criteria.

The outgassing data have been presented in three different ways in order to be more usable in selecting a material. In Section A, the materials are divided by category into the 18 probable uses, such as adhesives, greases, paints, potting compounds, and so forth. In Section B, all the materials contained in Section A are listed in alphabetical order by manufacturer or by the manufacturer's identification. In Section C, the only materials listed are those having TML and CVCM equal or lower than a maximum 1.0 percent TML and a maximum 0.10 percent CVCM, grouped by use, as in Section A.

These data are stored on computer tape for filing and reading, utilizing the Mark IV File Management System. The Mark IV system is very convenient for such data compilations and for generating current output reports. In this system, the computer has been instructed to follow a strict alphabetic and numerical order. This may at first seem confusing, particularly since the numbers are read from left to right, irrespective of the number of digits. For example, the order appears as DC 11, 1107, 142, 20-057, 2107, and 271. Similarly Scotchcast 282 is followed by Scotchcast 3, 8, and 9. Also, letters have precedence over numbers; for example, MMM Tape Y-966 appears before MMM Tape 136. It may be necessary to look for all known identifiers of a material to find it.

Section A

This section contains outgassing materials grouped in 18 categories according to their primary use, such as adhesives, conformal coatings, and marking materials. There are various types within the adhesive group, including film, conductive adhesives, and foam; the types are indicated wherever possible. Similarly, tapes include those which are mylar, vapor depositions on mylar, and aluminum sheet plus adhesive. This information is often stated in the description. However, certain materials can be used as adhesives and as potting compounds. In these instances, the material is listed in one category only, reflecting its most prevalent use.

In the printed data, the first column contains each material, listed by its manufacturer's identification followed by the mixture of components, if more than one component. The second column, "Code," contains a three-letter code for the manufacturers. (The Appendix contains the manufacturers code list.) The outgassing data of TML and CVCM are in the next two columns, followed by three columns giving the particular curing time, temperature, and atmosphere for that particular sample. If the cure conditions are unknown, the columns are left blank. Some materials are cured or post-cured in two or more steps, which are carried out in the order listed. Some materials have been tested more than once and usually with different cures. The last column gives the application, as known.

Section B

In this section all the materials are listed in alphabetical order in the first column. The second column, "Data Reference," contains a reference number that indicates the GSFC test number. The GSFC numbers are the sequentially designated test numbers, the higher numbers being more recent tests. The following columns contain the outgassing data in the identical manner of Section A.

Seciton C

The computer was programmed to list only those materials having a TML of 1.0 percent or less and having a CVCM of 0.10 percent or less. The materials are categorized as in Section A, thus providing low outgassing materials for a specific use. The particular category was selected for the materials' most likely use, though some silicones may appear as adhesives, conformal coatings, or potting compounds.

USING THE DATA

Two component materials, often as A and B, are listed as A/B, and their relative amounts are also listed as a ratio, for example, 1/1, 100/73, and 50/50. These are mixed as parts by weight (BW) and sometimes by volume (BV). These may be cured at a specific temperature for a specific time, the temperatures are in degrees Celsius and the times can be minutes (M), hours (H), or days (D). If no cure is listed, the cure data are not known, and one may presume that the manufacturer's directions for curing were followed. Also, the cures performed in vacuum are indicated by E-3 or E-6, referring to 0.13 N/m^2 or 0.00013 N/m^2 (10^{-3} or 10^{-6} torr), respectively.

Certain samples, particularly tapes and film adhesives, require specific treatment in testing. Some of the early tape samples were applied to a tubular screen (S), permitting the adhesive to be exposed to the vacuum or were adhered to an aluminum ring (R), with the adhesive lying against the aluminum to permit outgassing at the edges, techniques no longer being used. The preferred technique is to apply the tape to preweighed aluminum foil (F). Similarly, double-sided tapes and transfer film adhesives are applied to preweighed aluminum foil (F) and covered with another piece of foil; this composite must be cut into smaller pieces for loading into the boat, a procedure that permits outgassing at the edges.

Caution: The materials in this listing have been tested over a period of 10 years and more. There can be no assurance that variations in component materials have not occurred, with a resultant change in outgassing properties. The data should be used as a guide in selecting, with a fair degree of confidence (provided one uses the correct mixture, prepares the mixture properly, and cures the mixture as required), low outgassing materials for use aboard spacecraft.

Additionally, manufacturing difficulties have been encountered in the production of DC 6-1104, listed as a sealant, and DC 93-500, listed as a potting compound. The problem resulted in producing cured materials having a CVCM in excess of 0.10 percent, when prior batches had been well below this maximum limit. The information was reported in the Alert E9-A-79-01 of April 1979 and the Alert E9-A-79-03 of October 1979. The manufacturer was made aware of the problem and has taken steps to ensure the production of low outgassing silicones.

Additionally, a number of chemicals, often used as catalysts, have been restricted under U.S. Department of Labor standards for occupational exposure. Materials in this publication which contain or are made with the listed chemicals include Uralane 5712 B, Proseal 796, MOCA (4, 4'-methylene (bis)-2-chloroanilene) used in Adiprene L-100; PC 22, PR 1527, PR 1535, PR 1538, Eccocoat IC 2, and Catalyst 7139 used in Crest 7343. Certain precautions and cleanliness requirements specified by the Department of Labor must be followed when preparing or using the chemicals.

REFERENCES

1. Muraca, R. F., and J. S. Whittick, "Polymers for Spacecraft Applications," Final Report, NASA 7-100, 1967.

2. Fisher, Aaron, Benjamin Mermelstein, "A Compilation of Low Outgassing Polymeric Materials Normally Recommended for GSFC Cognizant Spacecraft," NASA TM X-65705, July 1971.

3. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "A Compilation of Outgassing Data for Spacecraft Materials," NASA TN D-7362, September 1973.

4. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "An Outgassing Data Compilation of Spacecraft Materials," NASA Reference Publication 1014, January 1978.

5. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "Outgassing Data for Spacecraft Materials," NASA Reference Publication 1061, August 1980.

6. Campbell, William A., Jr., Richard S. Marriott and John J. Park, "Outgassing Data for Spacecraft Materials," NASA Reference Publication 1124, June 1984.

SECTION A

MATERIALS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
A-1177B A/B AS 1/1 BW EPOXY - BROWN	BFG	.45	.02	24H	25	AIR	ADHESIVE
				30M	82	AIR	
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	BFG	.75	.04	48H	25	AIR	ADHESIVE
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	BFG	.71	.05	16H	25	AIR	ADHESIVE
				15M	121	AIR	
A-1282-B ONE PART HEAT CURED EPOXY	BFG	.65	.01	20M	204	AIR	ADHESIVE
A-1362-B ONE COMPONENT EPOXY	BFG	1.18	.34	1H	121	AIR	ADHESIVE
A-1396-B EPOXY	BFG	11.69	.65	1H	121	AIR	ADHESIVE
A-18 A/B AS 10/8 BW EPOXY	HYS	1.54	.04	7D	25	AIR	ADHESIVE
A-4000 A/B AS 100/4.5 BW SILICONE	DCC	2.85	1.63	16H	25	AIR	ADHESIVE
				20H	93	AIR	
ABLEBOND XA042485-2 BLUE EPOXY	AAC	.27	.00	7.5H	160	AIR	ADHESIVE
ABLEBOND 16-1 A/B AS 100/7 BW SILVER FILLED EPOXY	AAC	.71	.15	24H	25	AIR	COND ADHESIVE
				16H	65	AIR	
ABLEBOND 163-4 A/B AS 20/9 BW COPPER FILLED EPOXY	AAC	1.39	.08	2H	77	AIR	COND ADHESIVE
ABLEBOND 20-1 SILVER FILLED EPOXY ONE COMPONENT	AAC	.19	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 224-1 A/B AS 10/1 BW EPOXY	AAC	3.30	.38	15M	65	AIR	ADHESIVE
ABLEBOND 224-8 A/B AS 100/7.3 BW EPOXY	AAC	.39	.00	1H	52	AIR	ADHESIVE
ABLEBOND 293-1 A/B AS 25/2 BW FILLED EPOXY	AAC	2.05	.02	4H	74	AIR	ADHESIVE
ABLEBOND 293-1 A/B AS 25/4 BW EPOXY	AAC	1.32	.08	4H	74	AIR	ADHESIVE
ABLEBOND 342-13ACC/5% BLACK EPOXY	AAC	1.05	.07	2H	65	AIR	ADHESIVE
ABLEBOND 36-2 SILVER FILLED EPOXY	AAC	.30	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 41-5 EPOXY	AAC	.46	.00	30M	150	AIR	ADHESIVE
ABLEBOND 41-6 EPOXY	AAC	.34	.01	30M	150	AIR	ADHESIVE
ABLEBOND 463-1 A/B AS 10GM/16DPS SILVER FILLED EPOXY	AAC	.62	.01	2H	25	AIR	COND ADHESIVE
				1H	65	AIR	
ABLEBOND 57-2R MODIFIED EPOXY DARK RED	AAC	2.59	.16	2H	71	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	4.07	.03	30M	158	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	3.16	.03	60M	158	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	.81	.01	1H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	.82	.01	2H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	AAC	.24	.06	10M	150	AIR	COND ADHESIVE
				10M	275	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	AAC	.25	.00	30M	150	AIR	COND ADHESIVE
				30M	275	AIR	
ABLEBOND 789-3/5% BW CABOSIL YELLOW-BROWN EPOXY	ACC	.85	.00	90M	125	AIR	ADHESIVE
ABLEBOND 789-4 SINGLE COMPONENT THERM COND EPOXY	AAC	.44	.01	1H	125	AIR	THERM COND ADH
ABLEBOND 826-1 ONE COMPONENT SILVER FILLED ADH	AAC	.58	.03	30M	150	AIR	COND ADHESIVE
ABLEBOND 84-1 LM15 ONE PART SILVER FILLED EPOXY	AAC	.26	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 84-3 ONE PART GREEN EPOXY	AAC	.35	.00	1H	150	AIR	ADHESIVE
ABLEBOND 872-3 A/B AS 2/3 BW FLEXIBLE PINK EPOXY	AAC	2.76	1.19	8H	75	AIR	ADHESIVE
				90M	125	AIR	
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	4.85	.31	90M	80	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	2.41	.04	1H	93	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	2.02	.06	1H	125	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	2.04	.01	1H	150	AIR	COND ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	.76	.00	1H	150	AIR	COND ADHESIVE
				24H	125	E-3	
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY THIN	AAC	.81	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 931-1 ONE COMPONENT EPOXY	AAC	1.75	.00	21D	25	AIR	ADHESIVE
ABLEBOND 931-1 ONE COMPONENT EPOXY	AAC	1.46	.00	2H	75	AIR	ADHESIVE
ABLEFILM ECF 518 CLOTH SUPPORT/EPOXY FILM ADH GRAY	AAC	.88	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM ECF 535 CLOTH SUPPORT SILVER FILLED EPOXY	AAC	.42	.16	2H	125	AIR	FILM ADHESIVE
ABLEFILM ECF 550-1 GLASS SUPPORT SILVER FILLED EPOXY	AAC	.37	.10	3H	125	AIR	FILM ADHESIVE
ABLEFILM ECF 564A GLASS SUPPORT SILVER FILLED EPOXY	AAC	.22	.01	2H	150	AIR	FILM ADHESIVE
ABLEFILM 501 ADH GLASS CLOTH/EPOXY ADH	AAC	1.62	.08	3H	74	AIR	FILM ADHESIVE
ABLEFILM 501T GLASS SUPPORT/MOD EPOXY FILM ADH	AAC	.52	.00	45M	149	AIR	FILM ADHESIVE
ABLEFILM 504 CLOTH SUPPORT/EPOXY FILM ADH - WHITE	AAC	.38	.00	1.5H	93	AIR	FILM ADHESIVE
ABLEFILM 506 CLOTH SUPPORT/EPOXY FILM ADH - PINK	AAC	1.05	.37	3H	100	AIR	FILM ADHESIVE
ABLEFILM 506 CLOTH SUPPORT/EPOXY FILM ADH/F - WHITE	AAC	.90	.32	90M	125	PSI	FILM ADHESIVE
ABLEFILM 507 GLASS CLOTH/B-STAGED EPOXY	AAC	.38	.02	1.5H	163	AIR	FILM ADHESIVE
ABLEFILM 517 GLASS CLOTH SUPPORT/EPOXY FILM ADH	AAC	.07	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM 517-LV CLOTH SUPPORT/EPOXY FILM ADH PINK	AAC	.83	.00	3H	93	AIR	FILM ADHESIVE
ABLEFILM 518 CLOTH SUPPORT/EPOXY FILM ADH - GRAY	AAC	.83	.00	3H	165	AIR	FILM ADHESIVE
ABLEFILM 539 TYPE II CLEAR	AAC	1.11	.01	2H	125	AIR	FILM ADHESIVE
ABLEFILM 550-K CLOTH SUPPORT/EPOXY FILM ADH - WHITE	AAC	.31	.04	2H	125	AIR	FILM ADHESIVE
ABLEFILM 550-1-004 CLOTH REINFORCED EPOXY FILM WHITE	AAC	.42	.12	3H	125	AIR	FILM ADHESIVE
ABLEFILM 561K CLOTH SUPPORT/EPOXY FILM-THERM COND	AAC	.42	.13	2H	125	AIR	FILM ADHESIVE
ABLEFILM 564A GLASS SUPPORT EPOXY FILM	AAC	.61	.01	2H	150	AIR	FILM ADHESIVE
ABLESTIK 240-2 POLYURETHANE	AAC	.44	.07				ADHESIVE
ABLESTIK 257-1 A/B AS 100/179.2 BW POLYURETHANE	AAC	.42	.04	6H	74	AIR	CONF COAT-ADH
ABLESTIK 681-12 MOD EPOXY FILM ADH - BLUE/GREEN	AAC	.84	.32	1H	100	AIR	FILM ADHESIVE
				1H	175	AIR	
ABLESTIK 681-12VD EPOXY FILM ADHESIVE GREEN	AAC	.98	.04	10M	100	AIR	FILM ADHESIVE
				16H	25	AIR	
				1H	175	AIR	
ABLESTIK 724-14C SINGLE COMPONENT POLYURETHANE	AAC	1.11	.12				ADHESIVE
ABLESTIK 761-6 A/B/V9 AG AS 100/5/223 BW	AAC	.36	.00	1H	150	AIR	COND ADHESIVE
ABLETHERM 7-2 A/B AS 100GM/14 DROPS FILLED SILICONE	AAC	.96	.36	8H	71	AIR	THERM COND ADH
ABLETHERM 7-2 A/B AS 100GM/7 DROPS FILLED SILICONE	AAC	.93	.35	8H	71	AIR	THERM COND ADH
ABLETHERM 7-3 A/B AS 100GM/16 DROPS FILLED SILICONE	AAC	1.03	.31	8H	71	AIR	THERM COND ADH
ABLETHERM 7-3 A/B AS 100GM/8 DROPS FILLED SILICONE	AAC	.89	.35	8H	71	AIR	THERM COND ADH
ABLETHERM 7-5 A/B AS 100GM/7 DROPS FILLED SILICONE	AAC	.49	.20	8H	74	AIR	THERM COND ADH
ABLETHERM 8-2 A/B AS 10/1 BW EPOXY	AAC	.41	.00	90M	93	AIR	THERM ADHESIVE
AC-1 A/B AS 10/1 BW CONDUCTIVE EPOXY SOLDER	KCO	2.54	.42	3.5H	60	AIR	COND ADHESIVE
				16H	40	AIR	
ADX-372 OR EA-9309 FOAM ADHESIVE	HYS	1.40	.19	14D	25	AIR	FOAM ADHESIVE
AEROBOND AE 3041-10 EPOXY HONEYCOMB ADH	AEC	1.72	.73	1H	121	PSI	ADH-FILM
AEROBOND 3030 EPOXY HONEYCOMB ADH - GRAY	AEC	1.26	.00	1H	177	E-1	ADH-FILM
AF 110 FILM ADH	MMM	1.46	.43	1H	177	AIR	FILM ADHESIVE
AF 3109-2U FILM ADHESIVE CREAM	MMM	1.09	.29	90M	121	AIR	FILM ADHESIVE
AF 3109-2U FILM ADHESIVE CREAM UNSUPPORTED	MMM	.95	.25	1H	127	E-3	FILM ADHESIVE
				1H	127	E-3	
				168H	74	E-3	
AF 3109-2U FILM ADHESIVE CREAM UNSUPPORTED	MMM	1.72	.72	1H	127	AIR	FILM ADHESIVE
AF 3109M EPOXY FILM ADHESIVE	MMM	1.26	.09	90M	107	AIR	FILM ADHESIVE
AF 3109U FILM ADHESIVE BLUE GREEN	MMM	1.71	.11	90M	121	AIR	FILM ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AF 3109U FILM ADHESOVE BLUE GREEN UNSUPPORTED	MMM	1.54	.28	1H	127	E-3	FILM ADHESIVE
				1H	127	E-3	
				168H	74	E-3	
AF 32 FILM ADHESIVE	MMM	1.97	.46	1H	177	AIR	FILM ADHESIVE
AF 42 FILM ADHESIVE EPOXY UNSUPPORTED THERMOSETTING	MMM	3.91	.37	1H	177	AIR	FILM ADHESIVE
AF 46 STRUCTURAL FILM ADHESIVE	MMM	2.11	.31	90M	166	AIR	FILM ADHESIVE
AF 55 SUPPORTED EPOXY ADHESIVE FILM MAROON	MMM	.81	.17	1H	177	AIR	ADH FILM
AG-1/HARDENER 22 AS 16/1 BW SILVER FILLED EPOXY	TPI	.37	.00	3H	99	AIR	COND ADHESIVE
AMICON 930-12-4F SINGLE COMPONENT ADHESIVE YELLOW	AMC	1.71	.06	10M	120	AIR	ADHESIVE
AMR 1036 GREEN EPOXY	AMR	2.36	.05	7D	25	AIR	ADHESIVE
AMR 1036 ORANGE EPOXY	AMR	2.66	.06	1H	75	AIR	ADHESIVE
AO 805 OPTICAL CEMENT BUTYL METHACRYLATE	AOP	16.45	2.55				OPT CEMENT
AO 805 OPTICAL CEMENT BUTYL METHACRYLATE	AOP	15.04	2.96	4H	71	AIR	OPT CEMENT
APCO 5290/2180/0300 AS 79/17/4 BW BLACK	APP	1.58	.02	30D	25	AIR	ADHESIVE
APCO 5313 A/B AS 100/8 BW GREEN EPOXY	APP	1.80	.05	1H	66	AIR	ADHESIVE
AP8004 FAST CURE EPOXY ACU-PAK PRE-MIX	ALR	2.91	.22	24H	25	AIR	ADHESIVE
AR 559 SILICONE TRANSFER ADHESIVE	ARI	4.72	2.14				ADH FILM
AR-1001 A/B AS 1/1 BW EPOXY	FOR	2.39	.33	14D	25	AIR	ADHESIVE
ARALDITE AV100/HV100 AS 1/1 BW EPOXY	CIB	.78	.10	7D	25	AIR	ADH POTTING
ARALDITE AV124/HV948 AS 1/1 BW EPOXY	CIB	3.01	.20				ADHESIVE
ARALDITE AV138/HY998 AS 100/40 BW EPOXY	CIB	.97	.05	7D	25	AIR	ADHESIVE
ARALDITE AV138M/HV998 AS 100/40 BW GREY EPOXY	CIB	.68	.03				ADHESIVE
ARALDITE GY6020/HY830 AS 100/56 BW	CIB	.88	.01	30D	25	AIR	ADHESIVE
ARALDITE GY6020/HY830/DY025 AS 95/56/5 BW	CIB	1.40	.01	30D	25	AIR	ADHESIVE
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	CIB	.19	.01	30H	60	AIR	ADH POTTING
ARALDITE 106/HV953U AS 1/1 BW EPOXY	CIB	5.18	.03	24H	25	AIR	ADHESIVE
ARALDITE 502/951 AS 10/1 BW EPOXY	CIB	1.88	.03	24H	25	AIR	ADHESIVE
ARALDITE 508/EPON 828/ARALDITE 951/PC-1244 EPOXY	CIB	2.31	.42	6H	25	AIR	ADHESIVE
				16H	49	AIR	
AREMCO-BOND 517 THERMAL CONDUCTIVE EPOXY - BLACK	API	.91	.04				ADHESIVE
AREMCO-BOND 556 A/B AS 1/1 BW SILVER FILLED EPOXY	API	1.54	.08	3H	66	AIR	COND ADHESIVE
AREMCO-BOND 556 A/B AS 1/1 BW SILVER FILLED EPOXY	API	.73	.05	3H	66	AIR	COND ADHESIVE
				24H	125	E-3	
ARMSTRONG A-12 A/B AS 1/1 BW BROWN EPOXY	APC	1.11	.01	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 1/1 BW BROWN EPOXY	APC	1.25	.01	8H	54	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 1/1 BW EPOXY	APC	1.24	.04	20M	93	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	APC	1.95	.06	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	APC	1.94	.07	3H	71	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	APC	1.87	.07	8H	54	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	APC	.87	.00	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	APC	.65	.00	8H	54	AIR	ADHESIVE
ARMSTRONG A-2/W AS 3/2 BW EPOXY	APC	1.46	.06	24H	25	AIR	ADHESIVE
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	APC	.73	.02	14D	25	AIR	ADHESIVE
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	APC	.49	.02	30M	93	AIR	ADHESIVE
ARMSTRONG A-3/E AS 100/6 BW BLACK EPOXY	APC	.85	.01	1H	93	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.4 BW TAN EPOXY	APC	.72	.22	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.6 BW EPOXY	APC	.57	.04	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.6 BW TAN EPOXY	APC	.63	.13	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.8 BW TAN EPOXY	APC	.55	.06	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	APC	.74	.01	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY (CHNG IN B COMP)	APC	1.51	.06	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	APC	.51	.03	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	APC	.44	.01	7D	25	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ARMSTRONG A-32 A/B AS 10/6 BW EPOXY	APC	2.44	.00	4H	65	AIR	ADHESIVE
ARMSTRONG C-1/ACT A AS 25/2 BW EPOXY	APC	1.97	.04	24H	65	AIR	ADHESIVE
ARMSTRONG C-1/ACT A AS 25/2 BW EPOXY	APC	1.23	.01	2H	65	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/1 BW EPOXY	APC	1.33	.04	7D	25	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/1 BW EPOXY	APC	1.13	.02	7D	25	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/2 BW EPOXY	APC	2.89	.28	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 1/1 BW EPOXY	APC	.35	.02	21D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 2/3 BW EPOXY	APC	.81	.09	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/H-20 AS 3/1 BW CLEAR EPOXY	APC	.79	.05	24H	25	AIR	ADHESIVE
ARON ALPHA 201 CYANOACRYLIC/FOIL SANDWICH	VIG	8.21	.01	5D	25	AIR	ADHESIVE
AS-4318/H-3486 AS 10/3 BW IMPREG ADH	HYS	.68	.27	30M	44	AIR	IMPREG ADHESIVE
				4H	150	AIR	
AVERY MOUNTING TABS - SEM	APF	13.32	6.21				TRANSFER FILM
AY-105/HY-951 AS 100/12 BW EPOXY	CIB	.61	.05	3H	65	AIR	ADHESIVE
A9-601 EPOXY HONEYCOMB ADH	HYS	.36	.03	1H	121	PSI	ADH FILM
BARCO BOND MB-2 A/B AS 2/1 BV EPOXY	AST	1.20	.05	30M	66	AIR	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW ADH	NSC	.68	.04	1H	204	AIR	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW EPOXY	NSC	.50	.01	1H	100	AIR	ADHESIVE
				4H	180	E-2	
BONDMASTER E645 A/B AS 10/3 BW EPOXY W/MEK THINNER	NSC	.90	.15	1H	177	PSI	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW THERMOSET EPOXY	NSC	1.52	.63	3H	25	AIR	ADHESIVE
				1H	70	AIR	
				1H	90	AIR	
				18H	130	AIR	
BONDMASTER M688/CH-16 AS 100/32 BW EPOXY	NSC	4.02	.21	24H	49	AIR	ADHESIVE
BONDMASTER M688/CH-16 AS 100/32 BW EPOXY	NSC	2.62	.03	16H	25	AIR	ADHESIVE
				8H	65	AIR	
				8H	121	AIR	
BONDMASTER M688/CH-8 AS 100/13 BW EPOXY	NSC	2.90	.08	24H	25	AIR	ADHESIVE
BONDMASTER M688/CH-8 AS 100/13 BW EPOXY	NSC	3.90	.11	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M773 A/B AS 1/1 BW EPOXY	NSC	2.50	.09	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M773 A/B AS 1/1 BW EPOXY	NSC	3.63	.11	8H	65	AIR	ADHESIVE
BONDMASTER M773 A/B AS 1/1 BW EPOXY	NSC	2.37	.10	8H	65	AIR	ADHESIVE
				24H	70	E-2	
BONDMASTER M777 A/B AS 1/1 BW EPOXY	NSC	1.82	.09	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M777 A/B AS 1/1 BW EPOXY	NSC	2.41	.13	8H	65	AIR	ADHESIVE
BONDMASTER 4500 PLUS A/B AS 1/1 BV FAST CURE EPOXY	NSC	2.72	.13				ADHESIVE
BONDMASTER 4500 PLUS A/B AS 1/1 BV FAST CURE EPOXY	NSC	2.71	.46	6H	93	E-3	ADHESIVE
BONDMASTER 620	NSC	.74	.02	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
BOSTIK 7008 ELECTRONIC ADHESIVE ONE COMPONENT	FPC	1.75	.21	1H	65	AIR	ADHESIVE
				5H	135	AIR	
BR 34 EPOXY ADHESIVE	ACC	.65	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	177	AIR	
BR 34 EPOXY ADHESIVE	ACC	.34	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	132	AIR	
				90M	288	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BR 90/BR 802 AS 100/8 BW EPOXY ADHESIVE	ACC	6.80	.04	7D	25	AIR	ADHESIVE
				24H	50	AIR	
BR 90/BR 802 AS 100/8 BW EPOXY ADHESIVE/F	ACC	1.77	.03	7D	25	AIR	ADHESIVE
				24H	50	AIR	
BR-0014 PHENOLIC RESIN/F	PLM	3.04	.01	2H	120	AIR	ADHESIVE
BR-125 PRIMER MOD NITRILE EPOXY/F	ACC	1.19	.13	30M	25	AIR	ADHESIVE
				1.5H	110	AIR	
BR-610 EPOXY/TETRAHYDROFURANE/F	WTB	1.14	.01	30M	60	AIR	ADHESIVE
BR-610 EPOXY/TETRAHYDROFURANE/F	WTB	.99	.02	30M	60	AIR	ADHESIVE
				30M	150	AIR	
BSL 308 BLACK EPOXY UNSUPPORTED ADHESIVE FILM	CIB	.70	.09	1H	170	AIR	ADH FILM
BSL 312 GRAY EPOXY UNSUPPORTED ADHESIVE FILM	CIB	.62	.07	30M	120	AIR	ADH FILM
BUTYL METHACRYLATE-BENZYL PEROXIDE	ROH	11.95	.12	1.5H	100	AIR	OPT CEMENT
C-68/CAT A AS 100/5.3 BW GRAY EPOXY/70% SANDFILLED	HYS	.12	.01	20H	82	AIR	ADHESIVE
C-770-4 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.12	.00	1H	125	AIR	COND ADHESIVE
C-780 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.23	.00	1H	200	AIR	COND ADHESIVE
C-868-1 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.08	.00	1H	170	AIR	COND ADHESIVE
C-966 ONE PART SILVER FILLED POLYIMIDE LOT K7399/F	AMC	.18	.01	1H	180	AIR	COND ADHESIVE
C-993 ONE PART SILVER FILLED EPOXY LOT K7306/F	AMC	.19	.01	1H	15/	AIR	COND ADHESIVE
CASTALL E A/B AS 10/1 BW GRAY EPOXY	CAS	.51	.00	12H	65	AIR	ADHESIVE
CASTALL QUICK CURE EPOXY CAST-PAK PRE-MIX	CAS	2.65	.13	24H	25	AIR	ADHESIVE
CASTALL 1520/RT-7 AS 100/7.5 BW EPOXY	CAS	1.25	.07	45M	65	AIR	ADHESIVE
CASTALL 490/HT91 AS 1/1 BW BLUE HI-STRENGTH EPOXY	CAS	.28	.01	4H	125	AIR	ADHESIVE
CASTLOK 2 PART PRE-WEIGHED ADH KIT RED	CHT	1.53	.16	24H	25	AIR	ADHESIVE
CAULK GRIP CEMENT METHYL METHACRYLATE FILLED	CAU	1.06	.02	5D	25	AIR	ADHESIVE
CD-772-5 POLYURETHANE	HCC	1.01	.15	3D	25	AIR	ADHESIVE
CESIUM IODIDE COUPLING COMPOUND BLEND 10/1	HAR	8.50	5.51				OPT ADHESIVE
CESIUM IODIDE COUPLING COMPOUND BLEND 12/1	HAR	9.66	6.30				OPT ADHESIVE
CHEMLOK 205 ADHESIVE PRIMER GREY	HCC	.34	.00	30M	25	AIR	ADH PRIMER
				10M	160	AIR	
CHEMLOK 218 ON FOIL	HCC	15.72	.49	24H	25	AIR	ADHESIVE
CHEMLOK 220 ADHESIVE BLACK	HCC	.39	.00	30M	25	AIR	ADHESIVE
				10M	160	AIR	
CHEMLOK 234	HCC	15.54	.10	30M	25	AIR	ADHESIVE
				30M	149	AIR	
CHEMLOK 234B ELASTOMER BONDING AGENT - BLACK	HCC	51.85	8.88	24H	25	AIR	ADHESIVE
CHEMLOK 236A BONDING AGENT FLAT BLACK/F	HCC	30.19	.29	30M	25	AIR	ADHESIVE
CHEMLOK 236A BONDING AGENT FLAT BLACK/F	HCC	27.93	.21	30M	95	AIR	ADHESIVE
CHEMLOK 305 A/B AS 1/1 BW EPOXY	HCC	1.51	.02	3D	25	AIR	ADHESIVE
CHO-BOND 1024 CONDUCTIVE SILICONE	CHO	.44	.18	5M	177	AIR	COND ADHESIVE
CHO-BOND 1024 CONDUCTIVE SILICONE	CHO	.02	.00	48H	177	AIR	COND ADHESIVE
CHO-BOND 1029 CONDUCTIVE SILICONE	CHO	.38	.16	1H	66	AIR	COND ADHESIVE
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	CHO	.34	.11	7D	25	AIR	COND ADHESIVE
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	CHO	.22	.12	1D	25	AIR	COND ADHESIVE
				16H	100	AIR	
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	CHO	.25	.10	7D	25	AIR	COND ADHESIVE
				4H	125	AIR	
CHO-BOND 1030/PRIMER 1030 SILVER FILLED SILICONE	CHO	.31	.11	7D	25	AIR	COND ADHESIVE
CHO-BOND 1035 ONE PART SILVER FILLED SILICONE	CHO	1.08	.65	7D	25	AIR	COND ADHESIVE
CHO-BOND 1038 ONE PART SILVER FILLED SILICONE	CHO	.93	.56	48H	25	AIR	COND ADHESIVE
CHO-BOND 1092	CHO	1.66	.35				COND ADHESIVE
CHO-BOND 260-18 A/B AS 40/1 BW COND EPOXY	CHO	1.17	.10	25M	113	AIR	COND ADHESIVE
CHO-BOND 360-208 CONDUCTIVE EPOXY ADHESIVE	CHO	.66	.06	24H	25	AIR	COND ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	CHO	.39	.14	2H	100	AIR	ADHESIVE
CHO-BOND 584-29 A/B AS 100/6.3 BW COND EPOXY	CHO	1.15	.03	45M	100	AIR	COND ADHESIVE
CHO-BOND 584-29 CONDUCTIVE EPOXY	CHO	1.12	.04	24H	66	AIR	COND ADHESIVE
CHO-BOND 586-29 A/B AS 100/4.2 BW SILVER EPOXY	CHO	1.96	.10	24H	25	AIR	COND COATING
				2H	100	AIR	
CHOMERICS HOT MELT CONDUCTIVE ADHESIVE FILM	CHO	1.96	.34				ADHESIVE FILM
CL-522 EPOXY LAMINATING FILM	CHO	.31	.09				FILM ADHESIVE
CMC 10 ADHESIVE FILM THERMOSETTING	CMC	1.02	.03	30M	165	AIR	ADH FILM
CONAP K-20 A/B AS 20/9 BW GRAY EPOXY	CON	.75	.05	2H	50	AIR	ADHESIVE
				30M	85	AIR	
CONAP K-26 WHITE EPOXY EQUAL LENGTHS FROM TUBES	CON	1.10	.12	2H	65	AIR	ADHESIVE
CONASTIC AD-20 A/B AS 100/17.5 BW POLYURETHANE	CON	1.18	.03	7D	25	AIR	ADHESIVE
CONATHANE CE 1170 - FLUORESCENT	CON	9.60	.01				THERM ADHESIVE
CONATHANE CE 1171 - FLUORESCENT	CON	9.32	.09				THERM ADHESIVE
CONATHANE DP 9761 A/B AS 100/46.5 BW POLYURETHANE	CON	.93	.01	14D	25	AIR	ADHESIVE
CONATHANE EN 21/DP9761/DP9802 POLYURETHANE BLEND	CON	.82	.01	30D	25	AIR	ADHESIVE
CONATHANE EN-21 A/B AS 100/116 BW POLYURETHANE	CON	.50	.03	14D	25	AIR	ADHESIVE
CONATHANE EN-21/DP9761/DP9802 POLYURETHANE BLEND	CON	.72	.02	30D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	CON	.57	.04	7D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	CON	.52	.02	24H	60	AIR	ADHESIVE
CORFIL 615/DTA AS 100/7 BW EPOXY	ACC	2.03	.13	3H	66	AIR	POTTING FOAM
COTRONICS THERMEEZ CERAMIC PUTTY	COT	3.77	.02	14D	25	AIR	ADHESIVE
COTRONICS THERMEEZ CERAMIC PUTTY	COT	3.06	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 360-M MOLDABLE CERAMIC	COT	3.41	.02	14D	25	AIR	ADHESIVE
COTRONICS 360-M MOLDABLE CERAMIC	COT	2.67	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 918 CERAMIC ADHESIVE	COT	2.74	.02	14D	25	AIR	ADHESIVE
COTRONICS 918 CERAMIC ADHESIVE	COT	1.20	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 919/H20 AS 7.7/1 BW HIGH RES CERAMIC	COT	5.34	.02	14D	25	AIR	ADHESIVE
COTRONICS 919/H20 AS 7.7/1 BW HIGH RES CERAMIC	COT	4.20	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 940/ACT AS 4/1 BW FAST SET CERAMIC	COT	1.57	.03	14D	25	AIR	ADHESIVE
COTRONICS 940/ACT AS 4/1 BW FAST SET CERAMIC	COT	.79	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 944/H20 AS 5.5/1 BW HIGH STR CERAMIC	COT	5.30	.03	14D	25	AIR	ADHESIVE
COTRONICS 944/H20 AS 5.5/1 BW HIGH STR CERAMIC	COT	3.09	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COX 28 EPOXY A/B AS 7/1 BW	COX	3.13	.90	20H	74	AIR	ADHESIVE
CREST 3135/7111 AS 1/1 BW EPOXY	CPC	.47	.01	24H	25	AIR	ADHESIVE
CREST 3170 A/B AS 1/1 BW MODIFIED WHITE EPOXY	CPC	2.41	.05	5D	25	AIR	LOW TEMP ADH
CREST 3170 A/B AS 50/50 BW EPOXY	CPC	1.38	.04	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 3170/7133 AS 1/1 BW EPOXY	CPC	2.19	.04	21D	25	AIR	ADHESIVE
CREST 3170/7133 AS 1/1 BW WHITE EPOXY	CPC	3.25	.09	16H	25	AIR	ADHESIVE
				2H	50	AIR	
CREST 3725/7148 AS 1/1 BW EPOXY	CPC	3.47	.39	21D	25	AIR	ADHESIVE
CREST 3725/7148 AS 1/1 BW EPOXY-URETHANE	CPC	2.01	.41	3H	66	AIR	ADHESIVE
CREST 391 A/B AS 100/60 BW BLACK POLYURETHANE	CPC	26.86	7.58	5D	25	AIR	LOW TEMP ADH
CREST 419 A/B AS 100/60 BW BLACK POLYURETHANE	CPC	26.52	7.06	5D	25	AIR	LOW TEMP ADH
CREST 7343/7139 AS 100/11 BW POLYURETHANE ADH	CPC	1.10	.17	3D	25	AIR	ADHESIVE
CREST 7344 A/B AS 100/14 BW BROWN EPOXY/POLYURETHANE	CPC	2.28	.68	72H	25	PSI	LOW TEMP ADH

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CREST 7344 A/B AS 100/16 BW BROWN EPOXY/POLYURETHANE	CPC	1.51	.07	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7344/7119 AS 50/7 BW EPOXY	CPC	2.78	.66	21D	25	AIR	ADHESIVE
CREST 7380 A/B AS 100/16 BW MODIFIED BROWN EPOXY	CPC	2.62	.23	5D	25	AIR	LOW TEMP ADH
CREST 7410 A/B AS 100/26 BW YELLOW POLYURETHANE	CPC	7.92	4.80	5D	25	AIR	LOW TEMP ADH
CREST 7410 A/B AS 100/26 BW YELLOW POLYURETHANE	CPC	6.76	4.01	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7425 A/B AS 100/24 BW	CPC	1.45	.10	4D	25	AIR	ADHESIVE
CREST 7425 A/B AS 100/24 BW	CPC	1.85	.17	7D	25	AIR	ADHESIVE
				16H	80	AIR	
CREST 7425 A/B AS 100/24 BW	CPC	1.12	.11	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7450 A/B AS 100/16 BW	CPC	1.34	.14	4D	25	AIR	ADHESIVE
CREST 7450 A/B AS 100/16 BW	CPC	1.78	.30	7D	25	AIR	ADHESIVE
				16H	80	AIR	
CREST 7450 A/B AS 100/16 BW	CPC	1.12	.19	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7450 A/B AS 100/16 BW BROWN EPOXY/POLYURETHANE	CPC	1.21	.30	5D	25	AIR	LOW TEMP ADH
CT 4042-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AMC	2.35	.01	90M	80	AIR	COND ADHESIVE
				15M	120	AIR	
				5M	150	AIR	
CT 4091 A/B AS 17/1 BW SILVER FILLED EPOXY	AMC	1.55	.14	30M	93	AIR	COND ADHESIVE
CT 5030A/B-97 AS 100/1.5 BW AG FILLED EPOXY/F	AMC	1.55	.14	2H	80	AIR	COND ADHESIVE
CT 5047-2 A/B AS 100/6 BW SILVER FILLED EPOXY	AMC	.39	.00	24H	25	AIR	COND ADHESIVE
				2H	65	AIR	
				1H	100	AIR	
CV 8151 A/B AS 1/1 BW CLEAR OPTICAL GEL	MCG	.16	.03	7D	25	AIR	OPTICAL MEDIUM
CV 8151 A/B AS 1/2 BW CLEAR OPTICAL GEL	MCG	.22	.07	6H	50	AIR	OPTICAL MEDIUM
				7D	25	AIR	
CV-1142 TRANSLUCENT SILICONE ONE PART	MCG	.31	.01	14D	25	AIR	STAKING CPND
CV-1500 BLACK ONE PART ELEC COND ADHESIVE	MCG	.33	.01	7D	25	AIR	COND ADHESIVE
CV-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 1223	MCG	.11	.05	7D	25	AIR	ADHESIVE
CV-2500-2 A/B AS 10/1 BW BLACK SILICONE	MCG	.07	.01	7D	25	AIR	ADHESIVE
CV-2568 A/B AS 99.5/0.5 BW RED SILICONE	MCG	.33	.02	7D	25	AIR	ABLATIVE ADH
CV-2942 A/B AS 20/1 BW GRAY SILICONE	MCG	.12	.04	7D	25	AIR	THERM COND ADH
CV-8181 A/B AS 1/1 BW CLEAR OPTICAL GEL	MCG	.16	.04	7D	25	AIR	OPTICAL MEDIUM
CYBOND 4010 A/B AS 3/1 BW	ACC	1.48	.72	21D	25	AIR	ADHESIVE
CYCLEWELD 55-9	CCC	3.31	.43	3M	71	AIR	ADHESIVE
				30M	135	AIR	
CY209/HT972 CLEAR AMBER EPOXY	CIB	.78	.01	40H	25	AIR	ADHESIVE
				5H	80	AIR	
DC X93-500 LOT GA055723	DCC	.43	.23				ADHESIVE
DC X93-500 LOT GA065723	DCC	.34	.23				ADHESIVE
DC 142 OVER A-4094 PRIMER	DCC	1.67	.04	14D	25	AIR	ADHESIVE
DC 271 SILICONE	DCC	4.75	.85	24H	25	AIR	ADHESIVE
DC 271 SILICONE	DCC	3.69	.89	4H	60	AIR	ADHESIVE
DC 3110/H AS 10% CAT H	DCC	1.35	.34	4H	65	AIR	ADHESIVE
DC 3116/S AS 15% CAT S	DCC	1.43	.41	1H	25	AIR	ADHESIVE
				7H	50	AIR	
DC 3144 SILICONE	DCC	1.75	.66	30D	25	AIR	ADHESIVE
DC 3145	DCC	1.74	.90	3D	25	AIR	ADH SEALANT
DC 3145	DCC	1.70	.60	24H	25	AIR	ADH SEALANT
				24H	65	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 3145 ONE COMPONENT GRAY SILICONE	DCC	.54	.27	7D	25	AIR	ADH SEALANT
				24H	150	AIR	
DC 6-1104 LOT E2134-142	DCC	.20	.03	5D	25	AIR	ADHESIVE-COATING
DC 6-1104 LOT FM010380	DCC	.16	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM109321	DCC	.26	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM109329	DCC	.21	.03	14D	25	AIR	ADHESIVE
DC 6-1104 LOT FM129370	DCC	.13	.03	7D	25	AIR	ADHESIVE
DC 6-1104 LOT GA104695	DCC	.29	.03				ADHESIVE
DC 6-1125 (X3-6092) ONE PART WHITE SILICONE	DCC	.17	.01	7D	25	AIR	ADHESIVE
DC 63-488 A/B AS 10/1 BW OPTICAL SILICONE RESIN	DCC	1.42	.74	4H	60	AIR	SILICONE RESIN
DC 63-488 A/B AS 10/1 BW SILICONE	DCC	.99	.43	16H	25	AIR	ADHESIVE
				4H	65	AIR	
				24H	110	E-3	
DC 63-489 A/B AS 10/1 BW OPTICAL SILICONE RESIN	DCC	1.42	.57	4H	60	AIR	SILICONE RESIN
DC 63-489 A/B AS 10/1 BW SILICONE	DCC	.89	.44	4H	65	AIR	ADHESIVE
				48H	110	E-3	
DC 63-489 SILICONE	DCC	.23	.15	4H	65	AIR	ADHESIVE
				69H	130	E-6	
DC 63-489 SILICONE	DCC	.36	.17	69H	170	E-6	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2467-133 6/76	DCC	.09	.03	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM020392	DCC	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM047611 6/77	DCC	.19	.04	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM119335R2	DCC	.13	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM129358	DCC	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT GA023073	DCC	.05	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 11/1 BW SILICONE	DCC	.09	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 20/1 BW SILICONE	DCC	.04	.00	48H	25	AIR	ADHESIVE
				24H	40	AIR	
DC 93-500 FM 059240	DCC	.38	.21	5D	74	E-5	POTTING
DC 93-500 GA104763	DCC	.21	.07				ADHESIVE
DC 93-500 LOT GA095891	DCC	.37	.23				ADHESIVE
DC 93076-1/2 GRAY SILICONE	DCC	3.15	.88	16H	25	AIR	ADHESIVE
				4H	60	AIR	
				4H	93	AIR	
DC 93076-1/2 GRAY SILICONE	DCC	3.30	.96	16H	25	AIR	ADHESIVE
				4H	60	AIR	
				4H	149	AIR	
DC 96-080	DCC	.48	.11	7D	25	AIR	ADH-SEALANT
DELTA BOND 152-K-A EPOXY KIT 152/RTA2 AS 20/1.5 BW	WAK	1.73	.01	8H	25	AIR	COND ADHESIVE
				4D	25	AIR	
DELTA BOND 152-Q-B4 A/B AS 100/3.5 BW BLUE EPOXY	WAK	.49	.00	1H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152-1-A EPOXY KIT PRE-MIX BLUE	WAK	1.14	.02	16H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152-1-B EPOXY KIT PRE-MIX BLUE	WAK	1.14	.01	16H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152/B4 AS 100/3.5 BW BLUE EPOXY	WAK	.82	.01	30D	25	AIR	ADHESIVE
DELTA BOND 152/RTA AS 100/7.5 BW	WAK	1.59	.05	8H	25	AIR	ADHESIVE
				4H	93	AIR	
DEN 438/MDA AS 100/27 BW EPOXY - AMBER	DOW	.60	.01	2H	90	AIR	ADHESIVE
				4H	150	AIR	
DENNIS 1169 A/B AS 1/1 BW EPOXY	DNS	5.00	.35	7D	25	AIR	ADHESIVE
DENNIS 1169 EPOXY	DNS	8.00	.01	3H	93	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DER 324/DEH-20/DER-732 AS 100/12/12 BW	DOW	2.30	.10	4D	25	AIR	ADHESIVE
				24H	66	AIR	
DER 324/DEH-20/VERSAMID 150 AS 100/12/50 BW	DOW	3.02	.41	4D	25	AIR	ADHESIVE
				24H	66	AIR	
DER 332/DADS/LITHAFRAX AS 10/3/40 BW EPOXY - CREAM	DOW	.24	.00	8H	120	AIR	ADHESIVE
				4H	150	AIR	
DER 332/TETA/LITHAFRAX AS 100/14/170 BW EPOXY-WHITE	DOW	.39	.00	1H	105	AIR	ADHESIVE
DER 332/TETA/LITHAFRAX/CAB-O-SIL AS 100/14/235/.67BW	DOW	.29	.01	1H	105	AIR	ADHESIVE
DER 332/VERSAMID 125 AS 1/1 BW EPOXY	DOW	.58	.01	2.5H	105	AIR	ADHESIVE
DER 332/732/DEH 24 AS 9/9/2 BW EPOXY	DOW	1.78	.17	60H	25	AIR	ADHESIVE
				24H	60	AIR	
DER 332LC/VERSAMID 140 AS 6/7 BW EPOXY	DOW	.54	.01	12H	40	AIR	ADHESIVE
DEVCON F-2 A/B AS 9/1 BW ALUMINUM FILLED EPOXY	DEV	.53	.06	7D	25	AIR	ADHESIVE
DEVCON MIX TUBE EPOXY	DEV	1.57	.09	24H	25	AIR	ADHESIVE
DEVCON 5 MINUTE EPOXY EQUAL PARTS FROM TUBES	DEV	1.53	.08	24H	25	AIR	ADHESIVE
DOLPHON CB-1078 W/E3187/D8585 AS 20/1 BW BLACK	JCD	1.34	.01	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE ACRYLIC KIT IVORY/YELLOW 04050	HIC	7.00	.28	21D	25	AIR	ADHESIVE
DOUBLE BUBBLE ACRYLIC KIT OLIVE GREEN 04051	HIC	7.75	.20	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE EPOXY KIT YELLOW 04005	HIC	2.73	.05	5D	25	AIR	ADHESIVE
DOUBLE BUBBLE EPOXY PATCH KIT PREMEASURED GRAY	HIC	1.27	.01	24H	25	AIR	ADHESIVE
DOUBLE BUBBLE FLEXIBLE GRAY EPOXY KIT 04007	HIC	2.01	.12	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX TUFF STUFF URETHANE 04024 BLACK	HIC	7.98	3.93	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX URETHANE KIT LIGHT BROWN 04022	HIC	7.62	3.54	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX URETHANE KIT LIGHT GRAY 04023	HIC	1.03	.01	5D	25	AIR	ADHESIVE
DUPONT 46971/CAT 805 AS 10/1 BW	DUP	3.29	.51	1H	25	AIR	ADHESIVE
				15M	135	AIR	
DUPONT 5504A SILVER FILLED EPOXY	DUP	.05	.00	1H	160	AIR	COND ADHESIVE
				2H	240	AIR	
E-SOLDER 3021 A/B AS 1/1 BW SILVER FILLED EPOXY	EPO	9.56	.18	2H	65	AIR	COND ADHESIVE
				3H	50	AIR	
E-SOLDER 3022/18 AS 100/8 BW SILVER FILLED EPOXY	EPO	1.27	.02	1.5H	85	AIR	COND ADHESIVE
E-SOLDER 3025 SILVER FILLED EPOXY	ACI	.63	.02	4H	65	AIR	COND ADH
E-252/C-46 CAT/STYRENE AS 10/3/1.3 BW	STV	2.55	.32	2H	82	AIR	ADHESIVE
E-2794-13 A/B AS 10/1 BW SILICONE - SPECIAL	DCC	.85	.29	10D	25	AIR	ADHESIVE
EA 8 A/B AS 100/6 BW BROWN EPOXY	HYS	.98	.02	90M	93	AIR	ADHESIVE
EA 901/B1 AS 100/11 BW EPOXY MAROON	HYS	.83	.04	5H	116	AIR	ADHESIVE
EA 907 A/B AS 10/8 BW LIGHT BLUE EPOXY	HYS	3.60	1.03	3D	25	AIR	ADHESIVE
				2H	82	AIR	
EA 921 A/B AS 4/1 BW GRAY EPOXY	HYS	2.42	.02	2H	71	AIR	ADHESIVE
EA 9307 A/B AS 100/14 BW BROWN EPOXY	HYS	.48	.00	30M	121	AIR	ADHESIVE
				2H	82	AIR	
EA 9309 A/B AS 100/23 BW EPOXY	HYS	2.18	.00	7D	25	AIR	ADHESIVE
EA 9309 A/B AS 100/23 BW EPOXY	HYS	1.25	.00	7D	25	AIR	ADHESIVE
				5H	74	AIR	
EA 9309 A/B AS 100/23 BW EPOXY LOT 29195	HYS	1.20	.02	12D	25	AIR	ADHESIVE
EA 9309.2NA A/B AS 100/22 BW BLUE	HYS	1.11	.01	24H	25	AIR	ADHESIVE
				8H	71	AIR	
EA 9309.3NA A/B AS 100/22 BW PURPLE	HYS	1.41	.01	7D	25	AIR	ADHESIVE
EA 9309.3NA A/B AS 100/22 BW PURPLE LOT 6021	HYS	1.24	.02	5D	25	AIR	ADHESIVE
				4H	66	AIR	
EA 9313 ORANGE EPOXY	HYS	2.08	.15	16H	25	AIR	ADHESIVE
				6H	80	AIR	
EA 9320 A/B AS 100/19 BW BLUE EPOXY	HYS	1.12	.04	15M	121	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EA 9321 GRAY EPOXY	HYS	.94	.04	90M	66	AIR	ADHESIVE
EA 9323 A/B AS 100/45 BW YELLOW EPOXY	HYS	.86	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY	HYS	.87	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY (EPON 934)	HYS	.49	.01	7D	25	AIR	ADHESIVE
EA 934NA A/B AS 100/33 BW GRAY EPOXY	HYS	.54	.01	7D	25	AIR	ADHESIVE
EA 9414.1 ONE COMPONENT EPOXY WHITE	HYS	.78	.14	30M	121	PSI	ADHESIVE
EA 9434 A/B AS 100/33 BW GRAY NON ASBESTOS EPOXY	HYS	.47	.01	7D	25	AIR	ADHESIVE
EA 951 SUPPORTED EPOXY ADHESIVE FILM GRAY	HYS	2.15	.19	1H	177	AIR	ADH FILM
EA 953 EPOXY	HYS	2.28	.06				ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.2 BW YELLOW EPOXY	HYS	.69	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.2 BW YELLOW EPOXY	HYS	1.03	.01	1H	93	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	HYS	.70	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	HYS	1.00	.00	1H	93	AIR	ADHESIVE
EA 956 EPOXY	HYS	.69	.02				ADHESIVE
EA 9601 SUPPORTED EPOXY ADHESIVE FILM YELLOW	HYS	1.54	.44	1H	121	AIR	FILM ADHESIVE
EA 9653 EPOXY FILM ADHESIVE	HYS	1.34	.00	1H	177	E-1	FILM ADHESIVE
EASTMAN FA FILM 04010	EAS	.27	.05				FILM ADHESIVE
EASTMAN 910 CYANOACRYLIC/FOIL SANDWICH	EAC	6.15	.00	5D	25	AIR	ADHESIVE
EASYPOXY K-20 REPAIR KIT A/B AS EQUAL BEADS FR TUBES	CON	.65	.01	24H	25	AIR	ADHESIVE
EASYPOXY K-256 A/B AS EQUAL LENGTHS FROM TUBES WHITE	*CON*	*.60*	*.04*	24H	25	AIR	ADHESIVE
EASYPOXY K-26 WHITE EPOXY	CON	1.11	.05	2H	66	AIR	ADHESIVE
EASYPOXY K-40 A/B AS EQUAL LENGTHS FROM TUBES GRAY	CON	.60	.02	24H	25	AIR	ADHESIVE
EASYPOXY K-43 A/B AS EQUAL LENGTHS FROM TUBES BLUE	CON	19.87	.08	24H	25	AIR	ADHESIVE
EC 1614 A/B AS 1/1 BW EPOXY ADH	MMM	1.90	.12	1H	66	AIR	ADHESIVE
				72H	66	AIR	
EC 2126 BUNA N ADHESIVE	MMM	9.48	1.32	72H	25	AIR	ADHESIVE
EC 2258 EPOXY	MMM	1.00	.00	24H	175	AIR	ADHESIVE
EC 2290 EPOXY ADH	MMM	.20	.15	30M	82	AIR	ADHESIVE
				30M	177	AIR	
EC 2290 EPOXY ADH	MMM	.01	.01	30M	82	E-4	ADHESIVE
				30M	177	E-4	
EC 2290 EPOXY ADHESIVE	MMM	1.60	.00	2H	177	AIR	ADHESIVE
EC 3500 B/A AS 2/3 BW EPOXY ADHESIVE	MMM	.19	.06	1H	121	AIR	ADHESIVE
EC 3500 EPOXY ADHESIVE	MMM	.40	.00	60M	170	PSI	ADHESIVE
EC 3584 GREEN FLAME RETARD EPOXY FOAM	MMM	1.81	.04	16H	25	AIR	ADHESIVE
ECCOBOND 104 A/B AS 100/64 BW GRAY/GREEN EPOXY	EMC	.52	.08	6H	120	AIR	ADHESIVE
ECCOBOND 24 A/B AS 100/28 BW CLEAR EPOXY	EMC	1.69	.04	24H	25	AIR	ADHESIVE
ECCOBOND 276/CAT 17 AS 10/1 BW EPOXY	EMC	.49	.00	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
ECCOBOND 281 ONE PART EPOXY - BLACK	EMC	.35	.06	5H	80	AIR	THERM COND ADH
ECCOBOND 285/11 AS 20/1 BW EPOXY	EMC	.28	.01	8H	82	AIR	ADHESIVE
ECCOBOND 285/24LV AS 25/2 BW EPOXY	EMC	1.00	.00	24H	25	AIR	ADHESIVE
ECCOBOND 285/9 AS 25/1 BW EPOXY	EMC	.48	.01	24H	25	AIR	ADHESIVE
ECCOBOND 286 A/B AS 1/1 BW EPOXY	EMC	1.58	.71	24H	25	AIR	ADHESIVE
ECCOBOND 45/15 AS 1/1 BW BLACK EPOXY	EMC	2.57	.04	30M	104	AIR	ADHESIVE
ECCOBOND 45/15 AS 1/2 BW SEMI-RIGID EPOXY CLEAR	EMC	7.92	.07	30M	104	AIR	ADHESIVE
ECCOBOND 45LV/15LV AS 2/1 BW SEMI-RIGID EPOXY BLACK	EMC	1.98	.02	30M	104	AIR	ADHESIVE
ECCOBOND 51/9 AS 100/7 BW	EMC	.44	.02	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	EMC	.46	.01	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	EMC	.45	.02	30M	66	AIR	ADHESIVE
ECCOBOND 56C/9 AS 40/1 BW SOLDER	EMC	.23	.01	30M	25	AIR	ADHESIVE
				1H	60	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	EMC	.52	.04	7D	25	AIR	COND ADHESIVE
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	EMC	.36	.03	30M	150	AIR	COND ADHESIVE
ECCOBOND 58C SOLDER SILVER FILLED EPOXY	EMC	.36	.17	2H	149	AIR	COND ADHESIVE
ECCOBOND 60L A/B AS 10/3 BW SILVER FILLED EPOXY	EMC	1.54	.07	24H	25	AIR	COND ADHESIVE
ECCOBOND 787 A/B AS 1/1 BW THIXOTROPIC EPOXY	EMC	1.29	.03	24H	25	AIR	ADHESIVE
ECCOBOND 83C A/B AS 100/2.7 BW SILVER FILLED EPOXY	EMC	2.94	.03	3H	65	AIR	COND ADHESIVE
ECCOBOND 83C A/B AS 100/2.7 BW SILVER FILLED EPOXY	EMC	2.44	.01	24H	65	AIR	COND ADHESIVE
ECCOBOND 83C A/B AS 100/3.5 BW BI-PAK SILVER FILLED	EMC	.64	.02	1H	66	AIR	COND ADHESIVE
ECCOBOND 83C-1 ONE COMPONENT SILVER FILLED	EMC	.35	.01	1H	149	AIR	COND ADHESIVE
ECCOMOLD L28/24LV AS 100/26.4 BW	EMC	.73	.05	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSEAL W-19/CAT 24LV AS 100/26.4 BW EPOXY AMBER	EMC	4.17	.08	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSEAL W-19/CAT 9 AS 100/12 BW EPOXY	EMC	2.68	.03	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSHIELD RVS ADHESIVE/ECCOSHIELD SV-R/FOIL	EMC	.26	.11	7D	25	AIR	COND ADHESIVE
ECCOSIL LN1049-97 A/B AS 10/1 BW CLEAR SILICONE	EMC	.18	.04	30M	100	AIR	ADHESIVE
ECCOSIL 1745 ONE PART ADHESIVE FR TUBE TRANSLUCENT	EMC	1.66	.56	7D	25	AIR	ADHESIVE
ECCOSIL 4952/CAT 50 AS 10/0.02 BW FILLED SILICONE	EMC	.42	.17	4H	66	AIR	THERM CONTROL
ECR 4100 SILVER FILLED EPOXY PRE MIX KIT	FOR	1.10	.01	14D	25	AIR	COND ADH
ECR 4110 A/B AS 20/1 BW SILVER FILLED EPOXY	FOR	.96	.01	24H	25	AIR	COND ADH
ECR 4200 SILVER FILLED EPOXY PRE MIX KIT	FOR	2.11	.03	15D	25	AIR	COND ADH
ELECTROBOND 1700 A/B AS 100/5.3 BW	EFI	3.19	1.31	24H	25	AIR	ADHESIVE
ELECTROBOND 2015 A/B AS 10/1 BW SILVER FILLED EPOXY	EFI	.44	.02	2H	65	AIR	COND ADHESIVE
EMX-116 A/B AS 1/1 BW TAN EPOXY	LUS	1.37	.14	48H	25	AIR	ADHESIVE
EPIBOND 1210/CAT 9615 AS 100/65 BW EPOXY	FPI	.65	.01	3H	66	AIR	ADHESIVE
EPIBOND 1210/9861 AS 5/1 BW EPOXY	FPI	.77	.00	7D	25	AIR	ADHESIVE
EPIBOND 122/CAT 931	FPI	3.17	.01	16H	66	AIR	ADHESIVE
EPIBOND 122/CAT 952	FPI	4.37	.00	7D	25	AIR	ADHESIVE
EPIBOND 123/CAT 9615-10	FPI	.85	.03	7D	25	AIR	ADHESIVE
EPIBOND 8510 A/B AS 10/3 BW	FPI	.05	.00	5D	25	AIR	ADHESIVE
EPIPHEN 825A/MOD T/FILLER/CONVERTER - EPOXY	BCM	.83	.01	16H	25	AIR	ADHESIVE
				8H	66	AIR	
EPO-TEK H11 A/B AS 15/2.6 BW SILVER FILLED EPOXY	EPK	3.40	.02	90M	80	AIR	COND ADHESIVE
EPO-TEK H20E A/B AS 1/1 BW SILVER FILLED EPOXY	EPK	1.18	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H20E A/B AS 2/1 BW W/O METAL FILLER	EPK	8.16	.02	15M	150	AIR	ADHESIVE
EPO-TEK H20E-175M A/B AS 1/1 BW SILVER FILLED EPOXY	EPK	1.10	.01	1H	165	AIR	COND ADHESIVE
EPO-TEK H20S A/B AS 1/1 BW SILVER FILLED EPOXY	EPK	1.54	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H21D A/B AS 10/1 BW SILVER FILLED EPOXY	EPK	.19	.00	30M	100	AIR	COND ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	EPK	1.00	.01	3.5H	50	AIR	ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	EPK	.99	.01	20M	100	AIR	ADHESIVE
EPO-TEK H27D A/B AS 10/1 BW SILVER FILLED EPOXY	EPK	.52	.09	1H	150	AIR	COND ADHESIVE
EPO-TEK H31 SILVER FILLED EPOXY	EPK	.59	.05	1H	150	AIR	COND ADHESIVE
EPO-TEK H31DLV SILVER FILLED EPOXY SINGLE COMPONENT	EPK	.47	.02	1H	125	AIR	COND ADHESIVE
EPO-TEK H35-175M ONE PART SILVER FILLED EPOXY	EPK	.33	.02	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H35-175M(AU) ONE PART GOLD FILLED EPOXY	EPK	.36	.09	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H40 GOLD FILLED EPOXY SINGLE COMPONENT	EPK	.19	.00	1H	120	AIR	COND ADHESIVE
EPO-TEK H41 GOLD FILLED EPOXY	EPK	.14	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H43 GOLD FILLED EPOXY	EPK	.20	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H44 GOLD FILLED EPOXY	EPK	.27	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H70E A/B AS 1/1 BW THERM COND EPOXY	EPK	1.51	.03	12H	50	AIR	THERM COND ADH
EPO-TEK H70E A/B AS 1/1 BW THERM COND EPOXY	EPK	.99	.03	12H	60	AIR	ADHESIVE
				18D	25	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPO-TEK H72 A/B AS 10/.4 BW DIELECTRIC EPOXY PASTE	EPK	.31	.00	30M	100	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.27	.01	24H	50	E-3	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.20	.01	48H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.31	.01	24H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.56	.00	30M	150	AIR	ADHESIVE
EPO-TEK H77 A/B AS 20/3 BW BROWN EPOXY	EPK	.22	.00	1H	125	AIR	ADHESIVE
EPO-TEK H80 SILVER FILLED EPOXY	EPK	.16	.01	24H	50	AIR	COND ADHESIVE
EPO-TEK H81 A/B AS 1/1 BW PLATINUM FILLED EPOXY	EPK	.62	.00	16H	60	AIR	COND ADHESIVE
				16H	95	E-6	
EPO-TEK H81 A/B AS 10/1 BW GOLD FILLED EPOXY	EPK	.06	.01	12H	50	AIR	COND ADHESIVE
EPO-TEK H81E A/B AS 1/1 BW GOLD FILLED EPOXY	EPK	.20	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H81E-175M A/B AS 1/1 BW GOLD FILLED EPOXY	EPK	.44	.01	1H	165	AIR	COND ADHESIVE
EPO-TEK 301 A/B AS 20/5	EPK	1.08	.00	24H	25	AIR	OPT CEMENT
EPO-TEK 301 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	EPK	1.94	.04	7D	25	AIR	OPT CEMENT
EPO-TEK 301 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	EPK	1.29	.01	24H	25	AIR	OPT CEMENT
				18H	65	AIR	
EPO-TEK 301 A/B AS 20/5 BW OPTICAL EPOXY LOT 375049	EPK	1.09	.01	24H	25	AIR	OPT CEMENT
				6H	65	AIR	
EPO-TEK 301 A/B AS 20/5 BW OPTICAL EPOXY LOT 375051	EPK	1.17	.02	24H	25	AIR	OPT CEMENT
				6H	65	AIR	
EPO-TEK 301-2 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	EPK	2.62	1.03	24H	25	AIR	OPT CEMENT
EPO-TEK 301J A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	EPK	3.58	.15	24H	25	AIR	OPT CEMENT
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	EPK	2.87	.08	24H	25	AIR	OPT CEMENT
				1H	65	AIR	
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	EPK	1.54	.04	24H	25	AIR	OPT CEMENT
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	EPK	3.28	.15	24H	25	AIR	OPT CEMENT
				6H	65	AIR	
EPO-TEK 314 A/B AS 10//6 BW OPTICAL EPOXY YELLOW	EPK	.77	.00	2H	120	AIR	ADHESIVE
				1H	150	E-3	
EPO-TEK 320 A/B AS 5/1 BW BLACK EPOXY	EPK	1.49	.02	7D	25	AIR	ADHESIVE
EPO-TEK 330 EPOXY PRE-MIX PACK	EPK	2.24	.01	5M	100	AIR	ADHESIVE
EPO-TEK 330 EPOXY PRE-MIX PACK	EPK	2.26	.01	5M	100	AIR	ADHESIVE
				1H	120	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	EPK	2.03	.02	24H	25	AIR	ADHESIVE
				5H	60	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	EPK	1.83	.01	24H	25	AIR	ADHESIVE
				10M	100	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	EPK	1.88	.04	24H	25	AIR	ADHESIVE
				2M	150	AIR	
EPO-TEK 390 POLYIMIDE/F	EPK	.43	.01	30M	25	AIR	ADHESIVE
				1H	200	AIR	
EPO-TEK 415G A/B AS 1/1 BW SILVER FILLED EPOXY	EPK	1.85	.27	24H	25	AIR	COND ADHESIVE
EPO-TEK 417 A/B AS 15/1 BW SILVER FILLED EPOXY	EPK	2.19	.02	3D	25	AIR	COND ADHESIVE
EPO-TEK 417 A/B AS 15/1 BW SILVER FILLED EPOXY	EPK	3.13	.01	1H	100	AIR	COND ADHESIVE
EPO-TEK 905 A/B AS 5/1 BW THERMAL COND EPOXY	EPK	2.58	.01	7D	25	AIR	THERM COND ADH
EPO-TEK 920 EPOXY ADHESIVE	EPK	.65	.01	45M	80	AIR	ADHESIVE
EPO-TEK 930 A/B AS 100/3.3 BW FILLED EPOXY	EPK	.49	.00	45M	80	AIR	THERM COND ADH
EPOCAST 1368/9313 AS 50/17 BW EPOXY-FURANE SL-15E	FPI	5.83	.01	8H	25	AIR	ADHESIVE
EPOCAST 8508 EPOXY ADHESIVE	FPI	4.10	.24	24H	25	AIR	ADHESIVE
				2.5H	85	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON X-24 EPOXY	SHL	.42	.05	15M	60	AIR	ADHESIVE
				45M	25	PSI	
				4H	25	AIR	
				10H	100	AIR	
EPON 1001-BT-70/VERSAMID 115/MEK/TOLUENE	SHL	9.00	.00	150M	25	AIR	ADHESIVE
EPON 1001/VERSAMID 115 A/B AS 2/1 BW W/THINNERS	SHL	12.02	.02	1H	99	AIR	ADHESIVE
EPON 8/CAT A/CYCLOHEXANOL AS 100/12.5/25 BW	SHL	6.06	.01	3H	93	AIR	ADH-POTTING
EPON 8/CAT A/CYCLOHEXANOL AS 100/12.5/25 BW	SHL	4.74	.00	3H	93	AIR	ADH-POTTING
				24H	121	E-4	
EPON 815/DEH-20/VERSAMID 150 AS 100/12/12 BW EPOXY	SHL	.81	.03	4D	25	AIR	ADHESIVE
				24H	66	AIR	
EPON 815/DER 732/V9 SILVER PWDR/AEP	SHL	.56	.07	4H	74	AIR	ADHESIVE
EPON 815/DTA AS 10/1 BW EPOXY	SHL	2.96	.06	7D	25	AIR	ADHESIVE
EPON 815/T AS 10/1.8 BW EPOXY	SHL	2.41	.03	7D	25	AIR	ADHESIVE
EPON 815/TETA AS 10/1 BW CURE 2	SHL	1.83	.03	6D	25	AIR	ADHESIVE
EPON 815/TETA AS 10/1 BW CURE 4	SHL	.76	.01	16H	63	AIR	ADHESIVE
EPON 815/V 140 AS 3/1.8 BW EPOXY	GSC	.51	.02	7D	25	AIR	ADHESIVE
EPON 815/V 140/AL2O3/PIGMENT MODIFIED BLACK EPOXY	GSC	.60	.06	7D	25	AIR	COND ADHESIVE
EPON 815/V 140/DTA AS 100/15/6 BW EPOXY	SHL	2.42	.08	7D	25	AIR	ADHESIVE
EPON 815/V 140/DTA AS 100/6/6 BW EPOXY	SHL	4.68	.41	7D	25	AIR	ADHESIVE
EPON 820/TETA AS 10/1 BW CURE 1	SHL	.43	.05	3D	25	AIR	ADHESIVE
EPON 820/TETA AS 10/1 BW CURE 8	SHL	.36	.04	16H	63	AIR	ADHESIVE
				48H	25	AIR	
EPON 826/NMA/BDMA AS 100/88.5/1.5 BW EPOXY	SHL	.41	.00	2H	93	AIR	ADHESIVE
				8H	177	AIR	
EPON 827/VERSAMID 140 AS 1/1 BW EPOXY	SHL	.96	.01	3.5H	60	AIR	ADHESIVE
EPON 828-ALUMINA/V-125/METHANEDIAMINE/ALUMINA	SHL	.21	.01	3H	71	AIR	ADHESIVE
EPON 828/DER 732/AEP/CARBON BLACK EPOXY ADHESIVE	SHL	1.56	.06	2H	66	AIR	ADHESIVE
				24H	25	AIR	
EPON 828/DTA AS 10/1 BW EPOXY	SHL	.75	.04	3D	25	AIR	ADHESIVE
EPON 828/EM 308/SILICA FLOUR AS 10/5/1 BW EPOXY	HAC	.29	.00	1.5H	65	AIR	ADHESIVE
EPON 828/TETA AS 10/1 BW CURE 1	SHL	.50	.01	3D	25	AIR	ADHESIVE
EPON 828/TETA AS 10/1 BW CURE 8	SHL	.38	.00	16H	63	AIR	ADHESIVE
				2D	25	AIR	
EPON 828/V 140/AL2O3/PIGMENT MODIFIED BLACK EPOXY	GSC	.46	.02	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 125 AS 1/1 BW W/3% SIO2	SHL	1.06	.02	3H	60	AIR	ADHESIVE
				16H	82	E-6	
EPON 828/VERSAMID 125 AS 100/75 BW EPOXY	SHL	.69	.03	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 30/70 BW EPOXY	SHL	4.68	.45	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 40/60 BW EPOXY	SHL	1.63	.11	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	1.16	.04	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.58	.04	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/BORON NITRIDE AS 1/1/2 BW	GSC	.74	.03	7D	25	AIR	THERM COND ADH
EPON 828/VERSAMID 140/DTA AS 70/30/1 BW EPOXY	GSC	.18	.00	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/20 BW	SHL	.81	.03	12H	50	AIR	COND ADHESIVE
				24H	125	AIR	
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/40 BW	SHL	.50	.04	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 140/SR 82 AS 70/30/1 BW EPOXY	GSC	.35	.01	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/T-61 AS 2/3/16 BW MOD EPOXY	GSC	.88	.05	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 15/DTA/TIO2 AS 25/27/1.5/40 BW	GSC	1.12	.01	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 15/T-61/CAB-O-SIL/RED DISPERSION	GSC	.93	.05	7D	25	AIR	ADHESIVE
EPON 828/ZZL-0803 AS 100/35.5 BW EPOXY COATING	SHL	1.09	.04	1H	121	AIR	ROD
EPON 828/815/140/CARBOLAC/NOVACITE 1250	SHL	1.71	.16	7D	25	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/871/AEP/CAB-O-SIL AS 40/60/15.5/3 BW EPOXY	SHL	1.35	.03	4H	64	AIR	ADHESIVE
EPON 8280/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.92	.02	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	SHL	.95	.00	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	SHL	.28	.01	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY W/MEK	SHL	2.87	.02	2H	25	AIR	ADHESIVE
				1H	82	AIR	
EPON 934 A/B AS 100/33 BW W/MEK/MOS2	SHL	2.93	.03	2H	25	AIR	ADHESIVE
				1H	82	AIR	
EPON 934 A/B AS 100/33 BW W/MEK/MOS2	SHL	2.01	.11	16H	100	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW EPOXY	SHL	.19	.01	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW/CARBOLAC/CABOSIL	SHL	.81	.00	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW/MOS2/CARBOLAC/CABOSIL	SHL	.88	.11	7D	25	AIR	ADHESIVE
EPOWELD XL13215 A/B AS 100/40 BW CLEAR EPOXY	HIC	2.92	.10	24H	25	AIR	ADHESIVE
EPOWELD XL13215 A/B AS 100/40 BW CLEAR EPOXY	HIC	3.13	.11	24H	25	AIR	ADHESIVE
				24H	40	E-3	
EPOXI-PATCH KIT 0151 CLEAR EQUAL LENGTHS FR TUBES	HYS	1.51	.01	24H	25	AIR	ADHESIVE
EPOXI-PATCH KIT 0151 EQUAL LENGTHS FR TUBES	HYS	1.86	.02	2H	60	AIR	ADHESIVE
EPOXI-PATCH KIT 1C WHITE EQUAL LENGTHS FR TUBES	HYS	.81	.02	24H	25	AIR	ADH-SEALANT
EPOXI-PATCH KIT 1073 EQUAL LENGTHS FR TUBES	HYS	4.77	.26	2H	60	AIR	ADHESIVE
EPOXI-PATCH KIT 608 CLEAR EQUAL LENGTHS FR TUBES	HYS	3.07	.15	24H	25	AIR	ADH-SEALANT
EPOXI-PATCH KIT 9340 EQUAL LENGTHS FR TUBES GRAY	HYS	.98	.03	7D	25	AIR	ADHESIVE
EPOXY ADHESIVE FOR REPLICA GRATINGS - PROPRIETARY	BNL	5.99	.12				ADHESIVE
EPOXY ADHESIVE FOR REPLICA GRATINGS - PROPRIETARY	BNL	5.53	.12	24H	80	AIR	ADHESIVE
EPOXY 14	TNC	1.60	.31	30M	115	AIR	ADHESIVE
EPOXY 220 A/B AS EQUAL PARTS FROM TUBES	HUE	.89	.07	24H	25	AIR	ADHESIVE
EPOXY 330 A/B AS EQUAL PARTS FROM TUBES	HUE	10.42	.07	24H	25	AIR	ADHESIVE
EPOXY 432016-600 OLIVE GREEN	PCD	.82	.01	75M	163	AIR	ADHESIVE
EPOXY 907 A/B AS EQUAL LENGTHS FROM TUBES	MSI	2.25	.66	7D	25	AIR	ADHESIVE
				24H	45	AIR	
				8H	60	AIR	
EPOXYLITE P EPOXY	EPC	3.57	.03	24H	25	AIR	ADHESIVE
EPOXYLITE 9653 TYPE 3	EPC	15.48	.01	2H	70	AIR	ADHESIVE
EPY 150 PRE PACK EPOXY ADH LOT L101	BLH	.99	.03	16H	25	AIR	ADHESIVE
ESP 108 GRAY ONE PART EPOXY	PIC	.53	.13	45M	150	AIR	ADHESIVE
ESP 109 GRAY ONE PART EPOXY	PIC	.50	.10	45M	150	AIR	ADHESIVE
ESP 110 GRAY ONE PART EPOXY	PIC	.60	.13	45M	150	AIR	ADHESIVE
EUREPOX 710/VERSAMID 140 AS 2/1 BW EPOXY	SAG	.33	.00				ADHESIVE
EX 8762 EPOXY DIELECTRIC ADHESIVE	DUP	.08	.00	1H	160	AIR	ADHESIVE
				2H	240	AIR	
FA-8/BA-5 AS 100/13.5 BW EPOXY	BAC	.74	.25	1H	60	AIR	ADH POTTING
				24H	71	AIR	
FASSON TAPE 333 WHITE POLYESTER FILM/R	APF	2.64	.34				2 SIDE TAPE
FIBERITE E-3938 EPOXY	FIB	.44	.01	10M	149	AIR	ADHESIVE
				2H	160	AIR	
FM 123-2 EPOXY ADH FILM	ACC	1.30	.16	1H	107	AIR	ADH FILM
FM 123-2 EPOXY ADH FILM - ORANGE	ACC	1.43	.27	1H	121	AIR	ADH FILM
FM 123-2LVC EPOXY ADH FILM PURPLE	ACC	.68	.01	1H	121	AIR	ADH FILM
FM 123-2LVC EPOXY ADH FILM PURPLE/F	ACC	.94	.00	90M	124	PSI	ADH FILM
FM 123-2LVC MODIFIED AS NB149D-68C EPOXY PURPLE	ACC	.81	.00	1H	121	AIR	ADH FILM
FM 123-5 EPOXY ADH FILM BLUE-GREEN	ACC	.98	.02	1H	121	PSI	ADH FILM
FM 123-5 EPOXY ADH FILM GREEN	ACC	1.17	.01	30M	125	PSI	ADH FILM
				14H	150	PSI	
FM 150-1 SUPPORTED EPOXY ALUM FILL HONEYCOMB ADH	ACC	.49	.04	1H	177	AIR	ADH FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FM 150-2 SUPPORTED EPOXY FILM EP 15 HONEYCOMB ADH	ACC	.87	.06	1H	177	AIR	ADH FILM
FM 150-2U UNSUPPORTED EPOXY FILM ADH	ACC	1.56	.02	1H	175	AIR	ADH FILM
FM 150-2U UNSUPPORTED EPOXY FILM ADH	ACC	.89	.02	1H	177	AIR	ADH FILM
FM 24 EPOXY ADH FILM ORANGE	ACC	.86	.21	10H	121	PSI	ADH FILM
FM 300U UNSUPPORTED EPOXY FILM ADHESIVE	ACC	1.05	.02	2H	175	AIR	ADH FILM
FM 34-18U ADHESIVE FILM	ACC	1.38	.00	90M	177	PSI	ADH FILM
FM 35U UNSUPPORTED EPOXY ADHESIVE FILM BLUE	ACC	1.48	.34	1H	121	AIR	ADH FILM
FM 36 FILM ADHESIVE POLYIMIDE/GLASS	ACC	.82	.02	2H	177	AIR	ADH FILM
				2H	288	AIR	
FM 37 EPOXY FOAM ADH OLIVE GREEN	ACC	.73	.04	10H	121	PSI	ADH FOAM
FM 37 EPOXY FOAM ADH PER HMS 20-1591-CL2	ACC	1.05	.05	1H	121	AIR	ADH FOAM
FM 37 EPOXY FOAM ADH PER HMS 20-1591-CL2	ACC	1.11	.05	3H	121	AIR	ADH FOAM
FM 40 EPOXY FOAM	ACC	1.00	.05	1H	170	PSI	ADH FOAM
FM 400 SUPPORTED EPOXY FILM ADH GRAY	ACC	1.13	.00	6H	177	AIR	ADH FILM
FM 410-1 EPOXY FOAM BLUE/GREEN	ACC	.84	.00	3H	121	AIR	ADHESIVE
FM 96U UNSUPPORTED EPOXY FILM ADH	ACC	1.53	.11	1H	175	AIR	ADH FILM
FORTIN EC031P03 EPOXY FILM ADH UNSUPPORTED	FLC	4.49	2.59	1H	177	AIR	FILM ADHESIVE
FR 127 A/B AS 16/1 BW	VEL	4.37	1.60	14D	25	AIR	ADHESIVE
FR 127 A/B AS 16/1 BW	VEL	4.48	1.98	14D	25	AIR	ADHESIVE
				40H	25	E-5	
FR 7035 UNSUPPORTED ADH FILM	FBC	2.31	.94	1H	121	AIR	ADH FILM
FRALOCK T-912 FILM ADH SYSTEM - THERMOSETTING	FRA	2.69	.53	45M	170	AIR	FILM ADHESIVE
FSP49 A/B AS 1/1 BW SILVER FILLED EPOXY	JMM	.52	.01	24H	25	AIR	COND ADHESIVE
F88CPP/F88CPL AS 13/10 BW	TRI	3.00	.02	24H	25	AIR	ADHESIVE
GA-2 A/B AS 1/1 BW EPOXY CEMENT	AUI	2.48	.18	48H	25	AIR	ADHESIVE
GAGEKOTE 1 STRAINGAGE ADH AND COATING	WTB	8.12	1.40	12D	25	AIR	ADH-COATING
GARLOCK 201 A/B AS 1/1 BW EPOXY	GLI	4.76	.00	24H	25	AIR	ADHESIVE
GE 4088 ADHESIVE CLEAR	GEC	3.52	.00	30M	25	AIR	ADHESIVE
				10M	160	AIR	
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	MON	.79	.08	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	MON	.62	.03	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 657/ACRYLIC PRES SENS ADH	MON	.85	.31	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 657/ACRYLIC PRES SENS ADH	MON	1.12	.04	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 784/ACRYLIC PRES SENS ADH	MON	1.55	.19	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 784/ACRYLIC PRES SENS ADH	MON	1.00	.05	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 858/ACRYLIC PRES SENS ADH	MON	1.25	.38	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 858/ACRYLIC PRES SENS ADH	MON	1.02	.02	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GENEPOXY 185/VERSAMID 115 AS 1/1 BW EPOXY	GMC	.35	.00	16H	25	AIR	ADHESIVE
				12H	66	AIR	
GG 306-4 EPOXY FILM ADHESIVE	ACC	.89	.01	1H	177	PSI	FILM ADHESIVE
GLASS ADH 2060 A/B AS 2/1 BW EPOXY	MMM	1.07	.01	21D	25	AIR	ADHESIVE
GT 400 TAPE SCHJELDAHL POLYESTER/POLYESTER ADH 2SIDE	GTS	.63	.12	5M	160	AIR	2 SIDED TAPE
HB 87 A/B AS 1/1 BW FLEXIBLE EPOXY	HAR	7.20	.51	7D	25	AIR	ADHESIVE
HE 10 OPTICAL ASSEMBLY CEMENT A/B AS 93/7 BW	EAS	18.69	.70	48H	25	AIR	OPTICAL CEMENT
HE 79 OPTICAL CEMENT A/B AS 100/2.5 BW	EAS	19.11	1.27	7D	25	AIR	OPTICAL CEMENT
HE 80 OPTICAL CEMENT A/B AS 100/2.5 BW	EAS	19.87	1.96	7D	25	AIR	OPTICAL CEMENT
HEXABOND I EPOXY FILM ADHESIVE	HEX	3.35	.76	1H	121	AIR	FILM ADHESIVE
HEXABOND 3 A/B AS 100/19.7 BW	HEX	1.40	.30	15M	82	AIR	ADHESIVE
				1H	121	E-4	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
HEXABOND 3 EPOXY FILM ADHESIVE UNSUPPORTED	HEX	1.23	.26	1H	127	AIR	FILM ADHESIVE
HS 5480 EPOXY	HSP	1.88	.11	14D	25	AIR	ADHESIVE
HT 432 EPOXY-PHENOLIC FILM ADHESIVE	ACC	.72	.02	10M	174	PSI	FILM ADHESIVE
				45M	174	PSI	
HT-424 PASTE - OLIVE/GREEN	ACC	1.27	.00	3H	143	AIR	ADHESIVE
HX-1000 LAMINATING FILM	MMM	.10	.00	15M	216	AIR	ADH FILM
HX-1009 ADHESIVE FILM	MMM	3.83	2.14	1H	149	AIR	ADHESIVE
HYSOL 11C A/B AS 1/1 BV EPOXY	HYS	.63	.01				ADHESIVE
HYSOL 2C A/B AS 25/11 BW BROWN EPOXY	HYS	.85	.00	2H	71	AIR	ADHESIVE
HYSOL 4326/3421 AS 100/6 BW	HYS	1.17	.01	1H	93	AIR	ADHESIVE
HYSOL 6C A/B AS 1/1 BV ALUM FILLED EPOXY	HYS	1.42	.00	4H	60	AIR	COND ADHESIVE
HYSOL 6C A/B AS 12/4.6 BW ALUM FILLED EPOXY	HYS	1.55	.29	48H	25	AIR	COND ADHESIVE
JET-MELT 3736 ADHESIVE	MMM	2.23	.76	3M	145	AIR	HOT MELT ADH
JET-MELT 3758 ADHESIVE	MMM	4.49	2.70	3M	105	AIR	HOT MELT ADH
JET-MELT 3764 ADHESIVE	MMM	6.60	1.58	3M	105	AIR	HOT MELT ADH
JET-MELT 3765 ADHESIVE	MMM	14.08	8.12	3M	105	AIR	HOT MELT ADH
JET-MELT 3779 ADHESIVE	MMM	2.52	1.02	5M	200	AIR	HOT MELT ADH
K-10 ADHESIVE	KCO	1.92	.08				ADHESIVE
K-16 A/B AS 3/1 BW CONDUCTIVE EPOXY	HYS	.22	.01	48H	25	AIR	COND ADHESIVE
K-20 A/B AS 10/7 BW EPOXY	HYS	7.43	.12	7D	25	AIR	COND ADHESIVE
KLEEN-STIK DUBL-STIK 2 SIDED TAPE/F	COM	13.15	3.49				ADH FILM
K8-4238/H2-3475 AS 25/4 BW EPOXY	HYS	.32	.00	24H	25	AIR	COND ADHESIVE
LAMINATING FILM 2C-200-1/FOIL SANDWICH	TME	.61	.11	30M	135	PSI	FILM ADHESIVE
LCA4/ACT BA5 AS 100/4.5 BW EPOXY	AAC	.19	.00	16H	100	AIR	ADHESIVE
LCA9/ACT BA5 AS 100/4.5 BW MINERAL FILLED GREEN	BAC	.23	.03	2H	93	AIR	ADHESIVE
LEAL CC EPOXY ADH	LEC	1.45	.07	30M	25	AIR	ADHESIVE
				8H	104	AIR	
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	LCC	1.17	.05	24H	25	AIR	ADHESIVE
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	LCC	1.03	.02	5D	25	AIR	LOW TEMP ADH
				1H	66	AIR	
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	LCC	2.65	.03	24H	25	AIR	ADHESIVE
				1H	93	AIR	
LEFKOWELD 46/LM-52 AS 100/74 BW YELLOW/GREEN EPOXY	LCC	1.04	.08	3H	66	AIR	ADHESIVE
LEFKOWELD 46/LM-52 AS 100/74 BW YELLOW/GREEN EPOXY	LCC	2.30	.08	7D	25	AIR	ADHESIVE
LENS BOND C-59 A/B AS 50/1 BV	SUM	2.94	.10	8D	25	AIR	OPT CEMENT
LENS BOND F-65 A/B AS 20/1 BW	SUM	4.83	.16	24H	25	AIR	OPT CEMENT
LENS BOND M-62 A/B AS 50/1 BW	SUM	5.77	.62	90M	70	AIR	OPT CEMENT
LENS BOND UV-69 POLYESTER SUN LAMP CURE	SUM	3.65	.26				OPT CEMENT
LENS BOND UV-71 POLYESTER UV LAMP CURE	SUM	4.21	.62				OPT CEMENT
LENS BOND UV-74 POLYESTER UV LAMP CURE	SUM	3.68	.44				OPT CEMENT
LIGHT-WELD 602 CLEAR METHACRYLIC UV CURED	ACE	4.83	.08				ADHESIVE
LOCK-NUT 8V	PCI	14.07	5.25				THREAD SEAL
LOCTITE A RED ADHESIVE	LTC	6.54	.03	24H	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM BOLTS	LTC	5.47	.11	72H	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM BOLTS	LTC	5.86	.01	7D	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM SHIMS	LTC	5.64	.07	16H	50	PSI	THREAD SEAL
LOCTITE AA OVER PRIMER N	LTC	1.64	.00	72H	25	E-3	THREAD SEAL
LOCTITE AA WELD SEALANT GREEN FROM SHIMS	LTC	3.19	.02	16H	50	PSI	WELD SEALANT
LOCTITE B BEARING MOUNT YELLOW FROM BOLTS	LTC	14.30	7.43	48H	25	PSI	ADH-SEALANT
LOCTITE B BEARING MOUNT YELLOW FROM BOLTS	LTC	12.63	7.00	7D	25	PSI	ADH-SEALANT
LOCTITE C BLUE ADHESIVE	LTC	13.45	7.68	24H	25	PSI	THREAD SEAL
				12H	77	E-2	
LOCTITE C BLUE ADHESIVE FROM BOLTS	LTC	24.86	12.53	48H	25	PSI	ADH-SEALANT

SECTION 1 -- ADHESIVES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LOCTITE DEPEND ADHESIVE/ACTIVATOR/F	LTC	8.33	.29	24H	25	AIR	ADHESIVE
LOCTITE LO-880/DEPEND AS 40/1 BW METALLIC BOULE	LTC	2.50	.05	24H	25	AIR	THREAD SEAL
LOCTITE LO-914/DEPEND AS 20/1 BW IVORY BOULE	LTC	4.50	.15	24H	25	AIR	THREAD SEAL
LOCTITE RC-648 GREEN	LTC	1.50	.00	1H	121	AIR	ADH-SEALANT
LOCTITE TL-277	LTC	3.79	.22	72H	25	E-3	THREAD SEAL
LOCTITE UV-326 YELLOW - UV CURED	LTC	5.28	.07				ADH-SEALANT
LOCTITE 220/PRIMER T AS 20/1 BW BLUE	LTC	10.58	3.08	24H	25	AIR	ADH-SEALANT
				30M	121	AIR	
LOCTITE 222 MILD STRENGTH ADH PURPLE	LTC	17.71	7.65	24H	25	PSI	THREAD SEAL
LOCTITE 222 MILD STRENGTH ADH PURPLE FROM BOLTS	LTC	26.84	13.78	48H	25	PSI	ADHESIVE
LOCTITE 242 MEDIUM STRENGTH ADH BLUE	LTC	13.74	5.49	24H	25	PSI	THREAD SEAL
LOCTITE 242 MEDIUM STRENGTH ADH BLUE FROM BOLTS	LTC	16.43	7.45	72H	25	PSI	ADH-SEALANT
LOCTITE 262 HIGH STRENGTH ADH RED FROM BOLTS	LTC	4.43	.18	72H	25	PSI	ADH-SEALANT
LOCTITE 262 HIGH STRENGTH ADH RED FROM SHIMS	LTC	4.12	.18	16H	50	PSI	ADH-SEALANT
LOCTITE 271 HIGH STRENGTH ADH RED	LTC	6.10	1.23	24H	25	PSI	THREAD SEAL
LOCTITE 271 HIGH STRENGTH ADH RED FROM BOLTS	LTC	5.24	.47	48H	25	PSI	ADH-SEALANT
LOCTITE 290 MEDIUM STRENGTH ADH GREEN	LTC	5.19	.02	24H	25	PSI	THREAD SEAL
LOCTITE 290 MEDIUM STRENGTH ADH GREEN FROM BOLTS	LTC	2.97	.13	48H	25	PSI	ADH-SEALANT
LOCTITE 290 MEDIUM STRENGTH ADH GREEN FROM SHIMS	LTC	2.43	.01	16H	50	PSI	ADH-SEALANT
LOCTITE 317 STRUCTURAL ADHESIVE	LTC	10.02	.51	7D	25	PSI	ADHESIVE
LOCTITE 324	LTC	2.46	.13	15M	121	AIR	ADHESIVE
LOCTITE 324/ACT 707	LTC	5.00	.28				ADHESIVE
LOCTITE 325	LTC	2.45	.11	15M	121	AIR	ADHESIVE
LOCTITE 325/ACT 707	LTC	5.54	.31				ADHESIVE
LOCTITE 326/PRIMER N	LTC	3.75	.08				ADHESIVE
LOCTITE 35/LOCQUIC PRIMER N	LTC	1.21	.14	6H	60	E-2	ADHESIVE
LOCTITE 354 MOD ACRYLIC UV CONVERTIBLE	LTC	9.61	.53				OPTICAL CEMENT
LOCTITE 354 MOD ACRYLIC UV CONVERTIBLE	LTC	8.94	.22				OPTICAL CEMENT
LOCTITE 361	LTC	3.80	.09				ADHESIVE
LOCTITE 410 CYANOACRYLATE BLACK	LTC	9.30	.07	24H	25	PSI	ADHESIVE
				16H	82	AIR	
LOCTITE 411 CYANOACRYLATE TRANSLUCENT	LTC	3.40	.01	24H	25	PSI	ADHESIVE
				16H	82	AIR	
LOCTITE 447 CYANOACRYLATE TRANSLUCENT	LTC	1.96	.01	24H	25	AIR	ADHESIVE
				16H	82	AIR	
LOCTITE 499 CYANOACRYLATE TRANSLUCENT	LTC	3.36	.02	24H	25	AIR	ADHESIVE
				16H	82	AIR	
LOCTITE 601 HIGH STRENGTH ADH GREEN	LTC	5.21	.02	24H	25	PSI	THREAD SEAL
LOCTITE 93-13 SUPER BONDER ADHESIVE	LTC	8.02	.37	24H	25	AIR	ADHESIVE
M-BOND AE-10 EPOXY KIT	MGI	.88	.00	24H	25	AIR	ADHESIVE
M-5 ADHESIVE A/B AS 1/1 BW YELLOW	OXI	10.20	.17	72H	25	AIR	OPTICAL CEMENT
MA 509 CONDUCTIVE SILICONE	CME	.28	.09	25D	25	AIR	ADHESIVE
MACBOND 1B 1200 TWO SIDED TAPE/F	MOR	1.56	.05				FILM ADHESIVE
MACBOND 9626 POLYESTER FILM/2 SIDE ACR ADH MI418/F	MOR	1.25	.00				FILM ADHESIVE
MARPOXY C3-177 A/B AS 15/1 BW CU FILLED EPOXY	KEY	2.56	.12	60D	25	AIR	COND ADHESIVE
MARPOXY C3-177 A/B AS 15/1 BW CU FILLED EPOXY	KEY	2.38	.09	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-163 SINGLE COMPONENT CU FILLED EPOXY	KEY	.28	.01	2H	149	AIR	ADHESIVE
				1H	204	AIR	
MARPOXY 95-168 A/B AS 19/1 BW CU FILLED EPOXY	KEY	.45	.04	16H	25	AIR	COND ADHESIVE
				2H	200	AIR	
MARPOXY 95-202 SINGLE COMPONENT CU FILLED EPOXY	KEY	.27	.00	2H	149	AIR	ADHESIVE
				1H	204	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MARPOXY 95-4 A/B AS 19/1 BW CU FILLED EPOXY	KEY	1.45	.10	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-7 A/B AS 19/1 BW CU FILLED EPOXY	KEY	1.18	.08	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-9 ONE COMPONENT CU FILLED EPOXY	KEY	.63	.06	1H	160	AIR	COND ADHESIVE
				2H	204	AIR	
MASTER BOND EP21AOHT A/B AS 1/1 BW THERM COND ADH	MBI	3.41	.18	48H	25	AIR	THERM COND ADH
MASTER BOND GP6 POLYESTER COPOLYMER	MBI	14.73	.01	24H	25	PSI	THREAD SEAL
MC-30 A/B AS 95/5 BW ACRYLIC ADH/BENZOYL PEROXIDE	ACP	4.72	.03	7D	25	AIR	ADHESIVE
MC-30 A/B AS 95/5 BW W/TOLUENE ACRYLIC ADHESIVE	ACP	14.01	.04	7D	25	AIR	ADHESIVE
ME 855 ONE COMPONENT OXIDE FILLED EPOXY/F	AMC	.19	.00	1H	125	AIR	ADHESIVE
ME-868-2 ONE COMPONENT OXIDE FILLED EPOXY	AMC	2.94	.01	1H	170	AIR	THERM COND ADH
ME-990 ONE PART THERM COND OXIDE FILLED LOTCK60310/F	AMC	.43	.00	1H	150	AIR	THERM COND ADH
METADUCT 1202 A/B AS 25/1 BW SILVER FILLED EPOXY	MEC	.54	.01	1.5H	100	AIR	COND ADHESIVE
METLBOND 1113 EPOXY SUPPORTED FILM	WCN	1.03	.04	25M	149	AIR	ADH FILM
METLBOND 227 EPOXY FILM ADHESIVE	WCN	.98	.08	1H	127	AIR	ADH FILM
METLBOND 329 CLOTH SUPPORTED EPOXY FILM	WCN	1.27	.01	1H	177	E-1	ADH FILM
METRE-GRIP 3446/T9 AS 1% CAT BW	MEP	.49	.00	2H	93	AIR	ADHESIVE
				16H	204	AIR	
MICROCIRCUIT TYPE M SILVER FILLED EPOXY	TNC	.24	.00	16H	150	AIR	COND ADHESIVE
MMM TAPE X-1140 THERMOSET RUBBER ADH FILM/R	MMM	6.14	2.13	3H	121	AIR	2 SIDED TAPE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SID/F	MMM	1.00	.00				2 SIDED TAPE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SIDE	MMM	.93	.07	30M	130	AIR	2 SIDED TAPE
MMM TAPE 4016 FOAM/2 SIDE ACRYLIC ADH/FOIL SANDWICH	MMM	2.64	.22				FOAM TAPE 2 SIDE
MMM TAPE 464 TISSUE FILM/RUBBER ADH/R	MMM	6.17	.86				2 SIDED TAPE
MMM TAPE 465 TRANSFER FILM SYN ACRYLIC/R	MMM	.84	.20				TRANSFER TAPE
MMM TAPE 666 PVC FILM/2 SIDE ACRYLIC ADH/R	MMM	2.11	.15				2 SIDED TAPE
MS 2704 SILICONE ADH	MUH	4.55	1.41	30M	25	AIR	ADHESIVE
				30M	40	AIR	
N-SIL RTV 123 BLACK SINGLE COMPONENT SILICONE	GEC	2.55	.76	7D	25	AIR	STAKING CPND
N-SIL RTV 128 TRANSLUCENT ONE PART SILICONE	GEC	2.86	.88	7D	25	AIR	ADHESIVE
NARMCO 3135/7111 AS 1/1 BW EPOXY	WCN	.59	.01	24H	25	AIR	ADHESIVE
NARMCO 328 SHEET ADHESIVE	WCN	1.00	.11	90M	165	AIR	ADH FILM
NARMCO 329 SHEET ADHESIVE	WCN	1.21	.05	90M	165	AIR	ADH FILM
ND VIBRA-TITE THREAD SEAL	OAK	6.71	.64				THREAD SEAL
NE 581 A/B AS 4/1 BW OPTICAL CEMENT - EPOXY	NEL	10.48	.00	30H	25	AIR	OPT CEMENT
				30H	65	AIR	
NE 581 A/B AS 4/1 BW OPTICAL CEMENT - EPOXY	NEL	10.66	.00	7D	25	AIR	OPT CEMENT
NOA 60 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	2.22	.02				OPT CEMENT
NOA 60 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	.90	.01	1H	125	AIR	OPT CEMENT
NOA 61 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	2.24	.01				OPT CEMENT
NOA 61 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	1.65	.01	1H	100	AIR	OPT CEMENT
NOA 63 OPTICAL ADHESIVE UV CURED	NOR	1.95	.04				OPTICAL ADH
NOA 63 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	2.27	.04				OPT CEMENT
NOA 65 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	2.89	.14				OPT CEMENT
NOA 81 UV CURED ADH/F 30 MIN UV EXP	NOR	2.10	.13				OPTICAL ADH
NOA 81 UV CURED ADH/F 5 MIN UV EXP	NOR	.93	.03	1H	125	AIR	ADHESIVE
NODE BOND BXR-10176 LX-125 THERMOSET ADH/F	ACC	.61	.00	30M	25	AIR	ADHESIVE
				1H	177	AIR	
NODE BOND GG-288-8 BATCH 108	ACC	.57	.04	30M	25	AIR	ADHESIVE
				1H	177	AIR	
NOMEX T-912 NYLON/PAPER FILM ADHESIVE	FRA	2.95	.66	15M	163	PSI	FILM ADHESIVE
OMNIFIT 5555-133-1 RED ANAEROBIC ADHESIVE	HNO	3.39	.02				THREAD SEAL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
OMNIFIT 5555-133-2 GREEN ANAEROBIC ADHESIVE	HNO	4.98	.12				THREAD SEAL
OPTICAL COUPLING CPND - SILICONE (PROPRIETARY)	BRN	2.08	1.12				ADHESIVE
P 400/CAT 515 AS 1/1 BW EPOXY	APP	.30	.01	14D	25	AIR	ADHESIVE
P-460 A/B AS 100/7 BW	APP	3.18	.17	24H	25	AIR	ADHESIVE
P-61 SILICA FILLED EPOXY	WEC	.31	.04	2H	100	AIR	ADHESIVE
				8H	135	AIR	
PALMER CEMENT 0014	PLM	4.02	.01	17H	80	AIR	ADHESIVE
				2H	120	AIR	
PERMA-LOK HH120 FROM SHIMS	PIC	3.29	.37	48H	25	PSI	ADH-SEALANT
PERMA-LOK HL126 FROM SHIMS	PIC	3.76	.02	48H	25	PSI	ADH-SEALANT
PERMA-LOK HL138 FROM SHIMS	PIC	4.16	.03	48H	25	PSI	ADH-SEALANT
PERMA-LOK HM060 FROM SHIMS	PIC	4.11	.04	48H	25	PSI	ADH-SEALANT
PERMA-LOK HM128 FROM SHIMS	PIC	4.57	.13	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM012 FROM SHIMS	PIC	28.57	6.10	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM113 FROM SHIMS	PIC	14.67	6.23	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM115 FROM SHIMS	PIC	10.84	4.46	48H	25	PSI	ADH-SEALANT
PERMACEL TAPE 941 MYLAR/2 SIDE NATURAL RUBBER/R	PER	3.58	.58				2 SIDED TAPE
PETERSON CHEM EPOXY A/B AS 1/1	PCE	1.06	.26	24H	125	AIR	ADHESIVE
PITEL CA A/B AS 1 DROP A/1 GM B CONDUCTIVE ADHESIVE	DUP	2.58	.38	3D	25	AIR	COND ADHESIVE
PLASTILOCK 717B NYLON/EPOXY ADH	BFG	1.77	.06	1H	121	PSI	FILM ADHESIVE
PLIOBOND 30 FROM TUBE/FOIL SANDWICH	GAC	13.55	.70	48H	25	AIR	ADHESIVE
PLV 2000 VITON ADHESIVE	PEL	1.77	.63	3D	25	AIR	ADHESIVE
				1H	150	AIR	
POLY CAST EC EPOXY LOT 173-4416-4	FLA	.83	.27	3H	171	AIR	ADHESIVE
				5H	163	AIR	
POLYGUIDE LAMINATING FILM	ECC	1.08	.33	24H	125	PSI	FILM ADHESIVE
POLYSET EPC 68 BLUE EPOXY POWDER	MNC	.25	.03	2M	160	AIR	ADHESIVE
				20M	160	AIR	
				20M	94	AIR	
PR 1564 A/B AS 7.7/100 BW/BV POLYURETHANE CASTING	PRC	1.12	.01	16H	85	AIR	ADHESIVE
				16H	100	E-5	
PR 1660 A/B AS 11.5/100 BW POLYURETHANE FILM	PRC	.86	.01	16H	100	AIR	ADHESIVE
PR 1660L A/B AS 1/4 BW AMBER POLYURETHANE LOT C21828	PRC	1.05	.01	16H	65	AIR	ADHESIVE
PR 1660L A/B/CAB-O-SIL M-5 AS 25/100/8 W/PGMT/DEFOAM	PRC	.81	.00	14D	25	AIR	ADHESIVE
PR 1710 ADHESIVE FOR VITON A	PRC	.38	.01	16H	25	AIR	ADHESIVE
				1H	121	AIR	
PS 18 ACRYLIC CEMENT	ROH	.73	.00	72H	25	AIR	ADHESIVE
PT 4121 A/B AS 1/1 BW EPOXY	PTI	13.27	.20	1H	66	AIR	ADHESIVE
PYRALUX WA CLOTH SUPPORT/ACRYLIC FILM ADH - AMBER	DUP	.20	.01	1H	204	AIR	FILM ADHESIVE
PYRALUX 3249-87 CLOTH SUPPORTED FILM ADHESIVE	DUP	.31	.02	2H	154	AIR	FILM ADHESIVE
Q1-2577 SILICONE	DCC	2.59	.67				THERM ADHESIVE
Q3-6527 A/B AS 1/1 BW OPTICAL COUPLING CPND	DCC	1.73	.78	1H	90	AIR	OPTICAL COUPLE
Q3-6575 A/B AS 1/1 BW CLEAR OPTICAL COUPLING GEL	DCC	5.06	1.87	7D	25	AIR	OPTICAL COUPLE
Q3-6575 A/B AS 1/1 BW GEL DEVOL PART A	GSC	2.54	.72	7D	25	AIR	OPTICAL COUPLE
R-1500 ONE COMPONENT ELEC COND SILICONE - BLACK	MCG	.31	.04	7D	25	AIR	ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-058	MCG	.45	.08				ADH-SEALENT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	MCG	.45	.06				ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	MCG	.39	.07	7D	25	AIR	ADH-SEALANT
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	MCG	.27	.04				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	MCG	.25	.05	7D	25	AIR	ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	MCG	.33	.07				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	MCG	.29	.07	7D	25	AIR	ADH-POTTING
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	MCG	.37	.03				ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	MCG	.59	.03	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT DBID WHITE SILICONE	MCG	.28	.05	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	MCG	.42	.07				ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	MCG	.44	.07	7D	25	AIR	ADHESIVE
R-2566 0.5% BW CAT RED CONT VOLATILITY SILICONE	MCG	.35	.02	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	MCG	.31	.03				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	MCG	.50	.03	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	MCG	.35	.05				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	MCG	.63	.06	7D	25	AIR	ADH-POTTING
R-2567 0.5% BW CAT CLEAR SILICONE	MCG	.62	.05	7D	25	AIR	ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	MCG	.41	.02				ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	MCG	.31	.08	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301	MCG	.38	.07	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301(RERUN 12688)	MCG	.12	.03	7D	25	AIR	ADHESIVE
				24H	125	E-7	
R-313 A/B AS 100/8 BW EPOXY	BGG	1.71	.19	12H	25	AIR	ADHESIVE
				2H	66	AIR	
RD 3327-6/ACCEL 4/F	HCC	7.63	.37	24H	25	AIR	ADHESIVE
REIGAL PAPER MKCC11069 POLYIMIDE FILM	RPC	3.35	.14	30M	174	PSI	ADH FILM
RELIABOND 398 FILM ADHESIVE GRAY	RMC	1.17	.01	1H	130	PSI	FILM ADHESIVE
RELIABOND 7115 CLOTH SUPPORT EPOXY FILM	RMC	.96	.06	1H	121	PSI	FILM ADHESIVE
RESDEL EPOXY WITH IRON FILLING	RES	.67	.03	10M	160	AIR	ADHESIVE
RESDEL 01-02-01 CIBA 6005/RESDEL 41 AS 5/1 BW EPOXY	RES	.82	.03	10M	160	AIR	ADHESIVE
RESIWELD 7004 EPOXY ADH A/B AS 1/1 BV	FUL	1.67	.12	24H	25	AIR	ADHESIVE
RESYN 30-1215 PRESSURE SENSITIVE ACRYLIC ADHESIVE	NSC	.63	.01	16H	25	AIR	ADHESIVE
				2H	66	AIR	
RHODORSIL CAF 410 TRANSLUCENT FROM TUBE	RHO	2.83	.78	7D	25	AIR	ADHESIVE
RHODORSIL CAF 430T RED FROM TUBE	RHO	3.16	.68	7D	25	AIR	ADHESIVE
RHODORSIL CAF 460T TAN FROM TUBE	RHO	1.28	.35	7D	25	AIR	ADHESIVE
RHOPLEX N-619 PRES SENS ACRYLIC ADH/FOIL SANDWICH	ROH	.51	.00	30M	25	AIR	ADHESIVE
				1H	70	AIR	
RIGIDAMP SILICONE	BAR	2.01	.04				ADHESIVE
RIGIDAMP 19010-1 VISCOELASTIC FILM/3M TAPE 467	BAR	3.46	.50				ADHESIVE
RTV 108 ONE COMPONENT TRANSLUCENT SILICONE	GEC	4.32	1.10	10D	25	AIR	ADHESIVE
RTV 11/T-12/SILVER FLAKE 0.5% T-12/70% SILVER FLAKE	GEC	.81	.22	4D	25	AIR	COND ADHESIVE
RTV 11/T-12/SILVER FLAKE 0.5% T-12/70% SILVER FLAKE	GEC	.72	.15	810D	25	AIR	COND ADHESIVE
RTV 118 ONE COMPONENT TRANSLUCENT SILICONE	GEC	1.60	.98	7D	25	AIR	ADHESIVE
				96H	104	AIR	
RTV 118 ONE COMPONENT TRANSLUCENT SILICONE	GEC	1.96	1.01	20D	25	AIR	ADHESIVE
RTV 118 SILICONE CPND	GEC	2.21	1.07	24H	25	AIR	ADH-SEAL-ENCAPS
RTV 142 ONE COMPONENT WHITE SILICONE	GEC	.21	.01	6D	25	AIR	ADH-SEALANT
RTV 142 ONE COMPONENT WHITE SILICONE	GEC	.24	.00	7D	25	AIR	ADHESIVE
RTV 142 ONE COMPONENT WHITE SILICONE LOT JM 107	GEC	.22	.00	7D	25	AIR	ADHESIVE
RTV 154 ADHESIVE SEALANT	GEC	3.42	1.66	24H	25	AIR	ADH-SEALANT
RTV 162 ONE COMPONENT WHITE SILICONE	GEC	1.59	.42	7D	25	AIR	ADHESIVE
RTV 168 SILICONE	GEC	1.72	.55	24H	25	AIR	ADHESIVE
RTV 189 ONE PART GRAY SILICONE	GEC	1.33	.51	7D	25	AIR	ADHESIVE
RTV 511 .007-.009 IN THICK	GEC	.62	.29	3D	25	AIR	ADHESIVE
				48H	100	E-6	
RTV 511 .007-.009 IN THICK	GEC	.78	.39	3D	25	AIR	ADHESIVE
				48H	125	E-6	
RTV 511 0.5% BW CAT DEVOL AT 100C LOT JN 170	GSC	1.82	.49	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT DEVOL AT 125C LOT JN 170	GSC	.78	.26	7D	25	AIR	ADHESIVE

SECTION 1 -- ADHESIVES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 511 0.5% BW CAT DEVOL AT 150C LOT JN 170	GSC	.49	.11	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT VIRGIN RESIN LOT KH 181	GEC	3.66	.63	7D	25	AIR	ADHESIVE
RTV 511/T-12 AS 40 GM/10 DROPS SILICONE	GEC	2.97	.76	30D	25	AIR	ADHESIVE
RTV 511/577/T-12 AS 1/1/4% BW	GEC	.65	.35	72H	25	AIR	ADH-SEAL-ENCAPS
				72H	51	E-6	
RTV 560/T-12 AS 0.1% T-12	GEC	2.22	.49	150D	25	AIR	ADHESIVE
RTV 560/T-12 AS 0.1% T-12	GEC	.08	.04	150D	25	AIR	ADHESIVE
				24H	125	E-6	
RTV 560/T-12 AS 0.5% T-12	GEC	2.52	.55	7D	25	AIR	ADH-SEAL-ENCAPS
RTV 560/577/T-12 AS 1/1/0.5% BW SILICONE	GEC	.63	.11	30D	25	AIR	ADHESIVE
				48H	75	E-6	
RTV 560/577/T-12 AS 1/9/0.5% BW SILICONE	GEC	3.30	.57	30D	25	AIR	ADHESIVE
RTV 560/577/T-12 AS 1/9/0.5% BW SILICONE	GEC	.45	.08	14D	25	AIR	ADHESIVE
				6D	75	E-6	
				10D	25	AIR	
RTV 560/580/T-12 AS 1/2 BW W/0.5% T-12	GEC	2.20	.71	7D	25	AIR	ADHESIVE
				8H	125	AIR	
RTV 560/580/T-12 RCA ADHESIVE	GEC	.46	.21	4D	75	E-5	ADH-SEAL-ENCAPS
RTV 560/9811	GEC	2.82	.46	36H	25	AIR	ADHESIVE
RTV 566 0.07% BW CAT SILICONE	GEC	.12	.00	7D	25	AIR	ADHESIVE
RTV 566 0.075% BW CAT SILICONE	GEC	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.08% BW CAT SILICONE	GEC	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.09% BW CAT SILICONE	GEC	.10	.01	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE	GEC	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT BH164/AH102	GEC	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT JB 133	GEC	.08	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 136	GEC	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 137	GEC	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/DC 1200 PRIMER/SANDWICH	GEC	.12	.01	4H	80	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/GE SS4155 PRIM/SANDWICH	GEC	.13	.01	4H	80	AIR	ADHESIVE
RTV 566 0.3% BW CAT SILICONE	GEC	.34	.00	24H	25	AIR	POTTING-ADH
RTV 566 0.7% BW CAT SILICONE	GEC	.36	.01				POTTING-ADH
RTV 567 0.5% BW CAT SILICONE	GEC	.51	.02	5D	25	AIR	POTTING-ADH
RTV 568 0.13% BW CAT SILICONE	GEC	.10	.01	7D	25	AIR	ADHESIVE
RTV 577/T-12 SILICONE	GEC	2.99	.57	48H	25	AIR	ADH-SEALANT
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 3	GSC	.10	.04	7D	25	AIR	ADHESIVE
RTV 630 5% BW CAT GRAY SILICONE	GEC	.73	.46	1H	101	AIR	ADHESIVE
				24H	121	E-3	
RTV 8111/CAT 9891 AS 97/3 BW	GEC	1.36	.41	16H	25	AIR	ADH-POTTING
RTV 8112/CAT 9858 AS 94/6 BW	GEC	1.31	.33	16H	25	AIR	ADH-POTTING
RTV 8223/CAT 9858 AS 96/4 BW	GEC	1.23	.21	16H	25	AIR	ADH-POTTING
RTV 8243/CAT 9858 AS 96/4 BW	GEC	1.38	.15	16H	25	AIR	ADH-ENCAPS
RTV 8262/CAT 9858 AS 20/1 BW	GEC	.68	.22	72H	25	AIR	ADH-ENCAPS
				72H	51	AIR	
RTV 8262/CAT 9858 AS 94/6 BW	GEC	.79	.25	16H	25	AIR	ADH-ENCAPS
RTV 8263/CAT 9858 AS 96/4 BW	GEC	.90	.21	16H	25	AIR	ADH-ENCAPS
RTV 8372/CAT 9858 AS 95/5 BW	GEC	1.41	.28	16H	25	AIR	SILICONE
RTV 8373/CAT 9858 AS 97/3 BW	GEC	1.31	.22	16H	25	AIR	SILICONE
RTV 8382/CAT 9858 AS 95/5 BW	GEC	1.10	.36	16H	25	AIR	ADH-SEALANT
RTV 8383/CAT 9858 AS 97/3 BW	GEC	.73	.21	16H	25	AIR	SILICONE
R8-2038/H2-3404 AS 100/88 BW EPOXY	HYS	2.34	.10	1H	80	AIR	ADHESIVE
R8-2038/H2-3475 AS 4/1 BW CLEAR EPOXY	HYS	.85	.03	24H	25	AIR	ADHESIVE
R9-2039/H2-3561 AS 10/3 BW EPOXY	HYS	1.08	.01	7D	25	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
R9-2039/H2-3561 AS 10/3 BW EPOXY	HYS	.98	.02	2H	60	AIR	ADHESIVE
S-1009 EPOXY ADHESIVE	RCC	1.63	.04	24H	25	AIR	ADHESIVE
SC-25-1B ONE COMPONENT THERM COND SILICONE	AMC	2.31	.13	48H	25	AIR	ADHESIVE
SCOTCHBOND 4170 STUD LOCKING RED ADH-SEALANT F/BOLTS	MMM	25.41	7.76	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4171 NUT LOCKING BLUE FROM BOLTS	MMM	25.66	9.76	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4172 SCREW LOCKING PURPLE FROM BOLTS	MMM	37.13	17.34	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4173 BUSHING ASSY GREEN FROM BOLTS	MMM	25.39	8.15	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4174 BEARING ASSY GREEN FROM BOLTS	MMM	14.04	1.74	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4174 BEARING ASSY GREEN FROM SHIMS	MMM	12.81	1.66	16H	50	PSI	ADH-SEALANT
SCOTCHBOND 4177 HYDRAULIC SEALANT AMBER FROM BOLTS	MMM	43.02	22.69	72H	25	PSI	ADH-SEALANT
SCOTCHCAST 10 (XR-5241) A/B AS 1/1 BW RUST RED EPOXY	MMM	1.96	.52	70D	25	AIR	ADHESIVE
				24H	125	E-2	
SCOTCHCAST 10 (XR-5241) A/B AS 1/1 BW RUST RED EPOXY	MMM	3.09	.81	24H	25	AIR	ADHESIVE
SCOTCHGRIP EC 1357 CONTACT CEMENT RUBBER BASE	MMM	3.48	.90	24H	25	AIR	ADHESIVE
SCOTCHGRIP 2353 BLUE FROM BOLTS	MMM	47.19	.19	48H	25	PSI	ADHESIVE
SCOTCHGRIP 2451 ORANGE FROM BOLTS	MMM	4.88	.10	48H	25	PSI	ADHESIVE
SCOTCHWELD 1751 B/A AS 2/1 BW W/PHENYL GLYCIDYD ETH	MMM	.75	.06	24H	25	AIR	ADH-POTTING
SCOTCHWELD 1838 B/A AS 1/1 BW EPOXY	MMM	.65	.03	24H	25	AIR	ADHESIVE
SCOTCHWELD 2214 HD ALUM FILLED EPOXY	MMM	.48	.05	40M	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 HIGH TEMP ALUM FILLED EPOXY	MMM	.45	.00	1H	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 NMF UNFILLED EPOXY	MMM	.77	.02	1H	121	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW EPOXY W/1.5% PMS4640ED	MMM	1.25	.08	48H	40	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW FLEXIBLE GRAY EPOXY	MMM	1.21	.03	24H	25	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW FLEXIBLE GRAY EPOXY	MMM	1.16	.01	2H	65	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW W/4% M-5 CAB-O-SIL	MMM	.76	.03	16H	25	AIR	ADHESIVE
				24H	100	AIR	
SCOTCHWELD 2216 CLEAR AMBER B/A AS 1/1 BW EPOXY	MMM	1.60	.32	18D	25	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 1/1 BW EPOXY	MMM	1.60	.15	2.5H	68	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 5/7 BW EPOXY	MMM	1.75	.31	2H	65	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 5/7 BW EPOXY	MMM	1.09	.04	7D	25	AIR	ADHESIVE
				7D	65	E-5	
SCOTCHWELD 2216 SANDWICHED BETWEEN ALUMINUM	MMM	.13	.02				ADHESIVE
SCOTCHWELD 3501 B/A AS 1/1 BV MOD EPOXY	MMM	1.51	.02	24H	25	AIR	ADHESIVE
SCOTCHWELD 3532 B/A AS 1/1 BW POLYURETHANE BROWN	MMM	1.66	.07	24H	25	AIR	ADHESIVE
SCOTCHWELD 583	MMM	4.50	.41	3M	149	PSI	ADHESIVE
SCOTCHWELD 588	MMM	4.20	.53	1H	154	PSI	ADHESIVE
SEMKIT SF653K825AS EPOXY FSN 8040-00-916-9847	PRC	4.86	.01	5D	25	AIR	ADHESIVE
SILASTIC 140	DCC	1.38	.22	24H	25	AIR	ADH-SEALANT
SILASTIC 734 ONE PART SILICONE	DCC	1.64	.45	7D	25	AIR	ADHESIVE
SILASTIC 738 ONE PART NON-CORROSIVE SILICONE	DCC	2.24	.57	7D	25	AIR	ADH-SEALANT
SILCOSET 152 WHITE SILICONE	ICA	2.08	.55	7D	25	AIR	ADHESIVE
				3H	60	AIR	
SMOOTH ON INSTANT EPOXY	SOM	7.69	4.27	10M	25	AIR	ADHESIVE
SMP 62/63 AS 1/1 BV EPOXY	WSL	16.25	.07	1H	25	AIR	ADHESIVE
				2H	60	AIR	
SMP 62/63 AS 1/1 BV EPOXY	WSL	1.40	.14	4H	25	AIR	FILM DIELECTRIC
				8H	65	AIR	
				8H	121	AIR	
SOLITHANE 113/300 FORMULA 15	TCC	.66	.04	7D	25	AIR	STAKING CPND
SOLITHANE 113/300 FORMULA 15	TCC	.54	.03	24H	65	AIR	STAKING CPND
SOLITHANE 113/300/TIPA AS 100/51/4.5 BW FORMULA 10	TCC	.36	.02	7D	25	AIR	ADHESIVE
SR 529 SILGRIP SILICONE PSA	GEC	2.48	.75	30M	25	AIR	ADHESIVE
SR 585 SILVER FILLED SILICONE	GEC	2.09	1.00				ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SR 585 SILVER FILLED SILICONE ON SILVERED TEFLON	GEC	.60	.27	1.5H	38	AIR	ADHESIVE
SR 585 SILVER FILLED SILICONE ON SILVERED TEFLON	GEC	.28	.14	12H	66	AIR	ADHESIVE
SR 585/TOLUENE	GEC	10.37	5.09	24H	25	AIR	ADH FOR TAPE
SS 4155 SILICONE PRIMER	GEC	15.52	.00	1H	25	AIR	ADH PRIMER
STAKING CPND BLUE SOLITHANE 113/300 BASE	IDE	.43	.06	7D	25	AIR	STAKING CPND
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	EMC	.96	.15	16H	65	AIR	STAKING CPND
STYCAST 1263/31 AS 100/3 BW EPOXY	EMC	.33	.04	16H	107	AIR	ADHESIVE
STYCAST 1267 A/B AS 100/30 BW CLEAR EPOXY	EMC	1.06	.07	4D	25	AIR	ADHESIVE
				24H	66	AIR	
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	EMC	.63	.01	3H	100	AIR	ADHESIVE
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	EMC	.84	.03	18D	25	AIR	ADHESIVE
STYCAST 2651MM/CAT 9 AS 100/6.5 BW BLACK EPOXY	EMC	.38	.00	7D	25	AIR	ADHESIVE
STYCAST 2850FT/11 AS 100/4.5 BW EPOXY	EMC	.38	.01	12H	85	AIR	ADHESIVE
STYCAST 2850FT/24LV AS 100/7 BW EPOXY	EMC	.39	.00	24H	25	AIR	ADHESIVE
				72H	60	AIR	
STYCAST 2850GT/9 AS 10/0.3 BW EPOXY	EMC	.33	.00	7D	25	AIR	ADHESIVE
STYCAST 2850MT/11 AS 100/2.7 BW BLUE EPOXY	EMC	.52	.03	24H	74	AIR	ADHESIVE
STYCAST 2850MT/9 AS 100/2.1 BW BLUE EPOXY	EMC	.52	.02	24H	25	AIR	ADHESIVE
STYCAST 3050/9 AS 100/6 BW DARK RED EPOXY	EMC	2.09	.01	7D	25	AIR	ADHESIVE
SYLGARD 170 A/B AS 1/1 BW DARK GRAY SILICONE	DCC	1.19	.27	7D	25	AIR	ADHESIVE
SYLGARD 184 A/B AS 10/1 BW DEVOL LOT GB053274 BATCH1	GSC	.19	.01	7D	25	AIR	ADHESIVE
SYLGARD 186 A/B AS 10/1 BW SILICONE	DCC	2.19	.94	24H	25	AIR	ADHESIVE
SYLGARD 577 A/B AS 10/1 BW GRAY SILICONE	DCC	1.24	.58	24H	80	AIR	ADHESIVE
T-661 A/B AS 100/7.5 BW BLUE EPOXY THERM COND	AMC	1.24	.03	25H	25	AIR	ADHESIVE
				2H	65	AIR	
TAME 200 A/B AS 1/25 BW ACRYLIC BASE ADH	BFG	2.28	.03	24H	25	AIR	ADHESIVE
TECKNIT 72-00002 SILVER FILLED SILICONE	TEC	.60	.21	24H	25	AIR	COND ADHESIVE
TECKNIT 72-00002 SILVER FILLED SILICONE	TEC	.02	.00	48H	121	E-5	COND ADHESIVE
TECKNIT 72-00008 A/B AS 1/1.4 BW AG FILLED EPOXY	TEC	.83	.08	24H	25	AIR	ADHESIVE
TECKNIT 72-08116 COND EPOXY A/B AS 1/1 BW	TEC	.61	.02	30M	99	AIR	COND ADHESIVE
TEMP-R-TAPE K-100 KAPTON/2 SIDE SILICONE ADH	CHR	1.44	.41				2 SIDED TAPE
THERMABOND	THE	1.80	.06	7D	25	AIR	ADHESIVE
THREE TON ADHESIVE A/B AS 1/1 BV	DIV	1.48	.01	7D	25	AIR	ADHESIVE
TILE COTE 1202 A/B AS 1/1 BV BLACK EPOX●	STA	5.78	.08	1H	25	AIR	STAKING CPND
				2H	60	AIR	
TRA-BOND BA 2106T/SILTEX 44 EPOXY BIPAX KIT	TRA	.91	.05	5D	25	AIR	ADHESIVE
TRA-BOND 2101 EPOXY BIPAX KIT	TRA	1.71	.01	2H	60	AIR	ADHESIVE
TRA-BOND 2106T EPOXY BIPAX KIT THIXOTROPIC	TRA	1.35	.08	7D	25	AIR	ADHESIVE
TRA-BOND 2111 STAKING CPND EPOXY BIPAX KIT	TRA	2.90	.08	72H	25	AIR	STAKING CPND
TRA-BOND 2112 STAKING CPND EPOXY BIPAX KIT	TRA	1.45	.01	7D	25	AIR	STAKING CPND
TRA-BOND 2113 EPOXY BIPAX KIT	TRA	3.40	.15	24H	25	AIR	ADHESIVE
TRA-BOND 2114 CLEAR EPOXY BIPAX KIT/FOIL SANDWICH	TRA	3.16	.62	72H	25	AIR	ADHESIVE
TRA-BOND 2116 EPOXY BIPAX KIT	TRA	1.01	.05	24H	25	AIR	STAKING CPND
TRA-BOND 2122 ALUM FILLED EPOXY BIPAX KIT	TRA	1.15	.05	72H	25	AIR	ADHESIVE
TRA-BOND 2126 BLACK EPOXY BIPAX KIT	TRA	2.27	.31	7D	25	AIR	ADHESIVE
TRA-BOND 2135D EPOXY BIPAX KIT	TRA	2.06	.10	3D	25	AIR	ADHESIVE
TRA-BOND 2143D POLYAMID-EPOXY BIPAX KIT	TRA	1.95	.06	72H	25	AIR	ADHESIVE
TRA-BOND 2151 THERM COND EPOXY BIPAX KIT	TRA	.65	.02	72H	25	AIR	ADHESIVE
TRA-BOND 2248 THIXOTROPIC HI-TEMP EPOXY BIPAX KIT	TRA	.72	.01	16H	25	AIR	ADHESIVE
				2H	65	AIR	
				2H	90	AIR	
TRA-CON ERL2795/2793 EPOXY KIT	TRA	1.43	.04	16H	25	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TRA-CON J1158/E-8 AS 50/6.25 BW EPOXY	TRA	16.04	1.13	1H	25	AIR	ADHESIVE
				2H	60	AIR	
TRA-DUCT BA 2902 EPOXY KIT - SILVER FILLED	TRA	1.06	.03	2H	60	AIR	COND ADHESIVE
UNISET C-110 ONE COMPONENT SILVER FILLED EPOXY	AMC	1.81	.95	1H	150	AIR	COND ADHESIVE
UNISET C-110 ONE COMPONENT SILVER FILLED EPOXY	AMC	.44	.15	1H	180	AIR	COND ADHESIVE
UNISET C-429-2 SILVER FILLED THIXOTROPIC EPOXY	AMC	.19	.01	90M	125	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY	AMC	.32	.00	30M	150	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY ONE COMPONENT	AMC	.61	.00	1H	125	AIR	COND ADHESIVE
UNISET C-850 SILVER FILLED EPOXY	AMC	.14	.00	30M	150	AIR	COND ADHESIVE
UNISET C-850-4 SILVER FILLED EPOXY ONE PART	AMC	.43	.01	1H	125	AIR	COND ADHESIVE
UNISET C-850-6 ONE COMPONENT SILVER FILLED EPOXY	AMC	.60	.01	1H	125	AIR	COND ADHESIVE
UNISET C-929-49 SILVER FILLED EPOXY	AMC	.31	.00	30M	150	AIR	COND ADHESIVE
UNISET C-940-1 SILVER FILLED POLYIMIDE	AMC	.06	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET C-940-1 SILVER FILLED POLYIMIDE	AMC	.02	.00	1H	170	AIR	COND ADHESIVE
				30M	270	AIR	
UNISET C-940-4 ONE COMPONENT SILVER FILLED POLYIMIDE	AMC	.08	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET D-124F ONE COMPONENT EPOXY YELLOW	AMC	2.68	.46	10M	120	AIR	ADHESIVE
UNISET D-804-1 ONE COMPONENT THIXOTROPIC EPOXY TAN	AMC	1.27	.02	1H	160	AIR	ADHESIVE
UNISET ME-845 THERMAL COND ADHESIVE OLIVE-GREEN	AMC	.30	.01	1H	125	AIR	THERM COND ADH
UNISET ME-945 ONE COMPONENT POLYIMIDE/F	AMC	.26	.02	1H	170	AIR	THERM COND ADH
				30M	270	AIR	
UNISET UV 307 RED VINYL/ACRYLIC FILM UV CURED	AMC	5.95	.02				ADHESIVE
UNISET UV-311 CLEAR VINYL/ACRYLIC UV CURED	AMC	3.60	.04				ADHESIVE
UNISET 906-25 SEMI-RIGID EPOXY	AMC	1.31	.31	1H	93	AIR	ADH-POTTING
UNISET 909-60 ONE COMPONENT FILLED EPOXY	AMC	.48	.04	2H	125	AIR	THERM COND ADH
URALANE 5753 A/B AS 1/5 BW	FPI	1.01	.02	14H	38	AIR	ADHESIVE
				24H	55	AIR	
URALANE 5753 A/B/ALUMINA AS 1/5/3 BW	FPI	.73	.03	14H	38	AIR	ADHESIVE
				24H	55	AIR	
URALANE 5753LV A/B AS 1/5 BW/CABOSIL TS-720	GSC	.80	.02	7D	25	AIR	STAKING CPND
URALANE 8260	FPI	1.74	.03				THERM ADHESIVE
UV 66 SUMMERS LABS - DATA INCLUDES GLASS SUBTRATE	SUM	3.03	.04				OPT CEMENT
UV 69 OPTICAL CEMENT POLYMERIZED WITH SUN LAMP	SUM	11.09	.54				OPT CEMENT
UVA 121 UV CURED ADH/F 30 MIN UV EXP	NOR	3.14	.41				ADHESIVE
UVA 121 UV CURED ADH/F 5 MIN UV EXP	NOR	1.59	.17	1H	125	AIR	ADHESIVE
UVA 123 CLEAR UV CURED	NOR	4.37	.21				ADHESIVE
UVA 123 HV RED UV CURED ADH/F 30 MIN UV EXP	NOR	3.27	.22				ADHESIVE
UVA 123 HV RED UV CURED ADH/F 5 MIN UV EXP	NOR	1.94	.14	1H	125	AIR	ADHESIVE
UVA 123 UV CURED ADH/F 30 MIN UV EXP	NOR	3.89	.21				ADHESIVE
UVA 123 UV CURED ADH/F 5 MIN UV EXP	NOR	2.16	.13	1H	125	AIR	ADHESIVE
UVA 132 UV CURED	NOR	1.41	.09				ADHESIVE
UVE 1003 EPOXY OPTICAL ADHESIVE/F 5 MIN UV EXP	GEC	4.18	1.10				OPT CEMENT
UVE 1003 EPOXY OPTICAL ADHESIVE/F 5 MIN UV EXP	GEC	1.91	1.01	1H	150	AIR	OPT CEMENT
VC-3 NYLOCK SEALING CPND	NYL	3.61	.62				THREAD SEALANT
VC-3 NYLOCK SEALING CPND	NYL	3.99	.68	1H	74	AIR	THREAD SEALANT
				1H	121	AIR	
VERSILOK 101/ACCEL 11/F	HCC	7.47	.63	24H	25	AIR	ADHESIVE
VIBRA-TITE FASTENER/F	OAK	2.37	.14	24H	25	AIR	THREAD SEAL
WILCO FAST SET EPOXY 2 PART KIT	WAI	1.80	.02	24H	25	AIR	ADHESIVE
X 3878-15-1 SILICONE PSA	CHO	2.35	1.01	30M	25	AIR	ADHESIVE

SECTION 1 -- ADHESIVES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
X 7902 A/B AS 4/1 BW BLACK FLEXIBLE EPOXY	WSA	.48	.12	4H	125	AIR	ADHESIVE
				2H	165	AIR	
X 7902 A/B AS 4/1 BW BLACK FLEXIBLE EPOXY	WSA	.47	.11	4H	125	AIR	ADHESIVE
				2H	165	AIR	
				168H	125	AIR	
XA-3476 ONE COMPONENT GRAY EPOXY	MMM	.28	.04	1H	125	AIR	ADHESIVE
XC9-G710/H2 3561 AS 100/26 BW EPOXY	HYS	.90	.02	24H	25	AIR	ADHESIVE
				6H	69	AIR	
XR-4-3099 ONE PART SILICONE	DCC	1.39	.25	7D	25	AIR	ADHESIVE
XR-4-3138 ONE PART SILICONE	DCC	1.60	.24	7D	25	AIR	ADHESIVE
X1-2561 A/B AS 10/0.2 BW CLEAR SILICONE COATING	DCC	.10	.00	14D	25	AIR	CONF COAT
X3-6022/CAT 6060 AS 10/1 BW SILICONE/PRIMER DC92-023	DCC	.35	.00	1H	25	AIR	ADHESIVE
				24H	25	E-2	
X3-6572 A/B AS 10/1 BW GRAY SILICONE	DCC	1.31	.54	20H	80	AIR	ADHESIVE
Y-663 THERMOPOXY ADH ONE COMPONENT	STV	.40	.08	1H	177	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ALPHA WIRE 5853 BLACK TEFLON INSULATION	AWC	.01	.00				WIRE INSUL
ALPHA WIRE 5853 WHITE TEFLON INSULATION	AWC	.01	.00				WIRE INSUL
AMP HV SILICONE CABLE INSUL PEP	AMP	1.07	.48				INSULATION
AMP HV WIRE ENTIRE CABLE WITHOUT METAL	AMP	1.39	.35				CABLE
AMP HV WIRE HA/HV-1 SILICONE INSUL MIDDLE	AMP	1.44	.34				CABLE
AMP HV WIRE SILASTIC 1410 SHRINK TUBING ONLY	AMP	1.39	.50				CABLE
B 123 PHENOLIC COIL VARNISH	WEC	2.23	.37	8H	135	AIR	VARNISH
B 142-1 PHENOLIC COIL VARNISH	WEC	.54	.04	8H	135	AIR	VARNISH
B-5 GRAY SILICONE TUBING	SWS	.64	.25	16H	200	AIR	TUBING
BATTERY CELL SHRINK SLEEVE INSULATOR BLUE	DBC	8.91	5.20				INSULATOR
BC 500T SUFFLEX-SILVERFLEX SLEEVING	BCI	.05	.02				INSUL
BELDEN BLUE ISOMID 36T-1 MAGNET WIRE BLUE/GREEN	BLD	.90	.75				WIRE COATING
BELDEN MAGNET WIRE 8082 MIL W583C POLYTHERMALEZE INS	BLD	.02	.00				WIRE COATING
BELDEN PVC THERMOPLASTIC WIRE INSULATION	BLD	15.49	10.03				WIRE INSUL
BELDEN SML WIRE VALUES INCLUDE WT OF WIRE	BLD	.05	.02				MOTOR WINDING
BELDEN 8524-1000 VINYL INSULATION	BLD	24.03	8.72				CABLE INSUL
BELDURE GREEN 36T-1 MAGNET WIRE GREEN	BLD	.24	.12				WIRE COATING
BEN-HAR PYRO-SLEEVE ST COATED GLASS FIBER	BHM	.02	.02	24H	300	AIR	SLEEVING
BIW P/E 5636-L-G20 WHITE SILICONE WIRE INSULATION	BIW	1.28	.29				WIRE INSUL
BIW P/E 5636-L-G20 WHITE SILICONE WIRE INSULATION	BIW	.03	.02	24H	204	AIR	WIRE INSUL
BIW P/N F5639-L-G22 BLACK PART	BIW	.77	.22				CABLE INSUL
BIW P/N F5639-L-G22 BLACK PART	BIW	.05	.03	24H	232	AIR	CABLE INSUL
BIW P/N F5639-L-G22 ENTIRE CABLE	BIW	.51	.16				CABLE
BIW P/N F5639-L-G22 ENTIRE CABLE	BIW	.03	.00	24H	232	AIR	CABLE
BIW P/N F5639-L-G22 INNER CABLE INSUL	BIW	.42	.12				CABLE INSUL
BIW P/N F5639-L-G22 OUTER JACKET	BIW	.56	.19				CABLE INSUL
BIW P/N F5639-L-G22 OUTER JACKET	BIW	.04	.01	24H	232	AIR	CABLE INSUL
BIW P/N F5639-L-G22 WHITE MIDDLE CORE	BIW	.04	.00	24H	232	AIR	CABLE INSUL
BIW 5639-L-G22 UNSHIELDED CABLE WHITE SILICONE INSUL	BIW	.74	.24				CABLE INSUL
BIW 5639-L-G22 UNSHIELDED CABLE WHITE SILICONE INSUL	BIW	.11	.02	24H	204	AIR	CABLE INSUL
CABLE AA-3133 OUTER BRAID ONLY	TIW	.62	.26				CABLE SHEATH
CABLE BELDEN RG-58 C/U 8262	BLD	1.97	.36				CABLE INSUL
CABLE BELDEN RG-58 C/U 8262 3000 HR VAC EXPOSURE	BLD	2.93	1.20				CABLE INSUL
CABLE BELDEN 8404 - 3000 HR VAC EXPOSURE	BLD	13.90	9.47				CABLE INSUL
CABLE COAX WHITE OUTER INSUL MICRODOT	MIR	.00	.00				CABLE INSUL
CABLE C06C072 9551 COAX WHITE OUTER INSUL	WLG	.02	.00				CABLE INSUL
CABLE HI-VOLTAGE WHITE OUTER SHEATH	DIS	.69	.41				CABLE INSUL
CABLE RG-316/U COAX TAN OUTER INSUL	BAY	.02	.01				CABLE INSUL
CABLE 1/C 6-61 BY OKONITE DUPONT HYPALON	DUP	9.13	4.52				CABLE INSUL
CABLE 2024 INSULATION BLACK/WHITE SILICONE	DIS	1.69	.53				CABLE INSUL
CABLE 2219X300 CR BLACK/WHITE TEFLON INSULATION	WLG	.03	.01				CABLE INSUL
CABLE 24799/408 KAPTON SHIELDED POLYIMIDE	CTD	.44	.01				CABLE INSUL
CABLE 2619X2.0 CRBSJ COAX RED OUTER INSUL	WLG	.00	.00				CABLE INSUL
CHEMFLUOR TEFLON TFE SHRINK TUBING	CHE	.00	.00	5M	325	AIR	SHRINK TUBING
CHO-SHRINK R TUBE 70-21-0003-0004 HEAT GUN SHRINK	CHO	.56	.03				SHRINK TUBING
CHO-SHRINK TUBING SILVER COND IN/SUR HEAT GUN SHRINK	CHO	.70	.10				SHRINK TUBING
CICOIL SILICONE CABLE INSUL	CIC	.24	.00				CABLE INSUL
DK-15-02 DRI-KOTE EPOXY	HYS	.49	.07				INSULATION
DURAD/TFE WIRE INSULATION RED/BLK NPC	HAV	.06	.00				WIRE INSUL
DURAD/TFE WIRE INSULATION YELLOW SPC	HAV	.02	.00				WIRE INSUL
END CAP D300-18 SHRINKABLE IRRAD BLACK POLYOLEFIN	RCC	.92	.30	1M	260	AIR	END CAP
EXPANDO SLEEVING HR BLACK HALAR	BHM	.18	.02				SLEEVING
EXPANDO SLEEVING HR RED HALAR	BHM	.29	.02				SLEEVING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EXPANDO SLEEVING HR WHITE HALAR	BHM	.27	.06				SLEEVING
EXPANDO SLEEVING PT BLACK POLYESTER	BHM	.19	.00				SLEEVING
EXPANDO SLEEVING PT WHITE POLYESTER	BHM	.21	.00				SLEEVING
FEP TEFLON 30KV WIRE INSULATION	WLG	.01	.00				WIRE INSUL
FIBERMAT 1 TYPE 2538 POLYESTER FILM/NO ADH	MMM	.15	.02				TAPE
FIBERMAT 1 TYPE 2540 POLYESTER FILM/NO ADH	MMM	.14	.10				TAPE
FIBERMAT 1V	MMM	.68	.04				INSULATION
FIT 221 IRRADIATED POLYOLEFIN SHRINK TUBING-HEAT GUN	AEW	1.42	.68				SHRINK TUBING
FIT 350 KYNAR SHRINK TUBING NEUTRAL - HEAT GUN	AEW	.30	.07				SHRINK TUBING
FLAT PACK CABLE SILICONE 60 DUROMETER	CIC	1.36	.39				FLAT CABLE
FLAT PACK WIRING CABLE INSULATION ONLY	CHA	.89	.38				FLAT CABLE
FLEXITE PO 135 BLACK POLYOLEFIN SHRINK TUBING	MAQ	1.50	.69	5M	121	AIR	SHRINK TUBING
FLEXITE PO 135 CLEAR POLYOLEFIN SHRINK TUBING	MAQ	.73	.25	5M	121	AIR	SHRINK TUBING
FLEXITE SHRINKDOWN 7505 HA150C-VW1 HEAT GUN SHRINK	MAQ	.88	.07				SHRINK TUBING
FLEXTITE TGL SILICON RUBBER TAPE NO ADH	MAR	.96	.31				TAPE
FLEXTITE TGL SILICONE RUBBER TAPE NO ADH	MAR	.95	.34	20H	150	E-3	TAPE
FLEXTITE TGL SILICONE TAPE NO ADHESIVE	MAR	.31	.12	20H	149	E-4	TAPE
FLUOROCARBON WIRE INSULATION BLACK	HAV	.09	.00				WIRE INSUL
FP 301 SHRINK TUBING NEUTRAL	ECC	.58	.15	2M	125	AIR	SHRINK TUBING
GORE-TEX MICROWAVE CABLE INNER INSULATION WHITE	WLG	.02	.00				CABLE INSUL
GORE-TEX MICROWAVE CABLE OUTER INSULATION PURPLE	WLG	.04	.00				CABLE INSUL
GORE-TEX PTFE TEFLON CABLE INSULATION 3 PLY	WLG	.03	.00				CABLE INSUL
HAVEG FR-1 STYLE 3239 WHITE SILICONE WIRE INSUL	HAV	1.36	.38				WIRE INSUL
HAVEG FR-1 STYLE 3239 WHITE SILICONE WIRE INSUL	HAV	.86	.43	22H	100	AIR	WIRE INSUL
HELI-TUBE HT 1/8-N	NEW	3.51	.02				CABLE WRAP
HELIAX COAXIAL CABLE BLACK OUTER JACKET	AND	.26	.03				CABLE INSUL
HELIAX COAXIAL CABLE FOAM DIELECTRIC	AND	.19	.04				DIELECTRIC
HFT GREEN WIRE INSULATION PTFE/KAPTON	WLG	.32	.01				WIRE INSUL
HFT ORANGE WIRE INSULATION PTFE/KAPTON	WLG	.35	.01				WIRE INSUL
HIGH TEMP 221 MAGNET WIRE COATING	HTR	.53	.15				WIRE COATING
HOSE SAE 100R5 BLACK RUBBER	POT	3.13	.41				HOSE
HS 101 BLACK POLYOLEFIN SHRINK TUBING HEATGUN SHRINK	IST	2.50	.84				SHRINK TUBING
HYSHRINK ST 9100 POLYOLEFIN PRESHRUNK	SNC	.61	.16				SHRINK TUBING
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 12MIL	REA	.35	.00				WIRE COATING
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 18MIL	REA	.18	.00				WIRE COATING
J-SIL 35T WHITE SILICONE CABLE INSULATION	KAR	.81	.29				CABLE INSUL
KAPTON T400-1/20 BRAND-REX	BRX	.51	.10				WIRE INSUL
KAPTON-TEFLON FEP COATED T473-1/24 BRAND-REX	BRX	.52	.00				WIRE INSUL
KS 1003 CLEAR SILICONE FLEX CABLE INSUL	TTE	1.74	.73	15M	110	AIR	CABLE INSUL
KYNAR BLACK WIRE INSUL 30 GAUGE UL1422	AES	.11	.02	24H	85	E-2	WIRE INSUL
KYNAR ITT SPACE GRADE POLYALKENE WHITE WIRE INSUL	ITT	.23	.03				WIRE INSUL
KYNAR PURPLE WIRE INSUL 30 GAUGE UL1422	AES	.10	.02				WIRE INSUL
KYNAR SHRINK TUBING MIL I23053/8 HEAT GUN SHRINK	RCC	.39	.07				SHRINK TUBING
KYNAR SHRINKABLE SEALING SLEEVE BLUE W/WHITE INSERTS	RCC	.66	.04	.25M	260	AIR	SHRINK SLEEVE
KYNAR SOLDER SLEEVE WITH POLYETHYLENE RINGS	RCC	.37	.07				SHRINK TUBING
KYNAR SOLDER SLEEVE WITH POLYETHYLENE SLEEVES SHRUNK	RCC	.56	.14				SHRINK TUBING
KYNAR SOLDER SLEEVE WITHOUT POLYETHYLENE RINGS	RCC	.44	.07				SHRINK TUBING
KYNAR WIRE INSULATION - RED	BIC	.07	.01				WIRE INSUL
MAGNET WIRE COATING TFE TEFLON/DURAD	HAV	.29	.01				WIRE COATING
MAGNET WIRE HEAVY ARMOR POLYTHERMALEZE(COATING ONLY)	PDC	.53	.08				WIRE COATING
MAGNET WIRE HEAVY ML POLYIMIDE	PDC	.89	.10				WIRE COATING
MAGNET WIRE M4 MIL W-583C	MWS	1.78	.11				WIRE COATING
MICRODOT CONNECTOR RUBBER BOOT 7502 BLACK	MIR	1.62	.51				BOOT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MICROTHIN TEFLON SLEEVING 20 GAUGE	SHA	.02	.00				SLEEVING
MIL-ENE C WIRE INSULATION - YELLOW (COATING ONLY)	WLG	.78	.24				WIRE INSUL
MIL-ENE C WIRE INSULATION - YELLOW (COATING ONLY)	WLG	.52	.13	4H	150	AIR	WIRE INSUL
MULTIFILAR MAGNET WIRE PYRE ML B-4-30-28-0-5 CALC %	MWS	.98	.03				MAGNET WIRE
NORFLEX N221 POLYOLEFIN SHRINK TUBING PRE-SHRUNK	RCC	.78	.11				SHRINK TUBING
NYLAFLOW 413 HOSE BLACK OUTER SHEATH ONLY	PPC	.52	.13				HOSE
NYLEZE MAGNET WIRE COATING RED 130C USE	PDC	1.43	.00				WIRE COATING
NYLEZE MAGNET WIRE INSULATION - RED (COATING ONLY)	PDC	1.34	.23				WIRE COATING
NYLEZE MAGNET WIRE INSULATION-GREEN (COATING ONLY)	PDC	1.17	.13				WIRE COATING
PENN CHEM A TEFLON INNER CORE ONLY	PFC	.01	.01				TUBE/HOSE
PENN CHEM A TEFLON/DACRON/ELASTOMER TUBE/HOSE	PFC	3.58	2.19				TUBE/HOSE
PENNTUBE II SO 3-7164AX/C TEFLON TUBING	PFC	.01	.00				TUBING
PENNTUBE V POLYOLEFIN SHRINK TUBE CLEAR	PFC	.45	.13	5M	150	AIR	SHRINK TUBING
PENNTUBE VIIB NEOPRENE SHRINK TUBING BLACK	PFC	8.42	4.75	5M	80	AIR	SHRINK TUBING
PHILLYSTRAN BRAIDED ROPE PS29-S-59	PHR	3.66	.31				CORD/ROPE
POLY-FLO TUBING 66P - POLYETHYLENE	IMP	.46	.15				TUBING
POLYURETHANE TUBING MP 1485 PLASTICIZED	STE	.77	.22				TUBING
POLYURETHANE TUBING 8030-0060	NAL	.87	.26				TUBING
PSWR-010 2000 DENIER ROPE NYLON/KEVLAR 29	PHR	6.35	2.46				ROPE
RAYCHEM CABLE M27500-22 SB6T23 06090 WHITE OUTERINSL	RCC	.58	.02				CABLE INSUL
RAYCHEM COAX 5026A-1211-9 ORANGE INNER INSUL	RCC	.72	.16				WIRE INSUL
RAYCHEM COAX 5026A-1211-9 WHITE OUTER INSUL	RCC	.12	.04				WIRE INSUL
RAYCHEM KYNAR NOT PRE-SHRUNK	RCC	.28	.28				SHRINK TUBING
RAYCHEM KYNAR PRE-SHRUNK	RCC	.24	.13				SHRINK TUBING
RAYCHEM POLYALKENE WIRE INSULATION YELLOW	RCC	1.73	.01				WIRE INSUL
RAYCHEM POLYALKENE WIRE INSULATION YELLOW TYPE 44	RCC	.75	.03				WIRE INSUL
RAYCHEM POLYALKENE WIRE RADIATION CROSSLINKED	RCC	.34	.07				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0111-20-9 WHITE	RCC	.15	.01				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0811-20-9 GRAY	RCC	.14	.00				WIRE INSUL
RAYCHEM POLYOLEFIN MT 13-4 SHRINK TUBING PRESHRUNK	RCC	.82	.21	10M	71	AIR	SHRINK TUBING
RAYCHEM SPEC 44 WIRE INSUL BLACK/CLEAR M81044/12-24	RCC	.77	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J020197902	RCC	.46	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 INNER	RCC	.71	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 OUTER	RCC	.18	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 INNER	RCC	.64	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 OUTER	RCC	.17	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 INNER	RCC	.66	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 OUTER	RCC	.15	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 INNER	RCC	.68	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 OUTER	RCC	.22	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0401127801	RCC	.67	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0511107814	RCC	.65	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0602278014	RCC	.26	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL RED/CLEAR M81044/12-20	RCC	.91	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL WHITE LOT PJ0505157909	RCC	.29	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSULATION WHITE	RCC	.52	.07				WIRE INSUL
RAYCHEM SPEC 44/A0111 GEN PURP GRADE WIRE INS WHITE	RCC	1.89	.08				WIRE INSUL
RAYCHEM SPEC 44/0411 SPACE GR WHITE LOT PJ612127915	RCC	.19	.05				WIRE INSUL
RAYCHEM SPEC 44/0411-20 SPACE GR OUTER INS WHITE	RCC	.77	.03				WIRE INSUL
RAYCHEM SPEC 44/0411-20X SP GR INS W/O BENZOPHENONE	RCC	.26	.02				WIRE INSUL
RAYCHEM SPEC 44/0414-24-9 WHITE WIRE INSUL	RCC	.65	.05				WIRE INSUL
RAYCHEM SPEC 44/1441-24 SPACE GR OUTER INS WHITE	RCC	.13	.01				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 CLEAR INSUL	RCC	.70	.05				WIRE INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RAYCHEM SPEC 44/2431-22-0/1/9-9 COLOR CODE INSUL	RCC	.46	.05				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 WHITE OUTER SHEATH	RCC	.15	.04				WIRE INSUL
RAYCHEM SPEC 55 IRRADIATED ETFE WHITE WIRE INSUL	RCC	.22	.00				WIRE INSUL
RAYCHEM SPEC 55A0811-24-9 PJ04032682 02 BLUE/WHITE	RCC	.08	.01				WIRE INSUL
RAYCHEM SPEC 88 POLY X INSULATION	RCC	.80	.00				WIRE INSUL
RAYCHEM WIRE END SEAL CAP D-305	RCC	.07	.00	5M	300	AIR	SHRINK TUBING
RAYCHEM 102 PRE SHRUNK	RCC	.95	.17				SHRINK TUBING
RAYOLIN F CABLE 4126E 1332 INSULATION GRAY	RCC	.70	.17				WIRE INSUL
REMTEK GLO-135 WHITE POLYOLEFIN SHRINK TUBING	RTC	.49	.01	0.5M	135	AIR	SHRINK TUBING
RG 304/U CABLE INSUL PTFE OUTER COVERING ONLY	TIW	.01	.00				CABLE INSUL
RT 1146 BLACK VITON SHRINK TUBING - HEAT GUN SHRINK	RCC	.37	.07				SHRINK TUBING
RZ STA-KON TERMINAL SLEEVES - NYLON	TBT	3.32	.06				INSULATION
SE 9025 SILICONE WIRE INSUL BLACK	GEC	1.38	.61	3H	204	AIR	WIRE INSUL
SE 9025 SILICONE WIRE INSULATION	GEC	3.32	.58				WIRE INSUL
SE 9025 SILICONE WIRE INSULATION RERUN GSFC3744	GEC	.16	.03	24H	125	E-7	WIRE INSUL
SE 9045 SILICONE WIRE INSULATION - OUTER	GEC	1.37	.51				WIRE INSUL
SE 9090 SILICONE WIRE INSULATION	HAV	4.12	1.01				WIRE INSUL
SHRINK TUBING BLACK FROM CABLE BRAND REX	BRX	2.62	1.22				SHRINK TUBING
SHRINK TUBING GREEN MAX SHRINK-HEAT GUN	AMI	.66	.29				SHRINK TUBING
SHRINK TUBING WHITE FROM CABLE PIRELLI	PIR	1.70	.54				SHRINK TUBING
SILASTIC 1410 SHRINKABLE TUBING - PRESHRUNK	DCC	.56	.15				SHRINK TUBING
SILICONE WIRE INSULATION	ITT	1.25	.28				WIRE INSUL
SOLDEREZE MAGNET WIRE RED	PDC	.79	.14				WIRE COATING
SPACE POLYOLEFIN TYPE 702 BLACK	RCC	.53	.02				SHRINK TUBING
SPIRAP NYLON CABLE WRAP 500013	AMP	3.03	.05				CABLE WRAP
SR 290 SILICONE (SR 17 AND SR 98)	GEC	6.00	2.60	4H	65	AIR	COATING
				2D	25	AIR	
STW 0474 WHITE SILICONE WIRE INSUL	STC	4.16	.76				INSULATION
STW 0474 WHITE SILICONE WIRE INSUL	STC	.10	.00	96H	204	AIR	INSULATION
SURLYN A WIRE INSULATION	DUP	.28	.03				WIRE INSUL
SURLYN A WIRE INSULATION IN SHEET FORM	DUP	.55	.06				INSULATION
SYNTHITE BC 307 VARNISH	JCD	3.70	.69	16H	110	AIR	WINDING COAT
TEFLON FEP SHRINK TUBING FIT 400	AWC	.00	.00	5M	149	AIR	SHRINK TUBING
TEFLON INSUL 33181019 BRAND-REX	BRX	.00	.00				INSULATION
TEFLON PFA WIRE SLEEVING TE-9704 SODIUM ETCHED	DUP	.00	.00				WIRE INSUL
TEFLON PFA WIRE SLEEVING TE-9704 UNETCHED	DUP	.00	.00				WIRE INSUL
TEKFIT GPO 135 BLACK POLYOLEFIN HEAT GUN SHRINK	RTC	.50	.08				SHRINK TUBING
TEKFIT GPO 135 BLACK POLYOLEFIN SHRINK TUBING	RTC	.58	.05	5M	121	AIR	SHRINK TUBING
TEKFIT GPO 135 BLUE POLYOLEFIN HEAT GUN SHRINK	RTC	.62	.06				SHRINK TUBING
TEKFIT GPO 135 CLEAR POLYOLEFIN HEAT GUN SHRINK	RTC	.84	.14				SHRINK TUBING
TEKFIT GPO 135 GREEN POLYOLEFIN HEAT GUN SHRINK	RTC	.54	.07				SHRINK TUBING
TEKFIT GPO 135 RED POLYOLEFIN HEAT GUN SHRINK	RTC	.63	.06				SHRINK TUBING
TEKFIT GPO 135 WHITE POLYOLEFIN HEAT GUN SHRINK	RTC	.57	.08				SHRINK TUBING
TEKFIT GPO 135 YELLOW POLYOLEFIN HEAT GUN SHRINK	RTC	.57	.09				SHRINK TUBING
TEKFIT GPR 135 BLACK POLYOLEFIN SHRINK TUBING	RTC	1.13	.28	5M	121	AIR	SHRINK TUBING
TENSOLITE 4318L-1 HIGH VOLTAGE WIRE INSUL MOD TFE	CTD	.04	.00				WIRE INSUL
TFE WIRE INSULATION	MSY	.01	.00				WIRE INSUL
THERMATICS XT-24 TFE SLEEVING - NON SHRINKABLE	THI	.01	.00				WIRE INSUL
THERMATICS 1XZ-20-1932 WHITE WIRE INSUL	THI	.04	.01				WIRE INSUL
THERMATICS 3XZ-16-1929 BLACK WIRE INSUL	THI	.00	.00				WIRE INSUL
THERMATICS 63514AA OUTER WHITE LACQUER IMPREG NYLON	THI	1.46	.17				WIRE INSUL
THERMAX TEFLON IMPREG FIBERGLASS WIRE INSULATION	TWC	.27	.08				WIRE INSUL
THERMAX TEFLON TFE WIRE INSULATION TYPE E	TWC	.02	.01				WIRE INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
THERMELEC G 2735 COIL COATING	BAL	.87	.02	1H	149	AIR	COIL COATING
				1H	204	AIR	
THERMOFIT CONNECTOR BOOT 214A332-3 HEAT GUN SHRINK	RCC	.91	.32				SHRINK TUBING
THERMOFIT CRN CLEAR	RCC	.60	.18	5M	225	AIR	SHRINK TUBING
THERMOFIT CRN WHITE	RCC	1.66	.88	5M	225	AIR	SHRINK TUBING
THERMOFIT KYNAR CLEAR	RCC	.14	.05	5M	300	AIR	SHRINK TUBING
THERMOFIT M120 VITON - BLACK HEAT GUN SHRINK	RCC	.31	.07				SHRINK TUBING
THERMOFIT RNF-100 CLEAR	RCC	1.02	.27	5M	250	AIR	SHRINK TUBING
THERMOFIT RNF-100 CLEAR - SURFACE ETCHED	RAY	1.50	.30	5M	232	AIR	SHRINK TUBING
THERMOFIT RNF-100 TY 1 BLACK SHRINK TUBING LOT 17595	RCC	1.72	.69	5M	177	AIR	SHRINK TUBING
THERMOFIT RT 102 BLACK POLYOLEFIN HEAT GUN SHRINK	RAY	1.24	.21				SHRINK TUBING
THERMOFIT RT 1800 HT TMS WHITE MARKER SLEEVE W/INK	RCC	.27	.03	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 218 WHITE KYNAR/VITON HEAT GUN SHRINK	RAY	.24	.01				SHRINK TUBING
THERMOFIT RT 301 BLACK	RAY	.68	.28	2H	125	AIR	SHRINK TUBING
THERMOFIT RT 850 KYNAR SHRINK TUBING NATURAL	RCC	.15	.05	1M	300	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN CLEAR PRESHRUNK	RAY	1.16	.19	30M	104	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN RED PRESHRUNK	RAY	.77	.21	30M	104	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN WHITE HEAT GUN SHRINK	RCC	.67	.10				SHRINK TUBING
THERMOFIT RT 876 PRESHRUNK	RAY	.43	.10	15M	125	AIR	SHRINK TUBING
THERMOFIT SCL - NOT SHRUNK	RAY	.68	.19				SHRINK TUBING
THERMOFIT SCL - PRESHRUNK	RAY	.61	.14				SHRINK TUBING
THERMOFIT SCL - SPECIAL MS-8SCL-N02-CL3512	RCC	.47	.20	5M	225	AIR	SHRINK TUBING
THERMOFIT SCL BLACK - HEAT GUN SHRINK	RCC	.69	.25				SHRINK TUBING
THERMOFIT SCL BROWN	RCC	.76	.26	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL BROWN	RCC	.63	.26	1H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT SCL GRAY	RCC	.83	.34	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL GRAY	RCC	.71	.28	2H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT SCL GRAY SHRINK TUBING LOT I1491	RCC	.82	.51	5M	177	AIR	SHRINK TUBING
THERMOFIT SCL WHITE	RCC	.63	.25	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL WHITE	RCC	.52	.24	2H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT TFE-R TEFLON PRE-SHRUNK	RAY	.00	.00				SHRINK TUBING
THERMOFLEX HYGRADE 1200 FIBERGLASS SLEEVE	LFM	.06	.01				INSUL SLEEVE
TUFCON 50 MIL-ENE POLYESTER RIBBON CABLE	WLG	.36	.21				FLEX WIRING
TUFCON 50 MIL-ENE POLYESTER RIBBON CABLE	WLG	.36	.21	24H	90	E-3	FLEX WIRING
TYGON TUBING FORMULATION B44-3	NPC	32.91	14.96				TUBING
T4 MAGNET WIRE POLYURETHANE COATING	MWS	.66	.08				WIRE COATING
UNIGLASS 1542 FIBERGLASS TAPE/VOLAN A FINISH/NO ADH	UNI	.03	.01				INSULATION
US 4028 A/B AS 5/1 BW URETHANE FLEX CABLE INSUL	HYS	9.84	5.20	2H	82	AIR	CABLE INSUL
VARGLAS NON FRAY SLEEVING TYPE HO	VFX	.58	.11				INSUL SLEEVE
VARGLAS S-1600 TYPE H FIBERGLAS SLEEVE	VFX	.01	.00				INSUL SLEEVE
VARGLAS SPEC A307 GLASS/SILICONE WIRE INSUL TAN	VFX	.60	.07				WIRE INSUL
VITON TUBING C-6412-47	DOU	.13	.00				TUBING
VOLTREX FEP HEAT SHRINK TUBING TYPE SST HEAT GUN SHR	STY	.01	.01				SHRINK TUBING
WIRE INSULATION YELLOW/BROWN	LDD	.68	.00				WIRE INSUL
WIRE INSULATION GREEN COATED KAPTON MIL-W-81381/7	GEC	1.07	.01				WIRE INSUL
WIRE INSULATION GREEN FLUOROCARBON POLYIMIDE/TFE	WLG	.24	.03				WIRE INSUL
WIRE INSULATION HSCR PTFE BLUE	WLG	.10	.03				WIRE INSUL
WIRE INSULATION ORANGE MIL-W-22759/16-20	ICO	.07	.01				WIRE INSUL
WIRE INSULATION RED FLUOROCARBON POLYIMIDE/TFE	WLG	.19	.01				WIRE INSUL
WIRE INSULATION WHITE COATED KAPTON MIL-W-81381/7	GEC	1.02	.05				WIRE INSUL

SECTION 2 -- CABLE INSULATION SHRINK TUBING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
WIRE INSULATION WHITE FLUOROCARBON F01A080	WLG	.03	.00				WIRE INSUL
WIRE INSULATION WHITE MIL-W-22759/18-20	ICO	.10	.01				WIRE INSUL
Y-210 VARNISH INSULATION	STV	3.66	.22				VARNISH
ZIPPERTUBING ZTZ 0750 TSH CLEAR TEFLON	ZIP	.05	.01				INSUL
ZIPPERTUBING ZTZ 1125 SH3-PFR-20-B BLK POLYURETHANE	ZIP	4.72	2.88				INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AC 4368 SILICONE WET FILM MOLD RELEASE/F	HYS	2.78	1.33	7D	25	AIR	MOLD RELEASE
ACRYLOID AU608/DESMODUR L2219A/T-12 CLEAR COATING	ROH	12.70	.03	14D	25	AIR	COATING
ACRYLOID B-82 CLEAR COATING/F	ROH	1.07	.12	1H	25	AIR	COATING
				2H	80	AIR	
				5H	25	E-3	
				3H	25	E-5	
ACRYLOID B-82 CLEAR COATING/F	ROH	.51	.04	1H	25	AIR	COATING
				8H	115	AIR	
AMLGUARD CORROSION PROTECTIVE COATING/F	NDC	14.01	2.12	24H	25	AIR	COATING
APCO 1260 A/B AS 1/1 BW	APP	6.46	.02	24H	25	AIR	CONF COAT
				2H	71	AIR	
APCO 1266 A/B AS 1/1 BW POLYURETHANE	APP	18.35	.02	90M	80	AIR	CONF COAT
APCO 1266 A/B AS 1/1 BW POLYURETHANE CYCLED	APP	17.06	.04	90M	80	AIR	PAINT
				24H	-40	E-5	
				24H	65	E-6	
ARALDITE 502/951/PC-1244 EPOXY	CIB	2.00	.01	1H	25	AIR	CONF COAT
				6H	49	AIR	
ARMSTRONG C-7/ACT W/CABOSIL	APC	1.68	.01	3H	66	AIR	COATING
ARMSTRONG C-7/ACT W/CABOSIL/NAZ-DAR ER ENAMEL	APC	2.13	.01	3H	66	AIR	COATING
BETACOTE 91-18 A/B AS 3/1 BW	ESX	7.10	.00	16H	25	AIR	CONF COAT
				45M	71	AIR	
BLUE COATING II 001057REVA FLEXIBLE MOD EPOXY	NCI	.41	.04	1H	125	AIR	COATING
				3H	200	AIR	
CAAP COAT FLUOROELASTOMER	CAA	.41	.01				FILM COATING
CARE #2 ANTI STICK/MOLD RELEASE AEROSOL/F	CRE	16.78	6.98	7D	25	AIR	MOLD RELEASE
CASTALL 301/CAT 9 AS 4% BW CAT 9 BLACK EPOXY	CAS	2.00	.03	30M	107	AIR	COATING
CERA-MITE CAPACITOR COATING - ORANGE	SEC	1.85	1.00				CONF COAT
CERA-MITE CAPACITOR COATING - ORANGE	SEC	1.78	1.02	26H	122	E-5	CONF COAT
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE	HCC	1.42	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE	HCC	1.18	.02	30D	25	AIR	CONF COAT
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE LOT TBA	HCC	1.50	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGH FLEX LOT SHA	HCC	1.51	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGH FLEX LOT TAA	HCC	1.60	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGHLY FLEXIBLE	HCC	1.20	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z053 CLEAR POLYURETHANE COATING	HCC	2.22	.01	14D	25	AIR	CONF COAT
COATING RED HI VOLT CAPACITOR	TUS	.74	.01				COATING
CONATHANE CE 1153	CON	11.73	.10				CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW	CON	1.60	.04	30M	25	AIR	CONF COAT
				3H	66	AIR	
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	CON	7.62	.01	7D	25	AIR	CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	CON	3.94	.01	24H	60	AIR	CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	CON	4.76	.01	24H	25	AIR	CONF COAT
				24H	60	E-2	
CONATHANE CE 1155/CELLOSOLVE ACETATE MULTICURE	CON	.81	.05	10M	25	AIR	CONF COAT
				15M	49	AIR	
				3H	60	AIR	
CONATHANE CE 1155/PM ACETATE	CON	.74	.03	30M	25	AIR	CONF COAT
				3.5H	65	AIR	
CONATHANE CE 1164 MIL I 46058C TYPE UR 2 COATS/FOIL	CON	7.26	.00	24H	25	AIR	CONF COAT
CONATHANE CE 1164 MIL I 46058C TYPE UR 2 COATS/FOIL	CON	1.95	.07	3H	60	AIR	CONF COAT
				14D	25	AIR	
CONATHANE EN-11 THINNED/SPRAYED/F	CON	.62	.08	16H	25	AIR	CONF COAT
				48H	60	AIR	

SECTION 3 -- CONFORMAL COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CONATHANE RN 1510/CONACURE AH18 AS 5/2 BW	CON	1.09	.10	20M	149	AIR	CONF COAT
CONATHANE 1M-1145 ONE COMPONENT LOT BNO2	CON	1.84	.09	16H	155	AIR	COATING
CRAMOLIN PLASTIK SPRAY DRY 10M/COAT/ROOM TEMP	CLI	13.63	.09				CONF COAT
CRAMOLIN PLASTIK SPRAY DRY 10M/COAT/ROOM TEMP	CLI	11.93	.11	24H	25	AIR	CONF COAT
				12H	60	AIR	
CV-1144-0 CLEAR COATING/F	MCG	.30	.00	7D	25	AIR	COATING
C15-057 A/B AS 100/120 BW	HYS	1.94	.01	4H	130	AIR	COATING
DC Q-96-005 ONE PART SILICONE	DCC	1.43	.56	7D	25	AIR	CONF COAT
DC QCF-3-6500 ONE PART SILICONE	DCC	1.84	.58	7D	25	AIR	CONF COAT
DC QCF-3-6500 ONE PART SILICONE STRIPPED IN VAC	DCC	.96	.34	7D	25	AIR	CONF COAT
DC 1107 SILICONE FLUID UNCATALYZED	DCC	13.67	2.65	1H	150	AIR	RELEASE AGENT
DC 1107/T-12 AS 10GM/5 DROPS SILICONE FLUID	DCC	6.13	2.65	18H	74	AIR	RELEASE AGENT
DC 3-6550 RTV DISPERSION ONE PART CLEAR	DCC	1.52	.54	7D	25	AIR	CONF COAT
DC 3140	DCC	1.34	.61	24H	25	AIR	COATING
				24H	65	AIR	
DC 3140	DCC	1.54	.63	7D	25	AIR	COATING
DC 3140	DCC	.16	.06	24H	150	E-6	COATING
				7D	25	AIR	
DC 6-1104 UNFILLED W/LUMINESCER 174	GSC	.30	.07	7D	25	AIR	CONF COAT
DC 6-1104/MEK/XYLENE	DCC	.28	.04	7D	25	AIR	CONF COAT
DC 6-1109 - UNFILLED SILICONE	DCC	.19	.01	7D	25	AIR	CONF COAT
DC 806A SILICONE IN XYLENE/TOLUENE/F	DCC	.90	.11	1H	85	AIR	COATING
DC 806A SILICONE IN XYLENE/TOLUENE/F	DCC	2.14	.14	7D	25	AIR	COATING
DC 92-024 SILICONE OVER PRIMER DC 1200	DCC	2.07	.84	5D	25	AIR	CONF COAT
DENFLEX 1162 A/B AS 1/1 BW YELLOW FLEXIBLE EPOXY	DNS	4.13	.06	105M	66	AIR	CONF COAT
DER 332LC/VERSAMID 140 AS 35/30 BW EPOXY COATING	DOW	.91	.05	3H	71	AIR	CONF COAT
DK 18-05 EPOXY POWDER COATING YELLOW-GREEN	HYS	.38	.04	30M	150	AIR	COATING
DK-1705 BLUE POWDER COATING	HYS	.74	.15	4H	100	AIR	COATING
DK-4 DRI-KOTE EPOXY POWDER COATING	HYS	.37	.01	3M	204	AIR	POTTING-COATING
DURAFILM 300 SERIES ENAMEL	ADF	.33	.01	20M	149	AIR	COATING
				20M	149	AIR	
				20M	260	AIR	
EA 934 A/B AS 100/33 BW GRAY EPOXY	HYS	.79	.01	7D	25	AIR	COATING
				24H	60	AIR	
EA 934 A/B AS 100/33 BW GRAY EPOXY	HYS	1.07	.01	30D	25	AIR	COATING
EC 1981 FLEXIBLE COATING - CLEAR	MMM	1.45	.08	48H	25	AIR	CONF COAT
ECCOBOND V-91 A/B AS 5/1 BW CONDUCTIVE EPOXY	EMC	2.15	.03	3D	25	AIR	COND COATING
				1D	40	AIR	
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 NEW	EMC	.51	.01	7D	25	AIR	CONF COAT
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 OLD	EMC	.59	.05	7D	25	AIR	CONF COAT
ECCOCOAT CC-2 CONDUCTIVE SILVER COATING/F	EMC	1.37	.08	30M	150	AIR	COATING
ECCOCOAT CC-4 SILVER FILLED ELASTOMER	EMC	4.24	2.10	7D	25	AIR	COND COATING
ECCOCOAT EP-3 A/B AS 2/1 BW EPOXY COATING	EMC	3.15	.03	2H	70	AIR	CONF COAT
				3H	95	AIR	
				168H	85	AIR	
ECCOCOAT TF-11 A/B AS 1/1 BV AMBER COATING	EMC	1.01	.01	30M	25	AIR	COATING
				8H	93	AIR	
ECCOCOAT 582 A/B AS 100/7 BW THERMAL COATING	EMC	3.56	.02	24H	25	AIR	THERM COATING
ECCOSEAL HIGH Q POLYSTYRENE	EMC	9.28	.12	1H	25	AIR	COATING
				3H	60	AIR	
ECCOSIL 5952 A/B AS 1/1 BW FILLED SILICONE	EMC	1.38	.62	7D	25	AIR	THERM CONTROL
ECCOSIL 5954 A/B AS 1/1 BW FILLED SILICONE	EMC	.45	.13	7D	25	AIR	THERM CONTROL
ECCOSORB 269E A/B AS 100/1 BW GRAY 10 SPRAY COATS	EMC	1.21	.01	4H	75	AIR	COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSORB 269E A/B AS 100/1 BW GRAY 10 SPRAY COATS	EMC	.83	.01	24H	25	AIR	COATING
				4H	75	AIR	
				16H	75	E-3	
ECP 2200 BLACK SOLAR ABSORBER COATING/F	MMM	1.99	.74	24H	25	AIR	THERM CONTROL
ENVIBAR UV 1244 UV CURED	UCC	3.41	.02				CONF COAT
EPIBOND 123/CAT 952 AS 20/3 BW EPOXY	FPI	.63	.03	24H	25	AIR	ADHESIVE
EPO-TEK H73 A/B AS 10/0.3 BW EPOXY	EPK	.43	.01	20M	100	AIR	COATING
EPOCAST 26-11 EPOXY POWDER COATING	FPI	1.09	.36	1H	177	AIR	COATING
EPON 815/V 140 AS 50/50 BW EPOXY	SHL	1.07	.10	16H	25	AIR	CONF COAT
				4H	60	AIR	
EPON 815/V-140 AS 50/50 BW EPOXY	SHL	1.84	.08	16H	25	AIR	CONF COAT
				24H	70	AIR	
EPON 815/VERSAMIDE 150 AS 60/40 BW EPOXY	SHL	1.29	.06	24H	25	AIR	CONF COAT
EPON 828/CAT 951 AS 10/1 BW EPOXY	GSC	2.31	1.27	24H	25	AIR	COATING
				2H	93	AIR	
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.91	.01	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	1.01	.01	7D	25	AIR	COATING
				24H	60	AIR	
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.24	.00	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.32	.00	7D	25	AIR	COATING
				24H	60	AIR	
EPON 828/VERSAMID 140/SR 82/DETA/MEK	SHL	4.69	.00	16H	25	AIR	CONF COAT
				4H	60	AIR	
EPON 828/VERSAMID 140/SR 82/DTA/TOLUENE	SHL	1.35	.00	1H	25	AIR	CONF COAT
				8H	60	AIR	
EPON 828/VERSAMID 140/TI02 R-960 AS 5/5/0.6 BW	GSC	.87	.00	7D	25	AIR	COATING
EPOTHERM 180 A/B AS 100/4.5 BW BLACK EPOXY	TNC	.13	.01	2H	70	AIR	COATING
				4H	175	AIR	
EPOXY ANTI-TRACK COATING	WEC	2.01	.61	30M	100	AIR	COATING
				16H	150	AIR	
EPOXY POWDER COATING EPC MIDNIGHT BLUE	DYN	.55	.04	1H	150	AIR	COATING
EPOXY POWDER COATING EPC 20 BLACK	DYN	.48	.00	1H	150	AIR	COATING
EPOXY POWDER COATING 68-2 GOLD	DYN	.48	.02	1H	150	AIR	COATING
EPOXYLITE 9653 POLYURETHANE E-194 8 COATS	EPC	4.87	.00	1H	90	AIR	CONF COAT
FINE-L-KOTE AR ONE PART CLEAR ACRYLIC	TES	10.21	.01	5D	25	AIR	CONF COAT
FINE-L-KOTE AR ONE PART CLEAR ACRYLIC	TES	10.60	.00	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE HT ONE PART CLEAR SILICONE	TES	1.77	.39	5D	25	AIR	CONF COAT
FINE-L-KOTE SR ONE PART CLEAR SILICONE	TES	2.41	.73	5D	25	AIR	CONF COAT
FINE-L-KOTE SR ONE PART CLEAR SILICONE	TES	1.94	.87	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE	TES	3.54	.03	5D	25	AIR	CONF COAT
FINE-L-KOTE UR ONE PART CLEAR URETHANE	TES	1.44	.02	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE	TES	1.63	.02	48H	25	AIR	CONF COAT
				24H	65	E-2	
FINE-L-KOTE UR ONE PART CLEAR URETHANE AEROSOL	TES	1.26	.04	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE AEROSOL/F	TES	2.28	.06	5D	25	AIR	CONF COAT
FM 73/DACRON KNIT/BR 127 PRIMER ON FOIL	ACC	.78	.00	1H	120	AIR	COATING
				1H	120	AIR	
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	FPL	.38	.01	24H	25	AIR	COATING
				24H	60	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	FPL	.24	.01	24H	25	AIR	COATING
				48H	60	AIR	
HA-84 EPOXY COATING UV CURED	SNL	2.88	.01	4H	100	AIR	CONF COAT
HA-84 EPOXY COATING UV CURED	SNL	2.69	.01	15H	100	AIR	CONF COAT
HA-84 EPOXY COATING UV CURED	SNL	3.74	.02	4H	100	E-2	CONF COAT
HA-84 EPOXY COATING UV CURED	SNL	3.11	.02	6H	100	E-2	CONF COAT
HIPEC Q1-4939 A/B AS 1/1 BW SILICONE	DCC	1.23	.64	24H	150	AIR	CONF COAT
HL 155-55-1/2 AS 48/1 BW ACRYLIC COATING	HYD	6.32	.00	7D	25	AIR	CONF COAT
HL-34-237 A/B/C AS 100/5/1 FLEXIBLE ACRYLIC COATING	HYD	6.79	.06	7D	25	AIR	CONF COAT
HUMISEAL X-381V A/B AS 1/1 BW POLYURETHANE	CTC	21.66	.89	1H	25	AIR	CONF COAT
				2H	71	AIR	
				1H	25	AIR	
				1H	25	AIR	
HUMISEAL 1A20 POLYURETHANE	CTC	2.58	.02				CONF COAT
HUMISEAL 1A27 AEROSOL/F	CTC	8.66	.19	7D	25	AIR	CONF COAT
HUMISEAL 1A27 AEROSOL/F	CTC	4.67	.42	24H	75	AIR	CONF COAT
HUMISEAL 1A33 POLYURETHANE	CTC	8.54	.24	19D	25	AIR	CONF COAT
HUMISEAL 1A33 POLYURETHANE	CTC	4.98	1.00	24H	65	AIR	CONF COAT
HUMISEAL 1B12 ACRYLIC	CTC	1.78	.00	24H	80	AIR	CONF COAT
HUMISEAL 1B12 ON SCREEN	CTC	6.89	.18	30M	77	AIR	CONF COAT
				24H	25	AIR	
HUMISEAL 1B15 ACRYLIC	CTC	9.38	.02	4H	71	AIR	CONF COAT
HUMISEAL 1B20 ACRYLIC	CTC	14.04	.06	24H	25	AIR	CONF COAT
				2H	66	AIR	
HUMISEAL 1B31 ACRYLIC FREE FILM	CTC	3.80	.02	10H	66	AIR	CONF COAT
HUMISEAL 1B31 ACRYLIC ON FOIL	CTC	9.74	.01	30M	77	AIR	CONF COAT
HUMISEAL 1B31/XYLENE AS 3/2 BV ACRYLIC 1 HR 25C/COAT	CTC	11.81	.07	30M	80	AIR	CONF COAT
HUMISEAL 2A52LU A/B AS 1/1 BV EPOXY	CTC	3.27	.14	30M	25	AIR	CONF COAT
				24H	71	AIR	
HUMISEAL 2A53 A/B AS 1/1 BV MOD EPOXY COATING	CTC	1.94	.03	2H	93	AIR	CONF COAT
				16H	85	AIR	
HUMISEAL 2A56 A/B AS 1/1 BV POLYURETHANE	CTC	12.73	.16	24H	25	AIR	CONF COAT
				16H	85	AIR	
				40D	25	AIR	
HUMISEAL 2A72 A/B AS 1/1 BV FLUORESCENT POLYURETHANE	CTC	8.63	.02	2H	66	AIR	CONF COAT
				8H	66	E-6	
HUMISEAL 2A72 A/B AS 1/1 BV FLUORESCENT POLYURETHANE	CTC	9.38	.02	2H	66	AIR	CONF COAT
				16H	66	E-6	
HUMISEAL 2B13LU/2B13 AS 100/2 BW EPOXY	CTC	14.80	.47	24H	25	AIR	CONF COAT
				90M	93	AIR	
				16H	60	AIR	
IC-2 POLYURETHANE COATING	EMC	.59	.08	24H	50	AIR	CONF COAT
				48H	50	E-5	
ISOCHEMREZ 1251LV/22H AS 25/2 BW THERM COND EPOXY	IRC	2.42	.09	24H	25	AIR	THERM COATING
ISOLEX R-65 ACRYLIC COATING SYSTEM/F	BEE	.52	.02	10M	125	AIR	COATING
ISOMEG ED 129/ED 100 AS 1/1 BV	ELB	5.82	.02	16H	55	AIR	CONF COAT
ISOMID POLYESTER/POLYIMIDE COATING	SCH	.44	.03	2M	400	AIR	CONF COAT
KDI PYROFILM PVC 70 RED RESISTOR COATING MIL-I29092	WEI	1.14	.16				COATING
LACQUER TYPE II CLEAR ACRYLIC FSN 8010-00-515-2487	AMA	4.35	.23	7D	25	AIR	LACQUER
LEXCOTE G-3183/G3174 AS 100/5.7 BW CLEAR COATING	BAL	17.65	.39	10M	25	AIR	CONF COAT
				30M	60	AIR	
LIGHT-WELD 184 CLEAR URETHANE/ACRYLIC UV CURED	ACE	5.84	.04				CONF COAT
ME 5146A/B-97 AS 100/1.6 BW CLEAR BLUE EPOXY/F	AMC	9.33	.15	2H	80	AIR	COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMX50 ONE PART RIGID SILICONE COATING CLEAR	RCA	1.60	.01	24H	25	AIR	COATING
MOBIL 173 COATED VDALUMINIZED KAPTON	KST	.85	.02				THERMAL BLANKET
MOBIL 173 COATED VDALUMINIZED KAPTON	KST	1.05	.04	24H	50	E-6	THERMAL BLANKET
NT 114 POLYMERIC COATING	NTI	3.69	.01	48H	70	AIR	CONF COAT
OI 100 GLASS RESIN 40% BW IN ETHANOL/F	OII	.25	.07	1H	175	AIR	CONF COAT
OI 650 GLASS RESIN 40% BW IN ETHANOL/F	OII	.15	.03	1H	175	AIR	CONF COAT
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	HYS	13.85	.07	7D	25	AIR	CONF COAT
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	HYS	12.21	.06	30M	25	AIR	CONF COAT
				24H	65	AIR	
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	HYS	7.01	.06	5H	25	AIR	CONF COAT
				5H	50	AIR	
PC 18 POLYURETHANE COATING	HYS	4.51	.20	1H	71	AIR	COATING
PC 18M ONE PART POLYURETHANE COATING/F	HYS	2.06	.09	24H	25	AIR	CONF COAT
				2H	60	AIR	
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	HYS	3.10	.05	7D	25	AIR	CONF COAT
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	HYS	1.04	.05	16H	50	AIR	CONF COAT
				24H	80	AIR	
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	HYS	.88	.03	16H	50	AIR	CONF COAT
				24H	80	E-5	
PC 20M ONE PART ACRYLIC COATING/F	HYS	4.00	.05	7D	25	AIR	CONF COAT
PC 29 A/B AS 5/3 BW URETHANE	HYS	7.42	.10	3H	60	AIR	CONF COAT
PC 401/T AS 100/17 BW SILK SCREEN EPOXY GREEN	PCK	1.59	.18	30M	160	AIR	COATING MASK
PC 401/T AS 100/17 BW SILK SCREEN EPOXY GREEN	PCK	.72	.01	3.5H	160	AIR	COATING MASK
PCRG-4 PHENOLIC COATING	TRW	1.33	.00	10M	160	AIR	COATING
PD 147 (RTV 511)	GEV	.11	.00	10H	93	AIR	COATING
				10H	177	AIR	
				48H	177	E-6	
PHOTOPOLYMER 6011G MED VISCOSITY POLYTHIOETHER	WRG	2.56	.04				CONF COAT - ADH
PHOTOPOLYMER 611AE RIGID POLYTHIOETHER	WRG	1.97	.00				CONF COAT - ADH
PHOTOPOLYMER 911L LOW VISCOSITY POLYTHIOETHER	WRG	2.18	.09				CONF COAT - ADH
POLYMERCAST V-356-HEF	USP	2.80	.16	30M	82	AIR	CONF COAT
				2H	82	AIR	
POLYURETHANE COATING 22H ONE COMPONENT/FOIL	ELS	.91	.01	7D	25	AIR	COATING
				12H	120	AIR	
POLYURETHANE COATING 22H ONE COMPONENT/FOIL	ELS	1.98	.03	7D	25	AIR	COATING
PR 1538 OVER PR 1531 A/B AS 32/100 BW	PRC	1.94	.59	16H	82	AIR	CONF COAT
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	PRC	.63	.06	3H	25	AIR	CONF COAT
				60H	82	AIR	
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	PRC	.78	.06	24H	25	AIR	CONF COAT
				84H	82	AIR	
PR 1568 AEROSOL URETHANE COATING/F	PRC	1.57	.05	1H	25	AIR	CONF COAT
				12H	50	AIR	
PR 1568 AEROSOL URETHANE COATING/F	PRC	3.25	.02	1H	25	AIR	CONF COAT
				24H	75	AIR	
PR 1568 AEROSOL URETHANE COATING/F	PRC	1.92	.02	7D	25	AIR	CONF COAT
PR 1568 AEROSOL URETHANE COATING/F	PRC	3.00	.02	1H	25	AIR	CONF COAT
				3H	82	AIR	
PR 1568 AEROSOL URETHANE COATING/F	PRC	1.69	.08	48H	25	AIR	CONF COAT
PR 1568 DIP COATING/F	PRC	1.97	.04	7D	25	AIR	CONF COAT
PR 1568 DIP COATING/F	PRC	2.29	.05	1H	25	AIR	CONF COAT
				3H	82	AIR	
PR 1660L A/B AS 1/4 BW W/MEK - POLYURETHANE	PRC	.86	.01	16H	65	AIR	CONF COAT
PRINT-KOTE GC 14-2 ON FOIL	GCE	3.45	.79	16H	25	AIR	CONF COAT

SECTION 3 -- CONFORMAL COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PRINT-KOTE GC 14-2 ON FOIL	GCE	1.47	.98	24H	100	AIR	CONF COAT
PT 201 THERMOSETTING YELLOW GOLD EPOXY COATING/F	PTI	.96	.07	1H	163	AIR	COATING
PT 207 POLYVINYL FLUORIDE	PTI	3.88	.21	48H	25	AIR	COATING
PT 4121 A/B AS 100/73 BW EPOXY	PTI	8.31	.03	5H	54	AIR	CONF COAT
				24H	52	AIR	
PT 750 A/B AS 3/1 BV MAROON	PTI	1.74	.13	1H	25	AIR	COATING
				40M	71	AIR	
				24H	100	AIR	
PT 750 A/B AS 3/1 BV POLYURETHANE	PTI	10.95	.01	24H	25	AIR	CONF COAT
PTX-206 BLACK POLYIMIDE COATING	POI	9.59	.04	1H	60	AIR	COATING
				16H	90	AIR	
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	DUP	.96	.00	15M	149	AIR	COATING
				30M	204	AIR	
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	DUP	.86	.00	15M	149	AIR	COATING
				30M	204	AIR	
				24H	149	AIR	
PYROFILM PVC 70 RESISTOR COATING	PYR	.91	.10				CONF COAT
PYROFILM PVC 70 RESISTOR COATING	PYR	.72	.06	26H	122	E-5	CONF COAT
PYROMARK 2500 FLAT BLACK COATING	TEM	.15	.05	18H	25	AIR	COATING
				15M	121	AIR	
				1H	249	AIR	
P413D PHENOLIC COATING - BROWN/F	HSC	.77	.00	20M	25	AIR	COATING
				30M	121	AIR	
				2H	204	AIR	
QR-4-3117 ONE PART SILICONE	DCC	1.49	.19	7D	25	AIR	CONF COAT
QR-4-3117 ONE PART SILICONE	DCC	1.07	.25	16H	25	AIR	CONF COAT
				24H	70	AIR	
Q9-6312 CLEAR RTV COATING/F	DCC	3.33	.01	10D	25	AIR	COATING
Q9-6312 CLEAR RTV COATING/F	DCC	2.33	.01	2H	80	AIR	COATING
R&S 9384 COATED VDALUMINIZED KAPTON	KST	.73	.00				THERMAL BLANKET
R&S 9384 COATED VDALUMINIZED KAPTON	KST	.72	.01	24H	50	E-6	THERMAL BLANKET
R-1152 ONE COMPONENT SILICONE - CLEAR LOT 013-166	MCG	.15	.01	7D	25	AIR	CONF COAT
RANDAC KR 544-006 GOLD EPOXY	FPI	.63	.01	20M	150	AIR	COATING
RANDAC KR 544-8946 RED EPOXY	FPI	.62	.01	20M	150	AIR	COATING
RCC-15D UV POLYMER	WRG	2.34	.20				CONF COAT
RCC-15D UV POLYMER	WRG	.48	.03				CONF COAT
RD 1875-3 POLYURETHANE	HCC	1.60	.28	24H	25	AIR	COATING
RD 1875-3 POLYURETHANE	HCC	1.35	.18	24H	25	AIR	COATING
				24H	71	E-3	
RE 2039/HD 3485 AS 100/14 BW MILKY EPOXY	HYS	5.94	2.70	18D	25	AIR	COIL COATING
RESISTOR COATING TYPE 100 FLAT BLACK/F	TNC	1.18	.75	20M	25	AIR	COATING
				20M	65	AIR	
				3H	150	AIR	
RESISTOR COATING TYPE 150 FLAT BLACK/F	TNC	.26	.13	15M	65	AIR	CONF COAT
				30M	125	AIR	
				30M	200	AIR	
RESISTOR COATING TYPE 200 FLAT BLACK/F	TNC	.32	.08	15M	65	AIR	CONF COAT
				30M	125	AIR	
				30M	200	AIR	
RESISTOR COATING TYPE 250 FLAT BLACK/F	TNC	.86	.44	20M	25	AIR	COATING
				20M	65	AIR	
				3H	150	AIR	
RESIWELD 7200 A/B AS 2/1 BV EPOXY COATING	FHB	4.03	.01	2H	66	AIR	CONF COAT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RESIWELD 7200 A/B/SOL AS 2/1/2 BW EPOXY COATING	FHB	11.01	.00	16H	25	AIR	CONF COAT
				16H	60	AIR	
RMBC 18 A/B AS 4/1 BW CLEAR EPOXY	RVM	6.85	.01	1H	25	AIR	COATING
				1H	132	AIR	
RTV 511/T-12 AS 0.5% T-12 BW SILICONE	GEC	.09	.00	3D	25	AIR	COATING
				16H	177	E-5	
RTV 615 A/B AS 10/1 BW DEVOL AT 125C	GSC	.19	.07	7D	25	AIR	CONF COAT
R101 PROTECTANT COATING	UCC	3.10	1.06	16H	25	AIR	CONF COAT
				15M	121	AIR	
R4-3117 ONE PART SILICONE - FREE FILM - CLEAR	DCC	.61	.23	96H	25	AIR	CONF COAT
				24H	110	AIR	
R4-3117 ONE PART SILICONE/F	DCC	1.43	.24	14D	25	AIR	CONF COAT
SARAN F310 POWDER LOT C301508	DCC	2.71	.03				COATING
SCOTCHCAST 260 GREEN EPOXY POWDER COATING	MMM	.68	.04	1	15	AI	COATING
SCOTCHCAST 262 RED EPOXY POWDER COATING	MMM	.87	.07	1	15	AI	COATING
SCOTCHCAST 281/282 EPOXY FORMULATION	MMM	.37	.05	4H	120	AIR	COATING
SILICONE RTV-1 DISPERSION T-81/F	SWS	1.18	.46	7D	25	AIR	CONF COAT
SOLITHANE 113/PPG-425/EH-330 FORMULA 20	TCC	4.21	1.38	7D	25	AIR	CONF COAT
SOLITHANE 113/RICINOLEY ALCOHOL FORMULA 25	TCC	.59	.01	7D	25	AIR	CONF COAT
SOLITHANE 113/TP-440/TMP FORMULA 27	TCC	.87	.12	7D	25	AIR	CONF COAT
SOLITHANE 113/300 AS 100/100 BW FORMULA 4	TCC	.30	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.32	.04	20H	70	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.28	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300 THINNED/SPRAYED/F	TCC	.45	.14	16H	25	AIR	CONF COAT
				48H	60	AIR	
SOLITHANE 113/300/CALCAFLUOR WHITE/T-12/MIBK	TCC	.57	.04	5H	54	AIR	CONF COAT
SOLITHANE 113/300/CALCAFLUOR/TOLUENE	ITT	.50	.03	16H	66	AIR	CONF COAT
SOLITHANE 113/300/EH-330 AS 100/73/1 BW FORMULA 21	TCC	.56	.05	7D	25	AIR	CONF COAT
SOLITHANE 113/300/HUMISEAL THINNER 521	TCC	.32	.02	2H	93	AIR	COATING
SOLITHANE 113/300/MEK	LRC	.78	.03	5H	66	AIR	CONF COAT
SOLITHANE 113/300/MEK	LRC	.44	.02	5H	66	AIR	CONF COAT
SOLITHANE 113/300/N-METHYL MORPHOLINE FORMULA 23	TCC	.88	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 24	TCC	.29	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 26	TCC	.31	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/T-12/CALCAFLUOR RW/DB CASTOR OIL	SLK	.37	.02	3H	60	AIR	CONF COAT
SOLITHANE 113/300/T-12/SILFLAKE 135/HEXANE	TCC	.62	.00	7D	25	AIR	COND CONF COAT
SOLITHANE 113/300/TOLUENE AS 100/73 BW/173 BV	TCC	.50	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300/TRIETHYLAMINE FORMULA 22	TCC	.43	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300/328 AS 100/14.7/11.5 BW FORMULA 15	TCC	.79	.04	24H	70	AIR	CONF COAT
SOLITHANE 113/300/328 AS 100/65.5/1.5 BW FORMULA 8	TCC	1.19	.08	3H	66	AIR	CONF COAT
SOLITHANE 113/328/FLEXRICIN 9 FORMULA 29	TCC	.60	.03	7D	25	AIR	CONF COAT
SPACE GARD 4-C-25 CLEAR COATING	DEX	9.46	.00	5D	25	AIR	CONF COAT
SPENKEL M86-50CX POLYURETHANE	SPK	8.72	.02	7D	25	AIR	CONF COAT
SPRAY-LAT 1071B STRIPPABLE COATING	SPL	3.84	.81	24H	25	AIR	COATING
SR 165/MICA/IRON OXIDE/ALUM SILICATE COATING	DEX	.30	.00	12H	300	AIR	COATING
STRIPPABLE VINYL COATING	GRU	9.31	4.97				PROTECTIVE COAT
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	EMC	1.31	.20	7D	25	AIR	COATING-POTTING
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	EMC	1.07	.15	7D	25	AIR	COATING-POTTING
				48H	70	AIR	
STYCAST CPC 19 A/B AS 100/38 BW POLYURETHANE	EMC	19.37	12.16	7D	25	AIR	COATING-POTTING
STYCAST 1217/9 AS 100/13 BW EPOXY	EMC	1.20	.16	16H	52	AIR	CONF COAT
				24H	150	AIR	
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.65	.09	7D	25	AIR	COATING

SECTION 3 -- CONFORMAL COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
STYCAST 2850KT/9 AS 100/1.7 BW BLUE EPOXY	EMC	2.44	.41	7D	25	AIR	COATING
TECHTHANE 92SS ORANGE URETHANE	TUI	1.72	.41	2D	25	AIR	COATING
TEFLON TFE/Y966/ALUM KAPTON/Y966 COMPOSITE TAPE	GTS	.57	.01				THERMAL CONTROL
UCARSIL Y-4310 SILICONE	UCC	2.60	.00	6H	125	AIR	CONF COAT
UCARSIL Y-4486	UCC	12.07	.27				CONF COAT
UNICOAT 2081-31A ONE COMPONENT EPOXY/F	AMC	5.95	3.73	2H	25	AIR	CONF COAT
				2H	125	AIR	
UNICOAT 2081-31A ONE PART FLUORESCENT EPOXY/F	AMC	.31	.11	2H	25	AIR	CONF COAT
				1H	180	AIR	
UNICOAT 2081-31A ONE PART FLUORESCENT EPOXY/F	AMC	6.26	1.25	12H	70	AIR	CONF COAT
URALANE 22H POLYURETHANE	FPI	1.60	.06	2H	25	AIR	CONF COAT
				24H	75	E-6	
URALANE 22H POLYURETHANE FILM	FPI	2.44	.05	16H	75	AIR	CONF COAT
URALANE 22H POLYURETHANE FILM	FPI	3.44	.02	7D	25	AIR	CONF COAT
URALANE 22H POLYURETHANE 2 COAT SAMPLE	FPI	1.65	.01	20M	25	AIR	CONF COAT
				20M	25	AIR	
				15M	85	AIR	
URALANE 22H/MDAC FLUORESCENT TRACER	FPI	2.43	.08	2H	25	AIR	CONF COAT
				24H	75	E-6	
URALANE 5738 A/B AS 100/55 BW	FPI	10.71	6.11	3H	93	AIR	CONF COAT
URALANE 5750 A/B AS 18/100 BW	FPI	.41	.03	14H	25	AIR	CONF COAT
				2H	60	AIR	
URALANE 5750 A/B AS 18/100 BW	FPI	.83	.03	1H	25	AIR	CONF COAT
				3H	65	AIR	
URALANE 5750 A/B AS 4/25 BW URETHANE	FPI	.45	.01	9H	66	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	FPI	.65	.01	7D	25	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	FPI	.27	.02	16H	65	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 W/TOLUENE/MEK	GSC	.48	.01	7D	25	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.62	.01	7D	25	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.60	.01	24H	60	AIR	CONF COAT
URALANE 8267 TRANSPARENT POLYURETHANE	FPI	10.00	.17	24H	25	AIR	COATING
				2H	43	AIR	
US 0009 A/B AS 100/35 BW POLYURETHANE	HYS	13.69	7.55	16H	25	AIR	CONF COAT
				5H	80	AIR	
VACREL 8030 DRY FILM SOLDER MASK UV CURED	DUP	4.41	.01				SOLDER MASK
VACREL 930 DRY FILM SOLDER RESIST UV CURED	DUP	2.00	.01				SOLDER RESIST
VINYL DISPERSION PLASTISOL 77X-3720 BLACK	STA	43.89	10.45	6H	100	AIR	CONF COAT
VORITE 63 POLYURETHANE COATING	BAK	.66	.05	24H	25	AIR	CONF COAT
WORNOW 1000 MASK FILM GREEN	WPP	2.07	.43	1H	135	AIR	MASK
XR-6-2205 ONE PART SILICONE	DCC	2.85	.09	7D	25	AIR	CONF COAT
XT40-110/CAT 23A/DYE 7GA AS 454/1.3/0.1 PBW SILICONE	DCC	3.55	1.26	1H	74	AIR	COATING
XT40-110/CAT 23A/DYE 7GA AS 454/1.3/0.1 PBW SILICONE	DCC	2.28	1.22	1H	74	AIR	COATING
				6H	100	AIR	
XU 218 HP POLYIMIDE BULK MATERIAL	CIB	2.32	.00				CONF COAT
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	DCC	.19	.03	7D	25	AIR	CONF COAT
				1H	100	AIR	
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	DCC	.06	.03	21D	25	AIR	CONF COAT
X1-2577 CLEAR POLYDIMETHYL SILOXANE - ONE PART	DCC	2.20	.52	7D	25	AIR	CONF COAT
ZYTEL 61 IN ALCOHOL	DUP	2.32	.22	30M	25	AIR	COATING
				2H	90	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ADOLET PEM-2 ELECTRICAL FEED THRU NEMA XX GRADE 550	TCC	2.97	.00				FEED THRU
AIRBORN CONNECTOR WGE92PR7GY BLACK GLASS FILL/NYLON	ABI	.71	.09				CONNECTOR
ALPHA LUX 400 POLYPHENOL OXIDE	WPC	.08	.01				INSULATION
ALPHA WIRE 221-3-64 INSULATION	AWC	1.30	.04				INSULATION
AMP CONNECTOR VALOX 420 SEO BLUE INSERT	AMP	.40	.10				CONNECTOR
AMP CONNECTOR 205-207-1 NYLON/GLASS FIBER	AMP	1.62	.03				CONNECTOR
AMP CONNECTOR 205-289-1 PHENOLIC/GLASS FIBER	AMP	1.30	.00				CONNECTOR
AMP CONNECTOR 645850-1 BLACK GLASS FILLED POLYESTER	AMP	.26	.07				CONNECTOR
AMP FEED THRU TERM BLOCK 204307-6-70-39 EPOXY	AMP	.28	.00				FEED THRU
AMP FEED THRU TERM BLOCK 204307-6-70-39 SILICONE	AMP	.66	.06				FEED THRU
AMP 22-18(1-2) SOLDER LUG INSULATION - RED	AMP	2.54	.02				INSULATION
AMPHENOL CONNECTOR MIL C38999 BLUE INSERT 418 SERIES	ABR	.35	.15				CONN INSUL
AMPHENOL CONNECTOR MIL C38999 CLEAR SEAL 418 SERIES	ABR	.50	.25				CONN INSUL
AMPHENOL CONNECTOR SERIES 118 BLUE FLUOROSILICONE	ABR	.56	.10				CONN INSUL
AMPHENOL CONNECTOR SERIES 118 TAN THERMOPLASTIC	ABR	1.03	.00				CONN INSUL
AMPHENOL 481 CONNECTOR PHENOLIC ONLY	ABR	1.50	.01				CONNECTOR
AMPHENOL 481 CONNECTOR PHENOLIC/SILASTIC 35U	ABR	1.17	.08				CONNECTOR
AMPHENOL 481 CONNECTOR SILASTIC 35U ONLY	ABR	.56	.22				CONNECTOR
APPLETON CONNECTOR RED SILICONE INSERT	AEL	.33	.14				CONN INSUL
APPLETON CONNECTOR RED/BLACK PHENOLIC FIBERGLASS	AEL	.24	.00				CONN INSUL
APPLETON CONNECTOR WHITE FLUOROSILICONE INSERT	AEL	.24	.09				CONN INSUL
ARMORED POLYTHERMALEZE 2000 MAGNET WIRE BROWN	PDC	.85	.11				WIRE COATING
AUGAT CONNECTOR 14005-64R3 GRAY POLYESTER	AUG	.24	.07				CONNECTOR
BENDIX CABLE GROMMET MS25506F20-2 BROWN	BEN	.19	.07	24H	190	E-2	GROMMET
BENDIX CONN MS101581781P BLACK NEOPRENE	BEN	2.86	1.05				CONN INSUL
BENDIX CONN MS27467T21F11S BLUE FIBERITE E3938C	BEN	.44	.01				CONN INSUL
BENDIX CONN MS27467T25F61PJ031717 OLIVE DRAB INSERT	BEN	1.89	.01	24H	190	E-2	CONN INSUL
BENDIX CONN MS27656T25F61S OLIVE DRAB INSERT	BEN	2.40	.00				CONN INSUL
BENDIX CONN MS27656T25F61SJ031160 OLIVE DRAB INSERT	BEN	1.47	.01	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR BLUE SILICONE PROPRIETARY	BEN	.11	.01	16H	200	AIR	CONN INSUL
BENDIX CONNECTOR ECD 9-6500 RED SILICONE	BEN	.10	.03				CONN INSUL
BENDIX CONNECTOR JTG06RE-22-35S OLIVE GREEN POLYMER	BEN	3.04	.02				CONN INSUL
BENDIX CONNECTOR JTG06RE-22-35S RED SILICONE	BEN	.16	.04				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P DARK BLUE POLYMER	BEN	.65	.02				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P PINK SILICONE	BEN	.29	.05				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P RED SILICONE	BEN	.17	.04				CONN INSUL
BENDIX CONNECTOR MS27467T21F11S BROWN SILICONE	BEN	.18	.08	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 BRN SILICONE	BEN	.17	.09	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 RED SILICONE	BEN	.16	.07	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR PT07H-14-19P BLACK O RING	BEN	7.14	3.76				CONN SEAL
BENDIX CONNECTOR PT07H-14-19P GREEN GLASS INSERT	BEN	.00	.00				CONN INSUL
BENDIX CONNECTOR PT07H-14-19P RED SILICONE O RING	BEN	.23	.08				CONN SEAL
BENDIX CONNECTOR TORLON 4204 POLYAMID-IMID	AOC	1.71	.00	24H	249	AIR	CONN INSUL
BENDIX CONNECTOR 9-5400 RED RUBBER INSERT MATERIAL	BEN	.10	.04	16H	232	AIR	CONN INSUL
BENDIX CONNECTOR 9-6500 RED RUBBER INSERT MATERIAL	BEN	.07	.03	16H	232	AIR	CONN INSUL
BENDIX GASKET MS27656T25F61SJ031160 RED SILICONE	BEN	.11	.05	24H	190	E-2	CONN GASKET
BENDIX GASKET SEAL MS27502F21C RED SILICONE	BEN	.41	.23	24H	190	E-2	CONN SEAL
BENDIX O-RING MS105615561P BLUE FLUOROSILICONE	BEN	.50	.10				O-RING
CANNON CONNECTOR HOUSING DE 50904-1 NYLON	CAN	2.24	.02				CONN HOUSING
CANNON CONNECTOR INTERFACIAL SEAL PINK	CAN	.23	.05				CONN INSUL
CANNON CONNECTOR MIK O RING INTERFACIAL SEAL	CAN	2.42	1.02				O RING
CANNON CONNECTOR MIK POLYCARBONATE INSUL GREEN	CAN	.15	.03				CONN INSUL
CANNON CONNECTOR MIL C38999 PINK INSERT	CAN	.44	.13				CONN INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CANNON CONNECTOR MS3470L14-19P EPIALL 1908 BLACK	CAN	1.32	.00				CONN INSUL
CANNON CONNECTOR MS3470L14-19P EPIALL 1908 BLACK	CAN	.84	.00	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	CAN	.20	.07				CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	CAN	.08	.02	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3476 BLACK PHENOLIC INSERT	CAN	.54	.01				CONN INSUL
CANNON CONNECTOR MS3476 PINK SILICONE INSERT	CAN	.40	.10				CONN INSUL
CANNON CONNECTOR PINK SILICONE C-16 MSFC 40M 39569	CAN	.07	.01				CONN INSUL
CANNON CONNECTOR PVW6RGB372 PINK SILICONE ONLY	CAN	.14	.02				CONNECTOR
CANNON CONNECTOR PV6G24B31/SWC 16 BLACK PLASTIC	CAN	.61	.00				CONNECTOR
CANNON CONNECTOR PV6G24B31/SWC 16 RED SILICONE	CAN	.19	.00				CONNECTOR
CANNON CONNECTOR RED SILICONE C-16 MSFC 40M 39569	CAN	.08	.03				CONN INSUL
CANNON CONNECTOR SM 3500-55 PINK SILICONE	CAN	.06	.02				CONN SEAL
CANNON CONNECTOR SM 3500-63 PINK FLUOROSILICONE	CAN	.26	.03				CONN INSUL
CANNON CONNECTOR SM 3500-79 PINK SILICONE	CAN	.34	.13				CONN SEAL
CANNON CONNECTOR 7824-2DD-100P BLACK NYLON/GLASS	CAN	1.49	.04				CONN INSUL
CANNON CONNECTORS DBP-25PAA & 25SAA BLACK	CAN	.68	.01				CONNECTOR
CANNON FILTER PIN CONN DDJ-50PNM-A106 BLUE SILICONE	CAN	.64	.28				CONN INSUL
CANNON FILTER PIN CONN DDJ-50PNM-A106 BLUE SILICONE	CAN	.31	.06	64H	100	E-6	CONN INSUL
CANNON WM 202 CONNECTOR	CAN	.24	.00				CONNECTOR
CERTANIUM 61 SOLDER - OXIDIZED SN/PB/15% CD	ARC	.00	.00				SOLDER
CERTANIUM 61 SOLDER SN/PB/15% CD	ARC	.00	.00				SOLDER
CGH1 RESISTOR COATING BLUE EPOXY	IRI	2.32	1.07	4H	100	AIR	COATING
COIL FORM - CLEAR	CMT	.63	.06				COIL FORM
COIL FORM BASE - WHITE	CMT	.52	.00				BASE
COIL FORM PHENOLIC	CMT	4.76	.88				COIL FORM
CONNECTOR ELCO RED FLUOROSILICONE MIL-R25988	BRC	4.46	.12				CONNECTOR SEAL
CONNECTOR ELCO 5051 SERIES VALOX 420 SEO BLACK	PHP	.49	.08				CONNECTOR INSUL
CONNECTOR ELCO 5051/53 SERIES TYPE L-II-49 BLACK	PHP	.33	.01				CONNECTOR INSUL
CONNECTOR ELCO 5053 SERIES TYPE BR68 BLACK	PHP	.14	.00				CONNECTOR INSUL
CONNECTOR ELCO 9082 SERIES TYPE R-4 DARK BROWN	PHP	.12	.00				CONNECTOR INSUL
CONNECTOR INSERT BLUE SILICONE	CAN	.76	.30				CONN INSUL
CONNECTOR INSERT PTD6E-24-61P BROWN SILICONE	BEN	4.87	1.64	24H	175	AIR	CONNECTOR INSUL
CONNECTOR INSERT PTOOW-18-4P BROWN NEOPRENE	BEN	5.82	2.45				CONN INSUL
CONNECTOR INSERT RED SILICONE TRW CONN 8602	TRW	.63	.21				CONN INSUL
CONNECTOR INSERT TAN RUBBER PER MIL C38999	PMC	.42	.14				CONNECTOR INSUL
CONNECTOR INSERT TAN RUBBER PER MIL C38999	PMC	.23	.07	24H	175	AIR	CONNECTOR INSUL
CONNECTOR INSERT 474-11-96-093 RED FLUOROSILICONE	CIN	.20	.04				CONNECTOR INSUL
CONNECTOR INSERT 8293-50 RED SILICONE	PCD	.10	.04	24H	200	AIR	CONNECTOR INSUL
CONNECTOR MIL C38999 RED INSERT	GHT	.46	.11				CONN INSUL
CONNECTOR PLUG JP1S1PB GRAY	WIN	.52	.01				CONNECTOR
CONNECTOR W/LOCTITE 18019 UV ADHESIVE	ABI	.55	.01				CONN ADHESIVE
CONNECTOR 18.163/4UE	WIN	.52	.01				CONNECTOR
CONNECTOR 3612261-01 BLACK NYLON/GLASS	MUP	1.25	.05				CONN INSUL
CONNECTOR-THERMOCOUPLE BLUE COPPER/CON	TEL	.44	.01				TC CONNECTOR
D-8150 POLYAMIDE-IMIDE/ADH/COPPER	ROG	.15	.02				MEMORY CORE
D-8970 EPOXY FILM/ADH/COPPER	ROG	.42	.00				MEMORY CORE
DAP - MESA PLASTICS		.34	.00				CAST CPND
DAP CONNECTOR A1004202	HAC	.61	.01				CONNECTOR
DAP CONNECTOR 3-2-520 GLASS FILLED/FLAME RESISTANT	ACR	.97	.04				CONNECTOR
DAP GD1-30F GRAY GLASS FILLED	KUL	.48	.00				TERMINAL CONN
DAP INSERT/CANNON CONNECTOR DDM 24W7P	CAN	.44	.00				CONNECTOR
DAP MDG BLUE MINERAL FILLED	KUL	.93	.00				TERMINAL CONN
DAP SDG-F MIL M-14 AMP CONNECTOR	AMP	.44	.00				CONNECTOR

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DAP TRW CONN 8602 DCCM51SSBN	TRW	.64	.00				CONN INSUL
DAP/FLAME RETARDANT-GLASS FILLED CANNON CON FS-80	CAN	.44	.00				CONNECTOR
DC 550 SILICONE CONN INSERT AMP 8411211638-4	AMP	.39	.02				CONN INSERT
DEUTSCH CONNECTOR	DEU	.95	.02				CONNECTOR
DEUTSCH CONNECTOR A81510F16-1451 BROWN SILICONE	DEU	.31	.10				CONNECTOR
DEUTSCH CONNECTOR M81511/46FF01S1 BROWN SILICONE	DEU	.22	.07				CONNECTOR
DEUTSCH CONNECTOR M81511/46FF01S1 GREEN MOLD INSERT	DEU	2.21	.00				CONNECTOR
DEUTSCH CONNECTOR RTK06-16-61S GREEN MOLD INSERT	DEU	1.50	.00				CONN INSUL
DEUTSCH CONNECTOR SILICONE RUBBER	DEU	.09	.06				CONNECTOR
DEUTSCH CONNECTOR 41-010350 MOLDED INSERT	DEU	1.23	.01				CONNECTOR
DEUTSCH CONNECTOR 41-010350 RED SILICONE	DEU	.20	.05				CONNECTOR
DEUTSCH CONNECTOR 6825 RM04-442S PHENOLIC INSERT	DEU	1.25	.00				CONNECTOR
DEUTSCH CONNECTOR 6825 RM04-442S SILICONE INSERT	DEU	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7221 UR864-212P SILICONE INSERT	DEU	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7503 RTK00-14-44P SILICONE INSERT	DEU	.16	.05				CONNECTOR
DEUTSCH CONNECTOR 7544E RE64-212P SILICONE INSERT	DEU	.16	.02				CONNECTOR
DEUTSCH CONNECTORS 6905 & 6906 RED SILICONE INSERT	DEU	.14	.00				CONNECTOR
DEUTSCH CTJ SERIES TERMINAL BLOCK RED SILICONE ONLY	DEU	.24	.03				TERMINAL BLOCK
DEUTSCH TERMINAL BLOCK TJ 11E 06-01 SILICONE INSERT	DEU	.19	.01				TERMINAL BLOCK
DIALL 52-70-70 SHORT GLASS FIBER/DAP	ACM	.43	.00	2H	138	AIR	CONNECTOR
ECCOCOAT 200 A/B AS 10/1 BW EPOXY	EMC	9.90	.04	72H	25	AIR	COIL COATING
				72H	51	E-6	
ECCOSORB AN 74 ETHANOL WASH - 3	EMC	.70	.07	21H	100	AIR	ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT	EMC	4.37	.45				ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT 16H METOH WASH	EMC	1.03	.15	3H	25	AIR	ABSORBANT
				21H	100	AIR	
ECCOSORB CR-S 124 A/B AS 100/1 BW SILICONE BASE	EMC	.29	.09	3H	80	AIR	ABSORBANT
ECCOSORB CR-124 X/Y AS 50/1 BW EPOXY	EMC	.11	.00	14D	25	AIR	ABSORBANT
ECCOSORB GDS IRON FILLED SILICONE	EMC	.20	.08				ABSORBANT
ECCOSORB OCF 9 FLAME RETARD MICROWAVE ABSORBER	EMC	3.83	.53				FOAM
EHP-3 HR POLYIMIDE IMPREG NOMEX PAPER HONEYCOMB	DUP	1.97	.02				ABSORBER
EHP-8 MICROWAVE ABSORBING FOAM	EMC	5.07	.29				FOAM
ELECTROLUMINESCENT LAMP-GRIMES-YELLOW	MRG	.41	.01				LAMP
EMA 7037 IRON	SBI	.34	.01				DIELECTRIC
EMA 7085 IRON	SBI	.23	.00				DIELECTRIC
EMA 8190 IRON	SBI	.21	.00				DIELECTRIC
GASKET AMP RF-SMA CONNECTOR RED SILICONE	AMP	.14	.02				GASKET
GASKET AMP RF-SMA CONNECTOR WHITE SILICONE	AMP	.64	.22				GASKET
GORE-TEMP GTS 810 PTFE RIBBON CABLE	WLG	.01	.00				FLEX WIRING
GROMMET FR GOSHEN RUBBER SILICONE CPND S1817	GRC	.34	.09				GROMMET
GROMMET JASPER 1116	JAS	13.51	6.85				GROMMET
GROMMET STRIP NATURAL	ELV	.23	.05				GROMMET STRIP
GROMMET 1042 60 DUROMETER SBR COMM GRADE RUBBER	GCC	11.92	6.61				GROMMET
HDM 22 AMPLIMITE GROMMET	AMP	.56	.16				CONN INSUL
HDM 22 AMPLIMITE GROMMET	AMP	.24	.07	32H	200	AIR	CONN INSUL
HEATER - COLUMN WALL COX SPEC 4500 ELASTOMER	COX	.16	.00	24H	125	E-6	HEATER
HEATER LIW 269-20	TSI	.02	.01	8H	205	AIR	HEATER
HEATING TAPE CLAYBORN LABS A-16 DC 282 SILICONE	CLY	.41	.20	24H	125	E-7	HEAT TAPE
HEATING TAPE CLAYBORN LABS A-16-2 DC 282 SILICONE/F	CLY	.10	.01	20H	155	E-1	HEAT TAPE
				48H	155	E-3	
HEATING TAPE CLAYBORN LABS D-16-2 DC 282 SILICONE	CLY	.74	.42	75H	140	E-6	HEAT TAPE
HEATING TAPE CLAYBORN LABS DC 280 ADH	CLY	.46	.25	24H	150	AIR	HEAT TAPE
HEATING TAPE CLAYBORN LABS F-16-2X DC 282 SILICONE	CLY	.15	.08	30H	150	E-2	HEAT TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
HEATING TAPE CLAYBORN LABS H-16-2X DC 282 SILICONE	CLY	.07	.03	48H	155	E-2	HEAT TAPE
HEATING TAPE CLAYBORN LABS 1 COAT RTV 6-1104	CLY	.73	.29				COATED HEAT TAPE
HEATING TAPE CLAYBORN LABS 2 COATS RTV 6-1104	CLY	.50	.19				COATED HEAT TAPE
HEATING TAPE-CLAYBORN LABS DC 280A ADH	CLY	.85	.37	100H	45	AIR	HEAT TAPE
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.24	.07	4H	204	AIR	CONN INSUL
INSL-X-E44F CELLULOSE NITRATE AND SOLVENT	INX	18.48	.15	24H	25	AIR	COIL COATING
INSULATOR MOLDED MIL M20693	BEN	2.47	.02				INSULATOR
INSULATOR 10230-DAP POLYURETHANE COATING	ROS	.44	.02				INSULATOR
INSULTEK 445 URETHANE DIELECTRIC	IER	.38	.01	1H	163	AIR	DIELECTRIC
				10D	25	AIR	
ITT CONNECTOR 7929 DBM-258 BLUE/GREEN MOLD INSERT	ITT	.55	.01				CONN INSUL
MELAMINE G-5 PER MIL P-15037B FUSE INSULATOR	NVF	3.21	.00				INSULATOR
MELAMINE G-5 PER MIL P-15037B FUSE INSULATOR	NVF	2.06	.00	16H	100	AIR	INSULATOR
MICRO SWITCH 311SX4-T GLASS FILLED PHENOLIC W/ADH	MSH	2.44	.01				SWITCH
MICRODOT CONNECTOR RED SILICONE INSERT	MIR	.54	.34	10H	171	AIR	CONN INSUL
MICRODOT CONNECTOR RED SILICONE INSERT	MIR	.18	.09	5H	171	E-2	CONN INSUL
MIKROY 750 REG GRADE LEAD BORATE/MICA MIX	MEI	.00	.00				INSULATION
NYLAFIL GLASS FILLED NYLON	FBR	1.67	.02				INSULATOR
NYLON/GLASS AS 70/30 CONNECTOR INSERT - CANNON	CAN	.91	.03				CONNECTOR
PA 61 CERAMIC	ELR	.00	.00				INSULATION
PLASTIC PART MOTOROLA CMOS 14011 DTD 7720	MOT	.27	.00				MOLD CPND
PLASTIC PART MOTOROLA CMOS 14044 DTD 7731	MOT	.25	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS00 DTD 7732	MOT	.26	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS174 DTD 7733	MOT	.27	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4011 DTD 723	NSE	.24	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4044 DTD 727	NSE	.26	.00				MOLD CPND
PLASTIC PART RCA CMOS 4011 DTD 723	RCA	.27	.01				MOLD CPND
PLASTIC PART RCA CMOS 4044 DTD 701	RCA	.26	.02				MOLD CPND
PLASTIC PART SIGNETICS 74LS00 DTD 7733	SIG	.38	.00				MOLD CPND
PLASTIC PART SIGNETICS 74LS174 DTD 7723	SIG	.31	.02				MOLD CPND
PLASTIC PART TEXAS INST 74LS00 DTD 7710	TII	.24	.00				MOLD CPND
PLASTIC PART TEXAS INST 74LS174 DTD 7718	TII	.25	.01				MOLD CPND
POLYGON SG-101 COMPOSITE GLASS/SR 319 SILICONE	POL	.06	.02	10M	454	AIR	INSULATION
Q DOPE POLYSTYRENE COIL COATING	GCE	7.72	.32	24H	25	AIR	COIL COATING
RATE GYRO INSULATION MATERIAL	ACA	29.02	2.98				INSULATOR
RESISTOR RLR07 BLUE EPOXY COATING	COR	.10	.01				RESISTOR
RESISTOR RNC55 BLACK EPOXY COATING	COR	.12	.01				RESISTOR
RESISTOR RWR81 DC 307 MOLDING CPND	DAL	.13	.02				RESISTOR
RESISTOR RWR89 SILICONE MOLDING CPND	DAL	.02	.01				RESISTOR
REXOLITE 1422 STYRENE	BRX	.16	.02				INSULATION
RLR05 RESISTOR COATING PHENOLIC	IRI	.10	.02	10M	160	AIR	COATING
RLR05 RESISTOR COATING PHENOLIC	IRI	.08	.02	2H	150	AIR	COATING
RNC50 RESISTOR COATING PHENOLIC/EPOXY	IRI	.18	.04	10M	160	AIR	COATING
RTV 700 RED SILICONE MOLDED TERMINAL	GEC	.51	.32	16H	204	AIR	TERMINAL INSUL
RV 401 SPOOL EPOXY/FIBERGLASS	SPI	.32	.00				COIL FORM
SCOTCHFLEX SOCKET CONNECTOR GLASS REINF POLYESTER	MMM	.19	.04				CONNECTOR
SH 2X2-2.5 HEATER - RED SILICONE	EFH	.08	.03				HEATER
SH 3/4X5 HEATER - RED SILICONE	EFH	.12	.01				HEATER
SIL-PAD 1000 T-03 TRANSISTOR PAD	BER	.20	.08				THERMAL COND
SILICONE INSULATOR SO-1058-8913 RED	LCR	.30	.18	24H	125	AIR	INSULATOR
SOCKET STRIP BLACK RYNITE PET POLYESTER	SAM	.56	.23				SOCKET STRIP
SOCKET STRIP BLACK RYNITE PET POLYESTER	SAM	.40	.17	16H	175	AIR	SOCKET STRIP
SOCKET STRIP BLACK RYNITE PET POLYESTER	SAM	.42	.20	24H	175	AIR	SOCKET STRIP

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
STYCAST HI K 500 DIELECTRIC	EMC	.47	.04				INSULATOR
TEFLON PTFE CONDUCTOR RIBBON CABLE INSULATION	WLG	.00	.00				WIRE INSUL
TERMINAL T-2-S CLAYBORN LABS DC 282 - GE 102 - CLOTH	CLY	1.89	.65				TERMINAL
VIBRO FLO E 8530-2 FLUIDIXED BED COATING	APC	.57	.02	5M	204	AIR	PWDR COATING
VIBRO-FLO E-301 EPOXY POWDER COATING	APC	.87	.08	30M	180	AIR	PWDR COATING
VISHAY MOLDED COMPONENT 311856 BLACK	VIS	2.09	.09				MOLD CPND
WIRE WRAP SOCKET BLACK GLASS/POLYESTER	KON	.40	.11				IC SOCKET
ZYTEL 101L BLACK EXTRUDED RODS	DUP	1.19	.00				CONN INSUL

SECTION 5 -- ELECTRICAL SHIELDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	CHO	.32	.11	3H	200	AIR	RF SHIELD
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	CHO	.31	.11	6H	200	AIR	RF SHIELD
CHO-SEAL 1212 SILVER FILLED SILICONE	CHO	.44	.15				FILLER
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	CHO	.08	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1214 SILVER FILLED SILICONE	CHO	.26	.05				GASKET
CHO-SEAL 1214 SILVER FILLED SILICONE	CHO	.04	.02	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.06	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.46	.07	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.29	.01	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.03	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	CHO	.34	.08	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	CHO	.05	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	CHO	.30	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	CHO	.05	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE	CHO	.36	.12				SEAL
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.43	.06	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.04	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1250 SILVER FILLED SILICONE	CHO	.71	.16				SEAL
CHO-SHRINK BOOT 71-02-7004-1000 AG COND INNER SURF	CHO	.98	.22				SHRINK TUBING
CHO-SHRINK TUBING SILVER COND INNER SURFACE	CHO	.61	.06	5M	121	AIR	SHRINK TUBING
CHO-SHRINK TUBING SILVER COND INNER SURFACE	CHO	.65	.11	0.5M	121	AIR	SHRINK TUBING
CHO-SIL 1401 SILVER FILLED SILICONE	CHO	1.16	.22				SHIELD
CHO-SIL 1401 SILVER FILLED SILICONE	CHO	.05	.02	24H	177	AIR	SHIELD
CHO-SIL 1405 SILVER FILLED SILICONE	CHO	1.03	.27				GASKET
CHO-SIL 1405 SILVER FILLED SILICONE	CHO	.06	.02	24H	177	AIR	SHIELD
CONSIL G SILVER FILLED SILICONE	TEC	.06	.01	24H	115	E-3	SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	TEC	.22	.10				SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	TEC	.05	.01	24H	177	AIR	SHIELD
CONSIL R SILVER FILLED SILICONE	TEC	.20	.10	24H	115	E-3	SHIELD
CONSIL SILVER FILLED SILICONE SHEET	TEC	.44	.12				SHIELD
CUSTOM LOAD 4101-190 EPOXY	CUM	.11	.01				RF ABSORBER
ECCOSHIELD PST-C-A ALUM FOIL/SILVER FILL ACRYLIC ADH	EMC	.26	.09				TAPE
ECCOSHIELD SV SILVER FILLED PLASTIC	EMC	14.06	8.58				SHIELD
ECCOSHIELD SV-F METALIZED FOAM	EMC	1.26	.28				EMI SHIELD
ECCOSHIELD SV-F METALIZED FOAM	EMC	1.13	.29				EMI SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.16	.06				SHIELD

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.03	.01	24H	177	AIR	SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.15	.06				SHIELD
ECCOSHIELD VY CONDUCTIVE SEALER	EMC	.58	.32				SEALANT
ECCOSORB FDS	EMC	.29	.12				ABSORBANT
ECCOSORB FDS	EMC	.05	.02	6H	200	AIR	ABSORBANT
ECCOSORB LS FOAM	EMC	4.08	.44				INSUL FOAM
ECCOSORB MF 110 IRON FILLED EPOXY	EMC	.51	.01				ABSORBANT
ECCOSORB MF 112 IRON FILLED EPOXY	EMC	.26	.01				SHIELD
ECCOSORB MF 114 IRON FILLED EPOXY	EMC	.22	.00				SHIELD
ECCOSORB MF 124 IRON FILLED EPOXY	EMC	.08	.00				ABSORBANT
ECCOSORB SF 9.5 RESONANT ABSORBER-SILICONE FILLED	EMC	.31	.15				ABSORBER
ECCOSORB SF 9.5 RESONANT ABSORBER-SILICONE FILLED	EMC	.10	.06	16H	177	AIR	ABSORBER
ECCOSORB SFT 2.5	EMC	.14	.06				ABSORBANT
ECCOSORB SFU-9 POLYURETHANE	EMC	.46	.05				ABSORBANT
ELASTOMET WIRE EMBEDDED SILICONE SHIELDING	TEC	.05	.03	36H	160	E-3	EMI SHIELDING
EMI SILVER FILLED SILICONE ME 51-08-0201	MET	1.06	.35				GASKET
KAPTON FILM W/MOD ACRYLIC ADH ONE SIDE	TEE	.65	.00	1H	190	AIR	DIELECTRIC
METALASTIC SILICONE FILLED ALUM MESH	SHI	.55	.16				SHIELDING
METALASTIC SILICONE FILLED ALUM MESH	SHI	.03	.02	24H	177	AIR	SHIELDING
PORCUPINE METALASTIC SILICONE FILLED MONEL MESH	SHI	.65	.25				SHIELDING
PORCUPINE METALASTIC SILICONE FILLED MONEL MESH	SHI	.09	.05	24H	177	AIR	SHIELDING
SIC 9030/GREEN BINDER/C-240 GRIT	GSD	.24	.01				DIELECTRIC
STYCAST HIHIK FILLED EPOXY	EMC	.38	.00				DIELECTRIC
TECKNIT 77-09-776 SILVER COATED NYLON	TEC	1.02	.02				SHIELDING
TECKSPAN P/N 48-09866 WIRE EMBEDDED SILICONE	TEC	.92	.20				EMI SHIELDING
TECKSPAN P/N 48-09866 WIRE EMBEDDED SILICONE	TEC	.45	.20	24H	100	AIR	EMI SHIELDING
XECON CS-14 12% SILVER FILLED SILICONE	MET	.11	.05	17H	177	AIR	COND GASKET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ACETATE BUTYRATE - CLEAR	CRY	4.73	.00				LENS
ACLAR 22 ANTI STATIC FILM	ACM	.12	.01				ANTI STATIC FILM
ACLAR 22A CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	ACM	.13	.01				FILM
ACLAR 33 ANTI STATIC FILM	AFP	.10	.01				ANTI STATIC FILM
ACLAR 33C CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	ACM	.11	.01				FILM
ACRYLITE ACRYLIC SHEET	ACC	.51	.05				STRUCTURAL
ALTAIR 20 METALIZED POLYCARBONATE FILM	SOU	.24	.01				ANTI STATIC FILM
AMERI-STAT FILM METALIZED POLYESTER/POLYETHYLENE	ACV	.23	.04				ANTI STATIC FILM
AN 16 NYLON REINF PVF ALUMINIZED FILM	ORC	2.48	.76				ANTI STATIC FILM
AN 18 METALLIZED TEDLAR FILM	ORC	2.01	.80				ANTI STATIC FILM
AN 22 NYLON/PVF FILM ALUMINIZED	ORC	2.97	.69				ANTI STATIC FILM
AN 4C PVF FILM ALUMINIZED	ORC	1.22	.22				ANTI STATIC FILM
ANTI STATIC FILM 2100	MMM	.32	.05				FILM
ARMALON FILM TG0350 BLACK TFE ON GLASS FABRIC	DUP	.09	.01				HEAT BARRIER
ARMALON FILM TG4030 NEUTRAL TEFLON ON GLASS FABRIC	DUP	.05	.01				HEAT BARRIER
AS 3000 ORANGE ANTI STATIC FILM	IPP	6.25	.11				ANTI STATIC FILM
BAVICK II METHYL METHACRYLATE -MODIFIED	CRY	.59	.00				LENS
BEKITEX 50/3 GRAY THREAD	SWI	.20	.03				THREAD
BERG FIBER CABLE AA-048-300 KEVLAR 49 UNCOATED	BEI	3.88	.36				CABLE
BETA MARQUISETTE WOVEN FIBERGLASS STYLE 2530	STE	.03	.00				INSULATION
BISCOTE HT-101 SILICONE COATED GLASS FABRIC	BPI	.46	.17				INSULATION
BISCOTE HT-105 SILICONE COATED FIBERGLASS	BPI	.44	.10				INSULATION
BISCOTE HT-610 METHYL VINYL SILICONE	BPI	1.20	.44				INSULATION
BOLTARON PVC ANTI STATIC FILM	GTR	4.84	.97				ANTI STATIC FILM
BW 900 NYLON FILM - PINK/MAROON	IPP	4.71	.13				ANTI STATIC FILM
BZT-92 NATURAL BONDED NOMEX THREAD	EDD	3.95	.08				THREAD
CAPRAN 512 NYLON ANTI STATIC FILM	AFP	4.93	.12				BAGGING
CAPRAN 980 FILM	AFP	3.40	.05				ANTI STATIC FILM
CELLULOSE ACETATE BUTYRATE 200 MICRON FILM PURPLE	FAR	.95	.01				FILM
CELLULOSE ACETATE FILM SHIM STOCK	ART	10.70	1.19				FILM
CELLULOSE TRIACETATE 200 MICRON FILM BLUE	FAR	1.28	.00				FILM
CHO-THERM 16-15-1616-1671 LOT ZB414 WHITE SILICONE	CHO	.32	.08				THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	CHO	.76	.08				THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	CHO	.10	.06	24H	175	AIR	THERM CONTROL
CHO-THERM 1663 THERM COND SHEET WHITE SILICONE	CHO	1.53	.14				THERM CONTROL
CHO-THERM 1663 THERM COND SHEET WHITE SILICONE	CHO	.26	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1664 THERM COND SHEET - BLUE 7.5 MIL THICK	CHO	.45	.13				DIELECTRIC
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	CHO	.76	.07				THERM CONTROL
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	CHO	.10	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1671 THERM COND SHEET/ADHESIVE REMOVED	CHO	.60	.27				THERM CONTROL
CHO-THERM 1673 THERM COND SHEET GREEN SILICONE	CHO	1.18	.10				THERM CONTROL
CHO-THERM 1673 THERM COND SHEET GREEN SILICONE	CHO	.11	.04	24H	175	AIR	THERM CONTROL
CHO-THERM 1674 THERM COND SHEET BLUE SILICONE	CHO	.45	.20				THERM CONTROL
CHO-THERM 1674 THERM COND SHEET BLUE SILICONE	CHO	.12	.01	24H	175	AIR	THERM CONTROL
CHO-THERM 1677 THERM COND SHEET WHITE FLUOROSILICONE	CHO	.57	.01				THERM CONTROL
CHO-THERM 1678 FILLED SILICONE SHEET	CHO	.55	.12				THERM CONTROL
CHR 5707 BLACK VITON/GLASS FABRIC FILM	CHR	.52	.23				FILM
CLOTH BLACK POLYESTER STYLE 1825	KOM	.25	.02				CLOTH
CLOTH TFE COATED FIBERGLAS STYLE 16781 TYPE S	STE	.48	.27				CLOTH
CONDULON ANTISTATIC FILM 2 MIL BLACK	PVL	.88	.03				FILM
CONDULON ANTISTATIC FILM 4 MIL BLACK	PVL	.76	.02				FILM
CONDULON CONDUCTIVE GRID BAG	PVL	1.68	.11				ANTI STATIC FILM
CONDULON LH86-13 STATIC DISSIPATIVE FILM - BLACK	PVL	.68	.07				BAGGING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CONDULON 89-7 ANTISTATIC FILM BLACK #9436	PVL	1.03	.02				FILM
CONDULON 89-7A ANTISTATIC FILM BLACK #9437	PVL	.86	.02				FILM
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	REE	7.84	4.78				CLOTH
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	REE	1.11	.05	24H	125	E-2	CLOTH
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	REE	.98	.02	72H	125	E-2	CLOTH
CRONAFLEX FILM - FROSTY	DUP	.75	.00				TRANSPARENCY
CRONAR POLYESTER FILM TRANSPARENCY	DUP	.37	.01				FILM
CRP NATURAL POLYETHYLENE FILM	CRR	.21	.06				ANTI STATIC FILM
CRP NYLON FILM	CRR	3.42	.05				ANTI STATIC FILM
CRP PINK POLYPROPYLENE FILM	CRR	.53	.33				ANTI STATIC FILM
CRP POLYPROPYLENE FILM	CRR	.24	.15				ANTI STATIC FILM
CYCOM MCG FIBER - NICKEL COATED GRAPHITE	ACC	.02	.01				FIBERS
DACRON CLOTH 3 OZ CARROLLON	HOB	.05	.04				CLOTH
DACRON DAYBOND Y-46-8X	HOB	.45	.09				THREAD
DACRON MESH B2A	APX	.19	.03				MESH
DACRON MESH B2A POLYESTER NETTING	APX	.15	.00				THERM BLANKET
DACRON MESH B4A POLYESTER SCRIM	APX	.31	.03				MESH
DACRON NET MONOFILAMENT	APX	.23	.02				THERM BLANKET
DACRON NETTING 70886-10	BEH	.19	.06				NETTING
DACRON POLYESTER CLOTH	BEH	.33	.04				CLOTH
DACRON POLYESTER MESH STYLE 15320	SST	.12	.01				FABRIC MESH
DMP-128 COATED	POC	.50	.00				HOLOGRAM
DMP-128 UNCOATED	POC	.21	.00				HOLOGRAM FILM
DP-1000 ORANGE NYLON FILM	IPP	3.99	.20				ANTI STATIC FILM
DUN-CHROME 500C VDA TEFLON	DUN	.01	.00				THERMAL BLANKET
EA 7 POLYESTER FILM INSULATOR - FROSTY	EAS	.46	.01				FILM INSULATOR
ECTFE EXTRUDED SHEET HI-TEMP APPLICATION	ACM	.08	.01				INSULATION
ECTFE 0.5 MIL FILM	ACM	.17	.05				OPTICAL FILM
ECTFE 1.0 MIL FILM	ACM	.19	.04				OPTICAL FILM
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED UNWASHED	ACM	.62	.09				BLANKET
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	ACM	.28	.03				BLANKET
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED UNWASHED	ACM	.33	.08				BLANKET
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	ACM	.21	.07				BLANKET
EMP 100 STATIC DISSIPATION MAT TAN	YAN	2.81	.81				ANTISTATIC MAT
EMP 100 STATIC DISSIPATION MAT TAN HIGH CROSS LINK	YAN	2.56	.36				ANTI STATIC MAT
EMP 100 STATIC DISSIPATIVE MAT TAN	YAN	2.65	.74	15M	149	AIR	ANTISTATIC MAT
EPC-011 KAPTON FILM/THERMOSET ADH	FLA	1.26	.25	75M	171	AIR	LAMINATE FILM
ESTAR PHOTOGRAPHIC FILM	EAS	1.26	.00				FILM
F-5 POLYESTER FILM 5 MIL	ELE	.55	.04				FILM
FACILON 1412 RED NYLON GRIDDED FILM	SUN	26.16	6.42				ANTI STATIC FILM
FAIRPRENE VS0060 BLACK VITON A SHEET	DUP	.35	.05				GASKET-SEAL
FAIRPRENE VS0080 BLACK VITON A SHEET	DUP	.22	.01				GASKET-SEAL
FELT NOMEX ROCKWELL TYPE I	DUP	3.61	.04				FELT
FELT NOMEX ROCKWELL TYPE I	DUP	2.82	.01	24H	125	E-6	FELT
FEP TEFLON SILVERED/PERMACEL 223 TAPE/F	GTS	.77	.35	18H	60	E-1	FILM
FIBERGLASS WOVEN NETTING STYLE 1562	STE	.23	.03				INSULATION
FLEXAUST SD COATED FABRIC DUCT HOSE	FLX	5.51	.47				HOSE
FLUOROFILM DF-1200 TEFLON FILM-ACRYLIC ADH	DIL	.19	.01				PRESS SENS FILM
FLUOROGLAS 389-7 BETA CLOTH/PTFE COATED	OMG	.03	.01				INSULATION
G 113600 THERMAL CONTROL FILM LAMINATE	GTS	1.16	.07				THERM CONTROL
G 143700 THERMAL CONTROL FILM LAMINATE	GTS	1.28	.16				THERM CONTROL
G 401500 SILVERED TEFLON FILM	GTS	.00	.00				FILM
G 4019 TAPE PTFE FILM/AG METALIZED/ACRYLIC ADH/R	GTS	.33	.00				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
GENOTHERM D10B UNPLASTICIZED PVC FILM CLEAR	AMH	.12	.00				FILM
GENOTHERM HT UNPLASTICIZED PVC FILM CLEAR	AMH	.23	.01				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM CLEAR	AMH	.63	.05				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM WHITE	AMH	.38	.05				FILM
GENOTHERM US 1002 UNPLASTICIZED PVC FILM CLEAR	AMH	.21	.02				FILM
GENOTHERM US 3003 UNPLASTICIZED PVC FILM CLEAR	AMH	.50	.06				FILM
GLASS CLOTH TAPE 134	FIC	.18	.03				CLOTH TAPE
GLASS CLOTH 1620 - SMALL WEAVE	STE	.13	.08				CLOTH
GLASS FABRIC 195/50/857 SQUARE MESH COATED WHITE	STE	.23	.05				INSULATION
GLASSCLEAR A/S FILM	REN	15.68	9.09				ANTI STATIC FILM
GRIFFOLYN POLYETHYLENE/NYLON REINF FILM	GRI	1.97	.20				ANTI STATIC FILM
HERCULITE 80 FILM	HEQ	26.85	8.40				ANTI STATIC FILM
KAPTON BLACK FIBERGLASS SUPPORTED FIRE RETARD ADH	NMC	1.20	.65				FILM
KAPTON BLACK 100A-C09 FILM	DUP	.50	.02				FILM
KAPTON FEP FILM 400F022	DUP	.31	.18				FILM
KAPTON FEP FILM 400F022	DUP	.25	.01	90M	302	AIR	FILM
KAPTON FIBERGLASS SUPPORTED	NMC	.42	.08				FILM
KAPTON FIBERGLASS SUPPORTED FIRE RETARD ADH	NMC	1.43	.71				FILM
KAPTON FILM 120F616 TEFLON BOTH SIDES	DUP	.90	.02				THERM BLANKET
KAPTON FILM/ALUMINIZED/CHEMGLAZE H322 BLACK PAINT	APL	1.21	.03	15M	150	AIR	THERM BLANKET
				12H	50	E-5	
KAPTON H FILM FIBERGLAS REINFORCED	DUP	.46	.14				INSULATION
KAPTON H FILM REINF W/GLASS CLOTH 104	RCA	.42	.05	24H	150	AIR	THERMAL CONTROL
KAPTON H FILM 5 MIL	DUP	.77	.02				FILM
KAPTON H FILM/LINOWEAVE BETA MARQUISETTE GLASS CLOTH	DUP	.13	.01	24H	150	AIR	INSULATION
KAPTON/ALUMINIZED/CHEMGLAZE H322 FILM	APL	5.01	.03	15M	125	AIR	THERM CONTROL
KAPTON/ALUMINIZED/CHEMGLAZE H322 FILM	APL	1.43	.17	4H	176	AIR	THERM CONTROL
KAPTON/CHEMGLAZE A276/CAT/FLATTENING AGENT	GSC	1.13	.03	14D	25	AIR	THERM BLANKET
KAPTON/DACRON MESH BONDED PROPRIETARY ADHESIVE	NMC	.30	.13				THERMAL BLANKET
KAPTON/DACRON MESH/CHEMGLAZE Z202 (BLACK KAPTON)	RCA	.53	.06				THERMAL BLANKET
KAPTON/DACRON MESH/CHEMGLAZE Z202 FILM	RCA	.67	.05				THERMAL BLANKET
KEVLAR CORD HEXANE WASH X2	DUP	3.53	.03				CORD
KEVLAR CORD HEXANE WASH X2	DUP	2.67	.01	24H	125	AIR	CORD
KEVLAR 29 YELLOW FIBERS	DUP	3.13	.19				FIBERS
KEVLAR 29 YELLOW TIE CORD HEXANE WASHED	DUP	3.90	.02				CORD
KEVLAR 49 COMPOSITE KEVLAR 49 FABRIC/CORLAR 5143 RES	DUP	1.68	.00	2H	177	PSI	ADH SKIN
KIMFOL 8 GAUGE POLYCARBONATE	KCC	.16	.00				INSULATION
KN 80 REINFORCED POLYIMID FILM	ORC	2.68	1.47				ANTI STATIC FILM
KODALITH ORTHO FILM TYPE 3	EAS	1.08	.00				FILM
KYNAR PIEZO FILM - NI COATED KYNAR	PEN	.07	.03				PIEZOELECTRIC
LECTROLITE CONDUCTIVE FABRIC - BLUE/BLACK VINYL	HEQ	13.31	8.65				STATIC CONTROL
LENS TISSUE E68L	PLA	5.82	.03				WIPE
LEXAN 9034-112 POLYCARBONATE LENS	GEC	.19	.01				LENS
M 385-3 FILM BLACK TEFLON ON FABRIC	DIN	.05	.01				HEAT BARRIER
MAXORB SOLAR FOIL BLACK NICKEL W/ADHESIVE	MPD	.44	.23				THERM CONTROL
MAXORB SOLAR FOIL BLACK NICKEL W/O ADHESIVE	MPD	.02	.00				THERM CONTROL
METRICEL GN-4 FILTER, FISHER CAT 64677 CELLULOSE EST	GIC	4.92	.01				FILTER
MMM 2100 BLUE METALIZED FILM	MMM	.42	.09				ANTI STATIC FILM
MP 1485 POLYURETHANE FILM	MOL	.67	.23				FILM
MP 1885 POLYURETHANE FILM	STE	1.04	.19				FILM
MYLAR IMAGING FILM W/CIRCUITRY	SCG	.70	.04				FILM
MYLAR LA 616 - 7 MIL FILM	DUP	.15	.00				FILM INSERT
MYLAR PHOTOSENSITIVE FILM TYPE A	DUP	.59	.00				FILM/SHEET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
NETTING POLYESTER MESH WHITE 40 DENIER	AMK	.28	.03				THERM BLANKET
NOMEX N-44 WHITE THREAD NATURAL 5977B	SAU	3.01	.29				THREAD
NORYL GFN-3-801 MOD PPO	GEC	.03	.02				INSULATION
NORYL-MODIFIED PPO	GEC	.10	.00				MOUNT
NYLON FILM-ANTISTATIC DF	SCE	2.40	.06				FILM
NYLON ORANGE MIL-C-7020F TYPE I SUNSHADE MATL	PUT	1.02	.01				CLOTH
ORCOFILM KN-10 KAPTON/NOMEX THREAD/POLYESTER BINDER	ORC	.92	.02	48H	125	E-5	THERMAL BLANKET
ORCOFILM KN-10 KAPTON/NOMEX THREAD/POLYESTER BINDER	ORC	1.19	.08				THERMAL BLANKET
ORCOFILM KN-11 KAPTON/NOMEX THREAD/POLYESTER BINDER	ORC	1.41	.05				THERMAL BLANKET
P-65 POLYETHER URETHANE FOAM WHITE	GTR	.47	.11				FOAM
P-65 POLYETHER URETHANE FOAM WHITE	GTR	.29	.11	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE H2O WASH	GTR	.91	.04	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE ISO-OCTANE WASH	GTR	.12	.10	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH WASH	GTR	.81	.02	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH/H2O WASH	GTR	.14	.05	24H	100	AIR	FOAM
PACKAGING FILM TRANSPARENT BLUE CONDUCTIVE	SII	.25	.06				ANTI STATIC FILM
PARASOL GT-76 LAMINATE NYLON/MYLAR/ALUM	JSC	.72	.08				THERMAL CONTROL
PARYLENE C FILM	UCC	.75	.02				FILM/SHEET
PBI THREAD - POLYBENZIMIDAZOLE	FRL	10.93	.09				THREAD
PERVEL 38056 CLEAR ANTISTATIC FILM	PVL	31.57	6.22				FILM
PHENOLIC/NATURAL LINEN STANDOFF	ATP	3.02	.01				STRUCTURAL
PHENOLIC/NATURAL LINEN STANDOFF	ATP	1.89	.00	24H	125	AIR	STRUCTURAL
PLEXIGLAS VS-100 OPTICAL	ROH	1.00	.01				LENS
PLEXIGLAS 11 UVA	ROH	.57	.00				LENS
POLASHEET GRAY SILICONE SHEET/EMBEDDED MONEL WIRE	MET	1.56	.46				SHIELD
POLASHEET GRAY SILICONE SHEET/EMBEDDED MONEL WIRE	MET	.20	.11	24H	177	AIR	SHIELD
POLYCARBONATE CIRCUIT CARD GUIDE	CAL	.12	.02				GUIDE
POLYCHROME FILM 8 MIL	PCR	.64	.01				FILM
POLYESTER FILM TRANSPARENT METALLIZED 100 GAUGE	MPI	.16	.01				ANTI STATIC FILM
POLYESTER FILM TRANSPARENT METALLIZED 50 GAUGE	MPI	.17	.02				ANTI STATIC FILM
POLYETHYLENE FILM ANTISTATIC DF CLEAR	SCE	.41	.16				FILM
POLYETHYLENE FILM ANTISTATIC DF PINK	SCE	.20	.06				FILM
POLYETHYLENE FILM BLACK ANTI STATIC	CTP	.29	.13				ANTI STATIC FILM
POLYETHYLENE FILM TRANSPARENT	CTP	.41	.17				ANTI STATIC FILM
POLYETHYLENE FILM 2 MILS ALATHON RESIN-BRANCHED	DUP	.14	.02				FILM
POLYETHYLENE ULTRA HIGH MOLECULAR WEIGHT	PHI	.02	.00				STRUCTURAL
POLYETHYLENE VAPO FILM 6 MIL	EXX	.37	.10				FILM
POLYPENCO POLYSTYRENE	PPC	.09	.00				STRUCTURAL
POLYURETHANE FILM 8560 W/RUBBER ADH/F	MMM	1.49	.40				FILM
POLYVINYL BUTYRAL FILM - BUTACITE	DUP	30.31	5.07				FILM
PREM 10 MIL TEFLON COATED FIBERGLASS	CHM	.02	.00				ANTI STATIC FILM
PREM 20 MIL TEFLON COATED FIBERGLASS FILM	CHM	.02	.00				ANTI STATIC FILM
PYRALUX FILM POLYIMIDE 2 MILS THICK	DUP	.34	.00	1H	177	AIR	FILM
RAYBESTOS R500 FRICTION MATERIAL	RMI	1.13	.00	16H	110	E-5	FRICTION PAD
RC-AS-1200 ANTISTATIC POLYETHYLENE FILM	RCI	.29	.04				FILM
RC-AS-1200 PINK POLYETHYLENE FILM	RCI	.67	.30				ANTI STATIC FILM
RC-AS-1200FR ANTISTATIC POLYETHYLENE FILM	RCI	.70	.15				FILM
RC-AS-2400 ANTISTATIC NYLON FILM PINK/ORANGE	RCI	6.34	.24				FILM
RC-AS-2400 ANTISTATIC POLYAMIDE NYLON FILM	RCI	4.28	.11				ANTI STATIC FILM
RC-AS-2400 A126 NYLON FILM W/O ANTISTATIC COMP/CLEAR	RCI	6.75	.18				FILM
RC-AS-3600 3 LAYER ANTI STATIC FILM	RCI	.39	.16				ANTI STATIC FILM
RC-AS-4200 POLYESTER-ALUM-POLYETHYLENE FILM BLUE	RCI	.36	.11				ANTI STATIC FILM
RC-AS-4800 GRAY ANTISTATIC FILM	RCI	.33	.10				ANTI STATIC FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SAIL CLOTH ALUMINIZED	ADL	.43	.06				THERMAL CONTROL
SAIL COMPOSITE MYLAR/ALUM/NYLON/WHITE PAINT	MSF	.97	.22				THERMAL CONTROL
SIL-PAD K-10 THERMAL COND SHEET - TAN	BER	.29	.11				THERMAL COND
SIL-PAD K-10 THERMAL COND SHEET - TAN	BER	.36	.09	10M	145	AIR	THERMAL COND
SIL-PAD K-4 THERMAL COND SHEET - GRAY	BER	.28	.07				THERMAL COND
SIL-PAD 1000 THERMAL CONDUCTIVE SHEET/FILM SILICONE	BER	.22	.08				THERMAL COND
SIL-PADS 400 SILICONE/FIBERGLASS SHEET GRAY	BER	.40	.11				FILM/SHEET
SILK NET ILLUSION 7517 FREON TF WASH	DUK	4.90	.01	16H	25	E-6	THERMAL BLANKET
				20H	66	E-6	
				8H	25	E-6	
				10D	25	AIR	
SILK NET ILLUSION 7517 UNWASHED	DUK	4.84	.00	16H	25	E-6	THERMAL BLANKET
				20H	66	E-6	
				8H	25	E-6	
				10D	25	AIR	
SILK NETTING STYLE 5517	JMC	2.53	.07				NETTING
SILK NETTING STYLE 5517	JMC	2.34	.12	24H	25	E-6	NETTING
				5H	125	E-6	
				3H	25	E-6	
SILTEMP 84CH WOVEN GLASS CLOTH - BROWN	AME	11.18	.00				THERM CONTROL
SPECTRA-POR 146285 POLYCARBONATE FILTER MEMBRANE	SMI	.22	.01				FILTER
ST 500 PINK POLYETHYLENE FILM	STT	1.01	.68				ANTI STATIC FILM
ST 600 BLACK FILM	STT	.78	.35				ANTI STATIC FILM
ST 700 CONDUCTIVE GRID FILM	STT	.41	.11				ANTI STATIC FILM
ST 800 ALUM POLYETHYLENE BLUE TRANSPARENT	STT	.69	.11				ANTI STATIC FILM
STAPH CHECK 6 FABRIC - LIGHT AQUA/WHITE VINYL	HEQ	27.16	17.11				PACKAGING
STATICURE ANTISTATIC FILM	MPH	.31	.07				ANTI STATIC FILM
SURLYN SB IONOMER FILM	PIE	.40	.05				FILM
SURLYN 1652 2 MIL BAGGING FILM	DUP	.39	.09				FILM
TCK 10 TEFLON COATED KEVLAR	CHM	.61	.01				ANTI STATIC FILM
TCK 1589 TEFLON COATED KEVLAR	CHM	.57	.00				ANTI STATIC FILM
TCK 1590 TEFLON COATED KEVLAR	CHM	.76	.00				ANTI STATIC FILM
TCK 6 TEFLON COATED KEVLAR	CHM	.36	.00				ANTI STATIC FILM
TEDLAR COATING ON ALUMINUM	RPC	.14	.05				COATING
TEDLAR 150 BL 30 CC BLACK FILM	DUP	.14	.00				FILM
TEFLON FEP INSULATION TX22-731	HTW	.02	.00				INSULATION
TEFLON FEP TYPE A 5 MIL FILM	DUP	.01	.00				FILM/SHEET
TEFLON PFA FILM SHEET TE-9705	DUP	.00	.00				FILM
TEFLON/GARLOC 201/SILVER/ALUM FOIL COMPOSITE	GSC	.34	.13				MIRROR
TEFZEL FILM 2 MIL	DUP	.12	.02				BLANKET
TEMP-PLATE 240/ROD	DUP	2.90	.27				FILM
TEMP-PLATE 240/SCREEN	DUP	4.14	.30				FILM
TEX GUARD CF143CX RESIN COATED COPPER FABRIC	TWT	3.63	.00				EMI SHIELD
TEX GUARD T 1600 N NICKEL-ACRYLIC FABRIC	TWT	.22	.02				EMI SHIELD
TEX GUARD T 3500 N NICKEL-POLYESTER-COTTON FABRIC	TWT	.93	.01				EMI SHIELD
TEX GUARD TFR 1100 N CORDELAN COATED NICKEL FABRIC	TWT	1.11	.01				EMI SHIELD
TEXGUARD CR142 CU COATED POLYETHYLENE FIBER MESH	TWT	.47	.01				RFI/EMI SHIELD
THERMA-FILM 4300-002	THE	.79	.01				FILM
THREAD STAR DEE DACRON/SILICOTE FINISH BLACK	ATC	3.25	1.65				THREAD
TRADLON FILM POLYPARABANIC ACID (M)	EXX	1.26	.00				FILM INSUL
TROYFELT S4-19-070-17P POLYESTER	TRO	.10	.04				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	TRO	.33	.12				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	TRO	.25	.08				THERMAL BLANKET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	TRO	.04	.03	67H	95	E-5	THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE WASHED	TRO	.25	.04	20H	115	AIR	THERMAL BLANKET
TX 300 POLYPROPYLENE FILM	TRE	.05	.02				ANTI STATIC FILM
VELOSTAT BLACK POLYOLEFIN ANTI STATIC FILM	MMM	.98	.02				ANTI STATIC FILM
VELOSTAT CONDUCTIVE PLASTIC	CUM	.67	.21				FILM
WN-1500 BLUE NYLON FILM	IPP	2.98	.21				ANTI STATIC FILM
WRIGHTLON AS-3000 ORANGE/PINK TREATED NYLON FILM	IPP	5.64	.13				ANTI STATIC FILM
WRIGHTLON 4000A RED NYLON FILM	IPP	.02	.01				ANTI STATIC FILM
WRIGHTLON 7000 GREEN NYLON FILM	IPP	4.25	.16				ANTI STATIC FILM
WRIGHTLON 7000 GREEN TRANSPARENT NYLON FILM	IPP	4.49	.15				ANTI STATIC FILM
WRIGHTLON 7400 GREEN NYLON FILM	IPP	4.07	.18				ANTI STATIC FILM
WRIGHTLON 8400 BLUE NYLON FILM	IPP	2.88	.19				ANTI STATIC FILM
XF-10 XEROGRAPHIC TRANSPARENCY FILM - CLEAR	NAC	.36	.01				FILM
XR SODIUM PERFLUOROSULFONATE FILM	DUP	2.41	.00				FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AAP-LS-2000 FOAM RF ABSORBER BLACK	AAP	4.34	.37				ABSORBER
AAP-ML-F2 FOAM MICROWAVE ABSORBER BLUE COAT ONE SIDE	AAP	3.03	.38				ABSORBER
AAP-SS-H RF ABSORBER METALLIC/GRAPHITE/FOAM	AAP	.85	.04				FOAM COMPOSITE
AAP-3 FOAM RF ABSORBER BLACK W/BLUE COAT ONE EDGE	AAP	4.18	.63				ABSORBER
ABLESTIK 861-1/ECCOSPHERES SI AS 55/45 BW - WHITE	AAC	.78	.00	2H	93	AIR	POT FOAM
ABLESTIK 861-2/ECCOSPHERES SI AS 55/45 BW - WHITE	AAC	.80	.01	2H	93	AIR	POT FOAM
ABSAFIL F1200/20 FOAM/20% GLASS FIBERS	FBR	.33	.01				FOAM
AF 3002 EPOXY FOAM	ACC	.94	.12	16H	121	AIR	FOAM
AF3015/C125690-1 HARD FOAMED EPOXY	MMM	.88	.01	2H	177	AIR	FOAMED ADH
ANGEL FOAM 6818 CLEAN ROOM WIPE	AUC	1.24	.10				FOAM WIPE
ANGEL FOAM 6818 CLEAN ROOM WIPE 6 HR METOH WASH	AUC	1.15	.01	16H	100	AIR	FOAM WIPE
ARMAFLEX TUBULAR INSULATION SLEEVE BLACK	ACL	8.57	2.41				INSULATION
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	MCG	.16	.01	7D	25	AIR	FOAM
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	MCG	.21	.01	7D	25	AIR	FOAM
CHEM-POL 30-1961/2023 AS 1/1 BW POLYURETHANE FOAM	FRE	7.07	.05	72H	66	AIR	FOAM
CHO-FOAM 1501 SILVER FILLED SILICONE	CHO	.50	.10				FOAM
CLARK FOAM 1234 POLYURETHANE - WHITE ALCOHOL WASH	CFP	.85	.03	24H	100	AIR	FOAM
CONAFLEX EA-50 POLYURETHANE FOAM ALCOHOL WASH	BLA	.65	.03	8H	100	AIR	INSULATION
CPR 17-2C POLYURETHANE FOAM	UJC	.87	.10	1H	120	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	.24	.10	6H	80	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	1.31	.03	16H	60	E-6	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	.97	.09	16H	75	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	1.26	.04	6H	85	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM LOT M2280	UJC	1.13	.06	24H	65	AIR	FOAM
CPR 9002-3 POLYURETHANE FOAM BLUE/GREEN	UJC	3.81	.21				FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN	UJC	4.34	1.06				FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN	UJC	2.26	.03	96H	125	E-1	FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN 24H METOH WASH	UJC	2.10	.03	72H	100	AIR	FOAM
CPR 9800-60 POLYESTER URETHANE FOAM 6#/CU FT	UJC	7.24	.40				FOAM DAMPER
CPR 9800-60 POLYESTER URETHANE FOAM 6#/CU FT	UJC	1.23	.46	24H	66	E-4	FOAM DAMPER
DC 5370 SILICONE FOAM	DCC	.31	.12	16H	204	AIR	FOAM
DC 5370 SILICONE FOAM	DCC	.59	.09	72H	150	E-4	FOAM
DER 661/2-PHENYLIMIDAZOLE WHITE SYNTACTIC FOAM	MOT	.72	.03	2H	100	AIR	FORM
DF 1471 ANTI STATIC FILM - BLACK	CHM	.00	.00				ANTI STATIC FILM
DK 18-05/ECCOSPHERES SI AS 55/45 BW - BLUE	HYS	.77	.20	2H	93	AIR	POT FOAM
ECCOBOND SF 40 SYNTACTIC FOAM EPOXY RESIN	EMC	.23	.04	48H	25	AIR	FOAM
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	1.06	.34	16H	80	AIR	POT FOAM
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	.88	.28	16H	80	AIR	POT FOAM
				7D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	.91	.27	16H	80	AIR	POT FOAM
				14D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	1.23	.35	16H	80	AIR	POT FOAM
				4D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	.93	.36	2H	125	AIR	FOAM DAMPER
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	.40	.09	2H	100	AIR	FOAM DAMPER
				24H	125	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM	EMC	2.32	.99	5H	110	AIR	FOAM
ECCOFOAM EFF-14FR SYNTACTIC FOAM	EMC	.72	.30	2H	135	AIR	POT FOAM
				8H	145	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE EPOXY	EMC	.67	.29	2H	125	AIR	FOAM DAMPER
				8H	66	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE EPOXY	EMC	.73	.23	2H	125	AIR	FOAM DAMPER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE LOT 518	EMC	1.05	.56	2H	100	AIR	POT FOAM
				114H	50	E-5	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE LOT 521	EMC	1.04	.52	2H	100	AIR	POT FOAM
				114H	50	E-5	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	EMC	1.29	.03	16H	25	AIR	FOAM
				49H	60	AIR	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	EMC	1.96	.09	50H	60	AIR	FOAM
ECCOFOAM FS POLYURETHANE FOAM	EMC	4.08	.79				FOAM
ECCOFOAM FS POLYURETHANE FOAM ETOH WASH X2	EMC	.72	.19	1H	100	AIR	FOAM
ECCOFOAM FS POLYURETHANE FOAM ETOH WASH X2	EMC	.81	.18	24H	100	AIR	FOAM
ECCOFOAM PP-HT-3 WHITE	EMC	2.44	.24				STRUCTURAL FOAM
ECCOFOAM PP-2	EMC	2.77	.39				FOAM
ECCOFOAM SH 14#/CU FT POLYURETHANE FOAM	EMC	1.04	.00				FOAM
ECCOFOAM SH 2#/CU FT POLYURETHANE FOAM	EMC	1.59	.02				FOAM
ECCOLITE 82-EP-PB A/B AS 100/9.6 BW EPOXY FOAM	EMC	.50	.01	24H	25	AIR	FOAM
ECCOSORB AN 79 MICROWAVE ABSORBANT 4H ETOH WASH	EMC	2.10	.14	25H	100	AIR	ABSORBANT
EHP-1 POLYURETHANE FOAM - BLACK	CAF	3.20	.27				FOAM ABSORBER
EHP-1 POLYURETHANE FOAM/BLUE NEOPRENE PAINT	CAF	7.73	1.83				FOAM ABSORBER
EPDM SILVER STRIP CLOSED CELL FOAM/ADH FILM/FOIL	DAC	13.63	3.73				INSULATION
EPDM SPONGE B-42-E GRAY	ROG	13.38	7.65	1.5M	177	AIR	FOAM
EPOCAST 1610 SINGLE COMPONENT EPOXY FOAM - WHITE	FPI	2.87	1.13	2H	121	AIR	HONEYCOMB FILL
ERL 2795/HN 951 SYNTACTIC FOAM	HAC	.50	.02	24H	25	AIR	FOAM
ES-0424 BLACK EPOXY SYNTACTIC FOAM	HYS	1.66	.30	2H	85	AIR	FOAM
ES-0424 BLACK EPOXY SYNTACTIC FOAM	HYS	1.65	.31	2H	85	AIR	FOAM
				4H	150	AIR	
ETHAFOAM WHITE	PFI	.47	.03				FOAM PAD
ETHAFOAM 220 POLYETHYLENE FOAM 2.2#/CU FT	DOW	.36	.08				INSULATION
ETHAFOAM 400 POLYETHYLENE FOAM 4#/CU FT	DOW	.26	.04				INSULATION
ETHAFOAM 600 POLYETHYLENE FOAM 6#/CU FT	DOW	.24	.04				INSULATION
FLUOREL 1062 FOAM	MOS	.38	.03				FOAM
FLUOREL 1079 FOAM	MOS	.38	.12				FOAM
FLUOROSILICONE CLOSED CELL EXTRUDED FOAM - BROWN	INR	.12	.03	16H	204	AIR	FOAM
FM 41 EPOXY FOAM SILVER-GRAY	ACC	.76	.00	1H	170	AIR	ADH FOAM
FOAM CLOSED CELL POLYURETHANE MIL P26514 ETOH WASH	FOF	.84	.00	24H	100	AIR	FOAM
FOAM CLOSED CELL POLYURETHANE MIL P26514 2#/CU FT	FOF	8.40	.56				FOAM
FOAM GRAY POLYESTER 2#/CU FT	PFI	1.29	.02				DAMPER
FOAM ME-1-10-94-1 POLYIMIDE	INT	.40	.02				THERM LOUVER
FOAM PL-2-17-52-3 POLYIMIDE	INT	.53	.05				THERM LOUVER
FOAM POLYURETHANE OPEN CELL ROGERS 263	RFC	4.94	.43				FOAM
FOAM POLYURETHANE WILSHIRE CHEM	WIL	1.34	.42	8H	125	AIR	FOAM
FOAM 1702-1 TAN THERMAL ACOUSTICAL	INT	.00	.00				FOAM
FOAM-POLYURETHANE HH1-00530	ACM	4.80	.00				FOAM
FOAMEGA HT-603 FIRE RESISTANT SILICONE FOAM	BPI	1.11	.48				FOAM
FOAMEGA HT-800 GEN PURPOSE SPONGE GRAY	BPI	.92	.43				FOAM
FOAMEGA HT-820 GEN PURPOSE SPONGE BLACK	BPI	.96	.46				FOAM
FOAMEGA HT-830 LOW COMPRESSION SET RED SPONGE	BPI	1.18	.53				FOAM
FOAMEGA SILICONE FOAM	BPI	1.26	.51				FOAM
FOAMWIPE POLYURETHANE CLEAN ROOM WIPE	TEX	3.87	1.86				FOAM
FOAMWIPE TX 704 CLEAN ROOM WIPE ALCOHOL EXTRACTION	TEX	1.53	.03				FOAM
FOMOFILL RIGID POLYURETHANE FOAM FROM AEROSOL	FOM	21.84	.41				FOAM
FR-3720 LAST-A-FOAM POLYURETHANE HONEYCOMB FILL	GPM	.87	.01	24H	120	AIR	FOAM
INSTA-FOAM 2#/CU FT	INS	10.10	.05	16H	43	AIR	FOAM
MET 100 ANTI STATIC FILM	MPI	.35	.01				ANTI STATIC FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MICROFOAM	AME	.70	.08				INSULATION
MICROWELL R FOAM LUBRICANT RESERVOIR FREON TA WASH	MIF	6.14	.41				FOAM
MINICEL B-302 CROSSLINKED POLYPROPYLENE FOAM WHITE	HAV	2.82	.59				DAMPER
MONSANTO 1835 POLYETHER-URETHANE FOAM	MON	3.13	.60				FOAM
MONSANTO 1835 POLYETHER-URETHANE FOAM	MON	1.25	.48	72H	120	AIR	FOAM
MONSANTO 1835 POLYETHER-URETHANE FOAM ISOPROP WASH	MON	.29	.08	1H	25	AIR	FOAM
				21H	100	AIR	
MONSANTO 1835 POLYETHER-URETHANE FOAM METOH WASH	MON	.27	.04	30M	25	AIR	FOAM
				4H	100	AIR	
MONSANTO 1835 POLYETHER-URETHANE FOAM METOH WASH	MON	.42	.13	30M	25	AIR	FOAM
				21H	100	AIR	
MONSANTO 3865-F POLYETHER-URETHANE FOAM	MON	3.05	.71				FOAM
MONSANTO 3865-F POLYETHER-URETHANE FOAM	MON	.94	.19	72H	120	AIR	FOAM
NOPCO A206-1	NOP	2.00	.90				FOAM
NOPCO G302	NOP	.30	.07				FOAM
NOPCO G500 POLYURETHANE FOAM - WHITE	NOP	1.19	.01	25M	25	AIR	FOAM
				4H	65	AIR	
NOPCO H-402N WITH PVA COVER	NOP	21.40	1.03	14H	92	AIR	FOAM
NOPCO H-402N WITHOUT PVA COVER	NOP	23.20	1.03	14H	92	AIR	FOAM
NOPCO J106 POLYURETHANE	NOP	1.12	.00				FOAM
NOPCO J106 POLYURETHANE	NOP	1.19	.02	4H	32	CO	FOAM
				16H	60	CO	
NYLAFIL F3/15 NYLON FOAM/15% GLASS FIBER	FBR	1.76	.03				FOAM
P-17 POLYURETHANE FOAM - OPEN CELL	GTR	.60	.13				FOAM
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GTR	.77	.08				FOAM DAMPER
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GTR	.49	.08	16H	100	AIR	FOAM DAMPER
P-17 POLYURETHANE FOAM 0.186 THICK WHITE	GTR	1.11	.11				DAMPER
P-22 POLYURETHANE FOAM OPEN CELL	GTR	1.28	.07				FOAM
P-25 POLYURETHANE FOAM OPEN CELL	GTR	.92	.04				FOAM
PBI FOAM 4#/CU FT	WCN	4.09	.01	?	482	AIR	HEAT SHIELD
PBI FOAM 4#/CU FT SAMPLE 925-30 POLYBENZIMIDAZOLE	WCN	5.37	.00	30M	496	AIR	HEAT SHIELD
PERVEL ANTISTATIC MAT BLUE	PVL	31.79	11.57				MAT
PERVEL CONDUCTIVE FOAM BLACK HIGH DENSITY	PVL	1.77	.19				FOAM
PERVEL CONDUCTIVE FOAM BLACK LOW DENSITY	PVL	2.39	.16				FOAM
PERVEL LH30A STATIC DISSIPATIVE MAT MAROON COLOR	PVL	10.25	4.49				MAT
POLYURETHANE FOAM BY STOCKWELL RUBBER	SRC	.53	.15				FOAM
PORON P01-20062-4-4 WHITE POLYURETHANE FOAM	ROG	1.26	.06				FOAM DAMPER
PORON P01-20062-7-3-1604 BLACK POLYURETHANE FOAM	ROG	.91	.09				FOAM DAMPER
PORON P09-20062-5-12 WHITE POLYURETHANE FOAM	ROG	1.52	.08				FOAM DAMPER
PORON P09-20062-7-2-1604 BLACK POLYURETHANE FOAM	ROG	1.14	.04				FOAM DAMPER
PORON S01-20062-6-11 WHITE POLYURETHANE FOAM	ROG	1.46	.09				FOAM DAMPER
PORON S01-20062-7-4-1604 BLACK POLYURETHANE FOAM	ROG	1.22	.05				FOAM DAMPER
PORON S09-20062-7-1-1604 BLACK POLYURETHANE FOAM	ROG	1.01	.07				FOAM DAMPER
PORON X4701-01-17105-1600 BROWN URETHANE FOAM	ROG	2.13	.35	1.5M	177	AIR	DAMPER
PORON X4701-01-17115-1600 BROWN URETHANE FOAM	ROG	1.47	.26	1.5M	177	AIR	DAMPER
PORON X4701-05-17125-1624 BLUE URETHANE FOAM	ROG	1.30	.10	1.5M	177	AIR	DAMPER
PORON X4701-05-19115-1633 WHITE URETHANE FOAM	ROG	2.32	1.15	1.5M	177	AIR	DAMPER
PORON X4701-05-20115-1613 BLUE URETHANE FOAM	ROG	1.87	.50	1.5M	177	AIR	DAMPER
PORON X4701-05-20120-1633 WHITE URETHANE FOAM	ROG	3.82	1.92	1.5M	177	AIR	DAMPER
PORON 01-20062-1604 BLACK POLYURETHANE FOAM	ROG	2.04	.53				FOAM DAMPER
PORON 09-20062 GRAY POLYURETHANE FOAM	ROG	1.28	.07				FOAM DAMPER
PORON 4701-01-20125-1614 BLUE URETHANE FOAM	ROG	1.23	.05	1.5M	177	AIR	DAMPER
PORON 4701-01-20125-1633 ALCOHOL WASH URETHANE FOAM	ROG	.73	.05	8H	100	AIR	DAMPER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PORON 4701-01-20125-1633 IVORY URETHANE FOAM	ROG	1.09	.02	20H	82	E-2	DAMPER
PORON 4701-01-20125-1633 IVORY URETHANE FOAM	ROG	1.35	.01				DAMPER
PORON 4701-05-20125-1637 GRAY POLYURETHANE FOAM	ROG	1.14	.05				FOAM
PORON 4701-05-20125-1637 GRAY URETHANE FOAM	ROG	.97	.02	1.5M	177	AIR	DAMPER
PORON 4701-09-20125-1648 GRAY URETHANE FOAM	ROG	.92	.05	1.5M	177	AIR	DAMPER
PORON 4716-16-20125-1633 URETHANE FOAM W/FLAMERETARD	ROG	4.35	1.07				DAMPER
PORON 4716-17-15250-1653 GRAY URETHANE FOAM	ROG	1.46	.02	1.5M	177	AIR	DAMPER
PORON 4716-18-15250-1654 BLUE/GRAY URETHANE FOAM	ROG	1.00	.05	1.5M	177	AIR	DAMPER
PORON 4716-21-15250-1655 PALE GREEN URETHANE FOAM	ROG	1.05	.06	1.5M	177	AIR	DAMPER
PROFIL F60/20 POLYPROPYLENE FOAM/20% GLASS FIBER	FBR	.16	.04				FOAM
PROOF BOARD CLOSED CELL POLYURETHANE FOAM	GOL	1.14	.00	48H	100	AIR	INSULATION
PROOF BOARD CLOSED CELL POLYURETHANE FOAM	GOL	1.36	.00				INSULATION
REICHOLD POLYURETHANE FOAM	REI	5.80	.17	1.5H	25	AIR	FOAM
				1H	77	AIR	
RFF 263 POLYURETHANE FOAM GRAY	RFC	1.79	.22	48H	66	AIR	FOAM
RFF 263 POLYURETHANE FOAM GRAY 48 HR METOH WASH	RFC	.53	.05	48H	66	AIR	FOAM
				24H	100	AIR	
RFI 261-100 PPI2 WHITE FOAM	ROG	2.52	.33				FOAM
ROGERS POLYURETHANE FOAM	RFC	8.51	.51				FOAM
ROH 261 GRAY FOAM	ROG	3.58	.42				FOAM
RTV 760 SILICONE FOAM	GEC	1.10	.44				FOAM
SCOTCHCAST XR-5068 EPOXY FOAM	MMM	.55	.32	17H	85	AIR	FOAM
SCOTT INDUSTRIAL FOAM POLYESTER URETHANE	SCT	1.91	.40				FOAM SHEET
SCOTT POLYESTER-URETHANE FOAM - TAN	SCT	4.46	1.63				FOAM
SCOTT POLYESTER-URETHANE FOAM - TAN 2X24HR ETOH WASH	SCT	.81	.01	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM BROWN CLOSED CELL	SCT	4.63	1.84				FOAM
SCOTT POLYESTER-URETHANE FOAM BROWN 2X24HR ETOH WASH	SCT	.88	.01	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 100 PPI	SCT	.86	.05	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 100 PPI METOH WASH	SCT	.69	.00	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI	SCT	3.22	.42				FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI	SCT	1.81	.66	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI H2O WASH	SCT	2.53	.39	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI METOH WASH	SCT	.33	.04	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI NON-FLAME GRAY	SCT	4.48	.42				DAMPER
SCOTT POLYETHER-URETHANE FOAM GRAY 2#/CU FT WASHED	SCT	1.59	.24	6H	100	AIR	FOAM
SCOTT POLYETHER-URETHANE FOAM WHITE 2#/CU FT WASHED	SCT	.69	.12	6H	100	AIR	FOAM
SCOTT POLYURETHANE FOAM BLACK 41 PPI	SCT	1.55	.48				FOAM
SCOTT POLYURETHANE FOAM GREEN 100 PPI	SCT	2.23	.73				FOAM
SCOTT POLYURETHANE FOAM GREEN 40 PPI	SCT	1.14	.24				FOAM
SCOTT POLYURETHANE FOAM WHITE 100 PPI	SCT	2.81	.44	48H	110	E-3	FOAM
SCOTT POLYURETHANE FOAM WHITE 100 PPI	SCT	2.57	.43				FOAM DAMPER
SCOTT POLYURETHANE FOAM WHITE 90 PPI	SCT	.83	.31				FOAM
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	SCT	2.02	.43				FOAM
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	SCT	1.18	.37	8H	120	AIR	FOAM
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	SCT	1.22	.44	24H	120	AIR	FOAM
SEN POLYETHER FOAM/FLAME RETARDANT	BUR	12.93	5.93				FOAM
SERIES 24 ANTI STATIC FILM - BLACK	CHR	.13	.00				ANTI STATIC FILM
SHUR-LOK SLE 3010 SYNTACTIC FOAM BLUE-GREEN	SLK	.77	.03	16H	25	AIR	FOAM
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3015 SYNTACTIC FOAM GREEN	SLK	1.13	.19	12H	25	AIR	FOAM
				8H	65	AIR	
				8H	121	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SKYBOND RI 7271-01 FLEXIBLE POLYIMIDE FOAM	MON	.86	.52				FOAM
SKYBOND RI 7271-06 RIGID POLYIMIDE FOAM	MON	.31	.04				FOAM
SKYBOND RI 7271-12 RIGID POLYIMIDE FOAM	MON	.42	.01				FOAM
SKYBOND RI 7271-18 RIGID POLYIMIDE FOAM	MON	.45	.01				FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	IMI	.20	.02				FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	IMI	.19	.02	1H	288	AIR	FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM MIL F87090	IMI	.28	.01				FOAM
SPONGE RUBBER NEOPRENE MIL R6130B TYPE 1 BLACK	ELM	14.10	4.92				DAMPER
SPONGE RUBBER NEOPRENE MIL R6130B TYPE 1 BLACK	ELM	2.74	1.60	24H	125	E-7	DAMPER
SPONGE RUBBER SILICONE MIL ZZ-R-765 RED	GRE	.83	.40				DAMPER
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	ERP	1.78	.00	12H	66	AIR	FOAM
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	ERP	1.32	.00	4H	105	AIR	FOAM
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	ERP	1.37	.01	2H	120	AIR	FOAM
STATIC CONTROL TABLE MAT 8210 BROWN VINYL/FOAM	MMM	37.60	23.66				STATIC CONTROL
STEPANFOAM G-306 6#/CU FT WHITE	SCC	.87	.06	24H	25	AIR	FOAM
				4H	66	AIR	
STYCAST 1090-SI/24LV AS 100/23 BW EPOXY FOAM	EMC	3.44	.10	16H	25	AIR	FOAM
				24H	70	AIR	
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	EMC	.36	.00	24H	125	AIR	FOAM
STYRAFIL F30/20 POLYSTYRENE FOAM/20% GLASS FIBER	FBR	.26	.02				FOAM
STYROFOAM	DOW	.62	.22				SUN SHIELD
SYNTACTIC FOAM WHITE EPOXY/ECCOSPHERES AS 40/60 BW	MOT	.54	.00				FOAM
TENNECO PO 502 URETHANE FOAM WHITE 1.8#/CU FT	TEN	5.66	2.02				FOAM
TENNECO 1194 URETHANE FOAM GREEN 3.9#/CU FT	TEN	2.14	.10				FOAM
TO-1000 SYNTACTIC FOAM WHITE	HYS	1.46	.14	90M	126	AIR	POTTING FOAM
				24H	110	E-6	
TO-1000 SYNTACTIC FOAM WHITE	HYS	1.82	.59	8H	65	AIR	FOAM
				10H	121	AIR	
UNITED FOAM 5010 MIL P26514 GRAY TYPE I ALCOHOL WASH	UNF	1.17	.09	6H	100	AIR	FOAM
UNITED FOAM 5010 MIL P26514 GRAY TYPE I CLASS II G A	UNF	4.33	.54				FOAM
UNITED FOAM 5010 MIL P26514 GRAY TYPE I CLASS II G A	UNF	2.44	.51	24H	90	E-5	FOAM
URALANE 1723 A/B AS 100/85 BW/LITHIUM FLUORIDE	FPI	2.50	.24	24H	25	AIR	FOAM
VELOFOAM 1901 BLACK	MMM	5.45	.29				COND FOAM
VITON 05-2154 CLOSED CELL EXTRUDED FOAM - GRAY	INR	.91	.01	16H	204	AIR	FOAM
VOLARA FOAM	VOL	3.80	.26				SUN SHIELD
VULTA 16L204 RIGID POLYURETHANE FOAM 4#/CU FT	GLC	1.77	.02				FOAM
VULTA 16L204 RIGID POLYURETHANE FOAM 4H ETOH WASH	GLC	2.51	.01	25H	100	AIR	FOAM
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.80	.00	2H	125	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.82	.01	2H	100	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.88	.02	2H	100	AIR	FOAM DAMPER
ZEREFIL F700/20 VINYL FOAM/20% GLASS FIBERS	FBR	.21	.00				FOAM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AERODAG G COLLOIDAL GRAPHITE/ISOPROPYL ALCOHOL	ACH	1.78	.11	24H	25	AIR	LUBRICANT
AERODAG G COLLOIDAL GRAPHITE/ISOPROPYL ALCOHOL	ACH	2.05	.04	24H	60	AIR	LUBRICANT
AERODAG M COLLOIDAL MOS2/ISOPROPYL ALCOHOL	ACH	4.97	.19	24H	25	AIR	LUBRICANT
APIEZON C OIL VACUUM DEGASSED	BID	81.19	47.47	1H	65	E-2	LUBRICANT
APIEZON H HYDROCARBON GREASE	BID	.25	.02				GREASE
APIEZON L GREASE	BID	.04	.01				GREASE
APIEZON M GREASE VACUUM DEGASSED	BID	.34	.29	1H	65	E-2	LUBRICANT
APIEZON N GREASE	BID	.08	.00				GREASE
APIEZON T GREASE	BID	.76	.12				GREASE
BLACK MAGIC MOLY SPRAY/FOIL - AEROSOL MOS2	SPR	.27	.02	24H	25	AIR	LUBRICANT
BRAYCO 813 CLEAR OIL BATCH EIA3	BOC	.74	.32				LUBRICANT
BRAYCO 815Z CLEAR OIL BATCH DLM3	BOC	.03	.00				LUBRICANT
BRAYCOTE 3L-38 GREASE BATCH DLD1 WHITE	BOC	.07	.03				GREASE
BRAYCOTE 3L-38 GREASE WHITE	BOC	.07	.03	7H	100	E-6	LUBRICANT
BRAYCOTE 3L-38-MS GREASE BATCH DLG1 GRAY	BOC	.04	.01				GREASE
BRAYCOTE 3L-38-RP GREASE BATCH CLT7 YELLOW	BOC	.09	.04				GREASE
BRAYCOTE 3L-38-ZN GREASE BATCH ELM4 BLACK	BOC	.02	.01				LUBRICANT
BRAYCOTE 601/CLM ADDITIVE (601 IS OLD 3L-38)	BOC	.27	.06				GREASE
BRAYCOTE 803 GREASE BATCH ELJ12 WHITE	BOC	.24	.13				GREASE
BRAYCOTE 815Z OIL/CLM ADDITIVE	BOC	.17	.07				LUBRICANT
CRAMOLIN 81RC PASTE COPPER FILLED	CLI	99.99	55.55				LUBRICANT
CROWN 6065 GREEN TFE AEROSOL COATING/F	CIP	.52	.09	20M	177	AIR	LUBRICANT
				24H	121	E-3	
CV-9052 BLACK ELEC COND SILICONE GREASE	MCG	.05	.02				ELEC COND GREASE
C6-1103 SILICONE GREASE	DCC	.17	.00				GREASE
DC HIGH VACUUM GREASE	DCC	.75	.20				LUBRICANT
DC HIGH VACUUM GREASE/GRAPHITE BLACK APL	APL	3.15	.85				LUBRICANT
DC 20-057 SILICONE OPTICAL COUPLING COMPOUND	DCC	.86	.27				GREASE
DRI-SLIP POWDERED LUBRICANT - AEROSOL	MMM	10.73	4.60				LUBRICANT
DRILUBE 822 FLUOROSILICONE LUBRICATING GREASE	DRI	6.51	2.47				LUBRICANT
DYFLON DRY FILM LUBRICANT	SWP	.68	.03				LUBRICANT
ECCOSHIELD SO AG FILLED GREASE	EMC	9.84	4.35				LUBRICANT
ECCOSLIP TM-24 LOW FRICTION EPOXY	EMC	.40	.00	1H	66	AIR	EPOXY LUBE
				1H	80	AIR	
				24H	116	AIR	
EKKCEL WR-25 AROMATIC POLYESTER/TFE BLEND TAN	CRB	.01	.00				SOLID LUBE
ENVEX 1000	ROG	1.94	.01				BEARING MATL
ENVEX 1000	ROG	1.74	.01	24H	204	AIR	BEARING MATL
ENVEX 1000X	ROG	1.87	.01	24H	204	AIR	BEARING MATL
ENVEX 1000X POLYIMIDE	ROG	1.83	.00				BEARING MATL
ENVEX 1115	ROG	1.67	.01				BEARING MATL
ENVEX 1115	ROG	1.29	.03	24H	204	AIR	BEARING MATL
ENVEX 1228	ROG	1.29	.00				BEARING MATL
ENVEX 1228	ROG	1.25	.02	24H	204	AIR	BEARING MATL
ENVEX 1315	ROG	2.03	.00				BEARING MATL
ENVEX 1315	ROG	1.36	.02	24H	204	AIR	BEARING MATL
EVERLUBE 811 AEROSOL/F	EMU	2.97	.00	15M	25	AIR	DRY FILM LUBE
				2H	67	AIR	
				2H	150	AIR	
E411-A RELEASE AGENT FORMULA A AEROSOL	MSI	1.34	.57	19D	25	AIR	DRY LUBRICANT
E411-A RELEASE AGENT FORMULA B AEROSOL	MSI	1.39	.38	19D	25	AIR	DRY LUBRICANT
FLUOKEM DRY FILM LUBRICANT AEROSOL	BAP	15.05	7.59	7D	25	AIR	LUBRICANT
FLUOROGLIDE FB AEROSOL DRY FILM LUBRICANT/F	CHE	9.49	3.09	7D	25	AIR	LUBRICANT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FLUOROSINT 500 MICA FILLED TFE	PPC	.05	.00				BEARING MATL
FOMBLIN P22 FLUORINATED FLUID	MDG	13.53	.09				LUBRICANT
FOMBLIN RT 15 FLUORINATED GREASE	MDG	1.29	.66				LUBRICANT
FOMBLIN VAC 3 FLUORINATED GREASE	MDG	.09	.02				LUBRICANT
GE 1147 METHYL ALKYL SILICONE LUBE OIL	GEC	4.28	2.41				OIL
GOLD-WIPES TX-809	TEX	49.70	38.60				LUBRICANT
HI-VAC GREASE	DCC	1.52	.34				LUBRICANT/GREASE
HI-VAC GREASE 970V SILICONE	DCC	.73	.22				LUBRICANT/GREASE
JOINT COMPOUND SOCONY MOBIL TEMP 1 GREASE	TBT	3.82	1.74				GREASE
KARON B SELF LUBE BEARING LINER BROWN	KAM	1.31	.00				BEARING LINER
KARON GP SELF LUBE BEARING LINER BLACK	KAM	1.47	.00				BEARING LINER
KARON H SELF LUBE BEARING LINER BROWN	KAM	1.04	.00				BEARING LINER
KARON M SELF LUBE BEARING LINER BROWN	KAM	1.91	.00				BEARING LINER
KARON RP SELF LUBE BEARING LINER GREEN	KAM	1.06	.00				BEARING LINER
KARON V SELF LUBE BEARING LINER BROWN	KAM	1.33	.01				BEARING LINER
KATHERM 41 SELF LUBE BEARING LINER BROWN	KAM	.72	.01				BEARING LINER
KRYTOX 143 AB LUBRICATING OIL DEVOL AT 93C	DUP	28.93	13.03				OIL
KRYTOX 143 AX FLUOROALKYLPOLYETHER LUBRICATING OIL	DUP	28.54	5.71				OIL
KRYTOX 240AC FLUOROCARBON GREASE (143AC OIL/TEFLON)	DUP	5.72	3.00				LUBRICANT
LUBRI-BOND K SOLID FILM LUBRICANT MOS2/F	EFI	1.91	.15	24H	25	AIR	LUBRICANT FILM
LUBRI-BOND K SOLID FILM LUBRICANT MOS2/F	EFI	1.38	.12	24H	25	AIR	LUBRICANT FILM
				1H	80	AIR	
LUBRI-FILM N	EFI	2.90	.19				LUBRICANT
LUBRIPLATE 630A	FIS	51.00	14.59				LUBRICANT/GREASE
MOLYKOTE G-N PASTE GRAY	DCC	51.76	4.82				LUBRICANT
MOLYKOTE GREASE	DCC	3.20	1.25				LUBRICANT
MOLYKOTE 321R AEROSOL FORM BURNISHED/F	DCC	3.66	.12				DRY FILM LUBE
MOLYKOTE 321R AEROSOL FORM/F	DCC	1.30	.00	4H	25	AIR	DRY FILM LUBE
				24H	100	E-3	
MOLYKOTE 321R DRY FILM LUBRICANT AEROSOL/F	DCC	1.54	.02	7D	25	AIR	LUBRICANT
MOLYKOTE 321R LIQUID FORM BURNISHED/F	DCC	4.22	.02				DRY FILM LUBE
MOLYKOTE 321R LIQUID FORM 5M HEAT GUN EXPOSURE/F	DCC	3.62	.00	4H	25	AIR	DRY FILM LUBE
MS 148.1 (C1217B) CLEAR LIQUID	MSI	3.24	2.12	19D	25	AIR	DRY LUBRICANT
MS-122 FLUOROCARBON DRY LUBRICANT - AEROSOL	MSI	13.19	6.76				LUBRICANT
NYE 183 SPECIAL OIL FOR BEARING LUBRICATION	NYE	17.07	11.46				OIL
Q2-3067 OPTICAL COUPLING COMPOUND	DCC	.77	.05				GREASE
ROYCO 43 GREASE PER MIL G4343B	RLC	85.13	15.34				LUBRICANT
RT DUROID 4300 REINFORCED TEFLON PTFE	ROG	.01	.00				BEARING MTL
RULON A TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON B TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON C TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON J TEFLON FILLED BEARING MATERIAL	DIX	.10	.01				BEARING MATL
RULON LD TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON 123 TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
SILVER GOOP HIGH TEMP GREASE	CFC	2.48	.62				LUBRICANT
TEXACO RB PREMIUM GREASE	TXI	37.82	22.77				LUBRICANT
TRANSLUBE 20204 DRY FILM LUBRICANT/F	JSP	4.93	2.68	24H	25	E-3	DRY FIL LUBE
TRANSLUBE 20204 LUBRICANT FILM	JSP	9.13	5.88	30M	121	AIR	LUBRICANT FILM
TRANSLUBE 20204 LUBRICANT FILM	JSP	5.29	2.27				LUBRICANT FILM
VESPEL SP 211-D-1 POLYIMIDE/15% GRAPHITE/10% TEFLON	DUP	.48	.00				SOLID LUBE
VESPEL SP-1-D-1 POLYIMIDE RESIN	DUP	.58	.01				SOLID LUBE
VESPEL SP-21-D-1 POLYIMIDE/15% GRAPHITE	DUP	.52	.01				SOLID LUBE
VESPEL SP-22-D-1 POLYIMIDE/GRAPHITE AS 60/40 BW	DUP	.57	.00				SOLID LUBE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VESPEL SP-3 BROWN	DUP	1.08	.00				SOLID LUBE
VESPEL SP-3 POLYIMIDE/15% MOS2 FORMERLY SP-31-D-1	DUP	.54	.01				SOLID LUBE
VYDAX 1000 FLUOROTELEMER	DUP	.67	.08				LUBRICANT

SECTION 9 -- LACING TAPE & CORD CABLE TIES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BAR LOK CABLE TIE NYLON 66	DNN	2.69	.01				CABLE TIE
BEN-HAR HT-30 LOC B SERIES LACING TAPE	BHM	2.68	.30				LACING TAPE
CABLE CLAMP TAO 2105HO-07HB RED RUBBER SLEEVE	TAM	.22	.03				CABLE CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	TAM	.48	.23				CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	TAM	.36	.21	3H	149	AIR	CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	TAM	.14	.09	24H	177	AIR	CLAMP
DIAL CORD STUR-D-DIAL DACRON 164 WHITE	GBE	.48	.10				DIAL CORD
DIAL CORD 753-24 TFE COATED GLASS FIBER	DIN	.08	.05				DIAL CORD
FASTRAPS SERIES 60 NYLON CABLE TIE	GHI	2.29	.03				CABLE TIE
LACING CORD A-60-M NYLON	HMB	3.24	.76				LACING CORD
LACING CORD DACRON 50D-0F17CW - WHITE	WFC	1.30	.54				LACING CORD
LACING CORD GUDELACE 20 BLACK NYLON - WAXED	GBE	8.47	4.05				LACING CORD
LACING CORD LC-136	AWC	8.36	3.38				LACING CORD
LACING CORD LC-162 BLACK	AWC	2.27	.95				LACING CORD
LACING TAPE A-60-M NYLON	HMB	3.83	.42				LACING TAPE
LACING TAPE A-60-M POLYESTER	HMB	1.88	.64				LACING TAPE
LACING TAPE DABURN 2047 DACRON - COATED	DAD	.55	.28				LACING TAPE
LACING TAPE DABURN 2047 DACRON - COATED	DAD	.11	.04	24H	125	AIR	LACING TAPE
LACING TAPE DACRON 20D-0F9X - WHITE	WFC	.33	.08				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS	DIN	.19	.04				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS METOH WASH	DIN	.07	.02	1H	100	AIR	LACING TAPE
LACING TAPE E 779-1075 TFE TEFLON/GLASS	DIN	.70	.25				LACING TAPE
LACING TAPE E 779-222 TFE TEFLON/GLASS	DIN	1.42	.46				LACING TAPE
LACING TAPE E 779-303 TFE TEFLON/GLASS	DIN	1.46	.57				LACING TAPE
LACING TAPE E 779-680 TFE TEFLON/GLASS	DIN	.60	.26				LACING TAPE
LACING TAPE FIBERGLASS/TEFLON - WHITE	WFC	1.02	.12				LACING TAPE
LACING TAPE FYR-LACE-R 21DR DACRON/VINYL IMPREG	GBE	13.27	6.93				LACING TAPE
LACING TAPE GE NYLON	HMB	7.93	.21				LACING TAPE
LACING TAPE GE POLYESTER	HMB	1.00	.07				LACING TAPE
LACING TAPE GUDE-GLASS 18T FIBERGLAS/TEFLON WHITE	GBE	.08	.02				LACING TAPE
LACING TAPE GUDE-NYLACE 18B NYLON/NYLON WHITE	GBE	2.25	.19				LACING TAPE
LACING TAPE GUDE-Q BRAIDED SILICA FIBER NATURAL	GBE	.52	.25				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GBE	.59	.20				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GBE	.38	.15	1H	149	AIR	LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GBE	.39	.16	2H	149	AIR	LACING TAPE
LACING TAPE GUDE-SPACE DPT-H F94 SUPER GRADE	GBE	2.08	.94				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H LOT 086-X	GBE	.40	.02				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GBE	1.41	.15				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GBE	.55	.15	24H	50	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GBE	.40	.18	24H	100	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GBE	.24	.03	24H	100	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GBE	.52	.21				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GBE	.71	.17				LACING TAPE
LACING TAPE GUDE-SPACE 21D96 DACRON/SYN RUBBER WHITE	GBE	.73	.15				LACING TAPE
LACING TAPE GUDE-TEMP 718P NOMEX POLYCARBONATE COAT	GBE	2.78	.04				LACING TAPE
LACING TAPE GUDE-TEMP 723 NOMEX WITHOUT FINISH	GBE	1.39	.05				LACING TAPE
LACING TAPE GUDE-TEMP 723H NOMEX/RUBBER FINISH	GBE	2.11	.12				LACING TAPE
LACING TAPE GUDE-TEMP 723S NOMEX/SILICONE FINISH	GBE	3.19	.72				LACING TAPE
LACING TAPE GUDELACE 18 NYLON BRAID/WAXED - NATURAL	GBE	7.72	3.95				LACING TAPE
LACING TAPE GUDELACE 18N96 NYLON	GBE	2.57	.07				LACING TAPE
LACING TAPE GUDELACE 21H NYLON BRAID/SYN RUBBER	GBE	2.36	.23				LACING TAPE
LACING TAPE GUDELACE 22U NYLON BRAID NATURAL	GBE	1.53	.19				LACING TAPE
LACING TAPE HT30VR NOMEX/TEFLON COAT/SYN RUBBER SAT	BHM	4.64	.06				LACING TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LACING TAPE MT3-38 POLYESTER	BHM	1.86	.18				LACING TAPE
LACING TAPE MW NYLON	HMB	6.60	1.78				LACING TAPE
LACING TAPE MW POLYESTER	HMB	3.92	2.17				LACING TAPE
LACING TAPE NOMEX R&D 1342VC VITON COATED	GBE	2.23	.02	1H	227	AIR	LACING TAPE
LACING TAPE NOMEX STYLE 1251 SCOURED	GBE	2.94	.00				LACING TAPE
LACING TAPE NOMEX STYLE 1251VC VITON COATED	GBE	3.13	.14				LACING TAPE
LACING TAPE NOMEX 1342VC SCOURED LOT 13278	GBE	2.61	.03	1H	177	AIR	LACING TAPE
LACING TAPE PBI STYLE 1330 UNCOATED	GBE	9.08	.02				LACING TAPE
LACING TAPE PBI STYLE 1330VC VITON COATED	GBE	6.98	.06				LACING TAPE
LACING TAPE SR NYLON	HMB	2.79	.12				LACING TAPE
LACING TAPE SR POLYESTER	HMB	1.21	.18				LACING TAPE
LACING TAPE STUR-D-LACE 18DB DACRON/NYLON WHITE	GBE	.42	.18				LACING TAPE
LACING TAPE STUR-D-LACE 18DH DACRON/SYN RUB L#121274	GBE	.91	.21				LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GBE	.28	.03	15M	149	AIR	LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GBE	.51	.01				LACING TAPE
LACING TAPE STUR-D-LACE 18DP DACRON/POLYCARBONATE	GBE	2.17	1.27				LACING TAPE
LACING TAPE STUR-D-LACE 18DPT SCOURED PROD SAMPLE	GBE	.14	.02				LACING TAPE
LACING TAPE STUR-D-LACE 18DU DACRON LEACHED	GBE	.13	.02				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GBE	.41	.05				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GBE	.38	.04				LACING TAPE
LACING TAPE TEFGLAS 90LOF13A FIBERGLAS/TEFLON WHITE	WFC	.43	.05				LACING TAPE
LACING TAPE TEMP-LACE H231H TEFLON BRAID/SYN RUBBER	GBE	.36	.02				LACING TAPE
LACING TAPE TEMP-LACE H256H TEFLON BRAID/SYN RUBBER	GBE	.24	.05				LACING TAPE
LACING TAPE TEMP-LACE 230 TEFLON OLIVE DRAB/NO FIN	GBE	.24	.00				LACING TAPE
LACING TAPE TG-40 FIBERGLAS/TEFLON COAT	BHM	.50	.20				LACING TAPE
LACING TAPE 20DOF9G MIL T43435 TYPE 2 WHITE	WFC	.63	.25				LACING TAPE
NYLON 6 BLACK CABLE CLAMP - WECKESSER	WEK	.84	.00	24H	125	AIR	CABLE CLAMP
PAN-TY CABLE MOUNT	PAN	.63	.04				CABLE MOUNT
PAN-TY CABLE TIE	PAN	3.44	.01				CABLE TIE
PAN-TY CABLE TIE LIGHT BROWN	PAN	3.13	.01				CABLE TIE
PAN-TY CABLE TIE HALAR MAROON	PAN	.21	.01				CABLE TIE
PAN-TY CABLE TIE NYLON NATURAL	PAN	1.73	.02				CABLE TIE
PAN-TY CABLE TIE TEFZEL BLUE	PAN	.08	.02				CABLE TIE
SECUR-A-TIE CABLE TIE NYLON	DNN	2.88	.01				CABLE TIE
STA-STRAP SST CABLE TIE NATURAL NYLON ETHANOL WASH	PAN	3.25	.01				CABLE TIE
TC 10 NYLON WIRE SUPPORT	TBT	1.59	.00				SUPPORT
TC 101 TY-RAP NYLON CABLE RETAINER	TBT	1.08	.02				CABLE RETAINER
TC 102 TY-RAP NYLON CABLE CLAMP	TBT	1.11	.01	48H	125	AIR	CABLE CLAMP
TC 105A WIRE CLIP ADHESIVE	TBT	6.66	1.72				ADHESIVE
TC 106M TY-RAP NYLON CABLE CLAMP	TBT	1.05	.01	48H	125	AIR	CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	TBT	1.61	.02				CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	TBT	1.02	.00	24H	125	AIR	CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	TBT	1.05	.01	48H	125	AIR	CABLE CLAMP
TC 818 TY-RAP NYLON CABLE CLAMP	TBT	2.15	.02	16H	50	AIR	CABLE CLAMP
TC 828 TY-RAP NYLON MOUNTING PLATE	TBT	1.30	.01	24H	125	AIR	MOUNT PLATE
TC 92 TY-RAP NYLON CABLE CLAMP	TBT	1.18	.00	24H	125	AIR	CABLE CLAMP
TIE CORD E 761-1330 TFE TEFLON/GLASS	DIN	.15	.05				TIE CORD
TIE CORD E 761-688 TFE TEFLON/GLASS	DIN	.37	.11				TIE CORD
TIE CORD E 761-688 TFE TEFLON/GLASS METOH WASH	DIN	.09	.01	1H	100	AIR	TIE CORD
TP-2 PANDUIT NYLON SUPPORT	PAN	1.89	.02				SUPPORT
TWINE - LINEN .020 DIAM 3 PLY	LUD	2.94	.24	10H	100	AIR	TWINE
TY 25M TY-RAP NYLON CABLE TIE	TBT	1.74	.05				CABLE TIE
TY 25M TY-RAP TEFZEL CABLE TIE BLUE/GREEN	TBT	.10	.00				CABLE TIE

SECTION 9 -- LACING TAPE & CORD CABLE TIES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TY 307 TY-RAP TEFLON CABLE TIE	TBT	.03	.00				CABLE TIE
TY 34M TY-RAP NYLON CABLE TIE	TBT	2.49	.02	24H	125	AIR	CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	TBT	2.33	.02				CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	TBT	1.90	.00	16H	100	AIR	CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	TBT	1.24	.01	24H	125	AIR	CABLE TIE
TY 5 TY-RAP ZYTEL 103 CABLE TIE	TBT	2.49	.01				CABLE TIE
TY 523M TY-RAP NYLON CABLE TIE	TBT	1.85	.00	24H	125	AIR	CABLE TIE
TY-RAP KYNAR CABLE TIE	TBT	.05	.02				CABLE TIE
TY-RAP MS 3367 NYLON LACING TAPE	TBT	1.83	.00				LACING TAPE
TY-RAP NYLON	TBT	2.60	.00				CABLE TIE
TYB 23M TY-RAP NYLON CABLE TIE	TBT	1.61	.05				CABLE TIE
TYB 23M TY-RAP NYLON CABLE TIE	TBT	.85	.06	16H	100	AIR	CABLE TIE
TYB 24M TY-RAP NYLON CABLE TIE	TBT	2.06	.01	24H	125	AIR	CABLE TIE
TYB 25M TY-RAP NYLON CABLE TIE	TBT	1.98	.01	24H	125	AIR	CABLE TIE
TYTON T18R-9 CABLE TIE	TYT	3.43	.03				CABLE TIE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ARALDITE MY750/HY219/DY219/TEXOGLASS 480	CIB	7.55	.01	30H	25	AIR	LAMINATE
BALL BEARING CAGE LINEN/PHENOLIC - EXTRACTED	SYN	2.85	.00				STRUCTURAL
CHARGE GUARD STATIC PROTECTIVE STRUCTURAL LAMINATE	MMM	5.82	.00				LAMINATE
CIRCUIT BOARD COMPOSITE NEMA G10 MICA/CE 1155	RCA	.48	.01				CIRCUIT BOARD
COAST EPOXY PREPREG F161-83-1P08/20	CMS	.66	.12	2H	163	AIR	ADH FILM
COAST EPOXY PREPREG F161-83-108-B	CMS	.46	.01	2H	163	AIR	ADH FILM
				1H	149	AIR	
				2H	204	AIR	
COAST EPOXY/GLASS PREPREG F161-83-1P08/20	CMS	.29	.01	165M	163	AIR	LAMINATE
CONVAIR GRAPHITE/EPOXY	GDC	.63	.03				COMPOSITE
CONVAIR GRAPHITE/EPOXY/SI203/ALUMINUM	GDC	.54	.01				COMPOSITE
CYCOM 950-S2 EPOXY/GLASS	ACC	.49	.01	1H	66	E-2	STRUCTURAL
				1.5H	138	PSI	
CYCOM 985-T300 GRAPHITE/EPOXY	ACC	.57	.01	1H	121	E-2	STRUCTURAL
				2H	177	PSI	
E-720 EPOXY/FIBERGLASS LAMINATE - POTTING FORMS	SPI	.54	.04				LAMINATE
ELECTROSHIELD C28 POLYESTER FILM/.0007 COPPER FOIL	LAM	.28	.03				RFI/RMI SHIELD
EPOXY FIBERGLASS BOOM CYLINDER	PLI	.20	.05				LAMINATE
FIBERGLASS CLOTH PRE-PREG A10-104-75	FLC	1.88	.97	90M	121	E-2	LAMINATE
FIBERITE HY-E 1076E EPOXY GRAPHITE LAMINATE	FIB	.50	.00	2H	177	AIR	LAMINATE
FIBERITE HY-E-1334A EPOXY/GRAPHITE LAYUP	FIB	.81	.00	2H	177	E-3	LAMINATE
FIREBAN 600 EPOXY/FIBERGLAS	TAY	.64	.03				LAMINATE
FLEXSTRIP FLEXIBLE WIRING LAMINATE	ANS	.22	.01				LAMINATE
GOODYEAR GRAPHITE FIBER EPOXY COMPOSITE	GAC	.55	.04				STRUCTURAL
GOODYEAR GRAPHITE FIBER EPOXY COMPOSITE/FM 1000	GAC	.82	.15	24H	121	E-3	STRUCTURAL
GRAPHITE FIBER REINFORCED POLYMER HERCULES 2002M	HER	.48	.01	6H	149	E-4	STRUCTURAL
GT 5500 COPPER FOIL/MYLAR LAMINATE ONE SIDE	GTS	.05	.04				LAMINATE
GY-70/X-30 GRAPHITE EPOXY COMPOSITE	GDC	.46	.01				STRUCTURAL
GY-70/5208 GRAPHITE EPOXY COMPOSITE	WCN	.53	.01	2H	177	AIR	LAMINATE
GY-70/5209 GRAPHITE EPOXY COMPOSITE	WCN	.40	.01	2H	177	AIR	LAMINATE
HEXCEL F153 EPOXY GLASS PREPREG	HEX	.18	.00	7H	171	PSI	LAMINATE
HEXCEL F174-120 GLASS CLOTH/POLYIMIDE PRE PREG 7CURE	HEX	.40	.00				LAMINATE
HN 7 LINEAR POLARIZER LAMINATE	POC	2.90	.01				LAMINATE
HONEYCOMB HMF 176/34 EPOXY/GRAPHITE W/FM73M ADH	FIB	1.62	.03				STRUCTURAL
HONEYCOMB SPECIAL COMPOSITE EPON 828/FIBERGLAS/PLUS	RAD	1.27	.01				HONEYCOMB
HRH-10 NYLON/PHENOLIC HONEYCOMB CORE	HEX	2.74	.00				HONEYCOMB
JF 1006 CHLORONATED POLYETHER/GLASS AS 70/30	LNP	.64	.13				MOLD CPND
KEVLAR 120/NARMCO 8517 STRUCTURAL COMPOSITE	TRW	1.33	.00	45M	121	PSI	LAMINATE
				2.5H	177	PSI	
KEVLAR 49/FR 8601 RESIN PRE-PREG	FBC	4.51	2.20	2H	121	E-2	PRE PREG
KFL 4036 ACETAL/30% GLASS/15% TFE	LNP	.26	.02				STRUCTURAL
KFL 4536 ACETAL/30% GLASS/15% TFE/SILICONE	LNP	.35	.02				STRUCTURAL
KINEL 5504 GLASS FILLED POLYIMIDE	RHO	1.09	.01				STRUCTURAL
KL 4540 ACETAL/20% TFE/SILICONE	LNP	.53	.01				STRUCTURAL
LAMINATE AL-300 G30 POLYIMIDE/GLASS - BROWN	ATL	.63	.00				LAMINATE
LAMINATE AL-3137 FR TYPE FL-GF W/O COPPER	ATL	.29	.00				LAMINATE
LAMINATE AL-3247 FR THIN W/O COPPER	ATL	.42	.00	1H	177	PSI	LAMINATE
				6H	135	AIR	
LAMINATE AS-4/1908 EPOXY/GRAPHITE	HER	.11	.01	2H	121	PSI	LAMINATE
LAMINATE AS-4/1908 EPOXY/GRAPHITE	HER	.19	.03	2H	149	PSI	LAMINATE
LAMINATE BL-2 EPOXY/FIBERGLASS W/O COPPER	GEC	.25	.01				LAMINATE
LAMINATE B33 NATURAL TYPE GF CORLAR 5104/GLASS/FR4	FLC	.62	.00	1H	177	PSI	LAMINATE
				6H	177	PSI	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE CELION 6K/982-FIBERITE HY-E 1682H 5 PLY	GEV	.61	.12	90M	127	PSI	LAMINATE
LAMINATE CE339 HMS EPOXY/GRAPHITE	FER	.53	.07	2H	121	PSI	LAMINATE
LAMINATE CE339 HMS EPOXY/GRAPHITE TUBE	FER	.54	.03				STRUCTURAL
LAMINATE CMC 608-1-3-1 KAPTON/COPPER FOIL/KAPTON	GMC	.19	.02				LAMINATE
LAMINATE COTTON FILLED PHENOLIC	SYN	3.11	.04				STRUCTURAL
LAMINATE COTTON FILLED PHENOLIC	SYN	3.19	.01	8H	100	AIR	STRUCTURAL
LAMINATE COTTON FILLED PHENOLIC MIL-P-79	SYN	3.15	.03	4H	150	AIR	INSULATION
LAMINATE CP-109A CM CHOPPED MOLDED CARBON PHENOLIC	HAV	4.75	.00	4H	149	AIR	LAMINATE
LAMINATE CP-109A TW TAPE WRAPPED CARBON PHENOLIC	HAV	3.61	.00	4H	149	AIR	LAMINATE
LAMINATE CUCLAD TEFLON/GLASS W/FORTIN EC031P03 ADH	MMM	.04	.01	45M	177	AIR	LAMINATE
LAMINATE CUSTOM LAM 606	MMM	.06	.00				LAMINATE
LAMINATE CUSTOM POLY TG TEFLON/FIBERGLASS	CUM	.02	.01				LAMINATE
LAMINATE EPOXY FIBERGLASS MULTIWIRE CKT BD	KOL	.43	.02				PC BOARD
LAMINATE EPOXY/FIBERGLASS LOT 79-4809(MT)	FER	1.04	.23	2H	49	PSI	HONEYCOMB
				6H	74	PSI	
LAMINATE EPOXY/FIBERGLASS LOT 79-4835(MT)	FER	.94	.17	2H	49	PSI	HONEYCOMB
				6H	74	PSI	
LAMINATE EPOXY/FIBERGLASS TYPE II CLASS E GRADE 2	QUA	.28	.01				LAMINATE
LAMINATE EPOXY/FIBERGLASS/MY740/HY219/DY219/1275	MAS	.93	.00				LAMINATE
LAMINATE EPOXY/GLASS BLUE MIL-P13949/4A MULTILAYER	MUP	.35	.01				PC BOARD
LAMINATE EPOXY/GLASS MIL P25421A TYPE 2 CLASS 2	PFP	.27	.02				LAMINATE
LAMINATE EPOXY/GLASS UNIGLASS STYLE 181	UNI	.30	.00	2H	121	AIR	LAMINATE
				16H	232	AIR	
LAMINATE EPSILAM 10 MICROWAVE SUBSTRATE W/O COPPER	MMM	.04	.00				LAMINATE
LAMINATE E787 EPOXY/FIBERGLASS PREPREG	USP	.91	.00	2H	163	PSI	LAMINATE
LAMINATE F-945 BASE/1 OZ CU FOIL	OMG	.19	.01				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-122 COVER SHEET	OMG	.26	.02				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-4487 COVER SHEET	OMG	.28	.01				FLEX CIRCUITS
LAMINATE FERRO PREG CPI2272X/T-300 POLYIMIDE BLACK	FER	.42	.00	90M	177	AIR	LAMINATE
				4H	232	AIR	
LAMINATE FIBERITE 176/EPON 828/360L	HCP	.67	.01	3H	121	PSI	LAMINATE
LAMINATE FLEXIBLE PRINTED WIRING	SPA	.13	.00				LAMINATE
LAMINATE FLG 65M 28-11 EPOXY/FIBERGLASS/FIRE RETARD	MMM	.19	.00				LAMINATE
LAMINATE FLG/FR-4 PC BOARD	USP	.32	.01				LAMINATE
LAMINATE FLGF03902/1B3B EPOXY/GLASS MULTI-LAYER	FLA	.51	.01				LAMINATE
LAMINATE FLGF250C2/2AIIB-BLACK W/COPPER 2 SIDE	ATL	.12	.00				LAMINATE
LAMINATE FR-4 G-11 EPOXY/FIBERGLASS	MCA	.31	.01				LAMINATE
LAMINATE F161-83-1P08/20 EPOXY/FIBERGLASS	HEX	.27	.00				LAMINATE
LAMINATE G-10 BLACK EPOXY FIBERGLASS	ATL	.30	.01				LAMINATE
LAMINATE G-10 EPOXY/FIBER GLASS	MCA	.48	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - NORPLEX	UOP	.93	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - WESTINGHOUSE	WEC	.42	.00				LAMINATE
LAMINATE G-10 465 EPOXY/FIBERGLASS	SYN	.47	.03				LAMINATE
LAMINATE G-11 GEC-111 EPOXY/GIBERGLASS	SYN	.59	.00				LAMINATE
LAMINATE GAROLITE GRADE C	MCM	3.51	.01				STRUCTURAL
LAMINATE GE 11 EPOXY/FIBERGLASS	GEC	.43	.01				LAMINATE
LAMINATE GEE MIL P18117 BLUE EPOXY/GLASS	GEC	.33	.02				LAMINATE
LAMINATE GEE TY MIL P18177 EPOXY/FIBERGLASS	GEC	.52	.00				LAMINATE
LAMINATE GEE-FR 4300 RESIN EPOXY/FIBERGLASS - BLACK	PFP	.61	.01				POTTING CUP
LAMINATE GLASS CLOTH/SILICONE - WHITE	WEC	.14	.01				LAMINATE
LAMINATE G10 WESTINGHOUSE 65M25 FR-4 FLAME RETARDANT	WEC	.34	.00				LAMINATE
LAMINATE G3HT PHENOLIC/GLASS SPACER-INSULATOR	SYN	1.78	.20				SPACER
LAMINATE G3HT PHENOLIC/GLASS SPACER-INSULATOR	SYN	.99	.16	24H	125	AIR	SPACER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE HONEYCOMB KEVLAR/EPOXY/FM 123-2	PAR	1.88	.10	1H	121	PSI	STRUCTURAL
				1H	121	PSI	
LAMINATE HY1534/934 GRAPHITE EPOXY	GDC	.29	.00	85M	121	PSI	LAMINATE
				2H	177	AIR	
LAMINATE K 6098 TEFLON/FIBERGLASS/3M	MMM	.01	.00				LAMINATE
LAMINATE K-6098 W/AF 46 FILM ADHESIVE	MMM	.05	.01	90M	166	PSI	LAMINATE
LAMINATE KAPTON ENCAPSULATED COPPER	DUP	.39	.01				LAMINATE
LAMINATE KEVLAR/EPOXY	GEV	3.33	.12				LAMINATE
LAMINATE KEVLAR/EPOXY	GEV	1.79	.02	24H	125	AIR	LAMINATE
LAMINATE KEVLAR/EPOXY	GEV	2.94	.06	24H	70	E-2	LAMINATE
LAMINATE KEVLAR/EPOXY STYLE 181	GDC	2.10	.01	85M	121	PSI	LAMINATE
				2H	177	AIR	
LAMINATE LX6501 FLEXIBLE W/COPPER	MMM	.43	.17				LAMINATE
LAMINATE MICAPLY EG 802 TYPE GF W/O COPPER	MCA	.41	.02	90M	171	PSI	LAMINATE
LAMINATE MICAPLY PG 402 UNCLAD	MCA	.91	.01				LAMINATE
LAMINATE MICAPLY PG 418T POLYIMIDE/FIBERGLASS	MCA	.82	.00				PC BOARD
LAMINATE MICAPLY 102-11 EPOXY/GLASS PRE-PREG 8 LAYER	MCA	.38	.03				LAMINATE
LAMINATE MICAPLY 102-11/G-10 EPOXY/GLASS	WEC	.44	.00	80M	163	PSI	LAMINATE
LAMINATE MICAPLY 102-28M FR-4 EPOXY/GLASS PRE-PREG	MCA	.39	.02	1H	188	PSI	LAMINATE
LAMINATE MICAPLY 102-69 B-STAGE PRE PREG	MCA	2.11	1.09				LAMINATE
LAMINATE MICAPLY 818T W/O COPPER GREEN	MCA	.36	.00				LAMINATE
LAMINATE MICARTA 65M50-22 LIGHT GREEN	WEC	.28	.00				LAMINATE
LAMINATE MICROFILL 55/EPON 828/V140	HCP	1.38	.04	3H	121	PSI	LAMINATE
LAMINATE MICROFILL 55/EPON 828/360L	HCP	.63	.01	3H	121	PSI	LAMINATE
LAMINATE MULTI-LAYER PER MIL P55617 P55636 P13949	TCI	.32	.00				LAMINATE
LAMINATE MULTIWIRE PC BOARD	KOL	.63	.01				PC BOARD
LAMINATE MXB 7934/7781 EPOXY/GLASS LIGHT GREEN	FIB	.49	.01	45M	121	AIR	LAMINATE
				2H	177	AIR	
LAMINATE N-105 EPOXY/GLASS FL-GF FR-4 W/O COPPER	NCO	.25	.00				LAMINATE
LAMINATE N-205 EPOXY/GLASS FL-GF FR-4 W/O COPPER	NCO	.24	.01				LAMINATE
LAMINATE N-3105 RESIN RICH FR EPOXY/GLASS W/O COPPER	NCO	.30	.00				LAMINATE
LAMINATE N-4105 EPOXY/GLASS FLEXIBLE W/O COPPER	NCO	.29	.00				LAMINATE
LAMINATE NARMCO 3203-120 EPOXY/GLASS	WCN	.33	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 3203-1581 EPOXY/GLASS	WCN	.32	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 8517 EPOXY/GLASS	WCN	.47	.00				LAMINATE
LAMINATE NEMA FR-45 BY GE W/O COPPER	GEC	.23	.00				LAMINATE
LAMINATE NEMA G-10 GEC 500E EPOXY/FIBER GLASS	SYN	.38	.00				LAMINATE
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 NO COPPER	WEC	.11	.00				LAMINATE
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 W/COPPER	WEC	.06	.01				LAMINATE
LAMINATE NEMA G7 GLASS FABRIC/SILICONE	SYN	.09	.02				LAMINATE
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST FILM	AUG	.12	.02	90M	135	AIR	LAMINATE/RESIST
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST/IR CURE	AUG	.14	.01	5M	177	AIR	LAMINATE/RESIST
LAMINATE NVF FLAME RETARDANT RED MARKING	NVF	.38	.00				LAMINATE
LAMINATE NVF G-10 GREEN MARKING	NVF	.49	.00				LAMINATE
LAMINATE NYLON FABRIC/PHENOLIC RESIN	SYN	2.47	.00				LAMINATE
LAMINATE PBI ON 108-E GLASS CLOTH(POLYBENZIMIDAZOLE)	WCN	2.77	.00	?	454	AIR	LAMINATE
LAMINATE PC BOARD IRRADIATED POLYOLEFIN	SAS	.29	.07				PC BOARD
LAMINATE PHENOLIC LINEN MIL P15035	BPS	3.71	.01				LAMINATE
LAMINATE PHENOLIC/FIBERGLASS PREPREG	VAC	.68	.01				LAMINATE
LAMINATE PMR-15/HMG EPOXY/GRAPHITE	USP	.48	.01				LAMINATE
LAMINATE PMS 1000 GRAPHITE REINF EPOXY	PMI	.38	.03	30M	138	PSI	LAMINATE
LAMINATE POLYIMIDE/GLASS FABRIC BY AMOCO	AOC	.77	.00				LAMINATE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE SG-89	UCC	.40	.07	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SG-91	UCC	.45	.08	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SHIM ALUMINUM	ART	.05	.00				SHIM
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-CTR	GSC	.58	.10	48H	143	E-6	SHIELD
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-EDG	GSC	.52	.06	48H	143	E-6	SHIELD
LAMINATE THORNEL 4CS X4500 EPOXY/GRAPHITE PRE-PREG	UCC	.43	.00	1H	120	AIR	LAMINATE
				2H	180	AIR	
LAMINATE TLGI MULTI-LAYER	HOI	1.12	.00				LAMINATE
LAMINATE TUFNOL GRADE 6F/45 FABRIC/EPOXY CREAM COLOR	TUF	2.33	.00				LAMINATE
LAMINATE TYPE GF EPOXY/FIBERGLAS	FLC	.20	.00				LAMINATE
LAMINATE T300/934 GRAPHITE EPOXY	FIB	.58	.00				LAMINATE
LAMINATE V-378A/HMG EPOXY/GRAPHITE	USP	.50	.01				LAMINATE
LAMINATE VECTORBOARD 85G24WE GLASS/EPOXY	VEC	.45	.01				PC BOARD
LAMINATE WBC 3201C ON 112 GLASS CLOTH EPOXY RESIN	FER	.17	.01	1H	163	AIR	LAMINATE
				2H	177	AIR	
LAMINATE WESTINGHOUSE EPOXY/FIBERGLASS	WEC	.25	.02				TUBE
LAMINATE YLI	YLI	.43	.00				LAMINATE
LAMINATE 1914	UCC	.44	.01	2H	149	PSI	LAMINATE
LAMINATE 1916	UCC	.46	.01	2H	149	PSI	LAMINATE
LAMINATE 1920T	UCC	.17	.01	2H	180	PSI	LAMINATE
LAMINATE 55589R028 SILICONE/FIBERGLASS	KCF	1.69	.46				HEATER SUBSTRATE
LAMINATE 602 TEFLON/FIBERGLASS W/O COPPER	ATL	.01	.00				PC BOARD
LARC 160 GRAPHITE/POLYIMIDE LAMINATE 5 STEP POSTCURE	LRC	.83	.00	1H	177	E-2	LAMINATE
				3H	316	PSI	
LOUVER - HI-TEMP HONEYCOMB	HTC	1.43	.01				LOUVER
NARMCO 550/120 EPOXY/GLASS PRE-PREG	WCN	.69	.06	90M	125	AIR	LAMINATE
NARMCO 550/1581 EPOXY PRE-PREG	WCN	.60	.02	90M	120	AIR	LAMINATE
				2H	180	AIR	
NELCO 11-4205-2 B-GLASS FR4 FABRIC/EPOXY COATED	NCO	.29	.00	85M	177	AIR	IMPREG FABRIC
				2H	163	AIR	
NO-FLO A11-108-65 PRE PREG LAMINATE	FLA	1.01	.04	75M	163	PSI	ADH LAMINATE
PC 200-200 KAPTON/CU LAMINATE - KAPTON ONLY	AMK	3.36	.00				FLEX LAMINATE
PHENOLIC ROD PER MILP-79C GRADE NA TYPE FBE	ATP	3.30	.02				STRUCTURAL
POTTING CUP	DBP	.62	.01	4H	135	AIR	LAMINATE
PYRALIN 12 POLYIMIDE PREPREG	DUP	.52	.00	30M	177	PSI	LAMINATE
				2H	260	PSI	
PYRALIN 3 POLYIMIDE PREPREG	DUP	2.37	.07	2H	177	PSI	LAMINATE
PYRALUX COPPER CLAD 2 SIDES 5.5 MILS THICK	DUP	.14	.00	1H	177	AIR	LAMINATE
RFL 4536 NYLON 6/6 W/30% GLASS/15% TFE/SILICONE	LNP	1.17	.17				STRUCTURAL
RIGIDAMP 19010-1 LAMINATE ONLY	BAR	.57	.00				LAMINATE
RL 4540 NYLON 6/6 W/20% TFE/SILICONE	LNP	1.40	.07				STRUCTURAL
RT DUROID 5870 - LAMINATE	ROG	.05	.00				LAMINATE
RT DUROID 5880 - LAMINATE	ROG	.03	.00				LAMINATE
RT DUROID 6010 - LAMINATE	ROG	.03	.00				LAMINATE
SCI REZ 80/S GLASS FILAMENT WOUND COMPOSITE	SCI	.22	.03	4H	79	AIR	BAND
				4H	107	AIR	
				3H	149	AIR	
				3H	177	AIR	
SCOTT POLYURETHANE FOAM/ALUM KAPTON SANDWICH LOUVER	SCT	2.84	.13				LOUVER BLADE
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	SCT	1.28	.11	65H	120	AIR	INSULATION
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	SCT	1.20	.09	24H	120	E-5	INSULATION

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	SCT	.81	.04	48H	120	E-5	INSULATION
SKYBOND 703 GRAPHITE/POLYIMIDE LAMINATE 3 STEP PCURE	MON	.36	.01	1H	177	PSI	LAMINATE
STAND-OFF G-10 EPOXY/GLASS COMPOSITION	BPS	.10	.00				STAND-OFF
V 378 GRAPHITE/POLYIMIDE LAMINATE 2 STEP POSTCURE	USP	.60	.01	30M	82	PSI	THERM CONTROL
				4H	177	PSI	
VELOSTAT 1801 ELEC COND POLYOLEFIN LAMINATE	MMM	.88	.05				LAMINATE
VELOSTAT 1880 ANTI STATIC FLOOR MAT LAMINATE	MMM	.60	.09				FLOOR MAT
XP1-MC-154 POLYIMIDE	ACC	1.14	.01				STRUCTURAL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AMJET 023BK BLUE MARKING INK	AMJ	3.35	.50	10M	80	AIR	INK
BCO 9-7293 WHITE SILICONE INK	ABR	.16	.02	2H	25	AIR	MARKING INK
				1H	249	AIR	
BRADY FILM L363-81A/SILICONE ADHESIVE/F	WHB	1.17	.47				LABEL FILM
BRADY FILM L363-81A/SILICONE ADHESIVE/F	WHB	.84	.38	24H	150	AIR	LABEL FILM
BRADY FILM L363-81B/SILICONE ADHESIVE/F	WHB	1.82	.48				LABEL FILM
BRADY FILM L363-81B/SILICONE ADHESIVE/F	WHB	.86	.34	24H	150	AIR	LABEL FILM
BRADY FILM 927 CLEAR ACRYLIC/ACRYLIC ADH/F	WHB	6.50	.90				LABEL FILM
BRADY HI-TEMP LABELS ON L-363-81B TAPE/F	WHB	3.10	1.07				LABEL
BRADY LABEL B-637 YELLOW/BLACK TEDLAR/ACRYLIC ADH/F	WHB	2.59	1.19				LABEL
BRADY LABEL B-927 WHITE/BLACK/F	WHB	1.86	.05				LABEL
BRADY MARKERS AF-A-2-CAP POLYESTER ADH	WHB	1.01	.11				WIRE MARKER
BRADY MARKERS B-400 TDS-400-1	WHB	1.20	.08				MARKER
BRADY MARKERS B-600	WHB	1.80	.26				MARKER
BRADY MARKERS B-700 VMM 0-49	WHB	1.63	.41				MARKER
BRADY MARKERS B-700 VWM 1-33	WHB	2.21	.34				MARKER
BRADY MARKERS B-702/F	WHB	1.75	.45				MARKER
BRADY MARKERS B-702/F	WHB	.74	.26	48H	125	E-3	MARKER
BRADY MARKERS B-953 HT-200	WHB	1.66	.23				MARKER
BRADY MARKERS B-953 HT-200/F	WHB	.81	.02	24H	150	AIR	MARKER
BRADY PERMA CODE LABELS SPECIAL	WHB	.52	.06				LABEL
BRADY WRITE ON LABELS WO-19	WHB	4.03	.52				LABEL
BRADY XB-321 SHRINKABLE POLYOLEFIN SLEEVES	WHB	.87	.29	5M	149	AIR	WIRE MARKER
BRADY XB-322 SHRINKABLE POLYOLEFIN SLEEVES	WHB	.45	.10	5M	149	AIR	WIRE MARKER
BRADY XB-323 SHRINKABLE POLYVINYLIDENFLUORIDE SLEEVE	WHB	.10	.02				WIRE MARKER
BRADY XB-652 PRINTABLE LABEL POLYIMIDE/ACRYLIC ADH/F	WHB	1.77	.04				LABEL
C-1589-3 BLACK INK/F	CIR	11.68	3.36	7D	25	AIR	INK
C-210-7 ONE COMPONENT SILVER FILLED CPND/F	AMC	1.06	.13	1H	66	AIR	COND INK
C-220 ONE COMPONENT SILVER FILLED CPND/F	AMC	.98	.11	12M	80	AIR	COND INK
C-917 MS BLACK INK/F	CIR	8.91	.29	7D	25	AIR	INK
C-917 MS BLACK INK/F	CIR	8.12	.08	24H	60	AIR	INK
				7D	25	AIR	
C-917 MS BLACK INK/F HEAT GUN DRY	CIR	9.76	.15	7D	25	AIR	INK
C-931-57 ONE COMPONENT SILVER FILLED URETHANE/F	AMC	.30	.03	30M	25	AIR	COND INK
				1H	121	AIR	
C-932-62-1 ONE COMPONENT SILVER FILLED INK/F	AMC	.41	.06	1H	100	AIR	COND INK
CAT-L-INK 50-100R/CAT 20 AS 100/6 BW WHITE INK/F	HYS	10.40	.17	7D	25	AIR	INK
CAT-L-INK 50-100R/CAT 9 AS 100/6 BW WHITE INK/F	HYS	.64	.01	30M	149	AIR	INK
CAT-L-INK 50-202AR/CAT 9 AS 100/6 BW YELLOW INK/F	HYS	.56	.01	30M	149	AIR	INK
CAT-L-INK 50-700R/CAT 9 AS 100/7 BW BLACK INK/F	HYS	.74	.01	30M	149	AIR	INK
CHEMGLAZE Z004 W/10% P-82 RED COLOR PASTE	HCC	6.17	3.20	14D	25	AIR	MARKING INK
CHEMGLAZE Z004 W/5% CHROMIC OXIDE PIGMENT	HCC	2.29	.03	7D	25	AIR	MARKING INK
CHEMGLAZE Z004 W/5% CHROMIC OXIDE PIGMENT	HCC	.83	.03	2H	25	AIR	MARKING INK
				18H	60	AIR	
CHEMGLAZE Z652 TILE GREEN GLOSS POLYURETHANE	HCC	2.79	.02	14D	25	AIR	MARKING INK
CHEMGLAZE Z853 MED YELLOW GLOSS POLYURETHANE	HCC	2.57	.00	14D	25	AIR	MARKING INK
DC 92-007 WHITE SILICONE INK/F	DCC	.45	.14	1H	25	AIR	INK
				2H	93	AIR	
				4H	149	AIR	
DECA-DRY DECAL CARRIER SHEET	CPI	8.39	1.51				DECAL CARRIER
DECA-DRY LETTER DECALS	CPI	11.26	1.66				DECAL
EPON 815/V 140/PMS 175-ED AS 50/50/5 BW WHITE EPOXY	SHL	.64	.07	3H	65	AIR	MARKING INK
EPON 828/VERSAMID 140/CR203 GREEN EPOXY	GSC	.85	.01	7D	25	AIR	MARKING INK

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/VERSAMID 140/FE203 RED EPOXY	GSC	.73	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/TIO2 WHITE EPOXY	GSC	.91	.01	7D	25	AIR	MARKING INK
FASCAL MARKING PLATES FOIL/INK/ADH/R	APF	1.20	.08				NAMEPLATE
FASCAL 710 CHROMIZED POLYESTER/ACRYLIC ADH/R	APF	.42	.01				NAMEPLATE
FASSON 313 SATIN FINISH LABEL - WHITE	APF	5.13	.87				LABEL
FELT MARKER BLACK/F	FED	15.75	3.52	7D	25	AIR	MARKER
HANCO 1355 RAVEN BLACK OPAQUE COATING/F	HAN	16.85	.01	24H	25	AIR	MARKING MTL
LABEL MARKING	APF	5.36	2.12				LABEL
LABEL PRESSURE SENSITIVE FOIL/F	TMC	.93	.11				LABEL
LABEL WIRE WRAP SOCKET POLYSTYRENE WHITE	KON	.19	.05				LABEL
LOGO - LEXAN FILM/9900 SERIES INK RED/WHITE/BLUE	GSC	1.10	.01				LOGO
M-0-N/CAT A AS 100/4 BW BLACK INK/F	HYS	.58	.07	30M	149	AIR	INK
M-0-N/CAT B-3 AS 100/4 BW BLACK INK/F	HYS	.50	.01	30M	149	AIR	INK
M-0-NC/CAT B-3 AS 100/5 BW BLACK INK/F	HYS	.61	.13	30M	149	AIR	INK
M-9-N/CAT B-3 AS 100/5 BW WHITE INK/F	HYS	.51	.04	30M	149	AIR	INK
MARKEM 7224 BLACK EPOXY PASTE INK/F	MIN	2.97	.08	2H	121	AIR	INK
MARKEM 7224 BLACK INK	MIN	3.12	.08	24H	25	AIR	INK
				2H	121	AIR	
MARKEM 7224 BLUE EPOXY PASTE INK/F	MIN	.43	.07	1H	149	AIR	INK
MARKEM 7224 GREEN EPOXY PASTE INK/F	MIN	2.03	.02	2H	121	AIR	INK
MARKEM 7224 GREEN INK 497-F	MIN	.45	.02	4H	121	AIR	INK
MARKEM 7224 RED EPOXY PASTE INK/F	MIN	.41	.04	1H	149	AIR	INK
MARKEM 7224 WHITE EPOXY PASTE INK/F	MIN	1.69	.03	2H	121	AIR	INK
MARKEM 7224 WHITE INK SLOW SOLVENT	MIN	1.88	.01	4H	121	AIR	INK
MARKEM 7227 WHITE INK FAST SOLVENT	MIN	1.22	.12	4H	121	AIR	INK
MARKEM 7251 GREEN INK 497-F	MIN	9.64	.64	24H	60	AIR	INK
MARKEM 7251 WHITE INK SLOW SOLVENT	MIN	5.34	.01	2H	107	AIR	INK
MARKEM 7252 WHITE INK FAST SOLVENT	MIN	4.05	.00	2H	107	AIR	INK
MARKEM 7254 BLACK INK - PHENOLIC	MIN	4.27	.00	48H	125	AIR	INK
MARKEM 7905 WHITE INK A/B AS 2/1 BW	MIN	8.01	.02	7D	25	AIR	INK
MARKEM 7905 WHITE INK A/B AS 2/1 BW	MIN	3.50	.02	2H	88	AIR	INK
MARKEM 7906 WHITE INK A/B AS 8.18/1 BW	MIN	.48	.01	2H	121	AIR	INK
MARKEM 8829 WHITE INK	MIN	11.33	.13	72H	25	AIR	INK
MARKERS MYLAR L-124/BLACK INK	LEM	2.33	.88				MARKERS
MARKING INK 1074 WHITE/F	PPR	14.69	3.56	7D	25	AIR	INK
MARKING INK 1075 WHITE/F	PPR	1.34	.17	7D	25	AIR	INK
MARKING INK 3 BLACK/F	PPR	19.20	4.62	7D	25	AIR	INK
MARKING INK 3 WHITE/F	PPR	7.52	3.00	7D	25	AIR	INK
MARKING INK 4N WHITE/F	PPR	9.30	1.58	7D	25	AIR	INK
MARKING INK 404 BLACK/F	PPR	12.52	1.16	7D	25	AIR	INK
MARKING INK 44 BLACK/F	PPR	18.85	.25	7D	25	AIR	INK
MMM TAPE 852 ALUM/POLYESTER LABEL STOCK	MMM	7.18	2.27				LABEL
MMM 8418 POLYESTER LABEL STOCK/ADHESIVE	MMM	2.87	.03				LABEL
NAMEPLATE ANODIZED ALUM W/3M TAPE 467 ADH/F	BEN	.63	.00				NAMEPLATE
NAMEPLATE PHOTO ALUMINUM W/ADH ON FOIL	MEL	.10	.01				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED	MPC	.10	.00				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED BLACK	MPC	.11	.00				NAMEPLATE
NAMEPLATE 3655 BLACK/ALUM PVC W/ADH/F	MMM	2.65	.38				NAMEPLATE
NAZ-DAR BE 111 BLACK EPOXY INK/F	NAZ	6.02	.52	1H	121	AIR	MARKING INK
NAZ-DAR BE 112 WHITE EPOXY INK/F	NAZ	2.17	.53	1H	121	AIR	MARKING INK
PC 501 A/B AS 10/1 BW GREEN SOLDER MASK	PCK	6.21	.00	1H	150	AIR	COATING MASK
PYROMARKER HIGH TEMP WHITE MARKER/F	TEM	2.83	.42	7D	25	AIR	MARKER
R-0-N ONE PART BLACK INK/F	HYS	.88	.01	30M	149	AIR	INK

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
R-11-N ONE PART SILVER INK/F	HYS	1.61	.04	30M	149	AIR	INK
R-9-N ONE PART WHITE INK/F	HYS	.90	.02	30M	149	AIR	INK
REDIMARK FELT MARKER BLACK/F	DXN	18.40	6.62	7D	25	AIR	MARKER
REDIMARK FELT MARKER RED/F	DXN	25.35	10.39	7D	25	AIR	MARKER
REDIMARK 139-101 FELT MARKER BLUE/F	DXN	22.14	1.01	7D	25	AIR	MARKER
SANFORD MR SKETCH 2000 FELT TIP MARKER	SAN	33.70	16.31				MARKER
SCOTCHCAL 8001 RED ALUM LABEL UNCOATED	MMM	.09	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/COATING 3900	MMM	.17	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/FILM 7730	MMM	.12	.01				FOIL LABEL
SCOTCHCAL 8005 BLACK PHOTO SENSE FILM/ALUM/ADH/FOIL	MMM	.12	.01				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/ACRYLIC ADH	MMM	.10	.00				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/VINYLCOAT/ACR ADH	MMM	.19	.01				DECAL/MARKER
SCOTCHCAL 8009 BLUE ALUM LABEL UNCOATED	MMM	.08	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/COATING 3900	MMM	.15	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/FILM 7730	MMM	.14	.01				FOIL LABEL
SCOTCHCAL 8011 RED PHOTO SENSE FILM/ADH/FOIL	MMM	.56	.03				DECAL/MARKER
SCOTCHCAL 8015 PHOTOSENS FILM/MYLAR/ACRYLIC ADH	MMM	1.57	.05				DECAL/MARKER
SCOTCHCAL 8015 PHOTOSENS FILM/MYLAR/VINYLCOAT/ACRADH	MMM	2.14	.06				DECAL/MARKER
SENTRY SEAL RED MARKING INK	INK	6.33	.79	7D	25	AIR	MARKING INK
SPEED-O-PAQUE RED OPAQUEING LIQUID	GMB	5.72	.00	24H	25	AIR	MARKING FLUID
SR 1000 ONE PART GREEN SOLDER RESIST/F	HYS	1.62	.19	1H	149	AIR	MASK
SR 1010 ONE PART GREEN SOLDER RESIST/F	HYS	1.53	.16	1H	149	AIR	MASK
SR 2020/CAT 10 AS 1/1 BW GREEN SOLDER RESIST/F	HYS	1.06	.03	20M	149	AIR	MASK
SR 2030/CAT 11 AS 1/1 BW GREEN SOLDER RESIST/F	HYS	4.79	.00	15M	150	AIR	MASK
SR 2030/CAT 11 AS 1/1 BW GREEN SOLDER RESIST/F	HYS	3.35	.01	30M	135	AIR	MASK
SUPER LAMICODE MARKERS WFD POLYESTER ADH	STR	2.09	.21				MARKERS
TEC MARKING INK BLACK LOT 105/F	SAN	16.10	1.84	7D	25	AIR	INK
TECH-PEN GREEN INK FROM TUBE	MTC	8.81	1.24	24H	25	AIR	INK
TELATEMP MODEL 110 TEMP RECORDER TAPE/F	TTP	2.55	.72				TEMP LABEL
THERMOFIT RT 1800/1 HT TMS WHITE HEAT GUN SHRINK	RCC	.97	.06				MARKER SLEEVE
THERMOFIT RT 1800/1 HT TMS WHITE MARKER SLEEVE	RCC	.72	.05	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 1800/13 HT-TMS-CM CABLE MARKER W/INK	RCC	.23	.03				CABLE MARKER
THERMOFIT TMS-CM CABLE MARKER	RCC	1.43	.17				CABLE MARKER
UNIGLAZE C 1752 GREEN EPOXY INK	UIC	5.21	.11	2H	85	AIR	INK
UNIGLAZE 2010/9120 AS 3/1 BW YELLOW EPOXY INK	UIC	4.12	.08	1H	121	AIR	INK
UNIGLAZE 3005/9120 AS 3/1 BW RED EPOXY INK	UIC	7.82	.12	1H	121	AIR	INK
WORNOW CAT-L-INK 50-100/CAT 20 AS 20/1 BW WHITE	WPP	5.99	.11	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-100/CAT 9/50-900 THINNER WHITE/F	WPP	.62	.01	30M	25	AIR	INK
				30M	138	AIR	
				4H	149	AIR	
WORNOW CAT-L-INK 50-121869/CAT 28 AS 20/1 BW ALUM	WPP	10.94	.05	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-300/CAT 20 AS 100/6.4 BW GREEN	WPP	8.76	.18	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-407/CAT 20 AS 100/7.5 BW BLUE	WPP	11.75	.09	5D	25	AIR	INK
WORNOW CAT-L-INK 50-700/CAT 20 AS 100/7 BW	WPP	4.86	.01	1H	93	AIR	INK
				72H	51	E-6	
WORNOW M-2-N RED/CAT 45/T-1 THINNER/F	WPP	.40	.02	1H	25	AIR	INK
				15M	149	AIR	
				4H	149	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
WORNOW M-5-N GREEN/CAT 45/T-1 THINNER/F	WPP	.44	.02	1H	25	AIR	INK
				15M	149	AIR	
				4H	149	AIR	
WORNOW SERIES M RED INK M-2-N 0.5% CAT A	WPP	9.94	.05	5D	25	AIR	INK
WORNOW SERIES M WHITE INK M-9-N 5.0% CAT	WPP	4.63	.04	3H	66	AIR	INK
				72H	51	E-6	
WORNOWINK M-0-N/CAT A AS 100/4 BW BLACK PRE-MIX INK	HYS	7.95	.13	7D	25	AIR	INK
WORNOWINK M-0-N/CAT B3 AS 100/4 BW BLACK PRE-MIX INK	HYS	5.08	.09	3H	54	AIR	INK
WORNOWINK M-2-N/CAT A AS 100/4 BW RED EPOXY INK	HYS	6.67	.16	7D	25	AIR	INK
WORNOWINK M-2-N/CAT B3 AS 100/4 BW RED EPOXY INK	HYS	4.20	.11	3H	54	AIR	INK
WORNOWINK M-4-N/CAT 45 AS 20/1 BW YELLOW EPOXY	HYS	.84	.19	1H	25	AIR	INK
				4H	149	AIR	
WORNOWINK M-9-N/CAT A AS 100/4.9 BW WHITE PREMIX INK	HYS	6.10	.11	7D	25	AIR	INK
WORNOWINK M-9-N/CAT B3 AS 100/4.9 BW WHT PREMIX INK	HYS	4.27	.11	3H	54	AIR	INK
WORNOWINK MONC/CAT B AS 1/1 BW BLACK	WPP	4.53	.05	6H	60	AIR	INK

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABS VACUUM MOLDED CASING	SHE	1.13	.16	6M	204	E-2	MOLD CPND
ACRYLAFIL G47/20 STYR/ACRYLONITRILE/FIB GLA AS 80/20	FBR	.23	.00				MOLD CPND
ACRYLAGLAS S40/35 STYRENE-ACRYLONITRILE/FIBER GLASS	FBR	.22	.03				MOLD CPND
ADIPRENE L83/CAYTUR 21 AS 100/16 BW POLYURETHANE	DUP	7.61	4.96	2H	120	AIR	MOLD CPND
ADIPRENE L83/CAYTUR 21 AS 100/16 BW POLYURETHANE	DUP	.34	.03	2H	120	AIR	MOLD CPND
				72H	100	E-6	
AF 1006 ACRYL BUTADIENE STYRENE	LNP	.20	.01				MOLD CPND
AMP MOLDING COMPOUND AMBER	AMP	.51	.00				MOLD CPND
AP8005 FAST CURE EPOXY ACU-PAK PRE MIX	ALR	3.90	.21	24H	25	AIR	ADHESIVE
ARYLON T POLYARYL ETHER MOLDED AT 260C	UNC	.36	.03				MOLD CPND
ASTREL 360 POLYARYL SULFONE	MMM	.94	.02				MOLD CPND
ASTREL 360 POLYARYL SULFONE TAN	CRB	1.60	.00				MOLD CPND
BATTERY CELL INSULATOR BLACK PLASTIC	DBC	.37	.14				INSULATOR
BF 1006 STYRENE ACRYLANITRILE	LNP	.24	.01				MOLD CPND
BUSHING TYPE MFE MIL M-14 MICA FILLED PHENOLIC	GHI	.98	.01				BUSHING
CAPRAN 512H NYLON ANTI STATIC FILM	AFP	6.01	.12				BAGGING
CELCON M-90-04 ACETAL COPOLYMER INJECTION MOLDED	CNS	.64	.04				MOLD CPND
CELCON M-90-04 ACETAL COPOLYMER UNMOLDED PELLETS	CNS	.57	.03				MOLD CPND
CF 1006 STYRENE/FIBER GLASS AS 70/30	LNP	.10	.01				MOLD CPND
CONNECTOR TUBING POLYPROPYLENE 20% GLASS FILLED	JAC	.26	.04				CONNECTOR
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	HYS	.68	.00	2.5H	105	AIR	MOLD CPND
DAIP GRADE K31 DIALLYL ISO META PHTHALATE GRAY	COS	.42	.00				MOLD CPND
DAIP K66V GRAY MOLDING CPND	COS	.79	.01	2M	149	PSI	MOLD CPND
DAP C2580-11B FR FMC - DAPON M	FMC	.30	.00				MOLD CPND
DAP D62V GRAY MOLDING CPND	COS	1.16	.01	2M	149	PSI	MOLD CPND
DAP D62V GREEN MOLDING CPND	COS	.69	.01	2M	149	PSI	MOLD CPND
				2H	135	AIR	
DAP D72 SHORT GLASS FIBER FILLED GRAY	COS	.44	.00				MOLD CPND
DAP PLASKON FS-6 CAF BLUE MINERAL FILLED	PEM	.52	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP PLASKON 73-70-70-C GRAY MIL-M-14G TYPE SDG-F	PEM	.39	.02				MOLD CPND
DAP PLASKON 73-70-70-R GREEN 1015 GLASS FILLED	PEM	.45	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP SHORT GLASS FIBER FILLED BLACK	ROG	.44	.00				MOLD CPND
DAP SHORT GLASS FIBER FILLED BLACK	ROG	.27	.00				MOLD CPND
DC 307 MOLDING CPND - FUSISTOR RS-1A-XX(R7741)	DCC	.12	.02	24H	177	AIR	MOLD CPND
DELRIN 107 BLACK	DUP	.62	.01				MOLDING CPND
DELRIN 550 ROD - WHITE	DUP	.39	.02				MOLD CPND
DEXSIL 201 - BORON/SILICA	CLI	.07	.00				MOLD CPND
DF 1006 POLYCARBONATE/FIBER GLASS AS 70/30	LNP	.14	.00				MOLD CPND
DUR-O-LITE	CBC	2.87	.17				MOLD CPND
DUREZ 22761 DAP BLACK REINFORCED	OCI	.66	.04	3M	171	PSI	MOLD CPND
DUREZ 22761 DAP BLUE REINFORCED	OCI	.73	.02	3M	171	PSI	MOLD CPND
DUREZ 23570 PHENOLIC BLACK REINFORCED	OCI	1.18	.00	3M	171	PSI	MOLD CPND
DUREZ 23570 PHENOLIC GREEN REINFORCED	OCI	1.27	.00	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP AQUA REINFORCED	OCI	.66	.02	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP GRAY MIL-M-14G TYPE SDG-F	OCI	.68	.03				MOLD CPND
ECCOMOLD L-28	EMC	.18	.01	64H	127	AIR	MOLD CPND
ECCOMOLD L28/9 AS 100/12 BW	EMC	.59	.03	30M	25	AIR	MOLD CPND
				2H	70	AIR	
ECCOMOLD 77A EPOXY - MOLD 10M AT 163C W/PSI	EMC	.32	.07				MOLD CPND
ECCOSORB CR-110 X/Y/CABOSIL AS 100/12/1.5 BW EPOXY	EMC	.88	.11	12H	75	AIR	MOLD CPND
ECCOSORB CR-112 X/Y/CABOSIL AS 100/8.2/1.25 BW EPOXY	EMC	.32	.01	12H	75	AIR	MOLD CPND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSORB CR-117 X/Y AS 100/2.3 BW DARK GRAY EPOXY	EMC	.26	.01	12H	74	AIR	MOLD CPND
ECCOSORD CR-110 X/Y AS 100/12 BW EPOXY	EMC	.52	.00	16H	25	AIR	MOLD CPND
				12H	74	AIR	
EE 1068/HD 3561 AS 100/15 BW BLACK EPOXY	HYS	2.04	.05	48H	25	AIR	MOLD CPND
EE 4210/HD 3561 AS 100/30 BW BLACK EPOXY	HYS	1.25	.01	24H	25	AIR	MOLD CPND
EE 4215/HD 3561 AS 100/15 BW BLACK EPOXY (C9-4215)	HYS	.90	.01	24H	25	AIR	MOLD CPND
EKKCEL C-1000 AROMATIC COPOLYESTER BROWN HIGH TEMP	CRB	.26	.00				MOLD CPND
EKKCEL I-2000 AROMATIC COPOLYESTER TAN HIGH TEMP	CRB	.06	.00				MOLD CPND
ELTEN POLYETHERIMIDE	GEC	.65	.01	30M	316	AIR	MOLD CPND
EM 7302 GLASS FILLED EPOXY	USP	.48	.00	15M	135	PSI	MOLD CPND
				12H	143	PSI	
EM-166 TYPE K RED EPOXY MOLDING CPND	HTR	.38	.00	14M	149	PSI	MOLD CPND
				2H	138	AIR	
EMC 115-B-1 GLASS/EPOXY	PAC	.29	.00				MOLD CPND
EPIALL 1914 EPOXY/GLASS - BLACK	ACM	.43	.01				MOLD CPND
EPIALL 1914 EPOXY/GLASS - BLACK	ACM	.47	.00	7D	25	AIR	MOLD CPND
EPIALL 3100LS-X7049 EPOXY/GLASS/MINERAL FILL-GOLD	PEM	.38	.01				MOLD CPND
EPICAP 1961 BLACK EPOXY MOLDING CPND	PEM	.50	.00	5M	177	PSI	MOLD CPND
				4H	163	AIR	
EPOCAST 403-S-3	FPI	.32	.01	4M	163	AIR	MOLD CPND
EPOCAST 452-600 BLACK MINERAL FILLED EPOXY	BEN	.29	.00	2M	150	PSI	MOLD CPND
				4H	150	AIR	
EPOCAST 461-008 MINERAL FILLED EPOXY	FPI	.48	.09				MOLD CPND
EXTREN 525 EPOXY/FIBERGLASS SQUARE STRUCTURAL TUBE	MMF	.85	.04				STRUCTURAL
FF 1006 HI-DENSITY POLYETHYLENE/GLASS AS 70/30	LNP	.12	.03				MOLD CPND
FIBERGLASS REINF POLYESTER WHITE	ASC	2.11	.39				MOLD CPND
FIBERITE E-21718 BLACK EPOXY/GRAPHITE	FIB	.73	.02				MOLD CPND
FIBERITE FM 4005 GLASS REINFORCED PHENOLIC	FIB	1.60	.00	5M	163	PSI	MOLD CPND
				18H	100	AIR	
FIBERITE FM 4005 GLASS REINFORCED PHENOLIC	FIB	2.07	.01	5M	140	PSI	MOLD CPND
FIBERITE FM 4008 DK GREEN CONNECTOR INSERT	PCD	.94	.01	24H	200	AIR	MOLD CPND
FIBERITE FM 4008 GLASS FIBER/PHENOLIC BLACK	FIB	1.49	.02	5M	166	PSI	MOLD CPND
FORMDAFIL G80-20 ACETYL/FIBER GLASS AS 80/20 BW	FBR	.44	.00				MOLD CPND
FURANE 8633-40 GLASS REINF CARBON FILLED EPOXY	FPI	.32	.00	6M	149	AIR	MOLD CPND
GAR-DUR CLEAR	GAR	.07	.01				MOLD CPND
GAR-DUR YELLOW	GAR	.10	.02				MOLD CPND
GE 4524U SILICONE	GEC	.52	.18	25M	163	AIR	MOLD CPND
				8H	121	E-6	
				8H	121	E-6	
				8H	121	E-6	
GEMON 3010 THERMOSET POLYIMIDE	GEC	.34	.02				MOLD CPND
GF 1006 POLYSULFONE/FIBER GLASS AS 70/30	LNP	.24	.00				MOLD CPND
HATHANE 1602-60D A/B AS 2/1 BV URETHANE	HPC	1.16	.02	24H	25	AIR	MOLD CPND
HATHANE 1602-60D A/B AS 2/1 BV URETHANE	HPC	.72	.01	24H	25	AIR	MOLD CPND
				24H	60	AIR	
HF 1006 NYLON 11/GLASS AS 70/30	LNP	.37	.02				MOLD CPND
HOSTALEN GUR HIGH MOLECULAR WT POLYETHYLENE	AMH	.14	.02				MOLD CPND
IMPAX 5M W/UHMW POLYMER - NATURAL	IPI	.22	.03				STRUCTURAL
JF 1004 POLYETHERSULFONE/GLASS AS 80/20 BW	LNP	.59	.00				MOLD CPND
JF 1008 POLYETHERSULFONE/GLASS AS 60/40 BW BLACK	LNP	.49	.00				MOLD CPND
KF 1006 ACETAL/GLASS AS 70/30	LNP	.27	.01				MOLD CPND
KJB CYCOLAC BLUE 5500 SERIES W/FIRE RETARDANT	BWC	1.06	.30				CARD GUIDE
KJB CYCOLAC PINK W/FIRE RETARDANT	BWC	.81	.21				CARD GUIDE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE F550 EPOXY/CELION 3000 GRAPHITE COMPOSITE	HEX	.42	.00	6H	121	PSI	LAMINATE
LEXAN 500 POLYCARBONATE	GEC	.10	.00				MOLD CPND
LEXAN 940 BLACK DIAL PLATE	GEC	.16	.00				DIAL PLATE
MAI-60 MOLDING CPND - GRAY	ACD	.73	.04				MOLD CPND
MAI-60 MOLDING CPND - GRAY	ACD	.75	.01	16H	100	AIR	MOLD CPND
MF 1006 POLYPROPYLENE/GLASS AS 70/30	LNP	.13	.03				MOLD CPND
MF0376 EPOXY MOLDING POWDER - GOLD	HYS	.19	.01	3M	150	PSI	MOLD CPND
				2H	150	AIR	
MG25F-LMP-1 EPOXY MOLDING POWDER - BLACK	HYS	.14	.01	2M	177	PSI	MOLD CPND
				4H	177	AIR	
MG8F-0134 MOLDING CPND - BLACK	HYS	.22	.01	3M	149	AIR	MOLD CPND
MH 11 BLACK MOLDING COMPOUND	HYS	.18	.01	5M	149	PSI	MOLD CPND
				2H	149	AIR	
MH2-W254 BLACK EPOXY MOLD CPND	HYS	.41	.00	10M	149	PSI	MOLD CPND
				5.5H	149	AIR	
MH6-78 BLACK EPOXY MOLD CPND	HYS	.26	.01	0.5M	160	PSI	MOLD CPND
				.25M	149	PSI	
MH6F MOLDING CPND - BLACK	HYS	.41	.01	3M	149	AIR	MOLD CPND
MH8F-0188-1 BLACK MOLDING CPND	HYS	.21	.01	2M	150	PSI	MOLD CPND
				2H	149	AIR	
MINDEL B MODIFIED PXM 8407 POLYARYLETHER	UCC	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8408 POLYARYLETHER	UCC	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8409 POLYARYLETHER	UCC	.19	.01	1M	288	PSI	MOLD CPND
MPC 3 GREEN EPOXY MOLD CPND	BEN	.42	.00	30M	149	AIR	MOLD CPND
				36H	132	E-2	
MPC 4K BLUE EPOXY MOLDING CPND	BEN	.23	.01	14M	177	PSI	MOLD CPND
				36H	149	AIR	
NF 1006 PPO/FIBER GLASS AS 70/30	LNP	.11	.01				MOLD CPND
NORYL EN 265	WPC	.17	.00				MOLD CPND
NORYL N300 BLACK	WPC	.25	.00				MOLD CPND
NYLASINT 64 HV SINTERED NYLON OIL RESERVOIR	PPC	.73	.02				OIL RESERVOIR
NYLON CARD GUIDE RED FLAME RETARDANT	BIV	2.43	.03				MOLD CPND
NYLON MD LP-410A 6/6 MOS2 IMPREG	PEP	2.02	.00				STRUCTURAL
NYLON MOLDED INSERTS NEUTRAL COLOR	TER	2.36	.03				MOLD CPND
NYLON 6/6 PC BD CHANNEL BLACK GLASS FILLED FLAME RET	TEK	1.09	.03				MOLD CPND
PEEK 450G (POLYETHER-ETHER-KETONE) BROWN	ICI	.30	.02				MOLD CPND
PENTON - CHLORONATED POLYETHER	HER	1.42	.33				MOLD CPND
PF 1006 NYLON 6	LNP	1.50	.01				MOLD CPND
PHENAL 8000 PHENOLIC	ACM	1.18	.00	5M	63	PSI	MOLD CPND
				18H	00	AIR	
PHENALL 8000 PHENOLIC	ACM	1.34	.00	5M	149	PSI	MOLD CPND
PHENOLIC MOLD CPND PER MIL M14-CF1-10 BLACK	FIB	4.82	.04				MOLD CPND
PHENOLIC MOLD CPND PER MIL M14-CF1-10 BLACK	FIB	3.29	.04	16H	150	AIR	MOLD CPND
PHENOLIC 76-0001-08/EPOXY ANHYDRIDE 76-0001-10	SPE	.33	.07	16H	150	AIR	MOLD CPND
PM-8592 PHENOLIC MOLDING CPND	TRW	.98	.01	2H	160	AIR	MOLD CPND
POLYBUTYLENE TEREPHTHALATE (PBT) BLACK CELANEX 20-12	CNS	.34	.08				MOLD CPND
POLYBUTYLENE TEREPHTHALATE (PBT) WHITE CELANEX 20-12	CNS	.30	.05				MOLD CPND
POLYCARBAFIL G50/20 POLYCARBONATE/FIBER GLA AS 80/20	FBR	.12	.00				MOLD CPND
POLYETHERSULFONE 200P THERMOPLASTIC	ICI	1.04	.00				MOLD CPND
POLYETHYLENE TUBE PE-35	TPP	.13	.02				TUBING
POLYSET 440 BLACK EPOXY MOLD CPND	DYN	.29	.00	1.5M	177	PSI	MOLD CPND
POLYSET 450-2 BLACK EPOXY MOLD CPND	DYN	.26	.01	1.5M	177	PSI	MOLD CPND
POLYSET 521 BLACK	MNC	.30	.00				MOLD CPND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
POLYSTYRENE CO-EXTRUDED BLUE BOX	SHC	.50	.09				MOLD CPND
POLYSTYRENE CO-EXTRUDED WHITE INSERT	SHC	.28	.05				MOLD CPND
POLYSULFONE	UCC	.33	.00				MOLD CPND
POLYURETHANE 9250 BROWN	DIC	1.83	.23				MOLD CPND
POREX ULTRA HIGH WEIGHT POLYETHYLENE HEAT PIPE WICK	POR	.11	.01				HEAT PIPE WICK
PR 1201-Q A/B AS 1/10 BW POLYSULFIDE	PRC	36.32	2.78	72H	25	AIR	MOLD CPND
PR 1535 A/B AS 32/100 BW POLYURETHANE	PRC	.68	.10	7D	25	AIR	MOLD CPND
PR 1538 A/B AS 32/100 BW POLYURETHANE	PRC	.52	.05	144H	60	AIR	MOLD CPND
PR 1547 A/B AS 32/100 BW POLYURETHANE	PRC	.65	.03	7H	82	AIR	MOLD CPND
PYRONE	FIR	3.49	.03	1H	450	AIR	MOLD CPND
QF 1006 NYLON 6/10 30% FIBER GLASS	LNP	.65	.04				MOLD CPND
RADEL POLYARYLSULFONE	UCC	1.11	.02				MOLD CPND
RADITE 75	LDV	1.38	.00				MOLD CPND
RF 1006 NYLON 6/6	LNP	.81	.04				MOLD CPND
RICOTHENE 3711 THERMOSET THERMOPLASTIC HYDROCARBON	RIC	1.50	.07				MOLD CPND
ROGERS RX 611	ROG	.53	.01	10M	149	AIR	MOLD CPND
				30M	149	AIR	
				30M	204	AIR	
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH5	GSC	.20	.05	7D	25	AIR	POTTING
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GEC	.65	.36	2H	150	AIR	MOLD CPND
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GEC	.05	.02	30M	100	AIR	MOLD CPND
				24H	140	E-6	
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GEC	.04	.01	30M	100	AIR	MOLD CPND
				48H	140	E-6	
RTV 630 A/B AS 10/1 BW GRAY MOUNT W/DEVOL RESIN A	GEC	.37	.11	30M	100	AIR	MOLD CPND
RYNITE E37628-34-6 TAN PELLETS UNMOLDED	DUP	.56	.27				MOLD CPND
RYNITE E37641-18-1 TAN PELLETS UNMOLDED	DUP	.21	.01				MOLD CPND
RYNITE E37641-18-2 TAN PELLETS UNMOLDED	DUP	.81	.35				MOLD CPND
RYNITE FR530 BK507 MOLDING CPND BLACK	DUP	.71	.37				MOLD CPND
RYNITE FR530 MOLDING CPND BLACK CONNECTOR	DUP	.74	.36				CONNECTOR
RYNITE FR530 NC10 MOLDING CPND IVORY	DUP	.62	.28				MOLD CPND
RYTON R-4 POLYPHENYLENE SULFIDE/40% GLASS	PHP	.09	.00				MOLD CPND
RYTON R3 POLYPHENYLENE SULFIDE	PHP	.10	.02				MOLD CPND
SCOTCHCAST 225 A/B AS 5/8 BW MAROON POLYURETHANE	MMM	.53	.03				MOLD CPND
SE 4401 SILICONE ELASTOMER GRAY SHORE A40	GEC	.15	.05	10M	166	PSI	MOLD CPND
				7H	210	E-1	
SE 4401 U GENERAL PURPOSE SILICONE	GEC	.06	.00	24H	249	AIR	MOLD CPND
SE 4404 U GENERAL PURPOSE SILICONE	GEC	.10	.00	24H	249	AIR	MOLD CPND
SE 4524U CLEAR SILICONE	GEC	.10	.01	25M	163	AIR	MOLD CPND
				7H	200	E-6	
SE 4524U CLEAR SILICONE	GEC	.07	.00	25M	163	AIR	MOLD CPND
				7H	200	E-6	
				24H	216	AIR	
SE 5204 SILICONE	GEC	.07	.00	8H	232	AIR	ELASTOMER
SE 5554U SILICONE FOOD GRADE FF	GEC	.16	.00	30M	163	PSI	MOLD CPND
				15H	200	E-6	
SE 5554U SILICONE FOOD GRADE GG	GEC	.25	.00	30M	163	PSI	MOLD CPND
				15H	121	E-6	
SE 565/VAROX AS 100/0.6 BW EXTREME LOW TEMP SILICONE	GEC	.25	.12	2H	177	AIR	MOLD CPND
				5D	177	AIR	
SE 565/VAROX AS 100/0.6 BW EXTREME LOW TEMP SILICONE	GEC	.12	.03	2H	177	AIR	MOLD CPND
				48H	177	E-6	
SF 1006 NYLON 12/GLASS AS 70/30	LNP	.65	.01				MOLD CPND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SILASTIC 2000U TRANSLUCENT GROMMET	DCC	1.27	.34				MOLD CPND
SILASTIC 6508/TS-50 CADOX AS 99/1 BW SILICONE	DCC	.80	.18	5M	116	AIR	MOLD CPND
				90M	216	AIR	
SILASTIC 6508/TS-50 CADOX AS 99/1 BW SILICONE	DCC	.20	.06	5M	116	AIR	MOLD CPND
				90M	216	AIR	
				24H	121	E-3	
STYCAST 0005 POLYSTYRENE	EMC	.29	.01				MOLD CPND
STYRAFIL G37/20/CR BLACK POLYSTYRENE/FIBER GLASS	FBR	.53	.00				MOLD CPND
SULFIL 1500/20 POLYSULFONE/FIBER GLASS AS 80/20	FBR	.20	.01				MOLD CPND
SUPRAMICA 500 SYNTHETIC MICA/ORGANIC BINDER	MYC	.00	.00				STRUCTURAL
SWITCH CASE ES-4 BLACK PHENOLIC	CAM	4.33	.01				MOLD CPND
TEFLON PFA MOLDED SPECIMEN TE-9704	DUP	.01	.00				MOLD CPND
TEFLON PFA PELLETS (PERFLUOROALKOXY TEFLON)	DUP	.00	.00				MOLD CPND
TEFZEL ETHYLENE/TETRAFLUOROETHYLENE COPOLYMER	DUP	.03	.00				MOLD CPND
TEXIN 355DR POLYURETHANE POLYESTER CONNECTOR	AMP	.91	.23	16H	110	AIR	MOLD CPND
TF 1004 POLYURETHANE/FIBER GLASS AS 80/20	LNP	.56	.17				MOLD CPND
TF 1008 POLYURETHANE/GLASS AS 60/40	LNP	.37	.08				MOLD CPND
TORLON 4203 MOLDING CPND POLYAMIDE/IMIDE	AOC	1.85	.00				MOLD CPND
UDEL POLYSULFONE MOLDING CPND CLEAR	UCC	.40	.01				MOLD CPND
ULTEM D6202 GREY/BROWN MOLD CPND FILLED	GEC	.37	.00				MOLD CPND
ULTEM 1000 CLEAR AMBER MOLD CPND UNREINFORCED	GEC	.40	.00				MOLD CPND
VALOX DR48 BLACK MOLDED STRIP	GEC	.47	.08				MOLD CPND
VALOX DR48-7001 BLACK MOLDING CPND	GEC	.34	.06	0.5M	260	PSI	MOLD CPND
VALOX 310 THERMOPLASTIC POLYESTER	GEC	.20	.02				MOLD CPND
VALOX 310-SEO WHITE THERMOPLASTIC POLYESTER	GEC	.24	.01	0.5M	250	PSI	MOLD CPND
VALOX 325 WHITE THERMOPLASTIC POLYESTER	GEC	.27	.01	0.5M	250	PSI	MOLD CPND
VALOX 420 SEO THERMOPLASTIC POLYESTER/30% GLASS	GEC	.16	.03				MOLD CPND
VALOX 420 SEO 2051 THERMOPL POLYESTER/30% GLASS BLUE	GEC	.38	.10				MOLD CPND
VALOX 420 SEO-2051 BLUE MOLDING CPND	GEC	.34	.08	0.5M	260	PSI	MOLD CPND
VALOX 420 SEO-7001 BLACK MOLDING CPND	GEC	.33	.07	0.5M	260	PSI	MOLD CPND
VALOX 420 THERMOPLASTIC POLYESTER/30% GLASS FIBER	GEC	.09	.02				MOLD CPND
VESPEL KS-105 ARAMID	DUP	3.35	.00				STRUCTURAL
VESPEL SP-1 POLYIMID	DUP	1.29	.00				MOLD CPND
VESPEL SP-1D POLYIMID	DUP	1.19	.00				MOLD CPND
VESPEL SP-5 POLYIMIDE/30% SHORT GLASS FIBERS	DUP	.49	.00				MOLD CPND
VF 1007 PVC 35% FIBER GLASS	LNP	.30	.05				MOLD CPND
VICTREX PES	ICI	1.30	.00				MOLD CPND
WF 1006 THERMOPLASTIC POLYESTER/FIB GLASS AS 70/30	LNP	.19	.00				MOLD CPND
XF 1004 POLYIMIDE/GLASS AS 80/20	LNP	1.06	.01				MOLD CPND
XF 1006 POLYARYL ETHER/GLASS AS 70/30	LNP	.29	.00				MOLD CPND
XYDAR SRT-300	DAR	.03	.01				MOLD CPND
ZF 1006 NORYL/FIBER GLASS AS 70/30	LNP	.04	.00				MOLD CPND
ZYTEL 101L BLACK CONNECTOR INSERT	DUP	2.31	.03				CONN INSUL
ZYTEL 7010-33 NYLON RESIN	DUP	1.09	.00				MOLD CPND
ZYTEL 7110-13 NYLON RESIN	DUP	1.28	.01				MOLD CPND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AMES 24E BLACK INFRARED OPAQUE COATING SAMPLE A	ARE	.67	.16	7D	25	AIR	PAINT
				24H	135	E-2	
AMES 24E/BLACK INFRARED OPAQUE COATING SAMPLE B	ARE	.85	.28	7D	25	AIR	PAINT
ANDREW BROWN BLACK EPOXY PAINT/PRIMER A-136	ABC	9.48	.21	5D	25	AIR	PAINT
ANDREW BROWN BLACK EPOXY PAINT/PRIMER A-136	ABC	2.77	.16	5M	25	AIR	PAINT
				10M	149	AIR	
BC 337 HI-THERM VARNISH	JCD	2.74	.30	30M	25	AIR	VARNISH
				2H	138	AIR	
BC 340 VARNISH POLYESTER/XYLENE	JCD	6.01	.40	1H	135	AIR	VARNISH
BC 346-B PHENOLIC VARNISH	JCD	3.31	1.02	6H	135	AIR	VARNISH
BOSTIK FINCH 443-3/X-304 AS 3/1 BV WHITE EPOXY PAINT	FPC	7.05	.15	7D	25	AIR	PAINT
BOSTIK FINCH 643-2-20 7/1 BW WHITE POLYURETHANE	FPC	4.67	.15	7D	25	AIR	PAINT
BOSTIK-FINCH EPOXY PRIMER FR 463-12-8 A/B AS 3/1 BW	FPC	4.29	.02	2H	25	AIR	PRIMER
BR-127 PRIMER/F	ACC	.48	.03	90M	127	AIR	PRIMER
BR-127 PRIMER/F	ACC	.95	.02	30M	25	AIR	PRIMER
				30M	121	AIR	
CARDINAL 6650/CHEMGLAZE PRIMER 9924/F SPRAYED	CIF	1.61	.00	8D	25	AIR	PAINT COMPOSITE
				24H	90	E-5	
CARDINAL 6650/CHEMGLAZE PRIMER 9924/F SPRAYED	CIF	4.49	.04	20D	25	AIR	PAINT COMPOSITE
CAT-A-LAC FLAT BLACK EPOXY COATING	FPC	3.03	.06	72H	25	AIR	PAINT
				72H	51	E-6	
CAT-A-LAC WHITE EPOXY A/B AS 3/1 BV	FPC	3.94	.13	7D	25	AIR	PAINT
				24H	93	AIR	
CAT-A-LAC WHITE EPOXY A/B AS 3/1 BW	FPC	12.09	.14	7D	25	AIR	PAINT
CAT-A-LAC 463-3-100 A/B AS 3/1 BW WHITE EPOXY PAINT	FPC	6.75	.23	24H	25	AIR	PAINT
CAT-A-LAC 463-3-100 A/B AS 3/1 BW WHITE EPOXY PAINT	FPC	4.13	.14	16H	66	AIR	PAINT
CAT-A-LAC 463-3-100/CA-118 AS 3/1 BV WHITE PAINT	FPC	4.16	.02	16H	25	AIR	PAINT
				24H	70	AIR	
CAT-A-LAC 463-3-100/CA-118 AS 3/1 BV/PRIMER 463-6-5	FPC	4.11	.02	16H	25	AIR	PAINT
				24H	70	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	FPC	.35	.17	24H	25	AIR	PAINT
				1H	66	AIR	
				47H	177	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	FPC	4.50	.12	24H	25	AIR	PAINT
				72H	66	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	FPC	1.18	.21	24H	25	AIR	PAINT
				48H	121	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	FPC	.55	.22	24H	25	AIR	PAINT
				48H	121	E-3	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-6-2 GREEN/F	FPC	.70	.03	24H	25	AIR	PAINT COMPOSITE
				48H	121	AIR	
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	FPC	2.14	.03	1H	66	AIR	PAINT
				30M	140	AIR	
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	FPC	1.33	.00	24H	120	AIR	PAINT
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	FPC	1.02	.05	4H	25	AIR	PAINT
				1H	66	AIR	
				30M	135	AIR	
				72H	125	E-6	
CAT-A-LAC 463-3-8/CA-118 AS 3/1 BV BLACK EPOXY PAINT	FPC	4.05	.03	1H	25	AIR	PAINT
				2H	60	AIR	
CAT-A-LAC 463-3-8/CA-118 AS 3/1 BW FLAT BLACK EPOXY	FPC	3.42	.07	1H	70	AIR	PAINT
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV BATCH - GSFC	FPC	2.91	.25	2H	66	AIR	COND PAINT
				6.5H	104	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV BATCH - TRW	FPC	3.96	.17	2H	66	AIR	COND PAINT
				6.5H	104	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	FPC	8.16	.33	14D	25	AIR	PAINT
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	FPC	6.98	.35	24H	25	AIR	COND PAINT
				1H	66	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	FPC	2.17	.35	24H	25	AIR	COND PAINT
				6H	104	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	FPC	1.47	.34	24H	25	AIR	COND PAINT
				16H	104	AIR	
CAT-A-LAC 473-3-1 A/B AS 3/1 BV CLEAR EPOXY	FPC	9.02	.43	1H	25	AIR	COATING
				16H	60	AIR	
CAT-A-LAC 473-3-1/X-304 AS 3/1 BW CLEAR EPOXY	FPC	4.36	.24	1H	70	AIR	PAINT
CAT-A-LAC 643-1-1 ALUMINUM PAINT	FPC	2.35	.19	100H	45	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE	HCC	1.67	.15	14D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE	HCC	2.25	.02	7D	25	AIR	PAINT
				16H	85	AIR	
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE LOT TJD	HCC	2.37	.10	14D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE LOT TJD	HCC	1.46	.10	7D	25	AIR	PAINT
				16H	85	AIR	
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE/F	HCC	1.87	.14	28D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE/F	HCC	.99	.08	15D	25	AIR	PAINT
				48H	96	E-6	
CHEMGLAZE A276/A170 FLAT AGT/CAT 9986/PRIMER 9924/F	GSC	3.92	.31	28D	25	AIR	PAINT
CHEMGLAZE A276/A170 FLAT AGT/CAT 9986/PRIMER 9924/F	GSC	3.19	.26	7D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE A276E HIGH GLOSS WHITE POLYURETHANE	HCC	2.29	.05	14D	25	AIR	PAINT
CHEMGLAZE H322 BLACK CONDUCTIVE PAINT POLYURETHANE	HCC	1.92	.07	20M	121	AIR	COND PAINT
CHEMGLAZE H322 BLACK CONDUCTIVE PAINT POLYURETHANE	HCC	.86	.09	30H	121	AIR	COND PAINT
CHEMGLAZE L300 BLACK CONDUCTIVE PAINT POLYURETHANE	HCC	1.57	.06	14D	25	AIR	COND PAINT
CHEMGLAZE TC 3692-74 FLAT BLACK POLYURETHANE LOT YEA	HCC	1.18	.01	14D	25	AIR	PAINT
CHEMGLAZE TC 3692-74 FLAT BLACK POLYURETHANE LOTADAC	HCC	1.07	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 2881-7 UV RESIST WHITE POLYURETHANE	HCC	8.57	.10	14D	25	AIR	PAINT
CHEMGLAZE TS 2881-7 UV RESIST WHITE POLYURETHANE	HCC	4.50	.22	30M	25	AIR	PAINT
				30M	121	AIR	
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SHB	HCC	1.30	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SIA	HCC	1.31	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SKA	HCC	1.35	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3692-51 FLAT BLACK POLYURETHANE	HCC	2.15	.26	14D	25	AIR	PAINT
CHEMGLAZE TS 3692-74 FLAT BLACK POLYURETHANE	HCC	1.23	.02	14D	25	AIR	PAINT
CHEMGLAZE V200 GLOSSY WHITE POLYURETHANE PAINT	HCC	2.73	.17	14D	25	AIR	PAINT
CHEMGLAZE V200/V700/V175 FLAT/CAT 9995/PRIMER 9924/F	GSC	2.61	.36	27D	25	AIR	PAINT
CHEMGLAZE V200/V700/V175 FLAT/CAT 9995/PRIMER 9924/F	GSC	1.60	.20	9D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE V200/9924 GLOSS WHITE POLYURETHANE PAINT/F	HCC	1.52	.07	30D	25	AIR	PAINT SYSTEM
CHEMGLAZE V200/9924 GLOSS WHITE POLYURETHANE PAINT/F	HCC	.72	.03	11D	25	AIR	PAINT SYSTEM
				72H	90	E-6	
CHEMGLAZE V200/9989 AS 50/1.3 BW GLOSSY WHITE PAINT	HCC	6.03	.47	14D	25	AIR	PAINT
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	HCC	10.19	.76	7D	25	AIR	PAINT
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	HCC	9.97	.66	30D	25	AIR	PAINT
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	HCC	8.46	.51	4D	25	AIR	PAINT
				24H	60	E-6	
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	HCC	1.07	.04	5D	25	AIR	PAINT
				24H	100	E-6	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHEMGLAZE V700/9995 AS 25/1 BW BLUE PAINT	HCC	5.48	.23	48H	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE V800/V175 FLAT AGT/CAT 9995/PRIMER 9924/F	GSC	2.54	.31	27D	25	AIR	PAINT
CHEMGLAZE V800/V175 FLAT AGT/CAT 9995/PRIMER 9924/F	GSC	1.60	.17	8D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE Z004 BLACK COND PAINT MOD POLYURETHANE	HCC	1.35	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004 BLACK COND PAINT MOD POLYURETHANE	HCC	.90	.04	7D	25	AIR	COND PAINT
				24H	70	AIR	
CHEMGLAZE Z004 CLEAR POLYURETHANE LOT XGB	HCC	1.72	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004/XC-72R/9924 PRIMER BLACK COND PAINT	HCC	1.40	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004/9924 PRIMER COMPOSITE BLACK COND MOD	HCC	2.09	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004/9924 PRIMER COMPOSITE BLACK COND MOD	HCC	1.24	.04	7D	25	AIR	COND PAINT
				24H	70	AIR	
CHEMGLAZE Z202 POLYURETHANE FORMERLY TS 1603-16	HCC	.60	.02	7D	25	AIR	PAINT
CHEMGLAZE Z255 WHITE POLYURETHANE COATING	HCC	2.63	.00	30D	25	AIR	PAINT
CHEMGLAZE Z302 GLOSSY BLACK POLYURETHANE	HCC	1.39	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306	HCC	1.12	.05	21D	25	AIR	PAINT
				24H	100	E-3	
CHEMGLAZE Z306 BATCH L11247	HCC	.49	.02	21D	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE Z306 LOT CJA/F	HCC	1.00	.02	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/F	HCC	.86	.02	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT CJA/OVER PRIMER AP131/F	HCC	1.61	.14	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/OVER PRIMER AP131/F	HCC	1.16	.11	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT CJA/OVER PRIMER 9924/F	HCC	3.20	.03	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/OVER PRIMER 9924/F	HCC	1.91	.04	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT LBC	HCC	.47	.04	2H	25	AIR	PAINT
				16H	66	AIR	
CHEMGLAZE Z306 LOT LBC	HCC	1.32	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MAA	HCC	1.91	.28	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MAA	HCC	1.42	.27	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MHA	HCC	.92	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MJC	HCC	1.01	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA	HCC	.90	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA SPRAYED	HCC	1.13	.06	7YR	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA SPRAYED	HCC	.87	.04	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NDA	HCC	.76	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OAB SPRAYED	HCC	1.64	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OGB SPRAYED	HCC	1.04	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OIA SPRAYED	HCC	1.10	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT RLA	HCC	.91	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT TDA	HCC	.83	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT WHA	HCC	1.16	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT WHA	HCC	.92	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT YBA	HCC	1.09	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306/BROLITE PRIME ALL PRIMER	HCC	1.83	.01	2H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/B40D MICROBALLOONS/TOLUENE	HCC	.83	.03	15D	25	AIR	PAINT
CHEMGLAZE Z306/CAT 9986 AS 100/1 BW/FREE FILM	HCC	1.08	.25	2H	100	AIR	PAINT COMPOSITE
				35D	25	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHEMGLAZE Z306/CAT 9986 AS 100/1 TWO COATS	HCC	1.81	.36	15M	25	AIR	PAINT
				15M	71	AIR	
				15M	25	AIR	
				30M	71	AIR	
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE	HCC	1.18	.05	21D	25	AIR	PAINT COMPOSITE
				24H	100	E-3	
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE	HCC	1.85	.06	30D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE/F	HCC	1.45	.13	2H	25	AIR	PAINT COMPOSITE
				30D	25	AIR	
CHEMGLAZE Z306/CHEMLOK AP131 PRIMER/F	HCC	.76	.05	30D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/CORITEX ENAMEL/F	LRC	3.39	.22	16H	25	AIR	PAINT COMPOSITE
				45D	25	AIR	
CHEMGLAZE Z306/CORITEX ENAMEL/PRIMER 9924/F	LRC	3.38	.19	8H	25	AIR	PAINT COMPOSITE
				16H	25	AIR	
				45D	25	AIR	
CHEMGLAZE Z306/KAPTON H	HCC	1.00	.08	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	HCC	.94	.09	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	HCC	.88	.09	24H	125	AIR	PAINT COMPOSITE
				41D	25	AIR	
CHEMGLAZE Z306/PRIMER DESOTO 513-102/F	GSC	1.75	.12	1H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/PRIMER 9924/F	LRC	2.44	.06	16H	25	AIR	PAINT COMPOSITE
				45D	25	AIR	
CHEMGLAZE Z306/RANDOLPH EPOXY/POLYAMIDE PRIMER/F	RAN	1.67	.08	2H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/SUPER KOROPON PRIMER/F	GSC	2.80	.03	7D	25	AIR	PAINT COMPOSITE
				30M	74	AIR	
CHEMGLAZE Z306/9954 THINNER AS 2/1 BV	HCC	1.31	.01	15D	25	AIR	PAINT
CHEMGLAZE Z402 ALUM FILLED POLYURETHANE LOT MEB	HCC	.68	.07	14D	25	AIR	PAINT
CHEMGLAZE Z651 GREEN GLOSS POLYURETHANE/F	HCC	2.35	.03	7D	25	AIR	PAINT
CHEMGLAZE 9421 ALUM FILLED P-URETHANE PRIMER LOT XIB	HCC	1.84	.03	14D	25	AIR	PRIMER
CHEMGLAZE 9922 EPOXY PRIMER FOR METAL	HCC	1.58	.13	1H	60	AIR	PRIMER
CHEMGLAZE 9924 A/B AS 1/1 BV WASH PRIMER/F	HCC	6.88	.29	7D	25	AIR	PRIMER
COATING 5459 OVER PRIMER 6362	HSD	6.91	.20	7D	25	AIR	PAINT COMPOSITE
COATING 5459/CAT 6201 AS 1/1 BV FLAT BLACK EPOXY	HSD	7.51	.32	7D	25	AIR	PAINT
CODIT 7216 REFLECTIVE COATING	MMM	2.11	.19	24H	25	AIR	PAINT
CTL-15 A/B AS 3/1 BW BLACK EPOXY PAINT	CTL	3.93	.03	2H	65	AIR	PAINT
CTL-15 GLOSSY BLACK PAINT	CTL	2.16	.06	30M	25	AIR	PAINT
				15M	66	AIR	
				2H	121	AIR	
CTL-15 GLOSSY BLACK PAINT ONE COAT	CTL	1.80	.04	24H	125	AIR	PAINT
CTL-15 GLOSSY BLACK PAINT THREE COATS	CTL	1.81	.06	1H	100	AIR	PAINT
				1H	100	AIR	
				24H	125	AIR	
CTL-15 WHITE EPOXY PAINT HUGHES ACFT	CTL	2.60	.10	12H	125	E-2	PAINT
CUVERTIN 306 BLACK POLYURETHANE COATING	HNC	.69	.02	14D	25	AIR	PAINT
CV-1144-1 WHITE ONE PART SILICONE PAINT	MCG	.33	.03	7D	25	AIR	PAINT
CV-1144-2 BLACK ONE PART SILICONE PAINT	MCG	.24	.01	7D	25	AIR	PAINT
DAG EC 1652 BLACK PAINT	ACH	.79	.02				PAINT
DAN POX ENAMEL 160E AS 1/1 BV BLACK/F	DCI	2.54	.26	7D	25	AIR	PAINT
DC 92-007 WHITE SILICONE PAINT	DCC	.91	.36	7D	25	AIR	PAINT
DC 92-007 WHITE SILICONE PAINT	DCC	.63	.20	24H	25	AIR	PAINT
				8H	60	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 92-019 SILICONE PRIMER	DCC	4.12	.07	2H	25	AIR	PRIMER
DC 94-003 DISPERSION COATING	DCC	5.37	.18	24H	25	AIR	COATING
DC 991 VARNISH - CLEAR SILICONE/F	DCC	2.47	.93	7D	25	AIR	CONF COAT
DC 991 VARNISH - CLEAR SILICONE/F	DCC	.88	.50	24H	125	AIR	CONF COAT
DENNIS 1162 A/B AS 1/1 BW LACQUER W/4600 THINNER	DNS	4.29	.16	24H	25	AIR	LACQUER
				1H	65	AIR	
DUPONT BLUE LACQUER 43907-LHX/DETZLER PRIMER DZL-32	DUP	4.42	.66	6H	70	AIR	PAINT SYSTEM
DUPONT RED LACQUER 8571-LHX/DETZLER PRIMER DZL-32	DUP	4.57	.71	6H	70	AIR	PAINT SYSTEM
DUPONT 4817 CONDUCTIVE SILVER PAINT	DUP	3.84	.04	24H	25	AIR	COND PAINT
DUPONT 4922 A/B AS 1/1 BW COND SILVER PAINT	DUP	.61	.00	15M	66	AIR	COND PAINT
				48H	99	AIR	
DURALAC BLACK ENAMEL-LUSTERLESS	NLC	2.70	.21	1H	121	AIR	PAINT
DUTCH BOY RED ENAMEL 756	NLC	.94	.33	16H	125	AIR	PAINT
D4D CONDUCTIVE PAINT	GEV	1.88	.39	48H	66	AIR	COND PAINT
D4D CONDUCTIVE PAINT	GEV	1.57	.34	48H	66	AIR	COND PAINT
				48H	100	AIR	
D4D LEAFING ALUMINUM	GEC	8.91	.78	48H	25	AIR	PAINT
				14D	25	AIR	
D4D LEAFING ALUMINUM	GEC	.72	.10	48H	25	AIR	PAINT
				48H	99	AIR	
E-KOTE 3030 CONDUCTIVE ACRYLIC PAINT	EPO	.76	.05	1H	66	AIR	COND PAINT
				24H	25	AIR	
E-KOTE 40 COND SILVER PAINT/ACRYLIC	EPO	3.32	.10	16H	25	AIR	COND PAINT
				24H	60	AIR	
EA 9203 ONE COMPONENT PRIMER FOR EPOXY	HYS	19.65	1.96	1H	25	AIR	PRIMER
ECP 2200 BLACK SOLAR ABSORBER COATING/F	MMM	.08	.00	4H	204	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F	MMM	.61	.27	4H	121	AIR	THERM COATING
ECP 2200 BLACK SOLAR ABSORBER COATING/F	MMM	.35	.12	24H	121	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	MMM	.09	.01	40H	25	AIR	THERM CONTROL
				4H	204	AIR	
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	MMM	.33	.05	7D	25	AIR	THERM CONTROL
				24H	90	E-5	
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	MMM	.91	.27	30D	25	AIR	THERM CONTROL
ENAMEL FLAT BLACK AEROSOL BROD-DUGAN 100	BDC	.85	.14	72H	100	AIR	PAINT
ENAMEL 453-4-5/CA-212 AS 1/1 BV BLUE EPOXY/F	FPC	3.95	.09	7D	25	AIR	PAINT
EPON 828/VERSAMID 140/CARBOLAC/SYLOID 620	SHL	1.67	.12	7D	25	AIR	PAINT
EPON 828/VERSAMID 140/CARBOLAC/SYLOID 620	SHL	1.66	.07	16H	25	AIR	PAINT
				2H	66	AIR	
EPON 956 A/B AS 100/58 BW/CARBOLAC/NOVACITE 1250	SHL	1.96	.12	7D	25	AIR	PAINT
EPON 956 A/B AS 100/58 BW/CARBOLAC/SYLOID 620	SHL	1.02	.00	7D	25	AIR	PAINT
EPPLEY PARSONS BLACK	EPP	13.33	3.65				PAINT
EPPLEY PARSONS BLK L3G-13 OVER UNDERCOAT L3S-10/F	COL	3.34	.08	2H	25	AIR	PAINT SYSTEM
				2H	66	AIR	
				48H	107	E-2	
FINCH BLACK PAINT 663-3-2 POLYURETHANE A/B AS 4/1 BV	FPC	4.62	.10	24H	25	AIR	PAINT
				16H	66	E-5	
FINCH BLACK PAINT 663-3-2 POLYURETHANE A/B AS 4/1 BV	FPC	4.42	.00	24H	25	AIR	PAINT
				16H	66	AIR	
FINCH PRIMER 463-4-4 A/B AS 3/1 BW	FPC	7.21	.00	7D	25	AIR	PRIMER
FISHER BLACK COATING 113/113-300/CARBOLAC/MEK/T-12	GSC	.51	.02	7D	25	AIR	PAINT
FLOQUIL BLACK PAINT	FLO	3.85	.28	7D	25	AIR	PAINT
FLUOROCLAD CLEAR V78VP21	SHW	.05	.01	30M	93	AIR	PAINT
				15M	260	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FLUOROCLAD WHITE G79WP37	SHW	.67	.05	30M	93	AIR	PAINT
				15M	260	AIR	
FP 135 SILICONE PRIMER/F	MCG	7.24	.18	10D	25	AIR	PRIMER
FSS BLUE PAINT/F	GSC	2.53	.22	10D	25	AIR	PAINT
FSS BLUE PAINT/F	GSC	.71	.05	72H	25	AIR	PAINT
				24H	96	E-6	
G 3113 BLACK COATING BALL CHEM ALKYD-SILICONE	BAL	.03	.02	1H	232	AIR	PAINT
G-1897 HT ALUMINUM COATING	BAL	.09	.04	1H	232	AIR	PAINT
G-3230 ALKYD WHITE PAINT	BAL	3.13	1.07	24H	25	AIR	PAINT
GE 7031 INSULATING VARNISH - PHENOLIC	GEC	8.75	.85	45M	25	AIR	VARNISH
				1H	120	AIR	
GE 7031 INSULATING VARNISH - PHENOLIC	GEC	6.87	.71	45M	25	AIR	VARNISH
				1H	120	AIR	
				72H	80	E-6	
GSFC 657-38 SILICONE WHITE PAINT	GSC	.13	.13	7D	25	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSC	.17	.09	3.5D	25	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSC	.14	.00	7D	25	AIR	PAINT
				24H	66	AIR	
GSFC 657-42 SILICONE WHITE PAINT	GSC	.21	.08	4D	25	AIR	PAINT
GSFC 657-44 SILICONE WHITE PAINT	GSC	.15	.07	3D	25	AIR	PAINT
				20H	100	AIR	
HALON TFE IN Q9-6313 SILICONE WHITE	GSC	.14	.01				PAINT
K-1 URETHANE PRIMER/S FURANE PLASTICS	FPI	9.10	.98	1H	25	AIR	PRIMER
KAPTON/ALUM/H322/9988 FILM COMPOSITE	APL	3.08	.63	15M	125	AIR	THERMAL CONTROL
				24H	125	AIR	
KAPTON/ALUM/H322/9988 FILM COMPOSITE	APL	2.15	.22	15M	125	AIR	THERMAL CONTROL
				24H	25	E-3	
KAPTON/ALUM/H322/9988 FILM COMPOSITE	APL	2.33	.25	15M	125	AIR	THERMAL CONTROL
				24H	25	AIR	
KOLORANE U-1-6002/9500 PRIMER - GLOSS WHITE ENAMEL	KEE	2.01	.01	24H	25	AIR	PAINT SYSTEM
KRYLON 1302 CLEAR COATING MULTI-COAT FILM	BCM	7.23	.02	24H	25	AIR	PAINT
KRYLON 1602 ULTRA FLAT BLACK PAINT	BCM	5.93	.45	7D	25	AIR	PAINT
LAMINATE ASHLAM G40 GRADE EPOXY/FIBERGLAS	MMS	.39	.01				LAMINATE
LEACH 009 SEMI-GLOSS BLACK LACQUER AEROSOL/F	LCR	1.74	.28	7D	25	AIR	PAINT
LEACH 010 FLAT BLUE LACQUER AEROSOL/F	LCR	10.82	3.54	7D	25	AIR	PAINT
LEACH 013 AS 4/1 BV BLUE EPOXY ENAMEL	LCR	4.84	.87	7D	25	AIR	PAINT
LEACH 014 AS 4/1 BV GLOSS BLACK EPOXY ENAMEL	LCR	8.48	.52	7D	25	AIR	PAINT
LEACH 453-4-5-013/CA-318 AS 1/1 BV BLUE EPOXY/F	SIK	1.52	.14	90M	121	AIR	PAINT
LOGO 1709/508 LACQUER/THINNER AS 3/1 BV	BEE	1.65	.23	1H	66	AIR	LACQUER
				1H	163	AIR	
M-152 LACQUER BASECOAT	BEE	4.82	1.03				LACQUER
M-152 LACQUER BASECOAT W/ VAC DEP ALUMINUM	BEE	2.43	.19				LACQUER W/ALUM
M-152 LACQUER BASECOAT W/THINNERS - SPRAYED 2 COATS	BEE	4.04	1.03	1H	66	AIR	LACQUER
				2H	121	AIR	
				2H	121	E-3	
MAGNETICS A2 GRAY POLYESTER PAINT	MAH	.60	.11				PAINT
MAGNETICS A2 GRAY POLYESTER PAINT	MAH	.37	.09	30M	177	AIR	PAINT
MAGNETICS A2 GRAY POLYESTER PAINT	MAH	.85	.19	1H	200	AIR	PAINT
MC469/MC470 AS 4/1 BW BROWN WASH PRIMER	BCL	9.81	.01	30M	25	AIR	WASH PRIMER
				1H	60	AIR	
METALAST PRIMER 919/920 AS 1/4 BW	WMI	8.99	.23	1H	25	AIR	PRIMER
METALAST 920 PRIMER BASE/DILUENT AS 4/1 BW	WMI	11.35	.00	1H	25	AIR	PRIMER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MICO WELD 8509 A05M FLAT BLACK PAINT/F	DEX	2.18	.05	15M	163	AIR	PAINT
				1H	260	AIR	
MICO WELD 8509 A05M FLAT BLACK PAINT/F	DEX	3.25	.02	15M	163	AIR	PAINT
				1H	260	AIR	
				22H	185	E-3	
MMM 101-C10 VELVET BLACK ALKYD	MMM	4.95	.24	1H	80	AIR	PAINT
				7D	25	AIR	
MMM 101-C10 VELVET BLACK ALKYD	MMM	5.02	.02	20H	121	E-4	PAINT
MMM 101-C10 VELVET BLACK PAINT ALKYD	MMM	6.02	.14	6H	25	AIR	PAINT
				96H	110	E-6	
MMM 301-C10 VELVET BLACK	MMM	5.17	.02	1H	121	AIR	PAINT
				6D	25	AIR	
MMM 301-C10 VELVET BLACK	MMM	5.60	.02	1H	66	AIR	PAINT
				6D	25	AIR	
MMM 401 BLACK OVER ZINC CHROMATE	MMM	4.82	.12	5D	25	AIR	PAINT COMPOSITE
MMM 401-A10 A/B AS 3/1 BV WHITE PAINT	MMM	2.88	.02	7D	65	AIR	PAINT
MMM 401-A10 A/B AS 3/1 BV WHITE PAINT	MMM	2.85	.03	7D	65	E-3	PAINT
MMM 401-A10 A/B AS 3/1 BW VELVET WHITE	MMM	3.09	.08	7D	25	AIR	PAINT
				24H	121	AIR	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	MMM	2.91	.01	30M	121	AIR	PAINT
				5D	25	AIR	
				50H	93	E-6	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	MMM	3.33	.02	30M	121	AIR	PAINT
				72H	95	E-5	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	MMM	3.18	.00	24H	25	AIR	PAINT
				30M	120	AIR	
				24H	120	E-5	
MMM 401-C10 VELVET BLACK OVER E-SOLDER 3022 LAYUP	MMM	2.76	.01	3H	60	AIR	PAINT COMPOSITE
				30M	120	AIR	
				24H	100	E-5	
MMM 403-C10 A/B AS 3.5/1 BV VELVET BLACK	MMM	3.11	.01	1H	25	AIR	CONF COAT
				2H	71	AIR	
				16H	71	E-6	
MMM 403-C10 A/B AS 3/1 BV VELVET BLACK	MMM	3.00	.07	48H	66	AIR	PAINT
				5D	25	AIR	
MS 125 WHITE COATING BASO4/PVA/KRYLON	GSC	.70	.10	14D	25	AIR	OPTICAL PAINT
MS 2402 PRIMER/FOIL	DCC	11.66	.33	24H	25	AIR	PRIMER
MS 74 WHITE COATING K2SI03/TI02/ZNO/AL203	GSC	6.27	.03	24H	25	AIR	PAINT
MS 74 WHITE COATING K2SI03/TI02/ZNO/AL203	GSC	4.54	.00	48H	100	AIR	PAINT
MS 74/SILANE 6020 PRIMER COMPOSITE/F	GSC	4.36	.00	7D	25	AIR	PAINT COMPOSITE
MSA 101E GREEN PAINT OI 650/CHROMIC OXIDE	GSC	1.04	.47	6H	95	AIR	PAINT
MSA 101E GREEN PAINT OI 650/CHROMIC OXIDE	GSC	.11	.00	6H	150	AIR	PAINT
MSA 102 BLACK PAINT CARBON BLACK	GSC	.95	.35	6H	150	AIR	PAINT
MSA 103 BLACK PAINT OI 650/CARBON BLACK	GSC	10.90	5.94	6H	95	AIR	PAINT
MSA 5 BLACK COATING	GSC	3.14	.02	3D	25	AIR	PAINT
MSA 5 BLACK COATING	GSC	2.24	.04	48H	100	AIR	PAINT
MSA 82 WHITE PAINT OI 650/NA TREATED ZNO	GSC	.67	.22	6H	150	AIR	PAINT
MSA 82 WHITE PAINT OI 650/ZINC OXIDE	GSC	1.40	.58	6H	95	AIR	PAINT
MSA 90 WHITE PAINT OI 650/POTASSIUM TREATED ZNO	GSC	.58	.06	6H	150	AIR	PAINT
MSA 90 WHITE PAINT OI 650/ZINC OXIDE	GSC	1.78	.56	6H	95	AIR	PAINT
MSA 94B BLACK PAINT	GSC	3.66	.00	16H	25	AIR	PAINT
				24H	70	AIR	
MSA 95E WHITE PAINT	GSC	2.30	.23	2H	50	AIR	PAINT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MSA 96A GREEN PAINT	GSC	2.75	.95	2H	50	AIR	PAINT
NE 560 WATER BASE LATEX SI02 PAINT	NEL	.96	.03	21D	25	AIR	PAINT
NEXTEL 110-C10 BLACK PAINT/F	MMM	6.47	.03	40H	25	AIR	PAINT
				24H	90	E-5	
NEXTEL 3101-C10 I/II AS 8/1 BW BLACK SUEDE PAINT	MMM	2.21	.37	7D	25	AIR	PAINT
NS 43C WHITE PAINT K2SI03/ZNO/AL203/TI02	GSC	3.40	.00	14D	25	AIR	PAINT
NS 59A GREEN PAINT K2SI03/ZNO AS 1/3 BW W/1% COBALT	GSC	2.16	.00	24H	25	AIR	PAINT
OI 650 RESIN REGULAR	ITR	2.59	.32	1H	121	AIR	PAINT BASE
OI 650 RESIN WHITE PAINT GSFC SHAI	GSC	.51	.02	16H	100	AIR	PAINT
OI 650 RESIN WHITE PAINT/ZRO GSFC TRIOLO	GSC	.77	.00				PAINT
OI 650G - GIORI MOD	ITR	.87	.51	1H	163	AIR	PAINT BASE
P 764 EPOXY PRIMER EPON 828 BASE	GSC	2.66	.00	72H	25	AIR	PRIMER
P 764-1A WHITE SILICONE PAINT	GSC	.59	.03	7D	25	AIR	PAINT
PAINT POLAR WHITE/GRAY PRIMER EXPERIMENTAL	APA	3.39	.39				PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER EXPERIMENTAL	APA	.62	.06	48H	125	AIR	PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER STANDARD	APA	2.68	.42				PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER STANDARD	APA	.44	.05	48H	125	AIR	PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER EXPERIMENTAL	APA	2.83	.48				PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER EXPERIMENTAL	APA	.87	.29	48H	125	AIR	PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER STANDARD	APA	3.23	.26				PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER STANDARD	APA	.66	.10	48H	125	AIR	PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER EXPERIMENTAL	APA	2.81	.35				PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER EXPERIMENTAL	APA	.45	.06	48H	125	AIR	PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER STANDARD	APA	2.92	.45				PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER STANDARD	APA	.59	.14	48H	125	AIR	PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER EXPERIMENTAL	APA	2.76	.51				PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER EXPERIMENTAL	APA	.51	.15	48H	125	AIR	PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER STANDARD	APA	2.31	.39				PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER STANDARD	APA	.63	.22	48H	125	AIR	PAINT SYSTEM
PAINT WHITE EPOXY PER MIL C 22750C/F	KOP	1.50	.07	1H	60	AIR	PAINT
				14D	25	AIR	
PAINT 2019	CAC	2.04	.23	6H	71	AIR	PAINT
				48H	93	AIR	
				16H	56	E-6	
PAINT 2019 OVER PRIMER 2012	CAC	2.92	.07	16H	25	AIR	PAINT
				2H	77	AIR	
				24H	93	E-6	
PALADIN BLACK SATIN LACQUER	WJR	.27	.13	30M	177	AIR	LACQUER
				1H	66	AIR	
				1H	163	AIR	
PALADIN BLACK SATIN LACQUER	WJR	6.42	1.69	16H	100	E-4	LACQUER
PC-5 BLACK COATING	CCE	4.31	.12	24H	25	AIR	PAINT
PITT-GLAZE 16-402/H20 BASE ACRYLIC/EPOXY WHITE PAINT	PPG	2.80	.67	14D	25	AIR	PAINT
PITT-GLAZE 16-901/16-802 BASE ACRYLIC/EPOXY WHITE/F	PPG	4.23	.19	10D	25	AIR	PAINT
PKT WHITE PAINT OI 650/POTASSIUM TITINATE AS 1/1 BW	GSC	1.95	.01	2H	50	AIR	PAINT
PLASTIKOTE MFR VARNISH 277 - DATA PER COAT CURE	PLK	17.56	1.44	6H	25	AIR	VARNISH
POLANE T F63B12/V66V27 AS 6/1 BV BLK POLYURETHANE/F	SHW	5.68	.09	14D	25	AIR	PAINT
POLANE T Z99BB513 BLACK POLYURETHANE PAINT/F	SHW	3.14	.05	6D	25	AIR	PAINT
POLANE T Z99BB513 BLACK POLYURETHANE PAINT/F	SHW	2.41	.06	1H	66	AIR	PAINT
POTASSIUM TITANATE WHITE PAINT 150 GSFC SHAI	GSC	.84	.00	18H	122	AIR	PAINT
PR 1506 CLEAR PRIMER	PRC	8.97	.05	2H	25	AIR	PRIMER
				16H	82	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PR 1531 POLYURETHANE PRIMER	PRC	5.97	2.29	24H	25	AIR	PRIMER
				24H	82	AIR	
PR 420 ORANGE PRIMER	PRC	5.41	1.30	2H	25	AIR	PRIMER
				16H	82	AIR	
PR 420 PRIMER/ACETONE	PRC	12.49	.01	7D	25	AIR	PRIMER
PREPARAKOTE	DUP	3.43	.37	24H	25	AIR	PRIMER
PRIMER DESOTO 513-102/F	DES	2.50	.09	14D	25	AIR	PRIMER
PRIMER RANDOLPH GREEN ZINC CHROMATE	RAN	3.23	.23	24H	25	AIR	PRIMER
PRIMER RANDOLPH GREEN ZINC CHROMATE	RAN	2.32	.28	30M	25	AIR	PRIMER
				24H	107	E-6	
PRIMER ZINC CHROMATE	SHW	3.23	.22	24H	25	AIR	PRIMER
PRIMER 3-1W-24/3-1H-8 AS 3/1 BW EPOXY URETHANE WHITE	ACO	7.06	.33	7D	25	AIR	PRIMER
PRIMER 6362/CAT 6361 AS 1/1 BV	HSD	5.24	.19	16H	25	AIR	PRIMER
PRO-LINE 4601 WHITE EPOXY/POLYAMIDE PAINT	PRO	4.10	.03	5D	25	AIR	PAINT
PROLITE P-527-66/P-863-66 AS 1/1 BW YELLOW EPOXY/F	ABC	4.01	.02	24H	25	AIR	PRIMER
PRUFCOAT 4000 BLACK EPOXY PAINT/545 RED PRIMER	GRO	9.24	.09	24H	25	AIR	PAINT COMPOSITE
				24H	25	AIR	
PT 401 WHITE PAINT	PTI	3.00	1.00	15M	25	AIR	PAINT
				30M	66	AIR	
				90M	121	AIR	
PT 401/H-11 AS 16/1 BV WHITE PAINT	PTI	1.87	.07	15M	25	AIR	PAINT
				15M	66	AIR	
				1.5H	121	AIR	
PT 401/H11 AS 16/1 BV GLOSSY WHITE EPOXY	PTI	1.05	.10	15M	25	AIR	PAINT
				15M	66	AIR	
				90M	121	AIR	
PT 426 A/B AS 1/1 BV TUF/FILM GLOSSY WHITE EPOXY	PTI	1.89	.14	7D	25	AIR	PAINT
PT 426 A/B AS 1/1 BV TUF/FILM GLOSSY WHITE EPOXY	PTI	1.28	.15	2H	66	AIR	PAINT
PV 100 SILICONE WHITE PAINT	VVP	2.86	.06				PAINT COMPOSITE
PYROMARK STANDARD WHITE SILICONE ON ALUMINUM	TEM	.06	.02				PAINT
PYROMARK STANDARD WHITE SILICONE ON EPOXY	TEM	.40	.03				PAINT
P415A EPOXY PRIMER	ABC	3.97	.10	7D	25	AIR	PRIMER
P527 PRIMER EPOXY/POLYAMIDE	ABC	2.16	.04	15M	25	AIR	PRIMER
				1H	77	AIR	
Q1-2577 CLEAR SILICONE	DCC	2.57	.85	25D	25	AIR	PAINT BASE
Q1-2577 WHITE SILICONE	GSC	1.70	.47	25D	25	AIR	PAINT
R-104 PRIMER/F	LOR	11.00	.01	10D	25	AIR	PRIMER
R-104 PRIMER/F	LOR	8.47	.03	24H	25	AIR	PRIMER
				1H	65	AIR	
RS-12 MICRO SHIELD PAINT	MCC	8.54	2.36	21D	25	AIR	PAINT
RS-12 MICRO SHIELD PAINT ON FOIL	MCC	9.58	4.37	2H	60	AIR	PAINT
RTV 602 764-1A WHITE PAINT FR BATCH 9	GSC	.44	.01	7D	25	AIR	PAINT
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM242 BATCH 5	GSC	.46	.00	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM252 BATCH 3	GEC	.65	.05	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT CN258 BATCH 3	GEC	.41	.03	7D	25	AIR	PAINT BASE
RTV 602/SRC 05/CARBOLAC 1/TOLUENE BLACK PAINT	GSC	1.19	.13	7D	25	AIR	PAINT
RTV 602/SRC 05/ZNO/TOLUENE	GSC	.69	.18	7D	25	AIR	PAINT
RTV 602/SRC 05/ZNO/TOLUENE DEVOL BATCH 4	GSC	.33	.00	7D	25	AIR	PAINT
S-13-G SILICONE WHITE PAINT	ITR	.42	.09	48H	25	AIR	PAINT
				16H	121	E-6	
S-13-G WHITE PAINT STANDARD D236C	ITR	.82	.16	24H	25	AIR	PAINT
S-13-G-LO WHITE PAINT	ITR	.56	.13	48H	25	AIR	PAINT
				24H	93	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
S-13-G-LO WHITE PAINT A/B AS 100/1 BW W/TOLUENE	ITR	.54	.10	7D	25	AIR	PAINT
S-13-G-LO WHITE PAINT E-127 NO PRIMER	ITR	.50	.12				PAINT
S-13-G-LO WHITE PAINT W/PRIMER BATCH E-389	ITR	.37	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-406	ITR	.44	.04				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-497	ITR	.40	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-555	ITR	.47	.03				PAINT
SCHENECTADY VARNISH 170	SCH	1.19	.23	12H	143	AIR	VARNISH
SCOTCHCAST PRIMER XR 5137 A/B AS 5/1 BW THIN COAT	MMM	16.62	.19	24H	25	AIR	PRIMER
SCOTCHCAST XR-5137 PRIMER FOR POLYURETHANE	MMM	8.58	.02	24H	25	AIR	PRIMER
SICON BLACK 7X9055 SILICONE	DEX	6.04	.36	24H	25	AIR	PAINT
SICON BLACK 7X9055 SILICONE	MID	.98	.04	30M	177	AIR	PAINT
SICON BLACK 7X933/S744 AS 4/1 BV	MID	1.39	.62	30M	204	AIR	PAINT
SICON R 8X929 BLACK PAINT	MID	.05	.00	15M	510	AIR	PAINT
SICON 3X258 LEAFING ALUMINUM	MID	4.02	1.15	3H	71	AIR	PAINT
SICON 3X258 LEAFING ALUMINUM	MID	.72	.17	48H	25	AIR	PAINT
				48H	99	AIR	
SICON 3X258 LEAFING ALUMINUM	MID	.70	.11	48H	25	AIR	PAINT
				96H	71	E-3	
SICON 3X258 LEAFING ALUMINUM	MID	.79	.09	48H	25	AIR	PAINT
				8D	71	E-3	
SILCOSET 152 PRIMER/F	ICA	3.30	.09	7D	25	AIR	PRIMER
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC	.38	.06	7D	25	AIR	PAINT
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC	.40	.05	2D	25	AIR	PAINT
				24H	60	AIR	
SPACE GARD 4-B-33 FLAT BLACK COATING	DEX	8.95	.06	5D	25	AIR	PAINT
SPACE GARD 4-B-33 OVER RANDOLPH PRIMER T54/F	DEX	1.78	.02	2H	25	AIR	PAINT COMPOSITE
				96H	69	AIR	
SPACE GARD 4-B-33 OVER RANDOLPH PRIMER T54/F	DEX	.79	.03	24H	100	E-2	PAINT COMPOSITE
SPEREX SP-101 VHT HIGH TEMP COATING-WHITE SILICONE	SPX	3.44	.83	7D	25	AIR	PAINT
SPEREX SP-101 VHT HIGH TEMP COATING-WHITE SILICONE	SPX	.29	.01	15M	25	AIR	PAINT
				15M	121	AIR	
				1H	316	AIR	
SR 240 SILICONE LEAFING ALUMINUM	GEC	.58	.19	48H	25	AIR	PAINT
				48H	99	AIR	
SR 240 SILICONE LEAFING ALUMINUM	GEC	.74	.24	48H	25	AIR	PAINT
				96H	71	E-3	
SR 240 SILICONE LEAFING ALUMINUM	GEC	.72	.18	48H	25	AIR	PAINT
				8D	71	E-3	
STAG SOLITE 20678 OVER STAG PREVOX 1766 PRIMER/F	HAB	4.27	.36	7D	25	AIR	PAINT SYSTEM
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	DES	3.97	.13	48H	75	E-6	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	DES	1.55	.15	48H	100	AIR	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	DES	1.51	.19	72H	100	AIR	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	DES	5.03	.21	7D	25	AIR	PRIMER
				30M	74	AIR	
THERMELEC G 3334 BLACK ANTI-TRACK COATING	BAL	8.55	.36	5M	93	AIR	PAINT
THIXON AB-894 URETHANE PRIMER - BLUE	DAY	.75	.12	1H	125	AIR	PRIMER
THIXON Q-317 URETHANE PRIMER - BROWN	DAY	5.96	.79	1H	60	AIR	PRIMER
TILE COTE 1201 A/B AS 1/1 BV WHITE EPOXY PAINT	STA	8.08	.09	1H	25	AIR	PAINT
				2H	60	AIR	
TORQUE-SEAL FLUORESCENT LACQUER	CPC	10.16	1.08	7D	25	AIR	LACQUER
VARNISH STERLING THERMOPOXY T-653-LBH	STV	1.82	.31	8H	135	AIR	VARNISH
VARNISH STERLING THERMOPOXY T-653-LBH	STV	.70	.02	4H	180	AIR	VARNISH
				24H	25	E-5	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VINSYNITE AU-1/BT 215 AS 1/2 BV	SPC	6.86	.01	24H	25	AIR	PRIMER
Y-210 VARNISH - THERMODUR	STV	1.27	.24	20H	149	AIR	VARNISH
Y-210 VARNISH - THERMODUR	STV	.56	.07	20H	149	AIR	VARNISH
				24H	125	E-6	
Z 93 POTASSIUM SILICATE ZNO2 WATER BASE	GRU	2.54	.00	?	25	AIR	PAINT
Z-6040 SILANE PRIMER	DCC	7.97	1.46	24H	25	AIR	PRIMER
ZINC ORTHOTITINATE WHITE PAINT (ZOT)	ITR	2.48	.00	10D	25	AIR	PAINT

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABLEBOND 731-1 A/B AS 100/47 BW YELLOW EPOXY	AAC	.92	.11	3H	79	AIR	POTTING
ABLESTIK 857-1 POLYURETHANE	AAC	1.08	.10	4H	71	AIR	POTTING
ABLETHERM 7-2 FILLED SILICONE	AAC	.29	.10	4H	74	AIR	POTTING
ABLETHERM 7-5 A/B AS 100GM/14 DROPS FILLED SILICONE	AAC	.68	.19	4H	74	AIR	POTTING
ABLETHERM 7-5 A/B AS 100GM/7 DROPS FILLED SILICONE	AAC	.51	.28	24H	65	E-6	POTTING
ABLETHERM 7-5 OXIDE FILLED SILICONE	AAC	.31	.14	8H	80	AIR	POTTING
ABLETHERM 908-3 CERAMIC FILLED SOLITHANE 113/300/T12	AAC	.16	.01	4H	74	AIR	POTTING
ACTON EPOXY - CLEAR	ACT	1.32	.00				POTTING
ADIPRENE L100/SOLITHANE C-300/CRBN BLK AS 100/40/1.4	DUP	.74	.07	48H	50	AIR	POTTING
ALLACAST 1776 POTTING CPND FOR OPTICAL COMPONENTS	BAC	.25	.01	24H	25	AIR	POTTING
ARALDITE AV100/HV100 AS 1/1 BW EPOXY	CIB	.57	.15	3H	60	AIR	ADH POTTING
ARALDITE AW134B/HY994 AS 100/40 BW EPOXY	CIB	1.59	.04	24H	25	AIR	POTTING
ARALDITE CY179/906/065/MS-XL EPOXY	CIB	.16	.00	16H	93	AIR	POTTING
ARALDITE CY236/HV988 AS 10/3 BW EPOXY	CIB	1.14	.07	3H	70	AIR	POTTING
ARALDITE MY750/HT972/MARBLE FLOUR AS 100/27/100 BW	CIB	.26	.01	3H	80	AIR	POTTING
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	CIB	.27	.03	45M	100	AIR	ADH POTTING
ARALDITE 6004/508/CABOSIL/DP-138/951/PC-1244 EPOXY	CIB	3.74	.07	4H	25	AIR	POTTING
				5H	60	AIR	
A8-4219/HD-3404 AS 100/9 BW EPOXY	HYS	2.96	.06	7D	25	AIR	POTTING
BACON IND IMPREGNANT NO 2	BAC	.27	.01	4H	71	AIR	POTTING
				8H	100	AIR	
BAKER POLYURETHANE SYSTEM 65	BAK	.28	.03	4H	25	AIR	CONF COAT-POT
				16H	80	AIR	
BAKER POLYURETHANE SYSTEM 65	BAK	.26	.01	16H	60	AIR	CONF COAT-POT
BR-626 ONE COMPONENT HEAT CURING EPOXY	ACC	.72	.01	1H	121	AIR	POTTING
BSL 201 A/B AS 11/1 BW	CIB	2.59	.03	16H	25	AIR	POTTING
BSL 201 A/B AS 11/1 BW	CIB	1.46	.05	30M	100	AIR	POTTING
				8H	25	AIR	
BSL 206 BLACK EPOXY	CIB	1.42	.15	1H	120	AIR	POTTING
				2.5H	40	AIR	
				1H	120	AIR	
BSL 208 EPOXY	CIB	.82	.11	1H	164	AIR	POTTING
BSL 308 EPOXY	CIB	.49	.10	1H	175	AIR	POTTING
C-18F A/B AS 4/5 BW W/1% H4-3441 BLACK EPOXY	HYS	.74	.06	4H	130	AIR	POTTING
CAPCURE AF/2334-1-145-I AS 100/23 BW EPOXY	DSH	.92	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CAPCURE AF/2334-1-145-II AS 100/23 BW EPOXY	DSH	.97	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CAPCURE AF/2334-1-145-III AS 100/34.5 BW EPOXY	DSH	1.18	.01	3H	100	AIR	POTTING
				4H	150	AIR	
CASTALL CX2303B CLEAR SILICONE	CAS	1.61	.57				POTTING
CEBDA 60 POLYURETHANE	CEL	1.08	.24				POTTING
CEBDA 70 POLYURETHANE	CEL	1.07	.36				POTTING
CF 2500 A/B AS 10/1 BW CLEAR SILICONE	MCG	.13	.04	14D	25	AIR	POTTING
CF 2500-1 A/B AS 10/1 BW CLEAR SILICONE	MCG	.05	.00	7D	25	AIR	POTTING
CF 3003 EPOXY FR HUGHES CONNECTOR 138C320 H01	HAC	.43	.04				POTTING
CHEMLOK 205/CHEMLOK 220 AS 1/1 BV AS FREE FILM	HCC	5.95	.03	30M	25	AIR	POTTING PRIMER
				30M	60	AIR	
CHEMLOK 205/CHEMLOK 220 AS 1/1 BV ON FOIL	HCC	6.89	.01	30M	25	AIR	POTTING PRIMER
				30M	60	AIR	
CI-6/BA-42 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.83	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.56	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.64	.02	7D	25	AIR	IMPREGNANT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
COLAD 984 A/B AS 3/1 BV WHITE QUICK SET EPOXY	CCD	1.19	.02				POTTING
COLAD 984 A/B AS 3/1 BV WHITE QUICK SET EPOXY	CCD	.84	.01	16H	100	AIR	POTTING
CONATHANE EN 20 A/B AS 10/17 BW POLYURETHANE	CON	.67	.05	7D	25	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW	CON	.33	.02	24H	60	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.27	.01	10H	60	AIR	POTTING
				24H	60	E-3	
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.45	.03	10D	25	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.43	.02	24H	55	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.38	.01	24H	50	AIR	POTTING
CONATHANE EN-12 A/B AS 100/55 BW	CON	.43	.01	48H	50	AIR	POTTING
CONATHANE EN-12 A/B AS 71.3/75 BW BUTADIENE URETHANE	CON	.44	.02	12H	38	AIR	POTTING
				24H	55	AIR	
CONATHANE EN-20 A/B AS 10/17 BW	CON	.55	.02	8H	60	AIR	POTTING
CONATHANE EN-4 A/B AS 100/17.5 BW 2% CARBON BLACK	CON	1.15	.49	24H	80	AIR	POTTING
CONATHANE EN-5 A/B AS 100/17.5 BW POLYURETHANE	CON	.78	.02	7D	25	AIR	POTTING
CONATHANE EN-7 A/B AS 100/17.5 BW POLYURETHANE	CON	.32	.01	20H	25	AIR	POTTING
				24H	60	AIR	
CONATHANE EN-9 POLYURETHANE	CON	.35	.00	24H	65	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.37	.00	16H	85	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.32	.00	8H	95	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.39	.00	30M	25	AIR	POTTING
				8H	93	AIR	
CONOPTIC EN-30 A/B AS 50/22.75 BW CLEAR URETHANE	CON	.74	.01	16H	60	AIR	POTTING
CORFIL 615/DTA AS 100/7 BW EPOXY	ACC	2.83	.10	24H	25	AIR	POTTING FOAM
CPR 23-2A/2B AS 23.4/9.9 BW	UJC	1.04	.00	18H	25	AIR	POTTING
				5H	93	AIR	
CREST 7340/7109/7120 EPOXY	CPC	.35	.04	2H	100	AIR	POTTING
				2H	154	AIR	
				2H	204	AIR	
CV-2500 A/B AS 10/1 BW CLEAR SILICONE	MCG	.12	.02	7D	25	AIR	POTTING
CV-2944 A/B AS 10/1 BW WHITE THERM COND SILICONE	MCG	.58	.04	7D	25	AIR	THERMAL POTTING
CV-2945 A/B AS 15/1 BW WHITE THERM COND SILICONE	MCG	.19	.03	7D	25	AIR	THERMAL POTTING
CV-2946 A/B AS 15/1 BW WHITE THERM COND SILICONE	MCG	.07	.01	7D	25	AIR	THERMAL POTTING
C15-015 EPOXY	HYS	5.69	.00				POTTING
C2-4259/3401	HYS	.55	.01				POTTING
C9 F700 EPOXY	HYS	.16	.00	4H	77	AIR	POTTING
C9-4183/H2-3561/PC-1244 EPOXY	HYS	.50	.00	24H	25	AIR	POTTING
C9-4190/H8-3563 AS 10/13 BV RED FLEX&BLE EPOXY	HYS	.43	.03	3H	125	AIR	POTTING
				25H	125	AIR	
C9-4198/H2-3561 AS 100/15 BW EPOXY	HYS	.38	.09	8H	60	AIR	POTTING
C9-4207/HD-3561 AS 100/15 BW BLUE EPOXY	HYS	1.48	.04	3H	60	AIR	POTTING
C9-4207/HD-3561 AS 100/15 BW BLUE EPOXY FROM CONN	HYS	1.30	.04	3H	60	AIR	POTTING
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	HYS	.46	.00	8H	25	AIR	POTTING
C9-5340/3426 AS 100/8.3 BW EPOXY	HYS	.60	.05	8H	25	AIR	POTTING
DAPON 35 SEALANT/IMPREGNANT	FMC	13.98	.05	1H	149	AIR	IMPREGNANT
				6H	121	E-2	
DC 3101 LOW DENSITY SYNTACTIC FOAM A/B AS 10/1 BW	DCC	1.25	.30	2H	70	AIR	POTTING FOAM
DC 3110/F AS 10% CAT F	DCC	.96	.25	30D	25	AIR	ENCAPS
DC 3110/S AS 10% CAT S	DCC	1.13	.34	30D	25	AIR	ENCAPS
DC 3116/CAT S/T-12 AS 10/1 BW/.16% T-12	DCC	1.46	.47	4H	66	AIR	ENCAPS
DC 3118 DIMETHYL SILOXONE	DCC	.92	.32				ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.20	.02	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.16	.00	7D	25	AIR	POTTING-ENCAPS

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.29	.00	24H	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2134-16	DCC	.12	.00	7D	25	AIR	POTTING-ENCAPS
DC 93-500 FM 029159 FEB 79	DCC	.17	.02				POTTING
DC 93-500 FM 059240 MAY 79	DCC	.39	.18				POTTING
DC 93-500 FM 068949 JUN 78	DCC	.28	.12				POTTING
DC 93-500 FM 128101 DEC 78	DCC	.24	.10				POTTING
DC 96-052 A/B AS 10/1 BW	DCC	1.72	.24				POTTING
DELTA CAST 153-K-A EPOXY KIT 153/RTA2 AS 20/1.5 BW	WAK	1.62	.01	8H	25	AIR	POTTING
				4D	25	AIR	
DER 332/MDA/LITHAFRAX/P-200 MODIFIED GRAY	DOW	.50	.00	18H	65	PSI	POTTING
DER 332/MDA/LITHAFRAX/P-200/CARBON BLACK MODIFIED	DOW	.48	.00	18H	65	PSI	POTTING
DER 332/TETA AS 10/1 BW EPOXY	DOW	.54	.00				POTTING
DER 332/732/AEP/SR-82 AS 60/40/15/4 DROPS SR-82	DOW	1.34	.08	2H	60	AIR	POTTING
DER 332/732/AEP/SR-82 AS 60/40/16/4 DROPS SR-82	DOW	1.32	.07	12H	35	AIR	POTTING
				2H	60	AIR	
				4H	85	AIR	
				1H	60	AIR	
DER 332LC/HV AS 100/18 BW EPOXY	DOW	.33	.01	5H	25	AIR	POTTING
				12H	90	AIR	
				24H	90	AIR	
DOLPHON CB-1078/RE-2000 AS 20/1 BW BLACK EPOXY	JCD	2.09	.01	30D	25	AIR	POTTING
DOLPHON CR-1050/RE-2010 AS 20/7 BW	JCD	2.80	.01	3D	25	AIR	POTTING
E 788 POTTING RESIN	USP	1.25	.01	4H	177	AIR	POTTING
E 876 EPOXY	USP	.88	.00	2H	121	AIR	POTTING
EA 9309 A/B AS 100/23 BW EPOXY LOT FQAS 90551	HYS	3.27	.02	24H	25	AIR	POTTING
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	HYS	.95	.03	7D	25	AIR	POTTING
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	HYS	.99	.02	24H	25	AIR	POTTING
				4H	71	AIR	
EA 9559 BROWN EPOXY	HYS	.80	.00	2H	177	AIR	POTTING
EC 1386 ONE COMPONENT EPOXY	MMM	.65	.07	45M	177	AIR	POTTING
EC 1663 A/B AS 1/10 BW SILICONE SEALANT	MMM	1.02	.19	7D	25	AIR	POTTING
EC 1663 A/B AS 1/10 BW SILICONE SEALANT	MMM	.94	.22	30D	25	AIR	POTTING
ECCOBOND 24 A/B AS 100/28 BW W/4-5% BW BLUE PIGMENT	EMC	1.69	.43	7D	25	AIR	POTTING
ECCOBOND 24 A/B AS 30/8 BW CLEAR EPOXY	EMC	1.31	.13	7D	25	AIR	POTTING
ECCOBOND 45LV/15LV AS 4/1 BW EPOXY	EMC	2.21	.73	24H	50	AIR	POTTING
ECCOBOND 582/CAT 9 AS 100/7 BW EPOXY	EMC	5.38	.02	16H	25	AIR	POTTING
ECCOFOAM FP 12-10 A/B AS 100/12 BW POLYURETHANE FOAM	EMC	3.54	.05	24H	40	AIR	FOAM
ECCOFOAM FP 12-10 A/B AS 100/12 BW POLYURETHANE FOAM	EMC	3.45	.06	24H	40	AIR	FOAM
				48H	40	E-5	
ECCOFOAM FPH 12-10H A/B AS 4/3 BW POLYURETHANE FOAM	EMC	2.10	.03	24H	40	AIR	FOAM
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	EMC	.99	.07	8H	60	AIR	FOAM
				12H	60	E-4	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	EMC	1.08	.10	8H	60	AIR	FOAM
				63H	60	E-4	
ECCOFOAM FPH/12-4H POLYURETHANE FOAM	EMC	.61	.12	72H	60	AIR	FOAM
ECCOFOAM FPH/12-4H POLYURETHANE FOAM	EMC	.68	.08	48H	100	AIR	FOAM
ECCOFOAM SH 4#/CU FT POLYURETHANE FOAM	EMC	.78	.00				FOAM
ECCOFOAM SH 8#/CU FT POLYURETHANE FOAM	EMC	1.33	.08				FOAM
ECCOSEAL W-19/CAT 11 AS 100/16 BW EPOXY - AMBER	EMC	7.38	.34	16H	77	AIR	POTTING
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW BLACK EPOXY	EMC	.27	.01	4H	71	AIR	POTTING
				1H	177	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOXY	EMC	.41	.00	4H	71	AIR	POTTING
				16H	130	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOX●	EMC	.40	.00	4H	71	AIR	POTTING
				16H	177	AIR	
ECCOSEAL 1218 A/B AS 10/7 BW EPOXY	EMC	2.04	.35	12H	125	AIR	POTTING
ECCOSIL 4640/CAT 25 AS 0.3% CAT SYNTACTIC FOAM	EMC	1.03	.27	16H	25	AIR	FOAM
ECCOSIL 4640/CAT 50 AS 0.3% CAT SYNTACTIC FOAM	EMC	.91	.24	8H	66	AIR	POTTING
				8H	66	E-6	
ECCOSIL 4850/CAT 25 AS 100/0.5 BW SILICONE	EMC	1.28	.35	16H	25	AIR	POTTING
ECCOSIL 4850/CAT 25 AS 100/0.5 BW SILICONE	EMC	1.21	.34	2H	66	AIR	POTTING
				1H	121	AIR	
ECCOSIL 4954/CAT 50 AS 10/0.01 BW FILLED SILICONE/F	EMC	.34	.11	14D	25	AIR	POTTING
ECCOSIL 4954/CAT 50 AS 10/0.01 BW/PRIMER S-11/F	EMC	.30	.11	14D	25	AIR	POTTING
ECCOSIL 4954/CAT 50 AS 10/0.01 BW/PRIMER S-11/F	EMC	.24	.10	7D	25	AIR	POTTING
				48H	60	AIR	
ECCOTHANE CPC-18 A/B AS 8/1 BW/CABOSIL AMBER	EMC	1.12	.12	16H	85	AIR	POTTING
ECCOTHANE CPC-18 A/B AS 8/1 BW/CABOSIL/BLUE PIGMEMT	EMC	1.23	.16	16H	85	AIR	POTTING
EE 0067/HD 3561 AS 100/21 BLACK EPOXY	HYS	1.08	.02	8H	38	AIR	POTTING
EMC 90 - BLACK	PAC	.60	.01	5M	150	AIR	POTTING
EP 4100 SINGLE COMPONENT EPOXY	IRC	1.04	.14	6H	125	AIR	POTTING
EPOCAST N4E-053/CAT 9816	FPI	.07	.02	24H	25	AIR	POTTING
				2H	93	AIR	
EPOCAST 202-100	FPI	5.24	.01	5H	66	AIR	POTTING
EPOCAST 202-60	FPI	3.54	.00	5H	66	AIR	POTTING
EPOCAST 202/9615 AS 10/8 BW	FPI	5.69	.02	48H	25	AIR	POTTING
EPOCAST 8219 A/B AS 5/1 BW SYNTACTIC EPOXY FOAM	FPI	2.94	.10	48H	25	AIR	POTTING FOAM
				4H	80	AIR	
				3H	93	AIR	
EPON 815/U AS 4/1 BW EPOXY	SHL	1.14	.01	4H	66	AIR	POTTING
EPON 815/V 140 AS 50/50 BW EPOXY	SHL	.70	.06	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140 AS 65/35 BW EPOXY	SHL	.40	.02	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140/SILFLAKE 135 AS 5/5/38 BW	GSC	.65	.03	7D	25	AIR	COND POTTING
EPON 825/V 140 AS 7/6 BW EPOXY	SHL	.32	.02	2H	75	AIR	POTTING
EPON 826/871/Z AS 100/60/25.4 BW EPOXY	ITT	.64	.01	2H	80	AIR	POTTING
				4H	130	AIR	
EPON 828/DER 732/CAB-O-SIL/AEP	SHL	1.46	.06	2H	74	AIR	POTTING
EPON 828/EM 308 AS 2/1 BW EPOXY	SHL	.77	.06	48H	25	AIR	POTTING
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY	SHL	.34	.00	1H	100	AIR	POTTING
				48H	70	AIR	
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY/SAND	SHL	.04	.00	1H	100	AIR	POTTING
				48H	70	AIR	
EPON 828/U AS 4/1 BW CLEAR EPOXY	SHL	1.03	.26	2H	55	AIR	POTTING
EPON 828/VERSAMID 125 AS 50/50 BW EPOXY	SHL	.79	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 60/40 BW EPOXY	SHL	.46	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 65/35 BW EPOXY	SHL	.55	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 66/33 BW EPOXY	SHL	.59	.05	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 70/30 BW EPOXY	SHL	.74	.19	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 45/55 BW EPOXY	SHL	1.28	.05	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.86	.03	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.86	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 60/40 BW EPOXY	SHL	.43	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 65/35 BW EPOXY	SHL	.30	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 66/33 BW EPOXY	SHL	.26	.00	7D	25	AIR	POTTING

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.19	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/B40A MICROBALLOONS	GSC	.61	.03	4H	25	AIR	POTTING
				90M	126	AIR	
EPON 828/VERSAMID 140/B40A MICROBALLOONS/CABOSIL M5	GSC	1.08	.02	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/CARBOLAC/B-22A BUBBLES	SHL	1.74	.19	16H	25	AIR	POTTING
				2H	66	AIR	
EPON 828/VERSAMID 140/CARBOLAC/GLASS BEADS	SHL	1.80	.09	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/XYLENE/MIBK	SHL	6.05	.04	7D	25	AIR	POTTING PRIMER
EPON 828/871/AEP AS 35/65/15.5 BW	SHL	1.01	.05	2H	42	AIR	POTTING
				72H	37	AIR	
				4D	25	AIR	
EPON 828/871/AEP AS 40/60/15.5 BW	SHL	.46	.02	16H	65	AIR	POTTING
EPON 828/871/AEP AS 40/60/15.5 BW	SHL	1.16	.08	7D	25	AIR	POTTING
EPOXI-PATCH KIT 56C WHITE EQUAL LENGTHS FR TUBES	HYS	.34	.02	6H	25	AIR	POTTING
EPOXY 24C/BA-45 AS 100/6 BW BLACK	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-42 AS 100/6 BW RED	BAC	.65	.27	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-42 AS 150/9 BW RED	BAC	.53	.18	8H	82	AIR	POTTING
				16H	100	AIR	
EPOXY 24F/BA-45 AS 100/6 BW BLACK	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-45 AS 100/6 BW RED	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 71B PRE-MEASURED MIX PKG	EPX	.97	.02	30M	81	AIR	POTTING
EPOXYLITE 6203 A/B AS 2/1 BW EPOXY	EPC	.45	.03	4H	121	AIR	POTTING
ER 2600 A/B AS 10/1 BW CLEAR SILICONE	FOR	1.07	.47	7D	25	AIR	POTTING
ER 2600 A/B AS 10/1 BW CLEAR SILICONE	FOR	1.01	.47	7D	25	AIR	POTTING
				6H	60	AIR	
				2H	100	AIR	
ER-2287 A/B AS 10/1 BW BLUE EPOXY RUBBER	FOR	3.18	.62	24H	25	AIR	POTTING
FELDEX R3 CLEAR POLYURETHANE	EMI	1.52	.26	16H	40	AIR	POTTING
FLUORINATED ACRYLATE	NRL	.12	.00				POTTING
FLUORINATED EPOXIDE	NRL	.59	.00				POTTING
FORMULATION E EPOXY	GEV	2.43	.13	7D	25	AIR	POTTING
FR-8136-W A/B AS 2/1 BW LOW DENSITY EPOXY - CREAM	FBC	6.35	2.80	24H	25	AIR	POTTING
FULTON 404 ACETAL TEFLON 80/20	LNP	.52	.01				POTTING
GENEPOXY 190/VERSAMID 140 AS 3/2 BW AMBER EPOXY	GMC	.24	.01	12H	25	AIR	POTTING
				2H	60	AIR	
HUMISEAL 2B74 A/B AS 100/85 BW POLYURETHANE	CTC	1.12	.05	24H	25	AIR	POTTING
HUMISEAL 2B74 A/B/CABOSIL AS 15/10/1.75 BW URETHANE	CTC	.58	.04	14D	25	AIR	POTTING
HY-MAT 7534 MOLDED GRAPHITE/EPOXY	FIB	.47	.00	3H	177	PSI	POTTING
HYDANTOIN TC-1-149-1 LIGHT GRAY EPOXY	WEI	.36	.00	16H	135	AIR	POTTING
				72H	150	AIR	
HYSOL 0025 A/B AS 1/1 BW	HYS	.97	.03	24H	50	AIR	POTTING
INSULBOND 810/INSULCURE 24 AS 4/3 BW BLACK EPOXY	PSL	1.22	.06	7D	25	AIR	POTTING
INSULCAST 3-195-1 A/B AS 1/1 BW	PSL	.18	.00	2H	100	AIR	POTTING
				1H	125	AIR	
INSULSTRUC P5003-FR22 GLASS FILL THERMOSET POLYESTER	CCL	.56	.02				ENCAPSULANT
LCA4/ACT BA5 A/B AS 100/6 BW EPOXY ENCAPSULANT	BAC	.12	.00	48H	56	AIR	POTTING
				16H	100	AIR	
LOCTITE PMS-10 IMPREG RESIN CLEAR	LTC	3.40	.11	3D	25	AIR	IMPREGNANT
				1H	65	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LOCTITE PMS-10 PWDR METAL SEALANT	LTC	3.24	.20				IMPREGNANT
LOCTITE PMS-10E PWDR METAL SEALANT	LTC	3.80	.31				IMPREGNANT
LOCTITE PMS-50E PWDR METAL SEALANT	LTC	3.97	.31				IMPREGNANT
LOCTITE PMS-90E PWDR METAL SEALANT	LTC	9.93	.56				IMPREGNANT
MERECO 4501 A/B AS 1/1 BW CLEAR FLEXIBLE EPOXY	MEP	6.59	4.06	24H	85	AIR	POTTING
P-82 EPOXY	BAC	.16	.03	7H	125	AIR	POTTING
P-82F CERAMIC FILLED RED EPOXY	BEN	.34	.00	3H	71	AIR	POTTING
				16H	100	AIR	
PC 12-007 A/B AS 5/4 BW	HYS	6.17	.01	16H	80	AIR	POTTING
PC 12-007 A/B AS 5/4 BW	HYS	4.97	.00	12H	121	AIR	POTTING
PC 22 A/B AS 3/1 BW	HYS	.75	.00	8H	66	AIR	POTTING
PD 200-16 FOAMED RTV 560	GEC	1.12	.49	10H	93	AIR	POTTING
				10H	177	AIR	
PD 200-16 FOAMED RTV 560	GEC	.03	.02	10H	93	AIR	POTTING
				10H	177	AIR	
				24H	177	E-6	
POLYETHYLENE POTTING CARTRIDGE	USE	1.10	.35				POTTING
PR 1524 A/B AS 26/100 BW POLYURETHANE	PRC	.82	.09	10H	82	AIR	POTTING
PR 1525 A/B AS 8/25 BV POLYURETHANE	PRC	.64	.11	16H	82	AIR	POTTING
PR 1527 A/B AS 26/100 BW POLYURETHANE	PRC	.92	.10	5D	25	AIR	POTTING
				72H	51	E-6	
PR 1538 A/B AS 32/100 BW POLYURETHANE	PRC	1.06	.00	20H	82	AIR	POTTING
PR 1538 A/B AS 32/100 BW POLYURETHANE	PRC	.97	.02	20H	70	AIR	POTTING
PR 1546L A/B AS 40/100 BW POLYURETHANE THICK BLOCK	PRC	.67	.06	24H	25	AIR	POTTING
				84H	82	AIR	
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	PRC	.72	.01	7D	25	AIR	POTTING
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	PRC	.74	.02	24H	85	AIR	POTTING
				72H	100	E-5	
PR 1564 A/B AS 7.7/100 BW POLYURETHANE	PRC	.86	.00	48H	25	AIR	POTTING
PR 1570	PRC	.35	.03	24H	25	AIR	POTTING
				16H	82	AIR	
				16H	82	E-6	
PR 1570 A/B AS 1/4 BW POLYURETHANE	PRC	.34	.06	8H	82	AIR	POTTING
PR 1570 A/B AS 1/4 BW POLYURETHANE	PRC	1.49	.30	72H	60	AIR	POTTING
PR 1574 A/B AS 18/100 BW POLYURETHANE	PRC	.40	.04	25H	25	AIR	POTTING
				19H	82	AIR	
PR 1574 A/B AS 18/100 BW POLYURETHANE	PRC	.54	.02	25H	25	AIR	POTTING
				31H	74	AIR	
PR 1592 A/B AS 53/100 BW POLYURETHANE	PRC	1.01	.06	5D	25	AIR	POTTING
				5.5H	50	AIR	
				15H	65	AIR	
				17H	75	AIR	
PR 1930-2 A/B AS 10/1 BW SILICONE	PRC	1.02	.27	14D	25	AIR	POTTING
PROSEAL 799 A/B AS 100/41 BW PURPLE POLYURETHANE	CPT	9.97	6.71	12H	82	AIR	POTTING
Q3-6567 A/B AS 1/1 BW BLACK SILICONE	DCC	.95	.41	24H	80	AIR	ENCAPSULANT
R-179 CYCLOALIPHATIC EPOXY UNFILLED	CIB	.81	.03	30M	160	AIR	POTTING
R-179 CYCLOALIPHATIC EPOXY/FILLED	CIB	1.17	.00	30M	160	AIR	POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 274	MCG	.34	.05	7D	25	AIR	POTTING
RB 10-51 A/B AS 2/3 BW FLEXIBLE EPOXY	ALL	1.97	.38	?	25	AIR	POTTING
RB 10-51 A/B AS 2/3 BW FLEXIBLE EPOXY	ALL	1.98	.42	8H	25	AIR	POTTING
				4H	52	AIR	
				24H	60	E-2	

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RB 8-1338 A/B AS 100/65 BW POLYURETHANE	ALL	.51	.04	8H	52	AIR	POTTING
				24H	60	E-2	
RB 8-1338 A/B AS 50/34 BW POLYURETHANE	ALL	.75	.00	7D	25	AIR	POTTING
RESINOL RTC A/B AS 100/6 BW	LTC	1.96	.02	16H	25	E-2	POTTING
RESINOL 90C A/B AS 100/6 BW	LTC	6.99	.04	1H	85	E-2	POTTING
RESINOL 90C A/B AS 100/6 BW	LTC	8.79	.07	15M	90	AIR	POTTING
RF 1730 A/B AS 1/1 BW POLYURETHANE (NO MOCA OR TDI)	REF	.85	.19	16H	25	AIR	POTTING
				24H	65	AIR	
RTV 11/T-12 AS 0.6% T-12 WHITE SILICONE	GEC	.67	.25	40H	25	AIR	POTTING
				72H	150	AIR	
RTV 11/T-12 AS 100/2 BW SILICONE	GEC	1.08	.37	24H	25	AIR	POTTING
				24H	130	AIR	
RTV 12 A/B AS 20/1 BW CLEAR BLUE SILICONE	GEC	1.37	.58	3H	66	AIR	POTTING
RTV 511 0.5% BW CAT DEVOL AT 160C LOT JN 170	GSC	.39	.05	7D	25	AIR	ADHESIVE
RTV 511/CAT 9811 AS 6.0% BW CAT GREEN SILICONE	GEC	3.59	.64	30D	25	AIR	POTTING
RTV 566 0.1% BW CAT SILICONE LOT GJ 124	GEC	.13	.01	7D	25	AIR	POTTING
RTV 566 0.175% BW CAT/CAB-O-SIL	GEC	.12	.02				POTTING
RTV 566 0.2% BW CAT SILICONE	GEC	.23	.03	24H	25	AIR	POTTING-ADH
RTV 566 0.5% BW CAT SILICONE	GEC	.41	.01	24H	25	AIR	POTTING-ADH
RTV 567 0.3% BW CAT SILICONE	GEC	.18	.01	12D	25	AIR	POTTING-ADH
RTV 601/PRIMER 1200/DC 200 FLUID	GEC	3.43	1.54	2H	40	AIR	POTTING
				16H	25	AIR	
				1H	50	AIR	
RTV 602/SRC 04 AS 100/1 BW	GSC	2.23	.56	24H	60	AIR	POTTING
RTV 602/SRC 05 AS 0.1% CAT LOT DK 263 VIRGIN RESIN	GEC	1.96	.98	16H	60	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT FF272 BATCH 1	GEC	.50	.11	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT LOT DK 263 VIRGIN RESIN	GEC	2.07	.89	5D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.4% CAT/CABOSIL LOT BM242 BATCH 5	GSC	.70	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW CLEAR SILICONE	GEC	.91	.37	4H	65	AIR	POTTING
				72H	150	AIR	
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT HD183	GSC	.15	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210	GSC	.13	.01	7D	25	AIR	ENCAPSULANT
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210 BTCH4	GSC	.19	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH1	GSC	.17	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH2	GSC	.15	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH3	GSC	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH6	GSC	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH7	GSC	.20	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 1	GSC	.15	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 2	GSC	.21	.10	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 1	GEC	.16	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 2	GEC	.21	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 4	GSC	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 5	GSC	.71	.41	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 6	GSC	.11	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 7	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 8	GSC	.15	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 9	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH11	GSC	.20	.09	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 1	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 2	GSC	.16	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 3	GSC	.20	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 4	GSC	.20	.09	7D	25	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 5	GSC	.24	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 6	GSC	.25	.13	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 7	GSC	.21	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 7	GSC	.22	.12	85D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 8	GSC	.24	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 9	GSC	.28	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH10	GSC	.18	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH101	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH102	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH103	GSC	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH11	GSC	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH12	GSC	.13	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH13	GSC	.19	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH14	GSC	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH15	GSC	.14	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH16	GSC	.15	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH17	GSC	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH18	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH19	GSC	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH20	GSC	.18	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH21-7	GSC	.28	.14	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH22	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH23	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH24-7	GSC	.36	.16	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH25-7	GSC	.25	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BCH21-7/24-7	GSC	.21	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 1	GSC	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 2	GSC	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 3	GSC	.11	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 4	GSC	.13	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 5	GSC	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 1	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 2	GSC	.10	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EG253 BATCH 1	GSC	.22	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 125C	GSC	.12	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 150C	GSC	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 VIRGIN RESIN	GEC	1.43	.72	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT KA210	GEC	1.33	.62	7D	25	AIR	POTTING
RTV 615 A/B AS 9/1 BW DEVOL AT 100C	GSC	.72	.41	7D	25	AIR	POTTING
RTV 615 A/B AS 9/1 BW DEVOL AT 150C	GSC	.16	.02	7D	25	AIR	POTTING
RTV 615 SILICONE	GEC	1.82	.83				POTTING-ENCAPS
RTV 616 A/B AS 10/1 BW BLACK SILICONE	GEC	1.41	.66	1H	100	AIR	POTTING
RTV 616 A/B AS 10/1 BW DEVOL A LOT EC174 BATCH 1	GSC	.27	.12	7D	25	AIR	POTTING
RTV 616 A/B AS 10/1 BW DEVOL LOT DC170 BATCH 1	GSC	.30	.03	7D	25	AIR	POTTING
RTV 619 A/B AS 10/1 BW SILICONE	GEC	1.30	.50	24H	25	AIR	POTTING
RTV 630 GRAY SILICONE FROM COMPONENT	GEC	.42	.23	250H	125	AIR	POTTING
RTV 655 A/B AS 10/1 BW DEVOL AT 125C LOT KF084	GSC	.39	.05	7D	25	AIR	ENCAPSULANT
RTV 655 A/B AS 10/1 BW DEVOL LOT KF084 BATCH 1	GSC	.51	.08	7D	25	AIR	POTTING
RTV 655 A/B AS 10/1 BW DISTILL @ 177C @ VAC #C82-1	GEV	.96	.31	4H	82	AIR	POTTING
RTV 655 A/B AS 10/1 BW DISTILL @ 177C @ VAC #C82-2	GEV	.63	.19	4H	82	AIR	POTTING
RTV 655 A/B AS 10/1 BW VIRGIN RESIN LOT KF084	GEC	3.55	.96	7D	25	AIR	ENCAPSULANT
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GEC	1.42	.70	10H	60	AIR	POTTING
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GEC	1.37	.65	7D	25	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GEC	1.25	.59	1H	125	AIR	POTTING
RTV 670 A/B AS 10/1 BW DEVOL LOT CM206 BATCH 1	GSC	.06	.02	12H	65	AIR	POTTING
RTV 8111/CAT 9891 AS 97/3 BW	GEC	1.02	.28	16H	65	AIR	ADH-POTTING
RTV 8112/CAT 9858 AS 94/6 BW	GEC	1.09	.35	24H	65	AIR	ADH-POTTING
RTV 8223/CAT 9858 AS 96/4 BW	GEC	1.12	.28	16H	65	AIR	ADH-POTTING
RTV 8243/CAT 9858 AS 96/4 BW	GEC	1.16	.23	24H	65	AIR	ADH-ENCAPS
RTV 8262/CAT 9858 AS 94/6 BW	GEC	.73	.24	24H	65	AIR	ADH-ENCAPS
RTV 8263/CAT 9858 AS 96/4 BW	GEC	.87	.17	24H	65	AIR	ADH-ENCAPS
RTV 8372/CAT 9858 AS 95/5 BW	GEC	1.32	.21	24H	65	AIR	SILICONE
RTV 8373/CAT 9858 AS 97/3 BW	GEC	1.19	.20	16H	65	AIR	SILICONE
RTV 8382/CAT 9858 AS 95/5 BW	GEC	1.22	.38	16H	65	AIR	ADH-SEALANT
RTV 8383/CAT 9858 AS 97/3 BW	GEC	.66	.23	24H	65	AIR	SILICONE
R8-2038/H2-3404 AS 100/11 BW BLACK EPOXY	HYS	1.76	.02	24H	25	AIR	MOLD CPND
				1H	93	AIR	
R8-2038/H2-3404 AS 100/11 BW CLEAR	HYS	2.01	.12	7D	25	AIR	POTTING
R9-2039/H2-3404 AS 9/1 BW EPOXY	HYS	.64	.00	1H	80	AIR	POTTING
				5M	100	AIR	
				30M	150	AIR	
S-13-G-LO-1 WHITE PAINT L-048 IITRI	ITR	.30	.01	21D	25	AIR	PAINT
SCOTCHCAST XR-5088 A/B AS 2/5 BW EPOXY	MMM	38.03	2.98	20H	25	AIR	POTTING
SCOTCHCAST XR-5088 A/B AS 2/5 BW EPOXY	MMM	37.66	3.40	3H	65	AIR	POTTING
SCOTCHCAST XR-5133 EPOXY CASTING POWDER	MMM	.42	.01	30M	149	AIR	POTTING
SCOTCHCAST XR-5240 RUSTY BROWN EPOXY	MMM	4.20	1.06	3H	65	AIR	POTTING
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.55	.01	16H	25	AIR	POTTING
				24H	60	E-3	
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.25	.02	24H	50	AIR	POTTING
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.71	.05	72H	25	AIR	POTTING
SCOTCHCAST 226 A/B AS 2/5 BW POLYURETHANE	MMM	1.05	.16	72H	25	AIR	POTTING
SCOTCHCAST 250 A/B AS 1/1 BW EPOXY BROWN	MMM	.65	.00	24H	75	AIR	IMPREGNANT
SCOTCHCAST 255 A/B AS 2/3 BW EPOXY	MMM	.98	.12	20H	82	AIR	POTTING
SCOTCHCAST 255 A/B AS 2/3 BW EPOXY	MMM	.52	.05	4H	120	AIR	POTTING
SCOTCHCAST 280 A/B AS 2/3 BW EPOXY	MMM	1.42	.01	3H	120	AIR	POTTING
SCOTCHCAST 280 A/B AS 2/3 BW EPOXY	MMM	.48	.14	2H	121	AIR	POTTING
				24H	155	AIR	
SCOTCHCAST 281 A/B AS 2/3 BW BLACK EPOXY	MMM	.56	.08	4H	130	AIR	POTTING
SCOTCHCAST 281 A/B AS 2/3 BW GRAY EPOXY	MMM	.35	.02	12H	100	AIR	POTTING
				72H	150	AIR	
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	MMM	.49	.10	16H	90	AIR	POTTING
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	MMM	.45	.09	16H	90	AIR	POTTING
				8H	66	E-5	
SCOTCHCAST 8 A/B AS 1/1 BW EPOXY	MMM	7.59	1.48	48H	25	AIR	POTTING
SCOTCHCAST 9 A/B AS 1/1 BW	MMM	3.60	.04				POTTING
SHUR-LOK SLE 3007 EPOXY - GRAY	SLK	.32	.00	12H	25	AIR	POTTING
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3009 EPOXY - GREEN	SLK	1.20	.18	12H	25	AIR	POTTING
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3010 EPOXY POTTING CPND	SLK	1.22	.04	72H	25	AIR	POTTING
SILASTIC E A/B AS 10/1 BW WHITE SILICONE	DCC	2.08	.71	7D	25	AIR	POTTING
SILASTIC E A/B AS 10/1 BW WHITE SILICONE DEVOL 100C	GSC	1.22	.39	7D	25	AIR	POTTING
SILASTIC 69-220 A/B/910 DILUENT AS 25/1/1.3 BW	DCC	1.38	.40	24H	25	AIR	POTTING
				4H	60	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SILASTIC 736 ONE PART RED SILICONE	DCC	2.03	.45	7D	25	AIR	ADHESIVE
SILASTOMER 9161/CAT N9162 AS 100/4 BW WHITE RUBBER	EML	1.58	.24	6D	25	AIR	POTTING
SLE 3010 PRE-MIX CARTRIDGE BLUE-GRAY EPOXY	SPA	1.84	.01	7D	25	AIR	POTTING
SMRD 432	GEV	.94	.15	48H	100	E-2	POTTING
SMRD 432 90A WHITE	GEV	1.14	.17				POTTING
SOCKETFAST BLUE 2 PART PRE-MEASURED KIT	PHR	5.40	.12	24H	25	AIR	POTTING
SOLITHANE 113/300	TCC	.40	.09	16H	65	AIR	POTTING
SOLITHANE 113/300 AS 100/120 BW FORMULA 6	TCC	.41	.10	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	TCC	.37	.08	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	TCC	.31	.04	16H	50	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.31	.04	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW 33% ALUM PIGMENT	TCC	.69	.09	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	TCC	.30	.01	24H	50	AIR	POTTING
SOLITHANE 113/300 FORMULA 6 OVER PRIMER 919/920	TCC	.72	.03	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/RODAMINE B/T-12	TCC	.47	.00	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/T-12	TCC	.42	.01	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/T-12/FLUORESCENT DYE	TCC	.46	.04	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL/T-12/BLUE DYE	APL	.44	.08	3H	60	AIR	POTTING
SOLITHANE 113/300/DTDL AS 100/80/1 BW	TCC	.66	.09	15H	50	AIR	POTTING
SOLITHANE 113/300/M-5 AS 10/7.4/1 BW	TCC	.37	.02	48H	40	AIR	POTTING
SOLITHANE 113/300/M-5/TC-700	TCC	1.86	.05	4H	66	AIR	POTTING
SOLITHANE 113/300/M-5/TC-700	TCC	.91	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/T-12 AS 25/18.25/1 DROP BW	TCC	.37	.01	7D	25	AIR	POTTING
SOLITHANE 113/300/TIPA/ALUMINA T61	TCC	.14	.01	4H	60	AIR	ADHESIVE
SOLITHANE 113/300/TRACER-TECH T-704/80	SLM	.36	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/ZNO AS 20/14.6/1 BW	TCC	.44	.04	20H	66	AIR	POTTING
SOLITHANE 113/300/328 AS 100/44/6 BW FORMULA 11	TCC	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328 AS 100/51/4.5 BW FORMULA 10	TCC	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328/B 35A GLASS BUBBLES	TCC	.21	.00	21D	25	AIR	POTTING
SOLITHANE 113/300/328/ECCOSPHERES SI	TCC	.53	.00	16H	57	AIR	POTTING
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	KEN	1.62	.03				POTTING
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	KEN	1.57	.03	24H	65	AIR	POTTING
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	KEN	1.33	.01				POTTING
SPECTRUM 2000 FMG GREEN ACRYLIC VISIBLE LIGHT CURE	KEN	.78	.01				POTTING
STYCAST CPC-41 A/B AS 5/6 BW POLYURETHANE	EMC	.39	.04	7D	25	AIR	POTTING
STYCAST 1090-SI/24LV AS 100/23 BW EPOXY FOAM	EMC	.74	.09	16H	25	AIR	FOAM
				6H	65	AIR	
STYCAST 1090/11 AS 100/12 BW EPOXY FOAM	EMC	.49	.06	24H	100	AIR	FOAM
STYCAST 1090/9 AS 10/1 BW EPOXY FOAM	EMC	.46	.06	30D	25	AIR	FOAM POTTING
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	EMC	.38	.04	3H	95	AIR	FOAM
				3H	150	AIR	
STYCAST 1095/9 AS 100/9 BW BLACK EPOXY FOAM	EMC	.72	.07	16H	25	AIR	FOAM-POTTING
STYCAST 1467/CAT 9 AS 100/7 BW EPOXY	EMC	.14	.00	16H	25	AIR	POTTING
				1H	77	AIR	
STYCAST 2057/CAT 9 AS 100/6 BW EPOXY	EMC	.72	.01	24H	25	AIR	POTTING
STYCAST 2651-40/CAT 11 AS 10/1 BW BLACK EPOXY	EMC	.55	.01	2H	100	AIR	POTTING
				4H	125	AIR	
STYCAST 2651-40/CAT 11 AS 100/11 BW BLACK EPOXY	EMC	.43	.01	4H	80	AIR	POTTING
				4H	150	AIR	
				4H	175	AIR	
STYCAST 2651-40/CAT 9 AS 100/9 BW BLACK EPOXY	EMC	.31	.03	16H	25	AIR	POTTING
				4H	75	AIR	
STYCAST 2651/CAT 11 EPOXY	EMC	.14	.00				POTTING

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
STYCAST 2651/CAT 9 EPOXY	EMC	.37	.03	8H	25	AIR	POTTING
STYCAST 2662/CAT 14 AS 4/1 BW BLACK EPOXY	EMC	.63	.00	2H	120	AIR	POTTING
STYCAST 2762/14 AS 25/2 BW BLACK EPOXY	EMC	.27	.08	3H	149	AIR	POTTING
STYCAST 2850FT/9 AS 100/3 BW EPOXY	EMC	.25	.01				POTTING
STYCAST 2850FT/11 AS 100/3 BW BLACK EPOXY	EMC	.40	.01	20H	70	AIR	POTTING
STYCAST 2850FT/11 AS 20/1 BW BLACK EPOXY	EMC	.47	.01	2H	60	AIR	POTTING
				30M	120	AIR	
				30M	160	AIR	
				2H	200	AIR	
STYCAST 2850FT/11/9 AS 100/3/1.5 BW BLUE EPOXY	EMC	.40	.00	4H	60	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	EMC	.58	.03	24H	25	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	EMC	.49	.01	2H	63	AIR	POTTING
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.55	.02	24H	25	AIR	POTTING
				2H	65	AIR	
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.34	.01	16H	65	AIR	POTTING
STYCAST 2851KT ONE COMP BLUE THERM COND EPOXY	EMC	.29	.04	2H	105	AIR	POTTING
STYCAST 3050/11 AS 10/1 BW MAROON EPOXY	EMC	1.04	.00	16H	77	AIR	POTTING
STYCAST 3050/11/B40A MICROBALLOONS	GSC	.75	.01	72H	25	AIR	POTTING
				90M	126	AIR	
STYCAST 3050/18 AS 10/3 BW DARK RED EPOXY	EMC	1.47	.07	7D	25	AIR	POTTING
STYCAST 3050/9 AS 100/8 BW EPOXY	EMC	1.10	.01	8H	60	AIR	POTTING
STYCAST 3050/9/11 AS 10/.6/.4 BW DARK RED EPOXY	EMC	1.64	.01	7D	25	AIR	POTTING
SWS 934 ONE COMPONENT SILICONE WHITE	SWS	.43	.21	7D	25	AIR	POTTING
SYLGARD 182 A/B AS 10/1 BW	DCC	1.10	.33	22H	100	AIR	SILICONE
SYLGARD 182 A/B AS 10/1 BW	DCC	1.09	.33	7D	25	AIR	POTTING
SYLGARD 184 A/B AS 10/1 BW	DCC	1.01	.48	2H	170	AIR	SILICONE
SYLGARD 185 A/B AS 10/1 BW	DCC	1.80	.59	1H	100	AIR	SILICONE
SYLGARD 187	DCC	2.54	1.20				SILICONE
SYLGARD 187 A/B AS 10/1 BW SILICONE	DCC	1.25	.44	4H	121	E-1	MOLD CPND
SYLGARD 51 A/B AS 10/1 BW	DCC	2.40	.80	72H	66	AIR	SILICONE
THALCO 331/732/AEP/BLACK DYE	THL	1.54	.14	30M	82	AIR	POTTING
TRA-CON EPON 815/Z BIPAX KIT	TRA	.81	.00				POTTING
TRUCAST 111/901 AS 100/3.4 BW	FEN	.36	.01	24H	25	AIR	POTTING
TRUCAST 111M/TRUCURE 901 EPOXY	FEN	.60	.01	3H	66	AIR	POTTING
TSC 11 A/B AS 10/1 BW CLEAR SILICONE	TSC	1.33	.56	30D	25	AIR	POTTING
				4H	66	AIR	
TU-0590/XHD-0158 AS 1/1 BW GREEN POLYURETHANE	HYS	.85	.02	4H	25	AIR	POTTING
				6H	50	AIR	
URALANE 1723 POLYURETHANE FOAM	FPI	2.06	.08				POTTING FOAM
URALANE 5712 A/B AS 2/1 BW	FPI	18.28	1.18	16H	82	AIR	POTTING
URALANE 5753-B-40 A/B AS 1/5 BW BLACK POLYURETHANE	FPI	.72	.01	7D	25	AIR	POTTING
URALANE 5753-40LV A/B AS 1/5 BW BLACK POLYURETHANE	FPI	.66	.01	3D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.87	.01	7D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE/PRIMER PR1	FPI	.69	.02	14D	25	AIR	POTTING
UV-4080 CLEAR ACRYLIC UV CURED	HYS	4.41	.13				POTTING
V 357-80 A/B AS 1/1 BW BLACK POLYURETHANE	USP	2.19	.14	2H	82	AIR	POTTING
VARY-FLEX EPOXY POLYAMIDE	SIP	.64	.01	24H	25	AIR	POTTING
				40M	121	AIR	
XCU-M179 A/B AS 10/4 BW POLYURETHANE	HYS	15.72	1.06	16H	85	AIR	POTTING
XCU-M179 A/B AS 10/4 BW POLYURETHANE	HYS	17.61	1.51	7D	25	AIR	POTTING
XR-5140 A/B AS 2/3 BW BROWN SEMI-RIGID EPOXY	MMM	1.29	.52	16H	90	AIR	POTTING
XR-5140 A/B AS 2/3 BW BROWN SEMI-RIGID EPOXY	MMM	1.39	.59	16H	90	AIR	POTTING
				8H	66	E-5	

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
XR-5166 A/B AS 2/3 BW FLEXIBLE BLACK EPOXY	MMM	.51	.07	24H	70	AIR	POTTING
XTU-0021/XHD-0165 AS 1/1 BW BLACK POLYURETHANE	HYS	.87	.01	6H	25	AIR	POTTING
				4H	66	AIR	
XUS-0050 A/B AS 100/36 BW	HYS	.83	.01	24H	50	AIR	POTTING
YARSLEY L100/6/2 POLYURETHANE FORMULATION	YAR	1.93	.29	48H	25	AIR	POTTING
				48H	50	AIR	
YARSLEY L100/6/4/Y POLYURETHANE FORMULATION CLEAR	YAR	1.77	.12	3D	50	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABLETHERM 7-5 A/B AS 100GM/4 DROPS FILLED SILICONE	AAC	.38	.12	6H	67	AIR	RFI GASKET
AF-E-332-11 ETHYLENE PROPYLENE DERIVATIVE	TRW	.60	.08				BLADDER
AMS 3345 SILICONE RUBBER	AMS	.11	.04	48H	121	E-4	CUSHION
ARMORED XECON SILVER FILLED SILICONE	MET	.42	.17				GASKET
BTR II SILICONE GROMMET CB 1077-40 BROWN	LOR	.32	.11				GROMMET
BTR RUBBER HD22-31	LOR	.39	.09	24H	250	AIR	DAMPER
				16H	82	AIR	
BTR RUBBER HD22-31	LOR	2.28	.52	24H	250	AIR	DAMPER
				16H	82	AIR	
BTR RUBBER HD222-22-2	LOR	1.39	.13				DAMPER
BTR RUBBER HD222-22-2 IN ALUMINUM SANDWICH	LOR	.28	.01				DAMPER
BTR RUBBER HTO (J-9330-5-1)/21	LOR	.41	.20				DAMPER
BTR RUBBER VIBRATION ISOLATOR HT2-100	LOR	1.34	.45				DAMPER
BUTYL 218 CURED	ENJ	3.52	1.07				RUBBER
BUTYL 218-M CURED	ENJ	2.00	.57				RUBBER
BUTYL 218-M UNCURED	ENJ	3.17	.86				RUBBER
BUTYL 218-2	ENJ	3.20	1.15	2H	160	AIR	RUBBER
CFB 4012 FLUOROSILICONE COATED DACRON FABRIC	CHR	.45	.09				GASKET
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	CHO	.40	.13				GASKET
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	CHO	.07	.02	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.45	.10				GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.06	.01	24H	177	AIR	GASKET
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.45	.01				GASKET
CHO-SEAL 1220 SILVER FILLED SILICONE 200 GRADE	CHO	.23	.08				GASKET
CHO-SEAL 1221 SILVER FILLED FLUOROSILICONE	CHO	.35	.02				GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.41	.10				GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.07	.04	24H	177	AIR	GASKET
CHO-SEAL 1236 REINFORCED SILICONE GASKET SEAL RED	CHO	.27	.12				GASKET
CHO-SEAL 1236 REINFORCED SILICONE GASKET SEAL RED	CHO	.17	.05				GASKET
CHO-SEAL 1250 SILVER FILLED SILICONE	CHO	.15	.07				GASKET
CHO-SEAL 1285 ELEC COND SILICONE BLUE	CHO	.41	.12				GASKET SEAL
CHO-SEAL 1285 ELEC COND SILICONE BLUE	CHO	.12	.05	24H	177	AIR	GASKET SEAL
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	CHO	.62	.09				RFI/EMI SHIELD
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	CHO	.12	.01	24H	177	AIR	RFI/EMI SHIELD
CHO-SEAL 1287 AG COATED ALUM FILLED FLUOROSILICONE	CHO	.63	.03				GASKET
CHO-SEAL 2020 AG COATED ALUM FILLED SILICONE BLUE	CHO	.29	.06				GASKET
CHO-SIL 1401 SILVER FILLED SILICONE	CHO	.92	.37				GASKET
CHO-SIL 1401 SILVER FILLED SILICONE	CHO	.20	.11	24H	177	AIR	GASKET
CHO-SIL 1405 SILVER FILLED SILICONE	CHO	.52	.32				GASKET
CHO-SIL 1485 AG COATED ALUM FILLED SILICONE	CHO	.36	.08				GASKET
CHO-THERM 1642 A/B AS 100/3 BW FILLED BLUE SILICONE	CHO	.40	.18	7D	25	AIR	THERM CONTROL
CHO-THERM 1671 THERM COND SHEET - WHITE SILICONE	CHO	.04	.01	24H	175	AIR	ELASTOMER
CHO-THERM 1678 THERM COND SHEET PINK W/ADH FILM/F	CHO	.43	.10				THERM CONTROL
CHR 1869 GRAY CLOTH SUPPORTED SILICONE FILM/SHEET	CHR	.37	.14				THERM CONTROL
COHRLASTIC RFI GASKET 8016 ALUM CLOTH/NEOPRENE	CHR	4.64	2.27				RFI GASKET
COHRLASTIC RFI GASKET 8020 ALUM CLOTH/NEOPRENE	CHR	3.73	1.74				RFI GASKET
COHRLASTIC RFI GASKET 8516 ALUM CLOTH/SILICONE	CHR	.52	.14				RFI GASKET
COHRLASTIC RFI GASKET 8520 ALUM CLOTH/SILICONE	CHR	.42	.13				RFI GASKET
COHRLASTIC RUBBER R10470 #1	CHR	.67	.24	6H	249	AIR	FOAM RUBBER
				?	100	E-6	
COHRLASTIC RUBBER R10470 SILICONE SPONGE	CHR	.10	.03	24H	204	AIR	DAMPER
COHRLASTIC RUBBER R10470 SILICONE SPONGE BROWN	CHR	.12	.05	24H	182	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	CHR	.49	.24				DAMPER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	CHR	.17	.10	24H	177	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	CHR	.21	.08	24H	190	AIR	DAMPER
COHRLASTIC R10460 DARK BLUE SILICONE SPONGE SHEET	CHR	.45	.18				DAMPER
COHRLASTIC R10480 BROWN SILICONE SPONGE - MEDIUM	CHR	.61	.31				DAMPER
COHRLASTIC R10480 BROWN SILICONE SPONGE - MEDIUM	CHR	.94	.38				DAMPER
COHRLASTIC R10480 RED SILICONE SPONGE - SOFT	CHR	.67	.38				DAMPER
COHRLASTIC R10480 RED SILICONE SPONGE - SOFT	CHR	.16	.06	100H	100	E-6	DAMPER
COHRLASTIC 300 SILICONE RUBBER SHEET GEN PURPOSE	CHR	1.21	.58				GASKET
COHRLASTIC 3320 GLASS REINF SILICONE RUBBER SHEET	CHR	.63	.27				GASKET
COHRLASTIC 400 SILICONE RUBBER SHEET GEN PURPOSE	CHR	1.07	.43				GASKET
COHRLASTIC 500 SILICONE RUBBER SHEET	CHR	.26	.13	48H	140	AIR	SPACER
COHRLASTIC 500 SILICONE RUBBER SHEET	CHR	1.90	.59				SPACER
COHRLASTIC 500 SILICONE RUBBER SHEET RED	CHR	.20	.02	24H	204	AIR	GASKET
COHRLASTIC 600 SILICONE RUBBER SHEET GEN PURPOSE	CHR	.81	.34				GASKET
COHRLASTIC 700 SILICONE RUBBER SHEET GEN PURPOSE	CHR	.45	.15				GASKET
COHRLASTIC 9235 SILICONE RUBBER SHEET HIGH PERFORM	CHR	.83	.43				GASKET
COHRLASTIC 9255 SILICONE RUBBER SHEET HIGH PERFORM	CHR	.77	.29				GASKET
COHRLASTIC 9275 SILICONE RUBBER SHEET HIGH PERFORM	CHR	.67	.33				GASKET
COHRLASTIC 9855 SILICONE RUBBER SHEET HIGH PERFORM	CHR	.55	.18				GASKET
CONSIL C COMPOUND 874 SILVER FILLED SILICONE	TEC	.06	.03	24H	175	AIR	GASKET
CONSIL 11 CPND 842 (FORMERLY CONSIL G)	TEC	.52	.34				SHIELD
CONSIL 11 CPND 842 (FORMERLY CONSIL G)	TEC	.14	.09	24H	175	AIR	SHIELD
CORK/DC100 SHEET	ACL	5.05	1.58				DAMPER
CP 1006 NATURAL RUBBER	BAR	10.09	3.14	20M	146	AIR	DAMPER
CP 6002 SILICONE RUBBER	BAR	4.35	1.16	15M	143	AIR	DAMPER
				4H	177	AIR	
CP 6002 SILICONE RUBBER	BAR	1.01	.36	15M	143	AIR	DAMPER
				4H	177	AIR	
				24H	166	AIR	
CP 6007 SILICONE RUBBER	BAR	3.08	.58	15M	143	AIR	DAMPER
				4H	177	AIR	
CP 6007 SILICONE RUBBER	BAR	1.15	.35	15M	143	AIR	DAMPER
				4H	177	AIR	
				24H	166	AIR	
CV-1143 WHITE ONE PART SILICONE	MCG	.32	.03	7D	25	AIR	SEALANT
CV-2942 A/B AS 20/1 BW FILLED GRAY SILICONE	MCG	.13	.03	7D	25	AIR	THERM COND
CV-2943 A/B AS 500/1 BW FILLED GRAY SILICONE	MCG	.08	.01	7D	25	AIR	THERM COND
CYANOPRENE 1857 BLUE THERMOPLASTIC POLYURETHANE	ACC	1.16	.18				GASKET
CYANOPRENE 1880 CLEAR THERMOPLASTIC POLYURETHANE	ACC	1.38	.34				GASKET
DC 6-1104	DCC	.19	.01	7D	25	AIR	SEALANT
DC 6-1104 LOT FM099313	DCC	.20	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA054437	DCC	.21	.07	7D	25	AIR	SEALANT
DC 6-1104 LOT GA054438	DCC	.21	.08	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083347	DCC	.16	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083348	DCC	.15	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA085876	DCC	.19	.07				SEALANT
DC 6-1104 LOT GA093568	DCC	.14	.02	7D	25	AIR	SEALANT
DC 6-1104 SAMPLE A LOT FM108-046	DCC	.70	.39	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE B LOT FM108-061	DCC	.70	.43	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE C LOT FM118-087	DCC	.42	.24	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE D LOT FM118-088	DCC	.43	.24	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE 1 LOT FM128-102	DCC	.49	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 10 LOT FM128-103	DCC	.47	.26	28D	25	AIR	SEALANT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 6-1104 SAMPLE 12 LOT FM128-104	DCC	.46	.26	28D	25	AIR	SEALANT
DC 6-1104 SAMPLE 2 LOT FM128-103	DCC	.49	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 3 LOT FM128-104	DCC	.47	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 4 LOT FM128-102	DCC	.48	.24	80D	25	AIR	SEALANT
DC 6-1104 SAMPLE 8 LOT FM128-102	DCC	.44	.26	28D	25	AIR	SEALANT
DC 6-1104 W/1% V-1232 BLUE FERRO DYE	DCC	.33	.03	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	DCC	.29	.01	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	DCC	.21	.03	24H	25	AIR	SEALANT
DC 6-1104 W/10% V-1747 BLACK FERRO DYE	DCC	.42	.07	24H	25	AIR	SEALANT
DC 6-1104CV LOT FM119336	DCC	.13	.02	45D	25	AIR	SEALANT
DC 6-1106 A/B AS 10/1 BW SILICONE	DCC	.09	.01	7D	25	AIR	SEALANT
DC 6-1126 ONE COMPONENT BLACK SILICONE	DCC	.19	.03	7D	25	AIR	SEALANT
DC 90-006 A/B AS 10/1 BW HT SILICONE SEALANT	DCC	1.23	.32	24H	71	E-3	SEALANT
DC 90-031 A/B AS 10/1 BW ABLATIVE SILICONE SEALANT	DCC	1.09	.27	24H	70	AIR	SEALANT
DC 90-031 SILICONE SEALANT	DCC	.98	.18	24H	70	E-3	SEALANT
DC 90-031 SILICONE SEALANT	DCC	.54	.15	4H	150	E-3	SEALANT
DC 90-092 SILICONE SEALANT	DCC	2.03	.27	3D	25	AIR	ADH-SEALANT
DC 92-018 SILICONE SEALANT	DCC	2.00	.82	5D	25	AIR	SEALANT
DC 93-006 A/B AS 10/1 BW DARK GRAY SILICONE	DCC	.95	.28	72H	25	AIR	SEALANT
DC 93-072 A/B AS 10/1 BW SILICONE SEALANT	DCC	1.67	.60	24H	25	AIR	SEALANT
DC 93-076-2 A/B AS 10/1 BW AEROSPACE SILICONE	DCC	2.12	.46	7D	25	AIR	SEALANT-POTTING
DC 93-500 A/B AS 10/1 BW W/BORON NITRIDE AS 3/2 BW	GSC	.27	.02	7D	25	AIR	THERMAL COND
DC 955 SILICONE ELASTOMER PEROXIDE CAT DI CUP 40C	DCC	.76	.26	15M	160	AIR	ELASTOMER
				6H	177	AIR	
DC 955 SILICONE ELASTOMER PEROXIDE CAT DI CUP 40C	DCC	.15	.00	15M	160	AIR	ELASTOMER
				6H	177	AIR	
				24H	175	E-4	
DC 96-079 A/B AS 1/1 BW	DCC	.76	.19	100H	85	AIR	SILICONE
DE 100 SILICONE RUBBER GE SE 565 BASE	DEC	.05	.02	4H	177	AIR	SILICONE
				5H	204	AIR	
				30M	232	AIR	
DM 062-1 DAMPING MATERIAL	LOR	11.33	6.33				DAMPER
DUX SEAL	JOM	2.75	.43				SEALANT
EC 102 BLACK ELEC CONDUCTIVE SILICONE	CHR	.88	.38				GASKET
EC 1675 A/B AS 1/10 BW POLYSULFIDE SEALANT	MMM	7.14	.45	48H	25	AIR	SEALANT
EC 3439 EPOXY FOAM WHITE ONE PART SYSTEM	MMM	2.53	.28	1H	121	AIR	FOAM SEALANT
EC 3524/EC 3624 AS 100/94 BW EPOXY FOAM BLUE	MMM	3.84	.51	16H	25	AIR	FOAM SEALANT
ECCOSHIELD SX SILVER FILLED SILICONE PASTE	EMC	1.05	.26				RF SHIELD
ECCOSIL TP-50 A/B AS 100/9 BW SILICONE PASTE	EMC	1.07	.33	7D	25	AIR	SEALANT
ECCOSIL 4952/CAT 50 AS 10/0.01 BW FILLED SILICONE	EMC	.42	.17	7D	25	AIR	THERM CONTROL
ECCOSIL 4952/CAT 50 AS 10/0.02 BW FILLED SILICONE	EMC	.29	.14	7D	25	AIR	THERM CONTROL
ECCOSIL 4954/CAT 50 AS 10/0.01 BW FILLED SILICONE	EMC	.24	.10	7D	25	AIR	THERM CONTROL
ECD 006 PERFLUOROELASTOMER	DUP	.14	.00				SEAL-GASKET
ECD 487-90 FLUOROELASTOMER	DUP	.51	.00				SEAL
EMC 14107-01-445 GLASS FILLED POLYESTER AQUA	ELC	.23	.04				MOLD CPND
EMC 15108-01-446 GLASS FILLED POLYESTER AQUA	ELC	.19	.01				MOLD CPND
EMC 7195-295-5 PHENOLIC DARK GREEN	ELC	1.33	.00				MOLD CPND
FAIRPRENE M5550 CURED	DUP	6.90	.79				RUBBER SEALANT
FAIRPRENE SR5520	DUP	.53	.17				SILICONE
FLUOROSILICONE GASKET WHITE THREE PART SYSTEM	BEN	.41	.05	8H	200	AIR	GASKET
FLURAN F5000 BLACK FLUOROELASTOMER TUBING	NPC	.16	.03				TUBING
FLURAN F5005 VITON A RED TUBING	NPC	.53	.00				TUBING
FOAM-A-GASKET 27B ONE PART RED SILICONE	PCI	.95	.38	7D	25	AIR	GASKET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
GEVAC VAC SEALANT 1	GEC	12.08	1.41	24H	65	AIR	SEALANT
GEVAC VAC SEALANT 2	GEC	2.82	1.54	7D	25	AIR	SEALANT
GORE-TEX CARBON DOPED EXPANDED TEFLON - GRAY	GOR	.05	.00				DAMPER
GORE-TEX DOPED TIO2/CARBON AS 9/1 BW - GRAY/WHITE	GOR	.18	.03				DAMPER
GORE-TEX JOINT SEALANT	WLG	.05	.01				GASKET-SEALANT
GORE-TEX JOINT SEALANT W/ADH STRIP	WLG	.53	.13				GASKET-SEALANT
GORE-TEX MODIFIED DOPED WITH CARBON - BLACK	GOR	.10	.01				DAMPER
GROMMET BLACK RUBBER MIL G3036	AIR	10.85	4.82				GROMMET
GROMMET MIL ZZR765 CL2 GR50 BLACK SILICONE	AIR	.11	.02	24H	200	AIR	GROMMET
GROMMET MS35489-38X SILICONE MIL-ZZR765	MCO	1.54	.41				GROMMET
GROMMET MS35489-38X SILICONE MIL-ZZR765	MCO	.15	.06	24H	200	AIR	GROMMET
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.79	.31				CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.12	.00	7.5H	255	AIR	CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.13	.01	4H	204	AIR	CONN INSUL
				8.5H	260	AIR	
HYDRIN RUBBER EPICHLOROHYDRIN-ETHYLENE OXIDE	BFG	1.22	.18				RUBBER
HYTREL 4055 POLYESTER/ANTI-OXIDANT	DUP	.22	.08				ELASTOMER
IMPALENE TUBING STABILIZED POLYPROPYLENE	IMP	.29	.04				TUBING
INTERFACIAL SEAL SILICONE UC-K-1314	UCC	.40	.13				SEAL
INTERFACIAL SEAL SILICONE UC-K-1314	UCC	.21	.06	26H	125	AIR	SEAL
J-SIL 150-40/VAROX BLACK SILICONE	KAR	.96	.61				GASKET
KALREZ 1050 PERFLUOROELASTOMER	DUP	.44	.00				O RING
KALREZ 3018 PERFLUOROELASTOMER	DUP	.40	.00				O RING
KIRKHILL SILICONE SPONGE RUBBER	KRC	.23	.10	24H	177	AIR	GASKET
KIRKHILL SILICONE SPONGE RUBBER	KRC	1.50	.71				GASKET
LATEX SURGICAL TUBING	HDM	6.16	1.44				TUBING
LD 400 VIBRATION DAMPER	LOR	12.82	6.35				DAMPER
LST 350 EMI SUPPRESSANT TUBING	LES	.37	.14				MAG SHIELD
LST 350 EMI SUPPRESSANT TUBING	LES	.22	.11	16H	150	AIR	MAG SHIELD
ML 6-55 URETHANE HIGH FRICTION ELASTOMER BLUE	MER	1.19	.39				ELASTOMER
ML 6-55 URETHANE HIGH FRICTION ELASTOMER CLEAR	MER	1.20	.36				ELASTOMER
MMM 801 A/B AS 10/1 BW SEALANT	MMM	40.24	1.78	24H	25	AIR	SEALANT
				24H	49	AIR	
MOSITES 1028 BLACK FLUOREL SPONGE RUBBER	MOS	.81	.20				CUSHION
MOSITES 1028 BLACK FLUOREL SPONGE RUBBER	MOS	.30	.08	96H	125	AIR	CUSHION
MOSITES 1028 SPONGE	MOS	.21	.00				CUSHION
MOSITES 1059 FLUOREL FLUOROCARBON ELASTOMER	MOS	.05	.00				ELASTOMER
MOSITES 1071 FLUOREL FLUOROCARBON ELASTOMER	MOS	.64	.35				ELASTOMER
MOSITES 1079K FLUOREL FLUOROCARBON ELASTOMER	MOS	.24	.10				ELASTOMER
MS-20L08	MOX	.04	.00				ELASTOMER
MS-30C02	MOX	.07	.05				ELASTOMER
NEOPRENE W GASKET SEAL	MNR	9.04	.85				SEAL
O RING - SILICONE	AMI	1.12	.29				O RING
O RING - VITON A	AMI	.21	.03				O RING
O RING FLEXCO 4069 RED SILICONE	FXC	1.16	.33				O RING
O RING 1109 BLACK NITRILE RUBBER	DSL	8.35	3.31				O RING
O RING 129-70SA RED SILICONE	APR	1.27	.24				O RING
O RING 134-40SP PINK SILICONE	PAI	.27	.12				O RING
O RING 5560 BLACK NITRILE RUBBER	DSL	5.78	1.61				O RING
PARKER O-LUBE BARIUM BASE GREASE	PSC	47.70	25.00				GREASE
PARKER O-RING B 612-70	PSC	1.20	.00				O-RING
PARKER O-RING B-612-70 BUTYL	PSC	1.08	.04				O-RING
PARKER O-RING E-515-8 VISTALON 404	PSC	1.21	.18				O-RING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PARKER O-RING E-575-8 BLACK EPR	PSC	2.22	.47				O-RING
PARKER O-RING E-692-75 ETHYLENE PROPYLENE	PSC	2.31	1.02				O-RING
PARKER O-RING E-962-85 ETHYLENE PROPYLENE	PSC	.65	.02				O-RING
PARKER O-RING L-677-7 RED FLUOROSILICONE	PSC	.07	.03	8H	200	AIR	O-RING
PARKER O-RING L-806-80 BLUE FLUOROSILICONE	PSC	.32	.03				O-RING
PARKER O-RING L-946-60 BLUE FLUOROSILICONE	PSC	1.80	.77				O-RING
PARKER O-RING N-219-7 BUNA N	PSC	4.49	2.24				O-RING
PARKER O-RING N-299-5 BUNA-N	PSC	14.74	6.25				O-RING
PARKER O-RING N-649-7 NITRILE	PSC	2.58	.22				O-RING
PARKER O-RING N-674-70 BUNA N	PSC	4.99	2.40				O-RING
PARKER O-RING S-383-70 RED SILICONE	PSC	.17	.01				O-RING
PARKER O-RING S-455-70 RED SILICONE	PSC	.18	.02				O-RING
PARKER O-RING S-604-7/SILICONE	PSC	1.11	.36				O-RING
PARKER O-RING S-613-60 RED SILICONE	PSC	.22	.09	24H	175	AIR	O-RING
PARKER O-RING S-641-5 SILICONE	PSC	.29	.09				O-RING
PARKER O-RING V-747-75 VITON DUP E60C FLUOROCARBON	PSC	.10	.00				O-RING
PARKER O-RING 2-023 NEOPRENE	PSC	6.35	.37				O-RING
PARKER O-RING 77-545 VITON A	PSC	.35	.02				O-RING
PARKER SEAL S 1808-50 GREEN SILICONE	PSC	.11	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				24H	249	AIR	
PITEL CP CONDUCTIVE PUTTY	DUP	5.88	2.18				ELEC COND PUTTY
PITEL PR PIEZOCONDUCTIVE RUBBER A/B AS PRE-MIX	DUP	.92	.26	7D	25	AIR	ELASTOMER
PR 1221 A/B AS 10/1 BW POLYSULFIDE	PRC	57.38	2.89	48H	25	AIR	GASKET SEAL
PR 1710 POLYSULFIDE SEALANT	PRC	.66	.04	16H	25	AIR	SEALANT
				2H	121	AIR	
PR 1710 POLYSULFIDE SEALANT	PRC	1.35	.07	7D	25	AIR	SEALANT
PR 365 BLACK POLYURETHANE RUBBER	PRC	3.34	.09	21D	25	AIR	GASKET
PROSEAL 796-80	CPT	1.41	.02	24H	82	AIR	URETHANE
PROSEAL 796-80 A/B AS 10/3 BW	CPT	1.21	.02	16H	80	AIR	URETHANE
PRP 11165 SILICONE O-RING	PRP	.30	.04				O-RING
PUTTY VACUUM SEALING	PRD	1.87	.48				SEALANT
QED HIGH VAC SEALANT SILICONE IN XYLENE	PRD	3.55	2.28	2H	160	AIR	SEALANT
REDAR SI 503 REINFORCED SILICON HOSE	RED	.96	.31				HOSE
RELIEF CAP - SILICONE RUBBER	MIC	1.20	.28				CAP
RR 423 SILICONE RUBBER	RRC	5.50	1.37				SEAL
RR 423 SILICONE RUBBER	RRC	.11	.02	24H	232	AIR	SEAL
RTV 136 SILICONE	GEC	.25	.03	24H	25	AIR	SILICONE
RUBBER DAM LATEX RUBBER SHEET	DRC	1.76	.52				GASKET
SBR RUBBER STANDARD	MON	7.23	2.34				RUBBER
SBR RUBBER STANDARD UNCURED	MON	8.90	3.10				RUBBER
SE 456/TS-50 SILICONE - TAN	GEC	.10	.01	16H	238	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GEC	.22	.07	4H	204	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GEC	.17	.02	8H	238	AIR	MOLD CPND
SE 5211 U LOW TEMP SILICONE	GEC	.08	.02	4H	249	AIR	GASKET
SE 557/VAROX AS 100/0.3 BW GRAY SILICONE	GEC	.09	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				16H	249	AIR	
SFR 60-60W WHITE SILICONE	SFR	1.91	.39				CUSHION
SFR 60-60W WHITE SILICONE	SFR	.43	.11	6H	204	AIR	CUSHION
SFR 60-694W WHITE SILICONE	SFR	3.94	.85				CUSHION
SFR 60-694W WHITE SILICONE	SFR	.64	.13	6H	204	AIR	CUSHION
SILASTIC S-6508U/TS-50 AS 100/1.4 BW SILICONE	DCC	.35	.13	1H	250	AIR	ELASTOMER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SILASTIC 35	DCC	.14	.06	24H	249	AIR	SILICONE
SILASTIC 675 SILICONE	DCC	.41	.04	5M	116	PSI	SEAL-GASKET
				24H	250	AIR	
SILASTIC 68-110 A/B AS 25/1 BW	DCC	1.23	.26	24H	25	AIR	SILICONE
SILASTIC 68-110 A/B AS 25/1 BW	DCC	1.15	.35	150H	25	AIR	SILICONE
SILASTIC 68-120 A/B AS 25/1 BW	DCC	.84	.25	24H	25	AIR	SILICONE
SILASTIC 68-120 A/B AS 25/1 BW	DCC	.88	.25	150H	25	AIR	SILICONE
SILASTIC 68-210 A/B AS 25/1 BW	DCC	1.22	.24	24H	25	AIR	SILICONE
SILASTIC 68-210 A/B AS 25/1 BW	DCC	1.24	.38	150H	25	AIR	SILICONE
SILASTIC 68-220 A/B AS 25/1 BW	DCC	.91	.16	24H	25	AIR	SILICONE
SILASTIC 68-220 A/B AS 25/1 BW	DCC	1.03	.18	150H	25	AIR	SILICONE
SILASTIC 68-310 A/B AS 25/1 BW	DCC	1.56	.25	24H	25	AIR	SILICONE
SILASTIC 68-310 A/B AS 25/1 BW	DCC	1.24	.33	150H	25	AIR	SILICONE
SILASTIC 68-320 A/B AS 25/1 BW	DCC	1.64	.32	24H	25	AIR	SILICONE
SILASTIC 68-330 A/B AS 25/1 BW	DCC	1.29	.28	24H	25	AIR	SILICONE
SILASTIC 69-210 A/B AS 10/1 BW	DCC	1.02	.24	24H	25	AIR	SILICONE
SILASTIC 69-210 A/B AS 10/1 BW	DCC	1.04	.26	150H	25	AIR	SILICONE
SILASTIC 69-210 LOT EU 103007	DCC	.80	.27				COATING
SILASTIC 69-210 LOT EU 103007	DCC	.02	.00	16H	250	AIR	COATING
SILASTIC 69-220 A/B AS 25/1 BW	DCC	1.16	.28	24H	25	AIR	SILICONE
SILASTIC 69-220 A/B AS 25/1 BW	DCC	1.31	.25	150H	25	AIR	SILICONE
SILASTIC 731 RTV SEALANT	DCC	1.39	.38	24H	25	AIR	SEALANT
SILASTIC 738 ONE PART NON-CORROSIVE SILICONE	DCC	1.63	.51	72H	25	AIR	ADH-SEALANT
SILASTIC 75 SILICONE	DCC	1.16	.22				O-RING
SILASTIC 75 SILICONE	DCC	.29	.09	3H	204	AIR	VALVE SEAT
SILASTIC 881/CAT AS 14.2/.55 BW SILICONE	DCC	1.63	.43	90M	38	AIR	SILICONE
SILASTIC 916	DCC	.40	.00	24H	249	AIR	SILICONE
SILASTIC 916 GASKET	DCC	.86	.30				GASKET
SILICONE RUBBER - VIBRATION DAMPER BLUE/GRAY	BAI	3.57	.80				DAMPER
SILICONE RUBBER - VIBRATION DAMPER BLUE/GRAY	BAI	.29	.11	24H	204	AIR	DAMPER
SILICONE RUBBER MIL ZZ-R-765 CLASS IIB GR 65-75 RED	GRE	.60	.20				DAMPER
SILICONE RUBBER MIL ZZ-R-765 CLASS 2 GRADE 50 - GRAY	FCC	1.51	.40				GASKET
SILICONE RUBBER MIL ZZ-R-765 CLASS 2 GRADE 50 - GRAY	FCC	.11	.06	16H	200	AIR	GASKET
SILICONE RUBBER MIL ZZ-R-765 GRADE 40 RED	CHR	.36	.21	24H	160	AIR	DAMPER
SILICONE RUBBER PER AMS 3332 RED	WGP	2.82	1.32				GASKET
SILICONE RUBBER PER AMS 3332 RED	WGP	.31	.20	24H	175	AIR	GASKET
SILICONE RUBBER UNION CARBIDE	UCC	1.04	.35				SILICONE
SILICONE RUBBER UNION CARBIDE	UCC	.10	.09	24H	232	AIR	SILICONE
SILICONE RUBBER 16254 GRAY SHEET	FCC	.14	.07	6H	204	AIR	CUSHION
SILICONE RUBBER 950-C-15-69 GRAY	KRC	.50	.33	24H	175	AIR	CUSHION
SILICONE RUBBER 950-C-15-69 GRAY	KRC	.08	.02	24H	175	AIR	CUSHION
				24H	195	E-2	
SILICONE RUBBER/FABRIC REINFORCED MIL R3065 TYPE HB	TAM	.73	.39				MOLD CPND
SILICONE SPONGE RUBBER 9-S-602 GRAY	KRC	1.14	.41	12H	250	AIR	DAMPER
SILICONE SPONGE RUBBER 9-S-603 GRAY MODIFIED	KRC	.38	.03	24H	249	AIR	DAMPER
SISS-06 R/F SHIELDING SPIRAL GASKET	SMC	.71	.25				GASKET
SLM 71271 A/B AS 9/1 BW RED SILICONE	WAC	.49	.04	7D	25	AIR	SEALANT
SMRD 100(43-3) FILLED HYDROCARBON RUBBER	GEV	1.11	.13				DAMPER
SMRD 100B50P2	GEV	.47	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 100F90	GEV	2.46	.27	24H	100	AIR	DAMPER
				110H	135	E-3	
SMRD 100F90	GEV	1.52	.19	16H	100	AIR	DAMPER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SMRD 100F90	GEV	1.67	.22				DAMPER
SMRD 100F90 CYCLOHEXANE WASH - INTERNAL PORTION	GEV	1.56	.24	24H	25	AIR	DAMPER
SMRD 100F90 CYCLOHEXANE WASH - SURFACE PORTION	GEV	2.28	.27	24H	25	AIR	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GEV	1.10	.11	96H	130	E-6	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GEV	1.00	.11	168H	130	E-6	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GEV	1.23	.11	96H	135	E-6	DAMPER
SMRD 100F90 NEW RESIN REPLACEMENT	GEV	1.39	.17	8H	100	E-3	DAMPER
SMRD 100F90P2	GEV	.83	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 1010 AF	GEV	1.28	.08	6H	121	AIR	DAMPER
SMRD 1010 VAC BAKE	GEV	.91	.02	6H	121	AIR	DAMPER
SMRD 1010/STRIPPED RESIN AF	GEV	1.47	.07	6H	121	AIR	DAMPER
SMRD 1010/STRIPPED RESIN/VAC BAKE	GEV	.99	.04	6H	121	AIR	DAMPER
SMRD 1014 AF	GEV	1.50	.11	6H	121	AIR	DAMPER
SMRD 1014 VAC BAKE	GEV	.91	.03	6H	121	AIR	DAMPER
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	TCC	.36	.01	7D	25	AIR	DAMPER
SOLITHANE 113/300/CABOSIL M5/CARBOLAC 1	TCC	.43	.03	7D	25	AIR	SEALANT
SOLITHANE 291	TCC	1.36	.51				O RING
SOLITHANE 291/271/TIPA AS 100/48.5/1.9 BW	TCC	1.45	.57	1H	60	E-3	CUSHION
				16H	100	AIR	
SORBOTHANE II BLUE PROPYLENE OXIDE POLYMER	SOR	17.07	10.57				DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	SRC	.91	.40				DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	SRC	.71	.40	24H	138	AIR	DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	SRC	.07	.00	22H	177	AIR	DAMPER
SPONGE RUBBER SWS269/SE546 AS 1/1 BW SILICONE	CWR	.53	.25				DAMPER
SPONGE RUBBER SWS269/SE546 AS 1/1 BW SILICONE	CWR	.48	.23	42H	177	AIR	DAMPER
SPRAY-SEAL M-V ULTRA HIGH VAC SEALANT	MAV	2.37	.66				SEALANT
SR 2702-75 VITON PER MIL R83248 TYPE 2 CLASS 1	STI	.16	.00				DUST SEAL
SR 2724-75 VITON E-60	STI	.46	.00	24H	260	AIR	SEAL
SR 634-70 BUTYL O RING STILLMAN RUBBER	SIS	.93	.10				O RING
SWS 934 ONE COMPONENT SILICONE WHITE	SWS	.53	.19	7D	25	AIR	SEALANT
TC 100 FILLED BLUE SILICONE	CHR	.07	.02	5M	121	AIR	GASKET
				4H	204	AIR	
TECKNIT 72-00005 SILVER FILLED ACETATE	TEC	.21	.02	7D	25	AIR	CAULK/GASKET
TECKNIT 72-00014 SILVER FILLED SILICONE PASTE	TEC	.74	.45	7D	25	AIR	GASKET
TECKNIT 86-10005 BLACK RUBBER GASKET/O RING	TEC	.35	.11				GASKET/O RING
TECKNIT 86-10005 BLACK RUBBER GASKET/O RING	TEC	.09	.04	24H	175	AIR	GASKET/O RING
TH 1006 SILICONE	LNP	.71	.15	10M	116	AIR	SEAT
				2H	149	AIR	
				4H	204	AIR	
				16H	246	AIR	
THERMACOTE 250 THERMAL JOINT CPND	THE	.09	.02				SEALANT
TI-R-300 INSULATION - UNFIRED	TCC	2.09	.20				INSULATION
TORR SEAL A/B AS 1/1 BV	VAR	.84	.00	24H	25	AIR	ADH SEALANT
TUBING-SILICONE-RED GRADE 60 CL2 SPEC ZZR765	MET	.75	.26				TUBING
TUBING-SILICONE-RED GRADE 60 CL2 SPEC ZZR765	MET	.09	.04	24H	166	AIR	TUBING
TYGOTHANE POLYURETHANE TUBING	NPC	.44	.19				TUBING
UDRI-3 ACRYLIC COPOLYMER/GRAPHITE/CARBON BLACK	GEV	.58	.03				DAMPER
UV-5010 CLEAR URETHANE UV CURED	HYS	10.62	.03				SEALANT
V-700075/BENZOYL PEROXIDE AS 100/1 BW	RES	.47	.01	10M	93	AIR	TUBE
VACSEAL SILICONE LEAK SEALER	SEL	3.52	.70	7D	25	AIR	SEALANT
VACSEAL SILICONE LEAK SEALER	SEL	1.48	.45	24H	100	AIR	SEALANT
VALCOR O RING - RTV 75	DCC	.25	.09				O RING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VITON A	DUP	.21	.02				SEAL
VITON A O RING NAS 1593-012	DUP	.21	.02				O RING
VITON B	AGI	.89	.00				GROMMET
VITON B DUPONT	DUP	.86	.04				SEAL
VITON B-525 FOAM RUBBER BLACK CLOSED CELL	INR	.33	.06	16H	204	AIR	FOAM DAMPER
VITON C HOSE	DUP	.30	.03				TUBING
VITON IMPREGNATED DACRON DUPONT 84-001	DUP	.85	.09				DAMPER
VITON V14 BLACK BATCH 64135 CARBON BLACK	FEM	.17	.01				SEAL
VITON V31 WHITE BATCH 50592 ZNO	FEM	.46	.05				SEAL
VITON V31 WHITE BATCH 50592 ZNO	FEM	.22	.01				SEAL
WASHER BROWN SPONGE RUBBER SILICONE AMS 3195	CHR	.50	.19				WASHER
WASHER POLYPHENYLENE SULFIDE 40% GLASS FILLED	THE	.08	.01				WASHER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
C-725 TAPE POLYESTER FILM/2 SIDE ACRYLIC ADH/F	AAT	1.54	.14				2 SIDED TAPE
C-727 TAPE PVC FILM/2 SIDED ACRYLIC ADH/F	AAT	1.24	.21				2 SIDED TAPE
CHO-FOIL 101 COPPER FOIL/ADHESIVE/F	CHO	.04	.00				COND FOIL TAPE
CIRCLE K705 TAPE POLYPROPYLENE FILM/2 SIDE ACR ADH/F	KAS	10.50	4.72				2 SIDED TAPE
DABURN TAPE ST 275-3/4	DAD	5.77	2.73				TAPE
DENSIL 2078 SILICONE ADHESIVE TRANSFER FILM/F	DNN	2.78	.79				TRANSFER FILM
DENSIL 2403 SILICONE ADHESIVE TRANSFER FILM/F	DNN	1.94	.66				TRANSFER FILM
DEV SEAL 7580MA TAPE POLYESTER FILM/2 SIDE ACR ADH/F	DTC	1.61	.04				2 SIDED TAPE
DODGE IND TAPE 2045-3 PTFE FILM SILICONE ADH/R	DIN	.23	.11				TAPE
DODGE IND TAPE 2342-2R KAPTON FILM/ACRYLIC ADH/F	DIN	1.57	.17	24H	60	AIR	TAPE
DODGE IND TAPE 2342-2R KAPTON FILM/ACRYLIC ADH/F	DIN	1.20	.24	24H	60	AIR	TAPE
FASCAL 715 CHROME METALIZED MYLAR/ACRYLIC ADH/R	APF	.36	.03	16H	65	AIR	TAPE-FILM
FASSON ALUMINUM FOIL/ACRYLIC ADH/VINYL COAT/R	APF	.93	.14				TAPE
FASSON TAPE 1 ALUM FOIL/ACRYLIC ADH/R	APF	1.36	.42	16H	65	AIR	TAPE
FASSON TAPE 220 TISSUE PAPER/2 SIDED ACRYLIC ADH/F	APF	1.43	.01				2 SIDED TAPE
FASSON TAPE 431 BLACK POLYETHYLENE/POLYESTER ADH/F	APF	2.30	.89				TAPE
FIBERMAT TAPE 2540 NO ADHESIVE	MMM	.34	.06				TAPE
FIBERTAPE MXC-113 CARBON FIBER MOLDING TAPE	FIB	1.82	.08				MOLDING TAPE
FLORMEL TAPE 404 ALUM FOIL	FLL	.11	.01				TAPE
FLUORGLAS TAPE 2342-1R KAPTON/ACRYLIC ADH/F	OMG	.83	.03				TAPE
FLUORGLAS TAPE 2345-1 KAPTON/SILICONE ADH/F	OMG	.65	.16				TAPE
FLUORGLAS TAPE 2348-1R KAPTON/2 SIDE SILICONE ADH/F	OMG	.76	.11				2 SIDED TAPE
G 1033 TAPE ALUM KAPTON/SILICONE ADH/R	GTS	1.48	.32				TAPE
G 400201 TAPE ALUMINIZED TEFLON/Y966 ADH/F	GTS	.27	.00				TAPE
G 405900 TAPE VDA 2 SIDES KAPTON FILM/SR 585 ADH/F	GTS	.98	.48	48H	125	E-5	2 SIDED TAPE
G 406400 TAPE AU COATED KAPTON/ACRYLIC ADH/F	GTS	.75	.01				TAPE
G 406405-020 TAPE KAPTON/AU METALIZED/Y 966 ADH/F	GTS	1.06	.02				TAPE
G 407710 TAPE ALUMINIZED KAPTON/SILICONE ADH/F	GTS	1.98	.38				TAPE
G 408010 ALUM/TEFLON/SILICONE ADH/F	GTS	.80	.33				TAPE
G 408110 SILVER/TEFLON/INCONEL/SILICONE ADH/F	GTS	.85	.37				TAPE
G 408150 SILVER/TEFLON/INCONEL/SILICONE ADH	GTS	.20	.09				TAPE
G 408220 ALUM FOIL/SILICONE ADH/F	GTS	.56	.18				TAPE
G 410310 TAPE ALUM KAPTON/2 SIDE SILICONE ADH/F	GTS	1.45	.57				2 SIDED TAPE
G 410310 TAPE ALUMINIZED KAPTON/SILICONE ADH/F	GTS	2.44	.53				TAPE
G-400/100 TAPE/S	GTS	.94	.00				TAPE
GT 100 TAPE MYLAR COMPOSITE AS MYLAR/GT 100/MYLAR	GTS	.25	.08	5M	149	AIR	TAPE COMPOSITE
GT 100 TAPE TWO SIDED HEAT SEALING POLYSTER FILM	GTS	2.06	.15	4M	216	AIR	TAPE-FILM
GT 300 TAPE ONE SIDE HEAT SEALING POLYESTER FILM	GTS	.26	.16	4M	216	AIR	TAPE
IR-9 BLACK PVC TAPE NO ADH	MMC	4.69	1.67				TAPE
KAPTON H FILM - ALUMINIZED W/MMM 467 ADH/F	MMM	.80	.04	24H	100	E-5	TAPE
KAPTON TAPE 603-1 SILICONE ADHESIVE/F	TFE	1.50	.61				TAPE
KAPTON TAPE 603A KAPTON/ACRYLIC ADH/R	TFE	.62	.12				TAPE
KENDEL TAPE 292 FIBERGLASS/SILICONE ADH/S	KEN	2.31	1.17				TAPE
KENDEL TAPE 293 FIBERGLASS/SILICONE ADH/S	KEN	2.79	.80				TAPE
KENDEL TAPE 294 FIBERGLASS/ACRYLIC ADH/R	KEN	2.06	.70				TAPE
LAMART TAPE 892 ALUM FOIL	LAM	.21	.01				TAPE
MEMORY CORE TAPE 47740W0055 FABRIC/SILICONE ADH	KCF	.61	.27	1H	150	AIR	TAPE
MMM FOIL 7800 ALUMINUM/ACRYLIC ADH	MMM	4.90	2.74				FOIL
MMM TAPE X-1157 POLYESTER FIBER/THERMOSET RUBBER/R	MMM	6.26	2.50	6H	107	AIR	TAPE
MMM TAPE X-1170 ALUM FOIL/COND ACRYLIC ADH/F	MMM	.51	.27				TAPE
MMM TAPE X-1181 COPPER FOIL/ACRYLIC ADH/F (ECC4868P)	MMM	.31	.04				TAPE
MMM TAPE X-1205 KAPTON/ACRYLIC ADH/F	MMM	.38	.02	1H	125	AIR	TAPE
MMM TAPE X-1205 KAPTON/ACRYLIC ADH/R	MMM	1.90	.35				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM TAPE X-1237 NYLON PAPER/ACRYLIC ADH/R	MMM	2.16	.05				TAPE
MMM TAPE X-1242 POLYESTER/THERMOSET RUBBER ADH/R	MMM	1.19	.42	3H	121	AIR	TAPE
MMM TAPE X-1244 MYLAR/THERMOSET ACRYLIC ADH/R	MMM	2.96	1.04	10M	130	AIR	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYL ADH/F BAKE ON SCREEN	MMM	.58	.25	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYL ADH/F BAKE ON SCREEN	MMM	.20	.05	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYLIC ADH/F BAKE AS ROLL	MMM	.41	.19	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSSED ALUM/ACRYLIC ADH/F CD3DOS86	MMM	.44	.21				TAPE
MMM TAPE Y-582 TISSUE FILM/2 SIDED ADH/F (Y-9169)	MMM	1.42	.41	2H	121	AIR	2 SIDED TAPE
MMM TAPE Y-8437 ALUM/MYLAR/ACR ADH/F (FORMER Y-9360)	MMM	.68	.02				TAPE
MMM TAPE Y-9040 2 MIL ALUM FOIL/SILICONE ADH/F (433)	MMM	.47	.21				TAPE
MMM TAPE Y-9050 ALUM FOIL/GLASS CLOTH/SILICONE ADH/R	MMM	.91	.38				TAPE
MMM TAPE Y-9133 GREEN POLYESTER FILM/SILICONE ADH/F	MMM	.75	.34				TAPE
MMM TAPE Y-9184A GOLD LEAF/ACRYLIC ADH/R	MMM	1.42	.01				TAPE
MMM TAPE Y-9184S GOLD LEAF/SILICONE ADH/R	MMM	2.24	.41				TAPE
MMM TAPE Y-9224 TEFLON FEP/ACRYLIC ADH/R	MMM	.18	.03				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 2-2UAL	MMM	.80	.02				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 3-3UAL	MMM	.20	.00				TAPE
MMM TAPE Y-9360 ALUM/MYLAR/ACRYLIC ADH/R	MMM	.54	.01				TAPE
MMM TAPE Y-9460 ISOTAC ACRYLIC TRANSFER FILM 2 MIL/F	MMM	.85	.00				TRANSFER TAPE
MMM TAPE Y-9469 ISOTAC ACRYLIC TRANSFER FILM 5 MIL/F	MMM	1.29	.02				TRANSFER TAPE
MMM TAPE Y-9473 ISOTAC ACRYLIC TRANSF FILM 10 MIL/F	MMM	1.23	.01				TRANSFER TAPE
MMM TAPE Y-9567 (467NBA) TRANSFER FILM ACR/F SNDWCH	MMM	1.27	.03				TRANSFER TAPE
MMM TAPE Y-966 TRANSFER FILM ACRYLIC/FOIL SANDWICH	MMM	1.02	.01				TRANSFER TAPE
MMM TAPE Y-967 TRANSFER FILM ACRYLIC/FOIL SANDWICH	MMM	.81	.01				TRANSFER TAPE
MMM TAPE YR-364 EXPERIMENTAL ALUM GLASS CLOTH/F	MMM	1.44	.81				TAPE
MMM TAPE 1194 COPPER FOIL/NON COND ACRYLIC ADH/F	MMM	.28	.14				TAPE
MMM TAPE 1245 EMBOSSED COPPER FOIL/ACRYLIC ADH/F	MMM	.26	.12				EMI SHIELD
MMM TAPE 1245 EMBOSSED COPPER FOIL/ACRYLIC ADH/F	MMM	.20	.05				TAPE
MMM TAPE 1318 POLYESTER FILM/ACRYLIC ADH/F - YELLOW	MMM	.48	.13				TAPE
MMM TAPE 363 ALUM GLASS CLOTH/SILICONE ADH (MOD)/F	MMM	1.28	.63				TAPE
MMM TAPE 363 ALUM GLASS CLOTH/SILICONE ADH/F	MMM	1.30	.47				TAPE
MMM TAPE 365 GLASS CLOTH/THERMOSET RUBBER ADH/R	MMM	2.46	.99	3H	121	AIR	TAPE
MMM TAPE 4032 SCOTCHMOUNT FOAM/2 SIDE ACRYLIC ADH/F	MMM	2.09	.10				TAPE MOUNT
MMM TAPE 4032 SCOTCHMOUNT FOAM/2 SIDE ACRYLIC ADH/F	MMM	2.26	.15	24H	90	E-5	TAPE MOUNT
MMM TAPE 415 SCOTCHPAR FILM/2 SIDE ACRYLIC ADH/F	MMM	.91	.01				2 SIDED TAPE
MMM TAPE 420 RUBBER BASE ADHESIVE ONLY/F	MMM	1.85	.14				TAPE
MMM TAPE 420 5 MIL LEAD FOIL/RUBBER BASE ADH/F	MMM	.09	.00				TAPE
MMM TAPE 422 ACRYLIC ADHESIVE ONLY/F	MMM	1.03	.04				TAPE
MMM TAPE 422 LEAD FOIL/ACRYLIC ADH/F	MMM	.05	.00				TAPE
MMM TAPE 425 ALUM FOIL/SYNTHETIC ADH	MMM	.24	.03				TAPE
MMM TAPE 425 3 MIL ALUM FOIL/ACRYLIC ADH/F	MMM	.20	.01				TAPE
MMM TAPE 428B ALUM FOIL/SYN BLEND ACRYLIC ADH/R	MMM	.79	.28				TAPE
MMM TAPE 433 2 MIL ALUM FOIL/SILICONE ADH/F (Y-9040)	MMM	.53	.25				TAPE
MMM TAPE 465 TRANSFER FILM SYN ACRYLIC/FOIL SANDWICH	MMM	1.20	.07				TRANSFER TAPE
MMM TAPE 467 TRANSFER FILM ACRYLIC/FOIL SANDWICH	MMM	.88	.02	24H	75	AIR	TRANSFER TAPE
MMM TAPE 467MP TRANSFER FILM/ACRYLIC/FOIL SANDWICH	MMM	1.66	.04				TRANSFER TAPE
MMM TAPE 467NBA FIBER IMBED ACRYLIC TRANS FILM/F	MMM	.83	.04				TRANSFER TAPE
MMM TAPE 470 VINYL FILM/YELLOW SYN RUBBER ADH/F '84	MMM	10.36	6.39				TAPE
MMM TAPE 471 VINYL/SYNTHETIC RUBBER ADH/R	MMM	6.30	2.91				TAPE
MMM TAPE 4945 SCOTCHMOUNT ACRY FOAM/2 SIDE ACR ADH/F	MMM	1.24	.01				2 SIDED TAPE
MMM TAPE 4962 SCOTCHMOUNT NEOP FOAM/2 SIDE ACR ADH/F	MMM	2.64	.61				2 SIDED TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/F	MMM	.57	.09				TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/R	MMM	.56	.00				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM TAPE 53 POLYESTER/THERMOSET RUBBER ADH/R	MMM	1.02	.13	3H	121	AIR	TAPE
MMM TAPE 5411 KAPTON/SILICONE ADH/F	MMM	.58	.03	1H	125	AIR	TAPE
MMM TAPE 5413 KAPTON/SILICONE ADH/F	MMM	.87	.32	1H	125	AIR	TAPE
MMM TAPE 5490 TEFLON TFE/SILICONE ADH/F	MMM	.72	.40				TAPE
MMM TAPE 56 POLYESTER/THERMOSET RUBBER ADH/R	MMM	2.67	.24				TAPE
MMM TAPE 56 POLYESTER/THERMOSET RUBBER ADH/R	MMM	1.22	.27	3H	121	AIR	TAPE
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	MMM	.14	.07	3H	260	AIR	TAPE
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	MMM	.33	.09				TAPE
MMM TAPE 63 TEFLON TFE/THERMOSET ACRYLIC ADH/R	MMM	.33	.03				TAPE
MMM TAPE 65 TEFLON TFE/ACRYLIC ADH/R	MMM	.29	.08				TAPE
MMM TAPE 67 EPOXY RESIN GLASS CLOTH/THERMOSET RUB/R	MMM	2.76	.71				TAPE
MMM TAPE 670 CELLOPHANE/TISSUE PAPER/ACRYLIC-RUBBER	MMM	5.92	1.09				TAPE
MMM TAPE 69 GLASS CLOTH/THERMOSET SILICONE ADH/S	MMM	2.25	1.18				TAPE
MMM TAPE 70 SILICONE RUBBER TAPE/SILICONE ADH/R	MMM	1.62	.73				TAPE
MMM TAPE 70 SILICONE RUBBER TAPE/SILICONE ADH/R	MMM	.40	.07	24H	121	E-3	TAPE
MMM TAPE 74 POLYESTER FILM/THERMOSET RUBBER ADH/F	MMM	2.20	.60				TAPE
MMM TAPE 75 POLYESTER FILM/THERMOSET RUB ADH/R CYCLE	MMM	3.12	.72	24H	-40	E-5	TAPE
				24H	65	E-6	
MMM TAPE 75 POLYESTER FILM/THERMOSET RUBBER ADH/R	MMM	5.26	.75				TAPE
MMM TAPE 79 GLASS CLOTH/ACRYLIC ADH/F	MMM	.54	.07				TAPE
MMM TAPE 8402 POLYESTER FILM/SILICONE ADH/F (Y-9064)	MMM	.73	.31				TAPE
MMM TAPE 848 VAP DEP AU/KAPTON/ACR ADH/F (Y-9184A)	MMM	1.81	.02				TAPE
MMM TAPE 848 VAP DEP AU/KAPTON/ACR ADH/F LOT 9	MMM	1.79	.02				TAPE
MMM TAPE 849 VAP DEP AU/KAPTON/SILICONE ADH/F	MMM	1.99	.71				TAPE
MMM TAPE 850 ALUMINIZED POLYESTER/ACRYLIC ADH/R	MMM	.68	.09				TAPE
MMM TAPE 850 BLACK MYLAR/ACRYLIC ADH/R	MMM	.77	.02				TAPE
MMM TAPE 850 MYLAR/ALUMINIZED/CLEAR ACRYLIC ADH/F	MMM	.74	.03				TAPE
MMM TAPE 850 MYLAR/RED ACRYLIC ADH/F	MMM	.77	.02				TAPE
MMM TAPE 850 MYLAR/WHITE ACRYLIC ADH/F	MMM	.48	.04				TAPE
MMM TAPE 850 TRANSPARENT POLYESTER/ACRYLIC ADH/F	MMM	.61	.08				TAPE
MMM TAPE 851 POLYESTER FILM/GREEN SPEC BLEND ADH/F	MMM	3.33	.93				TAPE
MMM TAPE 852 ALUM/MYLAR/ACRYLIC ADH/F	MMM	.79	.02				TAPE
MMM TAPE 854 TRANSPARENT P'ESTER/WHITE SYN RUB ADH/F	MMM	2.20	.14				TAPE
MMM TAPE 92 KAPTON/THERMOSET SILICONE ADH	MMM	.78	.25				TAPE
MMM Y-6887 HEAT SHRINK TAPE - HEAT GUN SHRINK	MMM	4.15	1.22				SHRINKABLE TAPE
MOX SB01020 SELF FUSIBLE SILICONE TAPE FIBER REINF	MOX	.52	.19				TAPE
MOX 604 SELF FUSIBLE SILICONE TAPE NO REINF	MOX	.98	.28				TAPE
MYSTIK TAPE 4017TLC GOLD/KAPTON/ACRYLIC ADH/R	BCM	1.49	.42				TAPE
MYSTIK TAPE 4053TLC ALUM MYLAR FILM/ACRYLIC ADH/R	BCM	.41	.06				TAPE
MYSTIK TAPE 6401 POLYESTER FILM/ACRYLIC ADH/F	BCM	.51	.03				TAPE
MYSTIK TAPE 6462 POLYPROPYLENE/LATEX ADH/F	BCM	3.73	.31				TAPE
MYSTIK TAPE 6466 POLYESTER FILM/2 SIDE TS RUBBER/FLS	BCM	5.99	2.01				2 SIDED TAPE
MYSTIK TAPE 6468 TRANSFER FILM/ACRYLIC ADH/R	BCM	1.51	.00				TRANSFER TAPE
MYSTIK TAPE 7000 FIBERGLASS/SILICONE ADH/S	BCM	2.69	1.42				TAPE
MYSTIK TAPE 7021 GLASS CLOTH/ACRYLIC ADH/F	BCM	1.41	.05				TAPE
MYSTIK TAPE 7100 GLASS CLOTH/2 SIDE SILICONE ADH/R	BCM	3.22	.67				2 SIDED TAPE
MYSTIK TAPE 7321 POLYESTER FILM/THERMOSET RBBR ADH/F	BCM	1.45	.49				TAPE
MYSTIK TAPE 7341 POLYESTER/ACRYLIC ADH/R	BCM	.23	.04				TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.25	.03	48H	150	E-5	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.19	.03	24H	150	E-5	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.92	.27	115H	25	E-4	TAPE
				96H	25	E-6	
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.57	.14	48H	150	E-6	TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.46	.17	48H	80	E-6	TAPE
MYSTIK TAPE 7362 KAPTON/SILICONE ADH/F	BCM	.65	.03	48H	100	E-6	TAPE
MYSTIK TAPE 7366 KAPTON/ALUM SANDWICH/2 SIDE SIL	BCM	4.06	1.10				2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/CLOTH LINER/2 SIDE SIL/F	BCM	2.19	.43	24H	80	E-5	2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/CLOTH LINER/2 SIDE SIL/F SAN	BCM	.87	.32	48H	138	E-6	2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/SILICONE ADH/FOIL SANDWICH	BCM	4.92	1.49				2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/SILICONE ADH/FOIL SANDWICH	BCM	2.99	.79	24H	150	E-6	2 SIDED TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH	BCM	.63	.04				TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	BCM	.69	.02				TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	BCM	.65	.02	24H	93	AIR	TAPE
MYSTIK TAPE 7370 TEDLAR/ACRYLIC ADH/R GRAY	BCM	1.40	.36				TAPE
MYSTIK TAPE 7375 TEDLAR/ACRYLIC ADH/R WHITE	BCM	.34	.00				TAPE
MYSTIK TAPE 7402 ALUM FOIL/SILICONE ADH/R	BCM	1.69	.35				TAPE
MYSTIK TAPE 7402L ALUM FOIL/SILICONE ADH/FOIL COMP	BCM	.33	.20	1H	121	E-4	TAPE COMPOSITE
MYSTIK TAPE 7420 COPPER FOIL/ACRYLIC ADH/R	BCM	.21	.01				TAPE
MYSTIK TAPE 7430 RUBBER BASE ADHESIVE ONLY/F	BCM	5.60	1.49				TAPE
MYSTIK TAPE 7430 4.5 MIL LEAD FOIL/RUBBER ADH/F	BCM	.24	.06				TAPE
MYSTIK TAPE 7452 ALUM FOIL/ACRYLIC ADH/R	BCM	.25	.03				TAPE
MYSTIK TAPE 7453 ALUM FOIL/ACRYLIC ADH/R	BCM	.09	.00				TAPE
MYSTIK TAPE 7503 TEFLON/SILICONE ADH/F LOT ALM4A11H	BCM	.30	.13				TAPE
MYSTIK TAPE 7505 TEFLON/SILICONE ADH/F	BCM	.21	.08				TAPE
NEL TAPE 601 ML TRANSFER FILM/FOIL SANDWICH	DIP	7.28	1.23				TRANSFER TAPE
NEL TAPE 601 ML TRANSFER FILM/FOIL SANDWICH	DIP	5.49	.85	3H	135	AIR	TRANSFER TAPE
NITTO TAPE 354 POLYESTER FILM/THERMOSET ACRYLIC/F	NDA	2.87	.63				TRANS INSUL TAPE
ORCOTAPE OT-6/F	ORC	12.26	7.39				TAPE
PERMACEL TAPE EE-6379 KAPTON H/SILICONE ADH	PER	2.31	.89				TAPE
PERMACEL TAPE EE-6600 ALUM/POLYESTER RUBBER ADH	PER	8.50	3.90				TAPE
PERMACEL TAPE EE-6761 KAPTON/SILICONE ADH/S	PER	2.74	1.39				TAPE
PERMACEL TAPE EE-6962 KAPTON/2 SIDE SILICONE ADH/F	PER	1.94	.77				2 SIDED TAPE
PERMACEL TAPE EE-7240 GLASS CLOTH/ACRYLIC ADH/R	PER	.45	.03				TAPE
PERMACEL TAPE EE-7390 MYLAR FILM/ACRYLIC ADH/R	PER	.71	.02				TAPE
PERMACEL TAPE P-051 2 SIDE ACRYLIC ADH/F	PER	2.36	.03				2 SIDED TAPE
PERMACEL TAPE PE-100 AL FOIL/GLASS FABRIC/SIL ADH	PER	3.08	1.79				TAPE
PERMACEL TAPE P280 CLEAR POLYESTER/ACRYLIC ADH/F	PER	.50	.06				TAPE
PERMACEL TAPE 21 GLASS CLOTH/THERMOSET RUBBER ADH/R	PER	1.35	.34	1H	149	AIR	TAPE
PERMACEL TAPE 212 HI TEMP GLASS CLOTH/SILICONE ADH/R	PER	1.79	.70				TAPE
PERMACEL TAPE 213 GLASS CLOTH/ACRYLIC ADH/F	PER	.47	.02				TAPE
PERMACEL TAPE 221 KAPTON/SILICONE ADH/F	PER	1.27	.55				TAPE
PERMACEL TAPE 221 KAPTON/SILICONE ADH/F	PER	1.30	.63	48H	150	E-5	TAPE
PERMACEL TAPE 223 KAPTON FILM/SILICONE ADH/F	PER	1.80	.73				2 SIDED TAPE
PERMACEL TAPE 224 KAPTON/ACRYLIC ADH/F	PER	.60	.01				TAPE
PERMACEL TAPE 252 MYLAR/THERMOSET RUBBER ADH/R	PER	1.50	.37	30M	149	AIR	TAPE
PERMACEL TAPE 262 NOMEX FR NYLON PAPER/TS ACR ADH	PER	7.96	3.58	2H	135	AIR	TAPE
PERMACEL TAPE 2650 RED SILICONE TAPE WRAP	PER	1.41	.26				TAPE
PERMACEL TAPE 2650 RED SILICONE TAPE WRAP	PER	.87	.47				TAPE
PERMACEL TAPE 422 TEFLON/SILICONE ADH/R	PER	.25	.09				TAPE
PERMACEL TAPE 4220 TEFLON/SILICONE ADH/F	PER	.70	.33				TAPE
PERMACEL TAPE 423 TEFLON/SILICONE ADH	PER	.65	.37	3H	21	AIR	TAPE
PERMACEL TAPE 423 TEFLON/SILICONE ADH/S	PER	1.39	.75				TAPE
PERMACEL TAPE 621 FIBERGLASS/SILICONE ADH/S	PER	12.69	5.95				TAPE
PERMACEL TAPE 921 WHITE MYLAR FILM SPLICING TAPE	PER	.91	.24				TAPE
POLYCOHR 630 TAPE POLYOLEFIN FILM/RUBBER ADH/F	CHR	4.56	1.87				TAPE
PP 87 TAPE POLYPROPYLENE FILM/SYN LATEX ADH/F	NOI	2.29	.64				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SB TAPE	BIS	2.17	.36				TAPE
SB 1020 GLASS REINFORCED SILICONE RUBBER TAPE	MOX	.90	.33				TAPE
SB 1020 GLASS REINFORCED SILICONE RUBBER TAPE	MOX	.25	.05	16H	125	E-2	TAPE
SCOTCHLITE 3270 REFLECTIVE FILM/ACRYLIC ADH/F	MMM	2.71	.34				REFLECTIVE FILM
STRIP-N-STICK SILICONE TAPE 440S	CHR	2.05	.91				TAPE
STRIP-N-STICK 100 S RED SILICONE SPONGE/SILICONE/F	CHR	1.08	.53				TAPE
STRIP-N-STICK 200A RED SILICONE SPONGE/ACRYLIC ADH/F	CHR	.30	.10				TAPE
STRIP-N-STICK 220A BLUE SILICONE SPONGE/ACRYLIC/F	CNR	.75	.21				TAPE
STRIP-N-STICK 300AR BLUE SIL SPONGE/ACRYLIC ADH/F	CHR	.34	.11				TAPE
TAPE TEFLON 03641 TFE FILM/SILICONE ADH/F	TFF	.38	.17				TAPE
TEMP-R-GLAS A2005 FIBERGLASS/TEFLON TFE/SILICONE ADH	CHR	.47	.26				TAPE
TEMP-R-TAPE A-471 TEFLON/FIBERGLAS/ACRYLIC ADH	CHR	.87	.14				TAPE
TEMP-R-TAPE C TEFLON FEP/SILICONE ADH/F	CHR	.67	.33				TAPE
TEMP-R-TAPE C-400 TEFLON FEP/SILICONE ADH/R	CHR	.27	.09				TAPE
TEMP-R-TAPE C-642 ALUM FOIL/CLOTH/SILICONE ADH/F	CHR	.45	.26				TAPE
TEMP-R-TAPE C-661 COPPER FOIL/ACRYLIC ADH/F	CHR	.15	.01				TAPE
TEMP-R-TAPE C-662 ALUM FOIL/ACRYLIC ADH/F	CHR	.21	.02				TAPE
TEMP-R-TAPE C-665 CU FOIL/ACRYLIC ADH/F	CHR	.07	.02				TAPE
TEMP-R-TAPE G-550 FIBERGLASS/ACRYLIC ADH/F	CHR	.30	.05				TAPE
TEMP-R-TAPE G-557 SILICONE COAT FIBERGLASS/SIL ADH/F	CHR	1.28	.46				TAPE
TEMP-R-TAPE G-557 SILICONE COAT FIBERGLASS/SIL ADH/F	CHR	.14	.02	4H	205	AIR	TAPE
TEMP-R-TAPE G-565 FIBERGLASS/SILICONE ADH/F FLAME R	CHR	2.72	1.46				TAPE
TEMP-R-TAPE G-569 FIBERGLASS/ACRYLIC ADH/F	CHR	.32	.05				TAPE
TEMP-R-TAPE GV FIBERGLAS/SILICONE ADH/R	CHR	1.69	.93				TAPE
TEMP-R-TAPE HM-225 TEFLON TFE/SILICONE ADH/F	CHR	.22	.10				TAPE
TEMP-R-TAPE HM-225 TEFLON TFE/SILICONE ADH/F	CHR	1.10	.67				TAPE
TEMP-R-TAPE HM-350 TEFLON TFE/SILICONE ADH/PRIMER/F	CHR	.28	.15				TAPE
TEMP-R-TAPE HM-352 TEFLON TFE/SILICONE ADH/F	CHR	.26	.15				TAPE
TEMP-R-TAPE HM-430 TEFLON TFE/ACRYLIC ADH/F	CHR	.14	.02				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/F	CHR	.14	.07				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/R	CHR	.19	.08				TAPE
TEMP-R-TAPE K-100 KAPTON/2 SIDE SILICONE ADH/KAPTON	CHR	1.74	.60	24H	66	E-4	TAPE COMPOSITE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	CHR	.65	.01				TAPE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	CHR	.78	.01				TAPE
TEMP-R-TAPE K-103 KAPTON/ACRYLIC ADH/F	CHR	.84	.03				TAPE
TEMP-R-TAPE K-104 KAPTON/SILICONE ADH/F	CHR	1.42	.76				TAPE
TEMP-R-TAPE K-105 KAPTON/SILICONE/F	CHR	.64	.15				TAPE
TEMP-R-TAPE K-250 KAPTON/SILICONE ADH	CHR	.88	.32				TAPE
TEMP-R-TAPE K-250 KAPTON/SILICONE ADH/KAPTON	CHR	.81	.25	24H	66	E-4	TAPE COMPOSITE
TEMP-R-TAPE K-350 KAPTON/SILICONE ADH/F	CHR	.81	.30				TAPE
TEMP-R-TAPE M-52 MYLAR/SILICONE ADH/F TRANSPARENT	CHR	.93	.47				TAPE
TEMP-R-TAPE M-54 POLYESTER FILM/YELLOW ADH/F	CHR	1.73	.73				TAPE
TEMP-R-TAPE M-60/TRANSPARENT POLYESTER/ACRYLIC ADH/F	CHR	.48	.04				TAPE
TEMP-R-TAPE M-64 POLYESTER FILM/YELLOW TS SYN RUB/F	CHR	1.87	.59				TAPE
TEMP-R-TAPE M-69 MYLAR FILM/2 SIDE ACRYLIC ADH/F	CHR	.63	.02				2 SIDED TAPE
TEMP-R-TAPE M-705 POLYESTER FILM/BLACK ACRYLIC ADH/F	CHR	.76	.06				TAPE
TEMP-R-TAPE M-706/WHITE POLYESTER/FR ACRYLIC ADH/F	CHR	.41	.04				TAPE
TEMP-R-TAPE M-744 SILICONE TRANSFER ADHESIVE/F SAND	CHR	1.81	.95				TAPE
TEMP-R-TAPE M-765 CLEAR POLYESTER/BEIGE ACR ADH/F	CHR	.72	.11				TAPE
TEMP-R-TAPE M-97 MYLAR/ACRYLIC ADH/YELLOW/F	CHR	.52	.07				TAPE
TEMP-R-TAPE M-99 MYLAR/ACRYLIC ADH/F YELLOW	CHR	.37	.05				TAPE
TEMP-R-TAPE TH TEFLON TFE/SILICONE ADH/F	CHR	.44	.20				TAPE
TEMP-R-TAPE TR-900 TRADLON/SILICONE ADH/F	CHR	1.07	.41				TAPE

SECTION 16 -- TAPES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TEMP-R-TAPE TV TEFLON TFE/SILICONE ADH/F	CHR	.50	.27				TAPE
TEMP-R-TAPE TV-350 TEFLON TFE/SILICONE ADH/F	CHR	.71	.41				TAPE
TEMP-R-TAPE TYPE T TEFLON FEP/SILICONE ADH/F	CHR	.52	.31	24H	100	AIR	TAPE
TEMP-R-TAPE TYPE T TEFLON TFE/SILICONE ADH/S	CHR	.90	.53				TAPE
TEMP-R-TAPE 1072 TEFLON FEP/SILICONE ADH/F	CHR	.42	.23				TAPE
VALCA TAPE 7910 PTFE FILM/SILICONE ADH/F	VAL	.35	.14				TAPE

SECTION 17 -- THERMAL GREASES

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CASTALL 832-M HEAT SINK GREASE - PINK	CAS	9.58	3.33				THERM GREASE
CASTALL 832-MJ HEAT SINK GREASE - WHITE	CAS	7.70	3.47				THERM GREASE
CHOMERICS 4220 SILVER FILLED SILICONE GREASE	CHO	.57	.10				COND GREASE
CV-9042 WHITE THERMAL COND SILICONE GREASE	MCG	.11	.02				THERMAL GREASE
C6-1102 SILICONE GREASE	DCC	.05	.02				THERMAL GREASE
DC 340 HEAT SINK GREASE	DCC	.35	.11				HEAT SINK
DC 340 SILICONE/ALUM PIGMENT AS 25/1 BW	DCC	.50	.12				HEAT SINK
ECCOSHIELD CO GRAPHITE FILLED SILICONE GREASE	EMC	36.88	22.20				COND GREASE
ECCOTHERM LN 80142 FILLED HEAT SINK GREASE	EMC	.33	.16				THERM GREASE
ECCOTHERM TC 4 FILLED HEAT SINK GREASE	EMC	.54	.05				THERM GREASE
ECCOTHERM TC 4 FILLED HEAT SINK GREASE	EMC	.52	.17				THERM GREASE
ECCOTHERM TC-4 FILLED HEAT SINK GREASE BTCH 10803014	EMC	.56	.19				THERM GREASE
ECCOTHERM TC-5 FILLED HEAT SINK GREASE	EMC	.50	.10				THERM GREASE
ECCOTHERM TC-6 FILLED HEAT SINK GREASE	EMC	.40	.13				THERM GREASE
ECCOTHERM TC-7 FILLED HEAT SINK GREASE	EMC	.37	.15				THERM GREASE
ECCOTHERM TC-8M FILLED THERMAL COND GREASE	EMC	.47	.15				THERM GREASE
G-640 INSULGREASE HEAT TRANSFER	GEC	.71	.12				GREASE
G-641 INSULGREASE	GEC	.16	.07				THERMAL GREASE
G-642 THERMAL GREASE	GEC	.55	.38				THERMAL GREASE
G-9042 THERMAL GREASE - WHITE SILICONE	MCG	.05	.00				THERMAL GREASE
G-9052 ELEC CONDUCTIVE GREASE - BLACK SILICONE	MCG	.05	.01				COND GREASE
WAKEFIELD THERMAL GREASE 120	WAK	.41	.17				GREASE
X5-8003 WHITE SILICONE THERMAL GREASE	DCC	.12	.06				THERMAL GREASE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AAP-HC HONEYCOMB MICROWAVE ABSORBER	AAP	1.75	.04				ABSORBER
ADIPRENE L100/MOCA AS 100/10 BW	DUP	1.15	.15	7D	25	AIR	CONF COAT
ALUMINIZED MYLAR 100M42	STC	.13	.01				REFLECTOR
ALUMINIZED MYLAR/DACRON DUPONT ADH 46960	ZZZ	.46	.09				COND FILM
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	APC	.56	.03	2H	60	AIR	ADHESIVE
ARMSTRONG X-81 EPOXY X-81/A AS 10/1 BW	APC	2.30	.19	2H	74	AIR	CONF COAT
ARMSTRONG X-81 EPOXY X-81/A AS 10/1 BW/2FLEX RESIN	APC	1.50	.13	2H	74	AIR	CONF COAT
B-010 UNBONDED B FIBER	JOM	.21	.01				INSULATION
B-010 UNBONDED B FIBER	JOM	.07	.00	1H	482	AIR	INSULATION
BALSAM RESIN	ZZZ	20.36	4.15				RESIN
BC 404 CLEAR SCINTILLATOR MATERIAL	BRN	1.83	.52				SCINTILLATOR
BORON NITRIDE - HEAT SINK WASHER	UCC	.12	.00				WASHER
C-99/DETA AS 25/1 BW EPOXY FILM	WOP	11.07	.04	2H	60	AIR	FILM
				12H	125	AIR	
CARROLL 1019 EPOXY A/B AS 1/1 BW	CAC	3.50	3.30	5D	25	AIR	ADHESIVE
CONAFLEX EA-50 POLYURETHANE FOAM W/ADH BACKING	BLA	8.86	3.17				INSULATION
CONAFLEX EA-50 POLYURETHANE FOAM W/O ADH BACKING	BLA	1.93	.34				INSULATION
CONATHANE CE 1155 A/B/CELLOSOLVE ACETATE AS 10/7/3	CON	1.30	.08	30M	25	AIR	CONF COAT
				3H	66	AIR	
CROFON LIGHT COND CLEAR NO JACKET	DUP	.37	.08				FIBER OPTIC
CROFON 1 COND/JACKET YELLOW CODE	DUP	.23	.05				FIBER OPTIC
CROFON 1 YELLOW CODED JACKET ONLY	DUP	.26	.08				FIBER OPTIC
CROFON 3 COND/JACKET GREEN CODE	DUP	.26	.06				FIBER OPTIC
CROFON 4 COND/JACKET PURPLE CODE	DUP	.27	.04				FIBER OPTIC
CROFON 5 COND/JACKET BLUE CODE	DUP	.23	.02				FIBER OPTIC
CSB-46 STAR NYLON BONDED FINISH	ATC	4.61	1.14				THREAD
CTL-15 BLACK EPOXY PAINT BATCH 1541 HUGHES ACFT	CTL	5.36	.00	15M	25	AIR	PAINT
				15M	66	AIR	
				4H	66	AIR	
CTL-15 WHITE EPOXY PAINT BATCH 1694 HUGHES ACFT	CTL	3.85	.00	15M	25	AIR	PAINT
				15M	66	AIR	
				4H	66	AIR	
CV-2500 UNCURED MONOMER LOT 1028	MCG	.10	.02				DAMPER FLUID
D-241-F3 SILICONE	MSF	1.02	.21	14D	25	AIR	PAINT BASE
DC 2106 SILICONE RESIN	DCC	.06	.02				SILICONE
DC 325 A/B AS 100/8 BW ABLATIVE SILICONE	DCC	1.46	.36	3M	149	AIR	ABLATIVE
DC 510 SILICONE FLUID 30,000 CPS	DCC	2.11	.39				DAMPER FLUID
DC 510 SILICONE FLUID 30,000 CPS DEVOLATILIZED	DCC	.98	.43	24H	80	E-2	DAMPER FLUID
DC 510 SILICONE FLUID 30,000 CPS DEVOLATILIZED	DCC	.16	.13	24H	80	E-2	DAMPER FLUID
				24H	125	AIR	
DC 93-500 UNCURED MONOMER LOT E2467-133	DCC	.06	.02				DAMPER FLUID
DUOCEL ALUMINUM FOAM 10 PPI 6-8% DENSITY	ERG	.03	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 20 PPI 6-8% DENSITY	ERG	.03	.01				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 50% DENSITY	ERG	.11	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 6-8% DENSITY	ERG	.03	.00				STRUCTURAL
DYNA-FELT REFRACTORY FIBER FELT - ETOH WASH	JOM	.09	.01				FELT
DYNA-FLEX REFRACTORY FIBER FELT	JOM	.13	.05				FELT
E-SOLDER 3022/HARDENER 18	EPO	1.25	.10	24H	25	AIR	COND ADHESIVE
				3H	65	AIR	
				1.5H	85	AIR	
ECCOFOAM FPH 12-10H A/B AS 4/3 BW POLYURETHANE FOAM	EMC	1.93	.01	24H	40	AIR	FOAM
				48H	40	E-5	
ECCOMOLD 66A EPOXY - MOLD AT 135C AND 420 PSI	EMC	.49	.06	1H	118	AIR	STRUCTURAL

SECTION 18 -- MISCELLANEOUS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSORB AN 74 METHANOL WASH - 3	EMC	.51	.05	21H	100	AIR	ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT/3M ADH 44	EMC	1.16	.39	3H	25	AIR	ABSORBANT
				21H	100	AIR	
EPON 828/VERSAMID 125/MD AS 100/21/13 BW EPOXY	SHL	.70	.01	4H	71	AIR	ADHESIVE
EPON 828/VERSAMID 140/SR-82/DETA/TOLUENE	SHL	2.91	.00	1H	25	AIR	CONF COAT
				4H	60	AIR	
				4H	60	E-6	
EPON 828/815/140/CARBOLAC/NOVACITE 1250	SHL	1.72	.10	16H	25	AIR	ADHESIVE
				2H	66	AIR	
				7D	25	AIR	
EPON 828/871/AEP/CAB-O-SIL AS 40/60/15.5/3 BW EPOXY	SHL	1.24	.01	8H	54	AIR	ADHESIVE
EPON 929 EPOXY	SHL	.60	.00	1H	149	AIR	ADHESIVE
EPOXYLITE P EPOXY	EPC	5.84	.02	72H	50	E-6	ADHESIVE
EPOXYLITE 8712 VARNISH	EPC	8.41	.03	24H	52	AIR	IMPREGNANT
EPOXYLITE 9653 POLYURETHANE E-160 8 COATS	EPC	9.15	.01	1H	71	AIR	CONF COAT
				2H	71	E-3	
FASTENER 06077 INJECTION MOLDED POLYURETHANE	DNN	.76	.12				FASTENER
FELT GRADE 5-600-1/8 POLYURETHANE	SCT	2.05	.32				FELT PAD
FIBER OPTIC BUNDLE	RSI	.03	.00				FIBER OPTIC
FIBER OPTIC CABLE OC-100	BRX	.27	.07				FIBER OPTIC
FIBER OPTIC CABLE OC-1050 4 PART SYSTEM	BRX	.09	.02				FIBER OPTIC
FIBER OPTIC CABLE 5030ST	PIR	.33	.13				FIBER OPTIC
FIBER OPTIC CABLE 5030ST - NO SILICONE	PIR	.28	.07				FIBER OPTIC
FM 123-2 EPOXY ADH FILM PURPLE	ACC	1.23	.14	1H	121	AIR	ADH FILM
FM 123-2 EPOXY ADH FILM PURPLE	ACC	.92	.22	10H	121	PSI	ADH FILM
FMD 60-FURF FIBERGLASS BATTING	OII	.69	.01				INSULATION
FORMVAR MAGNET WIRE COATING 105 DEG C USE	ZZZ	.23	.04				WIRE COATING
FSP43 CONDUCTIVE COATING	JMM	4.32	.00				PAINT
FULLER 171-A-152 ALUMINUM SILICONE PAINT	FHB	3.20	.73	24H	25	AIR	COND PAINT
F6-1100 CONTROLLED VOLATILITY FLUID	DCC	.07	.04				SILICONE FLUID
F6-1101 CONTROLLED VOLATILITY FLUID	DCC	.05	.03				SILICONE FLUID
F6-1105 CONTROLLED VOLATILITY FLUID	DCC	.07	.06				SILICONE FLUID
F6-1107 CONTROLLED VOLATILITY FLUID	DCC	.11	.07				SILICONE FLUID
GFRP TUBE	ZZZ	.68	.02				STRUCTURAL
GLASS/POLYESTER TUBE	POL	.54	.01				STRUCTURAL
GRAPHITE POGO AXF5Q HEAT TREATED	PGI	.00	.00				STRUCTURAL
HEATER KAPTON TS Q-9485	STS	.58	.01				HEATER
HIGH K-707-L-9	GEC	.07	.00				DIELECTRIC
INSULATION BLANKET MULTILAYER	NMC	.61	.03				INSULATION
LAMINATE MAS-G-10-84	ZZZ	.37	.00				LAMINATE
LAMINATE REXOLITE 2200	ZZZ	.88	.00				LAMINATE
LIQUID CRYSTALS ENCAPSULATED IN PLASTIC/ADHESIVE	HLR	5.99	.93				HEAT SENSOR
MAGIC VULC NEOPRENE EMULSION	MAG	2.12	.21	1H	125	E-4	COVER
MAGNET FLEXIBLE STRIP MGO-1016	MMM	.34	.07				MAG HOLD DOWN
METASEAL 19V5 THERMOSET POLYESTER/STYRENE COPOLYMER	AMS	5.16	.42	15M	149	AIR	IMPREGNANT
METASEAL 19V5 THERMOSET POLYESTER/STYRENE COPOLYMER	AMS	9.38	.49	3H	149	AIR	IMPREGNANT
METASEAL 1980	AMS	5.00	.01	15M	91	AIR	IMPREGNANT
METHYLPENTENE POLYMER	IBM	.67	.16				WAVEGUIDE
MICROLITE FELT AA 0.6#/CU FT W/SILICONE BIND-CENTER	JOM	.29	.09	1H	260	AIR	INSULATION
				4H	330	AIR	
MIN-K TYPE SS HT INSULATION	JOM	.20	.00				INSULATION
MIN-K 1301 HT INSULATION	JOM	.51	.06				INSULATION
MMM TAPE ALUM/MYLAR/ALUM/ACRYLIC ADH/R (Y-9360)	MMM	.79	.06				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM TAPE 59 POLYESTER/ACRYLIC ADH/R	MMM	1.25	.00				TAPE
MS 224 MH5 MOLD RELEASE ON FOIL	MSI	.37	.08				MOLD RELEASE
MS-136 FLUOROCARBON MOLD RELEASE ON FOIL	MSI	10.42	4.72				MOLD RELEASE
NAS1023D3 FASTENER RED INSERT	DEL	2.26	.03				FASTENER
NE 110 POLYVINYLTOLUENE PHOSPHOR	NEL	1.56	.16				PHOSPHOR
NICKEL BLACK/ELECTROLESS PLATED ALUMINUM	GSC	.32	.04				COATING
NICKEL DULL PLATED ALUMINUM	GSC	.15	.03				COATING
NICKLE B GLOSSY PLATED ALUMINUM	GSC	.12	.05				COATING
NICKLE BLACK/COPPER/ALUMINUM	GSC	.28	.05				COATING
NORTON EAR VIBRATION DAMPING FOAM	ZZZ	15.49	9.35				FOAM
NYLON NETTING	ZZZ	1.41	.03				NETTING
NYLON ROD PER MIL P-17091	ZZZ	1.13	.00	72H	51	AIR	ROD
NYLON 6 FASTENER - WHITE	DNN	2.71	.05				FASTENER
ORTEC EPOXY ALUMINUM COVER	ORT	2.06	.00				DETECTOR
ORTEC EPOXY GOLD COVER	ORT	8.87	.05				DETECTOR
P-49 POLYESTER W/2% BENZOYL PEROXIDE	ROH	1.04	.05	10M	104	AIR	TUBE
REFLECTOR RED STIMSONITE	SPD	.38	.01				REFLECTOR
ROD JANCO HIGH TEMPERATURE - BLUE	JAN	.60	.01				INSUL SHIM
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 10	GSC	.33	.01	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 15	GSC	.39	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 20	GSC	.30	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 25	GSC	.57	.01	7D	25	AIR	POTTING
R90-709 SILICONE JUNCTION COATING	DCC	.88	.37	1H	70	AIR	SILICONE
				2H	150	AIR	
SAM SILICONE RESIN RIGIDIZED W/SILICA FIBERS	GEV	.20	.02	16H	204	AIR	ABLATIVE
SCOTCHMATE POLYESTER FASTENER HOOK/NAP	MMM	.39	.03				FASTENER
SCOTCHMATE SJ3401 NYLON HOOK AND PILE	MMM	1.41	.01				FASTENER
SCOTCHMATE SJ3402 NYLON HOOK AND LOOP	MMM	1.71	.00				FASTENER
SCOTCHMATE SJ3402/SJ3401 NYLON HOOK AND LOOP BLACK	MMM	1.70	.06				FASTENER
SCOTCHMATE SJ3526/SJ3527 ADH BACKED HOOK & LOOP	MMM	5.60	2.22				FASTENER
SE 5403 U	GEC	.10	.02	3H	204	AIR	SILICONE
SG 840 RSC FIBER OPTIC CABLE	SPS	2.27	.70				FIBER OPTIC
S102 D10-10 FASTENER GRAY ANODIZE	DEL	.02	.01				FASTENER
TBS 757 FLAME RETARDANT SILICONE BARRIER	GEC	2.80	.76	5M	149	AIR	THERMAL BARRIER
TECKFELT 45-09802 SILICONE IMPREG SINT STAINLESS	TWP	.70	.29	24H	100	AIR	FELT
TECKFELT 45-09810 UNFILLED SINT STAINLESS	TEC	.01	.00				FELT
TECKNIT 82-124571 SILICONE SPONGE W/SCREEN	TEC	4.37	.74				DAMPER
TECKNIT 82-124571 SILICONE SPONGE W/SCREEN	TEC	.12	.02	48H	121	E-5	DAMPER
TECKNIT 82-124571/72-00002/82-124571 COMPOSITE	TEC	.05	.01	48H	121	E-5	DAMPER
TEXIN 355DR POLYURETHANE FASTENER	MOB	1.03	.23				FASTENER
THERMA-FILM 43-03-4 INSULATOR	THE	.08	.00				INSULATOR
VELCRO ASTRO H&L POLYESTER-BETA GLASS-TEFLON-FLUOREL	VEL	.78	.19				FASTENER
VELCRO ASTRO H&L POLYESTER/GLASS-TEFLON/GLASS	VEL	.50	.02				FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD	VEL	5.33	2.04				FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD/ETOH WASH	VEL	2.39	.01	16H	100	AIR	FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD/EXTRACTED	VEL	2.97	.00				FASTENER
VELCRO HI-AIR HOOK/LOOP FLAME RETARD 0399 BACKING	VEL	5.82	1.93				FASTENER
VELCRO HI-AIR 062-066-017-0399 HOOK & LOOP	VEL	3.74	.58	24H	105	E-2	FASTENER
VELCRO HI-GARD HOOK & PILE STAINLESS STEEL	VEL	.02	.00				FASTENER
VELCRO HI-GARD HOOKS STAINLESS STEEL	VEL	.02	.01				FASTENER
VELCRO HI-MEG SILVERED NYLON HOOK & LOOP	VEL	.83	.02				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE	VEL	.52	.00				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE/EXTRACTED	VEL	.55	.00				FASTENER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VELCRO NYLON HOOK AND LOOP	VEL	1.08	.05				FASTENER
VELCRO NYLON HOOK/LOOP 0199 BACKING	VEL	1.50	.04				FASTENER
VELCRO NYLON NAP FASTENER	VEL	.34	.20				FASTENER
VELCRO P537 FIBERGLASS/FLUOREL/TEFLON LOOPS	VEL	.57	.21				FASTENER
VELCRO V330-1(65)-63/V330-2-63 BLACK NYLON H&L	VEL	1.77	.01				FASTENER
VELCRO 100 POLYESTER HOOK AND LOOP	VEL	.54	.02				FASTENER
VELCRO 100-003-017-0327AB NOMEX HOOK/LOOP W/ADH	VEL	5.13	1.70	14D	25	AIR	FASTENER
VELCRO 100-005-012-0199AB/100-101-012-0199AB H&L	VEL	.70	.02				FASTENER
VELCRO 100-006-715-1299AF STAINLESS LOOP	VEL	1.30	.00				FASTENER
VELCRO 100-040-715-1299AF STAINLESS HOOK	VEL	1.41	.03				FASTENER
VELCRO 1000-081-012-0199/1000-009-012-0199 WHITE	VEL	.40	.05				FASTENER
VELCRO 1000-081-106-0199/1000-009-106-0199 OL/GREEN	VEL	3.10	.05				FASTENER
VELCRO 1000-081-330-0199/1000-009-330-0199 BLACK	VEL	1.98	.06				FASTENER
X-850 FILM LAMINATE ALUM MYLAR/DACRON SCRIM/AL MYLAR	GTS	.51	.14				COVER
XR PERFLUOROSULFONIC ACID MEMBRANE	DUP	4.77	.02				MEMBRANE
XR PERFLUOROSULFONIC ACID PRECURSOR TUBING	DUP	.03	.02				TUBING

SECTION B

MATERIALS - ALPHABETICAL LISTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
A-1177B A/B AS 1/1 BW EPOXY - BROWN	GSFC7166	.45	.02	24H	25	AIR	ADHESIVE
				30M	82	AIR	
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	GSFC9536	.75	.04	48H	25	AIR	ADHESIVE
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	GSFC9560	.71	.05	16H	25	AIR	ADHESIVE
				15M	121	AIR	
A-1282-B ONE PART HEAT CURED EPOXY	GSC15624	.65	.01	20M	204	AIR	ADHESIVE
A-1362-B ONE COMPONENT EPOXY	GSFC9298	1.18	.34	1H	121	AIR	ADHESIVE
A-1396-B EPOXY	GSFC8300	11.69	.65	1H	121	AIR	ADHESIVE
A-18 A/B AS 10/8 BW EPOXY	GSFC3451	1.54	.04	7D	25	AIR	ADHESIVE
A-4000 A/B AS 100/4.5 BW SILICONE	GSFC5479	2.85	1.63	16H	25	AIR	ADHESIVE
				20H	93	AIR	
AAP-HC HONEYCOMB MICROWAVE ABSORBER	GSC13006	1.75	.04				ABSORBER
AAP-LS-2000 FOAM RF ABSORBER BLACK	GSC14764	4.34	.37				ABSORBER
AAP-ML-F2 FOAM MICROWAVE ABSORBER BLUE COAT ONE SIDE	GSC14740	3.03	.38				ABSORBER
AAP-SS-H RF ABSORBER METALLIC/GRAPHITE/FOAM	GSFC8938	.85	.04				FOAM COMPOSITE
AAP-3 FOAM RF ABSORBER BLACK W/BLUE COAT ONE EDGE	GSC14767	4.18	.63				ABSORBER
ABLEBOND XA042485-2 BLUE EPOXY	GSC15120	.27	.00	7.5H	160	AIR	ADHESIVE
ABLEBOND 16-1 A/B AS 100/7 BW SILVER FILLED EPOXY	GSFC9392	.71	.15	24H	25	AIR	COND ADHESIVE
				16H	65	AIR	
ABLEBOND 163-4 A/B AS 20/9 BW COPPER FILLED EPOXY	GSFC1078	1.39	.08	2H	77	AIR	COND ADHESIVE
ABLEBOND 20-1 SILVER FILLED EPOXY ONE COMPONENT	GSFC5531	.19	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 224-1 A/B AS 10/1 BW EPOXY	GSFC5250	3.30	.38	15M	65	AIR	ADHESIVE
ABLEBOND 224-8 A/B AS 100/7.3 BW EPOXY	GSFC3293	.39	.00	1H	52	AIR	ADHESIVE
ABLEBOND 293-1 A/B AS 25/2 BW FILLED EPOXY	GSC13335	2.05	.02	4H	74	AIR	ADHESIVE
ABLEBOND 293-1 A/B AS 25/4 BW EPOXY	GSFC5272	1.32	.08	4H	74	AIR	ADHESIVE
ABLEBOND 342-13ACC/5% BLACK EPOXY	GSC10886	1.05	.07	2H	65	AIR	ADHESIVE
ABLEBOND 36-2 SILVER FILLED EPOXY	GSFC5693	.30	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 41-5 EPOXY	GSFC5635	.46	.00	30M	150	AIR	ADHESIVE
ABLEBOND 41-6 EPOXY	GSFC5637	.34	.01	30M	150	AIR	ADHESIVE
ABLEBOND 463-1 A/B AS 10GM/16DPS SILVER FILLED EPOXY	GSFC9395	.62	.01	2H	25	AIR	COND ADHESIVE
				1H	65	AIR	
ABLEBOND 57-2R MODIFIED EPOXY DARK RED	GSC12148	2.59	.16	2H	71	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	GSC14082	4.07	.03	30M	158	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	GSC14085	3.16	.03	60M	158	AIR	ADHESIVE
ABLEBOND 606-2NC TAN EPOXY PASTE	GSC14187	.81	.01	1H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 606-2NC TAN EPOXY PASTE	GSC14190	.82	.01	2H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	GSC10814	.24	.06	10M	150	AIR	COND ADHESIVE
				10M	275	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	GSC11651	.25	.00	30M	150	AIR	COND ADHESIVE
				30M	275	AIR	
ABLEBOND 731-1 A/B AS 100/47 BW YELLOW EPOXY	GSFC7250	.92	.11	3H	79	AIR	POTTING
ABLEBOND 789-3/5% BW CABOSIL YELLOW-BROWN EPOXY	GSC14572	.85	.00	90M	125	AIR	ADHESIVE
ABLEBOND 789-4 SINGLE COMPONENT THERM COND EPOXY	GSC14348	.44	.01	1H	125	AIR	THERM COND ADH
ABLEBOND 826-1 ONE COMPONENT SILVER FILLED ADH	GSFC7862	.58	.03	30M	150	AIR	COND ADHESIVE
ABLEBOND 84-1 LM15 ONE PART SILVER FILLED EPOXY	GSC15813	.26	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 84-3 ONE PART GREEN EPOXY	GSC15816	.35	.00	1H	150	AIR	ADHESIVE
ABLEBOND 872-3 A/B AS 2/3 BW FLEXIBLE PINK EPOXY	GSFC8324	2.76	1.19	8H	75	AIR	ADHESIVE
				90M	125	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11696	4.85	.31	90M	80	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11699	2.41	.04	1H	93	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11824	2.02	.06	1H	125	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11827	2.04	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11887	.76	.00	1H	150	AIR	COND ADHESIVE
				24H	125	E-3	
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY THIN	GSC11932	.81	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 931-1 ONE COMPONENT EPOXY	GSC15169	1.75	.00	21D	25	AIR	ADHESIVE
ABLEBOND 931-1 ONE COMPONENT EPOXY	GSC15171	1.46	.00	2H	75	AIR	ADHESIVE
ABLEFILM ECF 518 CLOTH SUPPORT/EPOXY FILM ADH GRAY	GSFC9272	.88	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM ECF 535 CLOTH SUPPORT SILVER FILLED EPOXY	GSFC7763	.42	.16	2H	125	AIR	FILM ADHESIVE
ABLEFILM ECF 550-1 GLASS SUPPORT SILVER FILLED EPOXY	GSC12490	.37	.10	3H	125	AIR	FILM ADHESIVE
ABLEFILM ECF 564A GLASS SUPPORT SILVER FILLED EPOXY	GSC15837	.22	.01	2H	150	AIR	FILM ADHESIVE
ABLEFILM 501 ADH GLASS CLOTH/EPOXY ADH	GSFC2336	1.62	.08	3H	74	AIR	FILM ADHESIVE
ABLEFILM 501T GLASS SUPPORT/MOD EPOXY FILM ADH	GSFC8912	.52	.00	45M	149	AIR	FILM ADHESIVE
ABLEFILM 504 CLOTH SUPPORT/EPOXY FILM ADH - WHITE	GSFC8792	.38	.00	1.5H	93	AIR	FILM ADHESIVE
ABLEFILM 506 CLOTH SUPPORT/EPOXY FILM ADH - PINK	GSFC8795	1.05	.37	3H	100	AIR	FILM ADHESIVE
ABLEFILM 506 CLOTH SUPPORT/EPOXY FILM ADH/F - WHITE	GSC10622	.90	.32	90M	125	PSI	FILM ADHESIVE
ABLEFILM 507 GLASS CLOTH/B-STAGED EPOXY	GSFC5491	.38	.02	1.5H	163	AIR	FILM ADHESIVE
ABLEFILM 517 GLASS CLOTH SUPPORT/EPOXY FILM ADH	GSFC2272	.07	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM 517-LV CLOTH SUPPORT/EPOXY FILM ADH PINK	GSC13433	.83	.00	3H	93	AIR	FILM ADHESIVE
ABLEFILM 518 CLOTH SUPPORT/EPOXY FILM ADH - GRAY	GSFC8717	.83	.00	3H	165	AIR	FILM ADHESIVE
ABLEFILM 539 TYPE II CLEAR	GSC14836	1.11	.01	2H	125	AIR	FILM ADHESIVE
ABLEFILM 550-K CLOTH SUPPORT/EPOXY FILM ADH - WHITE	GSFC8798	.31	.04	2H	125	AIR	FILM ADHESIVE
ABLEFILM 550-1-004 CLOTH REINFORCED EPOXY FILM WHITE	GSFC7523	.42	.12	3H	125	AIR	FILM ADHESIVE
ABLEFILM 561K CLOTH SUPPORT/EPOXY FILM-THERM COND	GSC12910	.42	.13	2H	125	AIR	FILM ADHESIVE
ABLEFILM 564A GLASS SUPPORT EPOXY FILM	GSC15840	.61	.01	2H	150	AIR	FILM ADHESIVE
ABLESTIK 240-2 POLYURETHANE	GSFC1948	.44	.07				ADHESIVE
ABLESTIK 257-1 A/B AS 100/179.2 BW POLYURETHANE	GSFC5106	.42	.04	6H	74	AIR	CONF COAT-ADH
ABLESTIK 681-12 MOD EPOXY FILM ADH - BLUE/GREEN	GSFC6832	.84	.32	1H	100	AIR	FILM ADHESIVE
				1H	175	AIR	
ABLESTIK 681-12VD EPOXY FILM ADHESIVE GREEN	GSFC6896	.98	.04	10M	100	AIR	FILM ADHESIVE
				16H	25	AIR	
				1H	175	AIR	
ABLESTIK 724-14C SINGLE COMPONENT POLYURETHANE	GSFC6872	1.11	.12				ADHESIVE
ABLESTIK 761-6 A/B/V9 AG AS 100/5/223 BW	GSFC7598	.36	.00	1H	150	AIR	COND ADHESIVE
ABLESTIK 857-1 POLYURETHANE	GSFC7775	1.08	.10	4H	71	AIR	POTTING
ABLESTIK 861-1/ECCOSPHERES SI AS 55/45 BW - WHITE	GSFC7694	.78	.00	2H	93	AIR	POT FOAM
ABLESTIK 861-2/ECCOSPHERES SI AS 55/45 BW - WHITE	GSFC7697	.80	.01	2H	93	AIR	POT FOAM
ABLETHERM 7-2 A/B AS 100GM/14 DROPS FILLED SILICONE	GSFC5605	.96	.36	8H	71	AIR	THERM COND ADH
ABLETHERM 7-2 A/B AS 100GM/7 DROPS FILLED SILICONE	GSFC5603	.93	.35	8H	71	AIR	THERM COND ADH
ABLETHERM 7-2 FILLED SILICONE	GSC13332	.29	.10	4H	74	AIR	POTTING
ABLETHERM 7-3 A/B AS 100GM/16 DROPS FILLED SILICONE	GSFC5609	1.03	.31	8H	71	AIR	THERM COND ADH
ABLETHERM 7-3 A/B AS 100GM/8 DROPS FILLED SILICONE	GSFC5607	.89	.35	8H	71	AIR	THERM COND ADH
ABLETHERM 7-5 A/B AS 100GM/14 DROPS FILLED SILICONE	GSC13326	.68	.19	4H	74	AIR	POTTING
ABLETHERM 7-5 A/B AS 100GM/4 DROPS FILLED SILICONE	GSC13428	.38	.12	6H	67	AIR	RFI GASKET
ABLETHERM 7-5 A/B AS 100GM/7 DROPS FILLED SILICONE	GSC12220	.51	.28	24H	65	E-6	POTTING
ABLETHERM 7-5 A/B AS 100GM/7 DROPS FILLED SILICONE	GSFC7253	.49	.20	8H	74	AIR	THERM COND ADH
ABLETHERM 7-5 OXIDE FILLED SILICONE	GSC12829	.31	.14	8H	80	AIR	POTTING
ABLETHERM 8-2 A/B AS 10/1 BW EPOXY	GSFC5443	.41	.00	90M	93	AIR	THERM ADHESIVE
ABLETHERM 908-3 CERAMIC FILLED SOLITHANE 113/300/T12	GSC13329	.16	.01	4H	74	AIR	POTTING
ABS VACUUM MOLDED CASING	GSC11483	1.13	.16	6M	204	E-2	MOLD CPND
ABSAFIL F1200/20 FOAM/20% GLASS FIBERS	GSFC4027	.33	.01				FOAM
AC 4368 SILICONE WET FILM MOLD RELEASE/F	GSC14860	2.78	1.33	7D	25	AIR	MOLD RELEASE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AC-1 A/B AS 10/1 BW CONDUCTIVE EPOXY SOLDER	GSFC4504	2.54	.42	3.5H	60	AIR	COND ADHESIVE
				16H	40	AIR	
ACETATE BUTYRATE - CLEAR	GSFC0457	4.73	.00				LENS
ACLAR 22 ANTI STATIC FILM	GSC14824	.12	.01				ANTI STATIC FILM
ACLAR 22A CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	GSC12847	.13	.01				FILM
ACLAR 33 ANTI STATIC FILM	GSC14797	.10	.01				ANTI STATIC FILM
ACLAR 33C CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	GSC12850	.11	.01				FILM
ACRYLAFIL G47/20 STYR/ACRYLONITRILE/FIB GLA AS 80/20	GSFC0969	.23	.00				MOLD CPND
ACRYLAGLAS S40/35 STYRENE-ACRYLONITRILE/FIBER GLASS	GSFC1041	.22	.03				MOLD CPND
ACRYLITE ACRYLIC SHEET	GSFC0915	.51	.05				STRUCTURAL
ACRYLOID AU608/DESMODUR L2219A/T-12 CLEAR COATING	GSC13201	12.70	.03	14D	25	AIR	COATING
ACRYLOID B-82 CLEAR COATING/F	GSC15002	1.07	.12	1H	25	AIR	COATING
				2H	80	AIR	
				5H	25	E-3	
				3H	25	E-5	
ACRYLOID B-82 CLEAR COATING/F	GSC15114	.51	.04	1H	25	AIR	COATING
				8H	115	AIR	
ACTON EPOXY - CLEAR	GSFC6185	1.32	.00				POTTING
ADIPRENE L100/MOCA AS 100/10 BW	GSFC1825	1.15	.15	7D	25	AIR	CONF COAT
ADIPRENE L100/SOLITHANE C-300/CRBN BLK AS 100/40/1.4	GSFC7601	.74	.07	48H	50	AIR	POTTING
ADIPRENE L83/CAYTUR 21 AS 100/16 BW POLYURETHANE	GSFC8666	7.61	4.96	2H	120	AIR	MOLD CPND
ADIPRENE L83/CAYTUR 21 AS 100/16 BW POLYURETHANE	GSFC8678	.34	.03	2H	120	AIR	MOLD CPND
				72H	100	E-6	
ADOLET PEM-2 ELECTRICAL FEED THRU NEMA XX GRADE 550	GSFC3775	2.97	.00				FEED THRU
ADX-372 OR EA-9309 FOAM ADHESIVE	GSFC3021	1.40	.19	14D	25	AIR	FOAM ADHESIVE
AEROBOND AE 3041-10 EPOXY HONEYCOMB ADH	GSFC2639	1.72	.73	1H	121	PSI	ADH-FILM
AEROBOND 3030 EPOXY HONEYCOMB ADH - GRAY	GSFC5204	1.26	.00	1H	177	E-1	ADH-FILM
AERODAG G COLLOIDAL GRAPHITE/ISOPROPYL ALCOHOL	GSFC6464	1.78	.11	24H	25	AIR	LUBRICANT
AERODAG G COLLOIDAL GRAPHITE/ISOPROPYL ALCOHOL	GSFC6521	2.05	.04	24H	60	AIR	LUBRICANT
AERODAG M COLLOIDAL MOS2/ISOPROPYL ALCOHOL	GSFC6488	4.97	.19	24H	25	AIR	LUBRICANT
AF 1006 ACRYL BUTADIENE STYRENE	GSFC0930	.20	.01				MOLD CPND
AF 110 FILM ADH	GSFC0689	1.46	.43	1H	177	AIR	FILM ADHESIVE
AF 3002 EPOXY FOAM	GSFC3676	.94	.12	16H	121	AIR	FOAM
AF 3109-2U FILM ADHESIVE CREAM	GSC12844	1.09	.29	90M	121	AIR	FILM ADHESIVE
AF 3109-2U FILM ADHESIVE CREAM UNSUPPORTED	GSC13012	.95	.25	1H	127	E-3	FILM ADHESIVE
				1H	127	E-3	
				168H	74	E-3	
AF 3109-2U FILM ADHESIVE CREAM UNSUPPORTED	GSC13078	1.72	.72	1H	127	AIR	FILM ADHESIVE
AF 3109M EPOXY FILM ADHESIVE	GSC12505	1.26	.09	90M	107	AIR	FILM ADHESIVE
AF 3109U FILM ADHESIVE BLUE GREEN	GSC12841	1.71	.11	90M	121	AIR	FILM ADHESIVE
AF 3109U FILM ADHESOVE BLUE GREEN UNSUPPORTED	GSC13009	1.54	.28	1H	127	E-3	FILM ADHESIVE
				1H	127	E-3	
				168H	74	E-3	
AF 32 FILM ADHESIVE	GSC14668	1.97	.46	1H	177	AIR	FILM ADHESIVE
AF 42 FILM ADHESIVE EPOXY UNSUPPORTED THERMOSETTING	GSFC5445	3.91	.37	1H	177	AIR	FILM ADHESIVE
AF 46 STRUCTURAL FILM ADHESIVE	GSC13356	2.11	.31	90M	166	AIR	FILM ADHESIVE
AF 55 SUPPORTED EPOXY ADHESIVE FILM MAROON	GSFC5789	.81	.17	1H	177	AIR	ADH FILM
AF-E-332-11 ETHYLENE PROPYLENE DERIVATIVE	GSFC4600	.60	.08				BLADDER
AF3015/C125690-1 HARD FOAMED EPOXY	GSFC8940	.88	.01	2H	177	AIR	FOAMED ADH
AG-1/HARDENER 22 AS 16/1 BW SILVER FILLED EPOXY	GSFC8723	.37	.00	3H	99	AIR	COND ADHESIVE
AIRBORN CONNECTOR WGE92PR7GY BLACK GLASS FILL/NYLON	GSC11324	.71	.09				CONNECTOR
ALLACAST 1776 POTTING CPND FOR OPTICAL COMPONENTS	GSFC8516	.25	.01	24H	25	AIR	POTTING
ALPHA LUX 400 POLYPHENOL OXIDE	GSFC3933	.08	.01				INSULATION
ALPHA WIRE 221-3-64 INSULATION	GSFC0403	1.30	.04				INSULATION

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ALPHA WIRE 5853 BLACK TEFLON INSULATION	GSC12601	.01	.00				WIRE INSUL
ALPHA WIRE 5853 WHITE TEFLON INSULATION	GSC12604	.01	.00				WIRE INSUL
ALTAIR 20 METALIZED POLYCARBONATE FILM	GSC14956	.24	.01				ANTI STATIC FILM
ALUMINIZED MYLAR 100M42	GSFC2755	.13	.01				REFLECTOR
ALUMINIZED MYLAR/DACRON DUPONT ADH 46960	GSFC2128	.46	.09				COND FILM
AMERI-STAT FILM METALIZED POLYESTER/POLYETHYLENE	GSC14884	.23	.04				ANTI STATIC FILM
AMES 24E BLACK INFRARED OPAQUE COATING SAMPLE A	GSC16046	.67	.16	7D	25	AIR	PAINT
				24H	135	E-2	
AMES 24E BLACK INFRARED OPAQUE COATING SAMPLE B	GSC16049	.85	.28	7D	25	AIR	PAINT
AMICON 930-12-4F SINGLE COMPONENT ADHESIVE YELLOW	GSC14465	1.71	.06	10M	120	AIR	ADHESIVE
AMJET 023BK BLUE MARKING INK	GSC16215	3.35	.50	10M	80	AIR	INK
AMLGUARD CORROSION PROTECTIVE COATING/F	GSFC8180	14.01	2.12	24H	25	AIR	COATING
AMP CONNECTOR VALOX 420 SEO BLUE INSERT	GSC14166	.40	.10				CONNECTOR
AMP CONNECTOR 205-207-1 NYLON/GLASS FIBER	GSFC5316	1.62	.03				CONNECTOR
AMP CONNECTOR 205-289-1 PHENOLIC/GLASS FIBER	GSFC5319	1.30	.00				CONNECTOR
AMP CONNECTOR 645850-1 BLACK GLASS FILLED POLYESTER	GSC10958	.26	.07				CONNECTOR
AMP FEED THRU TERM BLOCK 204307-6-70-39 EPOXY	GSFC2645	.28	.00				FEED THRU
AMP FEED THRU TERM BLOCK 204307-6-70-39 SILICONE	GSFC2647	.66	.06				FEED THRU
AMP HV SILICONE CABLE INSUL PEP	GSFC2290	1.07	.48				INSULATION
AMP HV WIRE ENTIRE CABLE WITHOUT METAL	GSFC1339	1.39	.35				CABLE
AMP HV WIRE HA/HV-1 SILICONE INSUL MIDDLE	GSFC1336	1.44	.34				CABLE
AMP HV WIRE SILASTIC 1410 SHRINK TUBING ONLY	GSFC1342	1.39	.50				CABLE
AMP MOLDING COMPOUND AMBER	GSC12877	.51	.00				MOLD CPND
AMP 22-18(1-2) SOLDER LUG INSULATION - RED	GSFC8816	2.54	.02				INSULATION
AMPHENOL CONNECTOR MIL C38999 BLUE INSERT 418 SERIES	GSC10422	.35	.15				CONN INSUL
AMPHENOL CONNECTOR MIL C38999 CLEAR SEAL 418 SERIES	GSC10434	.50	.25				CONN INSUL
AMPHENOL CONNECTOR SERIES 118 BLUE FLUOROSILICONE	GSFC8303	.56	.10				CONN INSUL
AMPHENOL CONNECTOR SERIES 118 TAN THERMOPLASTIC	GSFC8306	1.03	.00				CONN INSUL
AMPHENOL 481 CONNECTOR PHENOLIC ONLY	GSFC5681	1.50	.01				CONNECTOR
AMPHENOL 481 CONNECTOR PHENOLIC/SILASTIC 35U	GSFC5206	1.17	.08				CONNECTOR
AMPHENOL 481 CONNECTOR SILASTIC 35U ONLY	GSFC5274	.56	.22				CONNECTOR
AMR 1036 GREEN EPOXY	GSC12853	2.36	.05	7D	25	AIR	ADHESIVE
AMR 1036 ORANGE EPOXY	GSC12856	2.66	.06	1H	75	AIR	ADHESIVE
AMS 3345 SILICONE RUBBER	GSFC4916	.11	.04	48H	121	E-4	CUSHION
AN 16 NYLON REINF PVF ALUMINIZED FILM	GSC14743	2.48	.76				ANTI STATIC FILM
AN 18 METALLIZED TEDLAR FILM	GSC14800	2.01	.80				ANTI STATIC FILM
AN 22 NYLON/PVF FILM ALUMINIZED	GSC14719	2.97	.69				ANTI STATIC FILM
AN 4C PVF FILM ALUMINIZED	GSC14716	1.22	.22				ANTI STATIC FILM
ANDREW BROWN BLACK EPOXY PAINT/PRIMER A-136	GSFC1402	9.48	.21	5D	25	AIR	PAINT
ANDREW BROWN BLACK EPOXY PAINT/PRIMER A-136	GSFC1444	2.77	.16	5M	25	AIR	PAINT
				10M	149	AIR	
ANGEL FOAM 6818 CLEAN ROOM WIPE	GSFC6509	1.24	.10				FOAM WIPE
ANGEL FOAM 6818 CLEAN ROOM WIPE 6 HR METOH WASH	GSFC6617	1.15	.01	16H	100	AIR	FOAM WIPE
ANTI STATIC FILM 2100	GSC11845	.32	.05				FILM
AO 805 OPTICAL CEMENT BUTYL METHACRYLATE	GSFC0566	16.45	2.55				OPT CEMENT
AO 805 OPTICAL CEMENT BUTYL METHACRYLATE	GSFC0619	15.04	2.96	4H	71	AIR	OPT CEMENT
APCO 1260 A/B AS 1/1 BW	GSFC2677	6.46	.02	24H	25	AIR	CONF COAT
				2H	71	AIR	
APCO 1266 A/B AS 1/1 BW POLYURETHANE	GSFC1207	18.35	.02	90M	80	AIR	CONF COAT
APCO 1266 A/B AS 1/1 BW POLYURETHANE CYCLED	GSFC1420	17.06	.04	90M	80	AIR	PAINT
				24H	-40	E-5	
				24H	65	E-6	
APCO 5290/2180/0300 AS 79/17/4 BW BLACK	GSC16307	1.58	.02	30D	25	AIR	ADHESIVE
APCO 5313 A/B AS 100/8 BW GREEN EPOXY	GSC10553	1.80	.05	1H	66	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
APIEZON C OIL VACUUM DEGASSED	GSC11800	81.19	47.47	1H	65	E-2	LUBRICANT
APIEZON H HYDROCARBON GREASE	GSFC4696	.25	.02				GREASE
APIEZON L GREASE	GSFC6320	.04	.01				GREASE
APIEZON M GREASE VACUUM DEGASSED	GSC11803	.34	.29	1H	65	E-2	LUBRICANT
APIEZON N GREASE	GSFC6380	.08	.00				GREASE
APIEZON T GREASE	GSFC5813	.76	.12				GREASE
APPLETON CONNECTOR RED SILICONE INSERT	GSC11222	.33	.14				CONN INSUL
APPLETON CONNECTOR RED/BLACK PHENOLIC FIBERGLASS	GSC11219	.24	.00				CONN INSUL
APPLETON CONNECTOR WHITE FLUOROSILICONE INSERT	GSC11216	.24	.09				CONN INSUL
AP8004 FAST CURE EPOXY ACU-PAK PRE-MIX	GSFC7079	2.91	.22	24H	25	AIR	ADHESIVE
AP8005 FAST CURE EPOXY ACU-PAK PRE MIX	GSFC7130	3.90	.21	24H	25	AIR	ADHESIVE
AR 559 SILICONE TRANSFER ADHESIVE	GSC16058	4.72	2.14				ADH FILM
AR-1001 A/B AS 1/1 BW EPOXY	GSC14295	2.39	.33	14D	25	AIR	ADHESIVE
ARALDITE AV100/HV100 AS 1/1 BW EPOXY	GSFC1123	.57	.15	3H	60	AIR	ADH POTTING
ARALDITE AV100/HV100 AS 1/1 BW EPOXY	GSFC1126	.78	.10	7D	25	AIR	ADH POTTING
ARALDITE AV124/HV948 AS 1/1 BW EPOXY	GSFC4432	3.01	.20				ADHESIVE
ARALDITE AV138/HY998 AS 100/40 BW EPOXY	GSFC6899	.97	.05	7D	25	AIR	ADHESIVE
ARALDITE AV138M/HV998 AS 100/40 BW GREY EPOXY	GSC14202	.68	.03				ADHESIVE
ARALDITE AW134B/HY994 AS 100/40 BW EPOXY	GSFC7109	1.59	.04	24H	25	AIR	POTTING
ARALDITE CY179/906/065/MS-XL EPOXY	GSFC4552	.16	.00	16H	93	AIR	POTTING
ARALDITE CY236/HV988 AS 10/3 BW EPOXY	GSFC9539	1.14	.07	3H	70	AIR	POTTING
ARALDITE GY6020/HY830 AS 100/56 BW	GSC15364	.88	.01	30D	25	AIR	ADHESIVE
ARALDITE GY6020/HY830/DY025 AS 95/56/5 BW	GSC15366	1.40	.01	30D	25	AIR	ADHESIVE
ARALDITE MY750/HT972/MARBLE FLOUR AS 100/27/100 BW	GSFC6050	.26	.01	3H	80	AIR	POTTING
ARALDITE MY750/HY219/DY219/TEXOGLASS 480	GSFC7526	7.55	.01	30H	25	AIR	LAMINATE
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	GSFC1135	.19	.01	30H	60	AIR	ADH POTTING
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	GSFC1138	.27	.03	45M	100	AIR	ADH POTTING
ARALDITE 106/HV953U AS 1/1 BW EPOXY	GSFC6578	5.18	.03	24H	25	AIR	ADHESIVE
ARALDITE 502/951 AS 10/1 BW EPOXY	GSFC3043	1.88	.03	24H	25	AIR	ADHESIVE
ARALDITE 502/951/PC-1244 EPOXY	GSFC4778	2.00	.01	1H	25	AIR	CONF COAT
				6H	49	AIR	
ARALDITE 508/EPON 828/ARALDITE 951/PC-1244 EPOXY	GSFC4768	2.31	.42	6H	25	AIR	ADHESIVE
				16H	49	AIR	
ARALDITE 6004/508/CABOSIL/DP-138/951/PC-1244 EPOXY	GSFC4770	3.74	.07	4H	25	AIR	POTTING
				5H	60	AIR	
AREMCO-BOND 517 THERMAL CONDUCTIVE EPOXY - BLACK	GSFC8612	.91	.04				ADHESIVE
AREMCO-BOND 556 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11531	1.54	.08	3H	66	AIR	COND ADHESIVE
AREMCO-BOND 556 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC11533	.73	.05	3H	66	AIR	COND ADHESIVE
				24H	125	E-3	
ARMAFLEX TUBULAR INSULATION SLEEVE BLACK	GSC10194	8.57	2.41				INSULATION
ARMALON FILM TG0350 BLACK TFE ON GLASS FABRIC	GSFC5567	.09	.01				HEAT BARRIER
ARMALON FILM TG4030 NEUTRAL TEFLON ON GLASS FABRIC	GSFC5569	.05	.01				HEAT BARRIER
ARMORED POLYTHERMALEZE 2000 MAGNET WIRE BROWN	GSFC4408	.85	.11				WIRE COATING
ARMORED XECON SILVER FILLED SILICONE	GSFC9080	.42	.17				GASKET
ARMSTRONG A-12 A/B AS 1/1 BW BROWN EPOXY	GSFC6739	1.11	.01	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 1/1 BW BROWN EPOXY	GSFC6762	1.25	.01	8H	54	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 1/1 BW EPOXY	GSFC4410	1.24	.04	20M	93	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	GSFC6764	1.95	.06	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	GSFC6766	1.94	.07	3H	71	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 2/3 BW BROWN EPOXY	GSFC6768	1.87	.07	8H	54	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	GSFC6712	.87	.00	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	GSFC6736	.65	.00	8H	54	AIR	ADHESIVE
ARMSTRONG A-2/W AS 3/2 BW EPOXY	GSFC3439	1.46	.06	24H	25	AIR	ADHESIVE
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	GSFC4918	.73	.02	14D	25	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	GSFC4920	.49	.02	30M	93	AIR	ADHESIVE
ARMSTRONG A-3/E AS 100/6 BW BLACK EPOXY	GSC12151	.85	.01	1H	93	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.4 BW TAN EPOXY	GSC11397	.72	.22	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.6 BW EPOXY	GSFC9930	.57	.04	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.6 BW TAN EPOXY	GSC11399	.63	.13	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.8 BW TAN EPOXY	GSC11401	.55	.06	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	GSFC1117	.56	.03	2H	60	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	GSFC4288	.74	.01	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY (CHNG IN B COMP)	GSFC8768	1.51	.06	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	GSC11403	.51	.03	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	GSC12799	.44	.01	7D	25	AIR	ADHESIVE
ARMSTRONG A-32 A/B AS 10/6 BW EPOXY	GSFC4944	2.44	.00	4H	65	AIR	ADHESIVE
ARMSTRONG C-1/ACT A AS 25/2 BW EPOXY	GSC10649	1.97	.04	24H	65	AIR	ADHESIVE
ARMSTRONG C-1/ACT A AS 25/2 BW EPOXY	GSFC8492	1.23	.01	2H	65	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/1 BW EPOXY	GSC12802	1.33	.04	7D	25	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/1 BW EPOXY	GSFC8840	1.13	.02	7D	25	AIR	ADHESIVE
ARMSTRONG C-4/ACT W AS 1/2 BW EPOXY	GSFC8843	2.89	.28	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 1/1 BW EPOXY	GSFC3001	.35	.02	21D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 2/3 BW EPOXY	GSFC3391	.81	.09	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W/CABOSIL	GSFC4480	1.68	.01	3H	66	AIR	COATING
ARMSTRONG C-7/ACT W/CABOSIL/NAZ-DAR ER ENAMEL	GSFC4482	2.13	.01	3H	66	AIR	COATING
ARMSTRONG C-7/H-20 AS 3/1 BW CLEAR EPOXY	GSC12859	.79	.05	24H	25	AIR	ADHESIVE
ARMSTRONG X-81 EPOXY X-81/A AS 10/1 BW	GSFC0089	2.30	.19	2H	74	AIR	CONF COAT
ARMSTRONG X-81 EPOXY X-81/A AS 10/1 BW/2FLEX RESIN	GSFC0095	1.50	.13	2H	74	AIR	CONF COAT
ARON ALPHA 201 CYANOACRYLIC/FOIL SANDWICH	GSFC6834	8.21	.01	5D	25	AIR	ADHESIVE
ARYLON T POLYARYL ETHER MOLDED AT 260C	GSFC1873	.36	.03				MOLD CPND
AS 3000 ORANGE ANTI STATIC FILM	GSC15058	6.25	.11				ANTI STATIC FILM
AS-4318/H-3486 AS 10/3 BW IMPREG ADH	GSFC4536	.68	.27	30M	44	AIR	IMPREG ADHESIVE
				4H	150	AIR	
ASTREL 360 POLYARYL SULFONE	GSFC1924	.94	.02				MOLD CPND
ASTREL 360 POLYARYL SULFONE TAN	GSC10236	1.60	.00				MOLD CPND
AUGAT CONNECTOR 14005-64R3 GRAY POLYESTER	GSC13210	.24	.07				CONNECTOR
AVERY MOUNTING TABS - SEM	GSC12913	13.32	6.21				TRANSFER FILM
AY-105/HY-951 AS 100/12 BW EPOXY	GSFC6269	.61	.05	3H	65	AIR	ADHESIVE
A8-4219/HD-3404 AS 100/9 BW EPOXY	GSC10934	2.96	.06	7D	25	AIR	POTTING
A9-601 EPOXY HONEYCOMB ADH	GSFC2641	.36	.03	1H	121	PSI	ADH FILM
B 123 PHENOLIC COIL VARNISH	GSFC4966	2.23	.37	8H	135	AIR	VARNISH
B 142-1 PHENOLIC COIL VARNISH	GSFC4073	.54	.04	8H	135	AIR	VARNISH
B-010 UNBONDED B FIBER	GSFC6784	.21	.01				INSULATION
B-010 UNBONDED B FIBER	GSFC6786	.07	.00	1H	482	AIR	INSULATION
B-5 GRAY SILICONE TUBING	GSC13921	.64	.25	16H	200	AIR	TUBING
BACON IND IMPREGNANT NO 2	GSFC4624	.27	.01	4H	71	AIR	POTTING
				8H	100	AIR	
BAKER POLYURETHANE SYSTEM 65	GSFC4720	.28	.03	4H	25	AIR	CONF COAT-POT
				16H	80	AIR	
BAKER POLYURETHANE SYSTEM 65	GSFC4722	.26	.01	16H	60	AIR	CONF COAT-POT
BALL BEARING CAGE LINEN/PHENOLIC - EXTRACTED	GSC11603	2.85	.00				STRUCTURAL
BALSAM RESIN	GSFC6046	20.36	4.15				RESIN
BAR LOK CABLE TIE NYLON 66	GSFC5837	2.69	.01				CABLE TIE
BARCO BOND MB-2 A/B AS 2/1 BV EPOXY	GSFC3986	1.20	.05	30M	66	AIR	ADHESIVE
BATTERY CELL INSULATOR BLACK PLASTIC	GSC14106	.37	.14				INSULATOR
BATTERY CELL SHRINK SLEEVE INSULATOR BLUE	GSC14109	8.91	5.20				INSULATOR
BAVICK II METHYL METHACRYLATE -MODIFIED	GSFC0454	.59	.00				LENS

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BC 337 HI-THERM VARNISH	GSC12589	2.74	.30	30M	25	AIR	VARNISH
				2H	138	AIR	
BC 340 VARNISH POLYESTER/XYLENE	GSFC1306	6.01	.40	1H	135	AIR	VARNISH
BC 346-B PHENOLIC VARNISH	GSFC8060	3.31	1.02	6H	135	AIR	VARNISH
BC 404 CLEAR SCINTILLATOR MATERIAL	GSC14169	1.83	.52				SCINTILLATOR
BC 500T SUFFLEX-SILVERFLEX SLEEVING	GSC10781	.05	.02				INSUL
BCO 9-7293 WHITE SILICONE INK	GSC15074	.16	.02	2H	25	AIR	MARKING INK
				1H	249	AIR	
BEKITEX 50/3 GRAY THREAD	GSC16061	.20	.03				THREAD
BELDEN BLUE ISOMID 36T-1 MAGNET WIRE BLUE/GREEN	GSFC4442	.90	.75				WIRE COATING
BELDEN MAGNET WIRE 8082 MIL W583C POLYTHERMALEZE INS	GSFC2803	.02	.00				WIRE COATING
BELDEN PVC THERMOPLASTIC WIRE INSULATION	GSFC2149	15.49	10.03				WIRE INSUL
BELDEN SML WIRE VALUES INCLUDE WT OF WIRE	GSFC3181	.05	.02				MOTOR WINDING
BELDEN 8524-1000 VINYL INSULATION	GSFC0659	24.03	8.72				CABLE INSUL
BELDURE GREEN 36T-1 MAGNET WIRE GREEN	GSFC4446	.24	.12				WIRE COATING
BEN-HAR HT-30 LOC B SERIES LACING TAPE	GSC11066	2.68	.30				LACING TAPE
BEN-HAR PYRO-SLEEVE ST COATED GLASS FIBER	GSC10931	.02	.02	24H	300	AIR	SLEEVING
BENDIX CABLE GROMMET MS25506F20-2 BROWN	GSC14872	.19	.07	24H	190	E-2	GROMMET
BENDIX CONN MS101581781P BLACK NEOPRENE	GSC16265	2.86	1.05				CONN INSUL
BENDIX CONN MS27467T21F11S BLUE FIBERITE E3938C	GSC14839	.44	.01				CONN INSUL
BENDIX CONN MS27467T25F61PJ031717 OLIVE DRAB INSERT	GSC14904	1.89	.01	24H	190	E-2	CONN INSUL
BENDIX CONN MS27656T25F61S OLIVE DRAB INSERT	GSC14842	2.40	.00				CONN INSUL
BENDIX CONN MS27656T25F61SJ031160 OLIVE DRAB INSERT	GSC14916	1.47	.01	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR BLUE SILICONE PROPRIETARY	GSC15076	.11	.01	16H	200	AIR	CONN INSUL
BENDIX CONNECTOR ECD 9-6500 RED SILICONE	GSC11264	.10	.03				CONN INSUL
BENDIX CONNECTOR JTG06RE-22-35S OLIVE GREEN POLYMER	GSC11165	3.04	.02				CONN INSUL
BENDIX CONNECTOR JTG06RE-22-35S RED SILICONE	GSC11168	.16	.04				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P DARK BLUE POLYMER	GSC11174	.65	.02				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P PINK SILICONE	GSC11171	.29	.05				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P RED SILICONE	GSC11177	.17	.04				CONN INSUL
BENDIX CONNECTOR MS27467T21F11S BROWN SILICONE	GSC14876	.18	.08	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 BRN SILICONE	GSC14878	.17	.09	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 RED SILICONE	GSC14880	.16	.07	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR PT07H-14-19P BLACK O RING	GSC11189	7.14	3.76				CONN SEAL
BENDIX CONNECTOR PT07H-14-19P GREEN GLASS INSERT	GSC11225	.00	.00				CONN INSUL
BENDIX CONNECTOR PT07H-14-19P RED SILICONE O RING	GSC11192	.23	.08				CONN SEAL
BENDIX CONNECTOR TORLON 4204 POLYAMID-IMID	GSFC8309	1.71	.00	24H	249	AIR	CONN INSUL
BENDIX CONNECTOR 9-5400 RED RUBBER INSERT MATERIAL	GSFC8414	.10	.04	16H	232	AIR	CONN INSUL
BENDIX CONNECTOR 9-6500 RED RUBBER INSERT MATERIAL	GSFC8417	.07	.03	16H	232	AIR	CONN INSUL
BENDIX GASKET MS27656T25F61SJ031160 RED SILICONE	GSC14882	.11	.05	24H	190	E-2	CONN GASKET
BENDIX GASKET SEAL MS27502F21C RED SILICONE	GSC14874	.41	.23	24H	190	E-2	CONN SEAL
BENDIX O-RING MS105615561P BLUE FLUOROSILICONE	GSC16268	.50	.10				O-RING
BERG FIBER CABLE AA-048-300 KEVLAR 49 UNCOATED	GSC15038	3.88	.36				CABLE
BETA MARQUISETTE WOVEN FIBERGLASS STYLE 2530	GSFC7094	.03	.00				INSULATION
BETACOTE 91-18 A/B AS 3/1 BW	GSFC0030	7.10	.00	16H	25	AIR	CONF COAT
				45M	71	AIR	
BF 1006 STYRENE ACRYLANITRILE	GSFC0933	.24	.01				MOLD CPND
BISCOTE HT-101 SILICONE COATED GLASS FABRIC	GSC15241	.46	.17				INSULATION
BISCOTE HT-105 SILICONE COATED FIBERGLASS	GSC15243	.44	.10				INSULATION
BISCOTE HT-610 METHYL VINYL SILICONE	GSC15245	1.20	.44				INSULATION
BIW P/E 5636-L-G20 WHITE SILICONE WIRE INSULATION	GSFC4528	1.28	.29				WIRE INSUL
BIW P/E 5636-L-G20 WHITE SILICONE WIRE INSULATION	GSFC4530	.03	.02	24H	204	AIR	WIRE INSUL
BIW P/N F5639-L-G22 BLACK PART	GSFC0640	.77	.22				CABLE INSUL
BIW P/N F5639-L-G22 BLACK PART	GSFC0695	.05	.03	24H	232	AIR	CABLE INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BIW P/N F5639-L-G22 ENTIRE CABLE	GSFC0628	.51	.16				CABLE
BIW P/N F5639-L-G22 ENTIRE CABLE	GSFC0704	.03	.00	24H	232	AIR	CABLE
BIW P/N F5639-L-G22 INNER CABLE INSUL	GSFC0637	.42	.12				CABLE INSUL
BIW P/N F5639-L-G22 OUTER JACKET	GSFC0631	.56	.19				CABLE INSUL
BIW P/N F5639-L-G22 OUTER JACKET	GSFC0692	.04	.01	24H	232	AIR	CABLE INSUL
BIW P/N F5639-L-G22 WHITE MIDDLE CORE	GSFC0698	.04	.00	24H	232	AIR	CABLE INSUL
BIW 5639-L-G22 UNSHIELDED CABLE WHITE SILICONE INSUL	GSFC6581	.74	.24				CABLE INSUL
BIW 5639-L-G22 UNSHIELDED CABLE WHITE SILICONE INSUL	GSFC6584	.11	.02	24H	204	AIR	CABLE INSUL
BLACK MAGIC MOLY SPRAY/FOIL - AEROSOL MOS2	GSFC7472	.27	.02	24H	25	AIR	LUBRICANT
BLUE COATING II 001057REVA FLEXIBLE MOD EPOXY	GSFC8495	.41	.04	1H	125	AIR	COATING
				3H	200	AIR	
BOLTARON PVC ANTI STATIC FILM	GSC14788	4.84	.97				ANTI STATIC FILM
BONDMASTER E645 A/B AS 10/3 BW ADH	GSFC7529	.68	.04	1H	204	AIR	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW EPOXY	GSFC4554	.50	.01	1H	100	AIR	ADHESIVE
				4H	180	E-2	
BONDMASTER E645 A/B AS 10/3 BW EPOXY W/MEK THINNER	GSFC4672	.90	.15	1H	177	PSI	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW THERMOSET EPOXY	GSFC3441	1.52	.63	3H	25	AIR	ADHESIVE
				1H	70	AIR	
				1H	90	AIR	
				18H	130	AIR	
BONDMASTER M688/CH-16 AS 100/32 BW EPOXY	GSFC0155	4.02	.21	24H	49	AIR	ADHESIVE
BONDMASTER M688/CH-16 AS 100/32 BW EPOXY	GSFC4412	2.62	.03	16H	25	AIR	ADHESIVE
				8H	65	AIR	
				8H	121	AIR	
BONDMASTER M688/CH-8 AS 100/13 BW EPOXY	GSFC1390	2.90	.08	24H	25	AIR	ADHESIVE
BONDMASTER M688/CH-8 AS 100/13 BW EPOXY	GSFC3963	3.90	.11	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M773 A/B AS 1/1 BW EPOXY	GSFC3959	2.50	.09	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M773 A/B AS 1/1 BW EPOXY	GSFC5180	3.63	.11	8H	65	AIR	ADHESIVE
BONDMASTER M773 A/B AS 1/1 BW EPOXY	GSFC5208	2.37	.10	8H	65	AIR	ADHESIVE
				24H	70	E-2	
BONDMASTER M777 A/B AS 1/1 BW EPOXY	GSFC3961	1.82	.09	1H	25	AIR	ADHESIVE
				2H	60	AIR	
BONDMASTER M777 A/B AS 1/1 BW EPOXY	GSFC5182	2.41	.13	8H	65	AIR	ADHESIVE
BONDMASTER 4500 PLUS A/B AS 1/1 BV FAST CURE EPOXY	GSC12502	2.72	.13				ADHESIVE
BONDMASTER 4500 PLUS A/B AS 1/1 BV FAST CURE EPOXY	GSC12592	2.71	.46	6H	93	E-3	ADHESIVE
BONDMASTER 620	GSFC3936	.74	.02	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
BORON NITRIDE - HEAT SINK WASHER	GSFC6788	.12	.00				WASHER
BOSTIK FINCH 443-3/X-304 AS 3/1 BV WHITE EPOXY PAINT	GSFC8396	7.05	.15	7D	25	AIR	PAINT
BOSTIK FINCH 643-2-20 7/1 BW WHITE POLYURETHANE	GSFC8468	4.67	.15	7D	25	AIR	PAINT
BOSTIK 7008 ELECTRONIC ADHESIVE ONE COMPONENT	GSC12703	1.75	.21	1H	65	AIR	ADHESIVE
				5H	135	AIR	
BOSTIK-FINCH EPOXY PRIMER FR 463-12-8 A/B AS 3/1 BW	GSFC8036	4.29	.02	2H	25	AIR	PRIMER
BR 34 EPOXY ADHESIVE	GSFC3700	.65	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	177	AIR	
BR 34 EPOXY ADHESIVE	GSFC3702	.34	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	132	AIR	
				90M	288	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BR 90/BR 802 AS 100/8 BW EPOXY ADHESIVE	GSC12358	6.80	.04	7D	25	AIR	ADHESIVE
				24H	50	AIR	
BR 90/BR 802 AS 100/8 BW EPOXY ADHESIVE/F	GSC12361	1.77	.03	7D	25	AIR	ADHESIVE
				24H	50	AIR	
BR-0014 PHENOLIC RESIN/F	GSC12727	3.04	.01	2H	120	AIR	ADHESIVE
BR-125 PRIMER MOD NITRILE EPOXY/F	GSC12268	1.19	.13	30M	25	AIR	ADHESIVE
				1.5H	110	AIR	
BR-127 PRIMER/F	GSC10164	.48	.03	90M	127	AIR	PRIMER
BR-127 PRIMER/F	GSC16100	.95	.02	30M	25	AIR	PRIMER
				30M	121	AIR	
BR-610 EPOXY/TETRAHYDROFURANE/F	GSFC7988	1.14	.01	30M	60	AIR	ADHESIVE
BR-610 EPOXY/TETRAHYDROFURANE/F	GSFC7991	.99	.02	30M	60	AIR	ADHESIVE
				30M	150	AIR	
BR-626 ONE COMPONENT HEAT CURING EPOXY	GSC13457	.72	.01	1H	121	AIR	POTTING
BRADY FILM L363-81A/SILICONE ADHESIVE/F	GSFC8564	1.17	.47				LABEL FILM
BRADY FILM L363-81A/SILICONE ADHESIVE/F	GSFC8566	.84	.38	24H	150	AIR	LABEL FILM
BRADY FILM L363-81B/SILICONE ADHESIVE/F	GSFC8568	1.82	.48				LABEL FILM
BRADY FILM L363-81B/SILICONE ADHESIVE/F	GSFC8570	.86	.34	24H	150	AIR	LABEL FILM
BRADY FILM 927 CLEAR ACRYLIC/ACRYLIC ADH/F	GSC11911	6.50	.90				LABEL FILM
BRADY HI-TEMP LABELS ON L-363-81B TAPE/F	GSFC8471	3.10	1.07				LABEL
BRADY LABEL B-637 YELLOW/BLACK TEDLAR/ACRYLIC ADH/F	GSC11923	2.59	1.19				LABEL
BRADY LABEL B-927 WHITE/BLACK/F	GSC11926	1.86	.05				LABEL
BRADY MARKERS AF-A-2-CAP POLYESTER ADH	GSFC3864	1.01	.11				WIRE MARKER
BRADY MARKERS B-400 TDS-400-1	GSFC3161	1.20	.08				MARKER
BRADY MARKERS B-600	GSFC6688	1.80	.26				MARKER
BRADY MARKERS B-700 VMM 0-49	GSFC5611	1.63	.41				MARKER
BRADY MARKERS B-700 VWM 1-33	GSFC4894	2.21	.34				MARKER
BRADY MARKERS B-702/F	GSC11788	1.75	.45				MARKER
BRADY MARKERS B-702/F	GSC11863	.74	.26	48H	125	E-3	MARKER
BRADY MARKERS B-953 HT-200	GSFC3542	1.66	.23				MARKER
BRADY MARKERS B-953 HT-200/F	GSFC8615	.81	.02	24H	150	AIR	MARKER
BRADY PERMA CODE LABELS SPECIAL	GSFC5252	.52	.06				LABEL
BRADY WRITE ON LABELS WO-19	GSFC5639	4.03	.52				LABEL
BRADY XB-321 SHRINKABLE POLYOLEFIN SLEEVES	GSC14516	.87	.29	5M	149	AIR	WIRE MARKER
BRADY XB-322 SHRINKABLE POLYOLEFIN SLEEVES	GSC14519	.45	.10	5M	149	AIR	WIRE MARKER
BRADY XB-323 SHRINKABLE POLYVINYLIDENFLUORIDE SLEEVE	GSC16283	.10	.02				WIRE MARKER
BRADY XB-652 PRINTABLE LABEL POLYIMIDE/ACRYLIC ADH/F	GSC14692	1.77	.04				LABEL
BRAYCO 813 CLEAR OIL BATCH EIA3	GSFC9632	.74	.32				LUBRICANT
BRAYCO 815Z CLEAR OIL BATCH DLM3	GSFC9635	.03	.00				LUBRICANT
BRAYCOTE 3L-38 GREASE BATCH DLD1 WHITE	GSFC9566	.07	.03				GREASE
BRAYCOTE 3L-38 GREASE WHITE	GSC11321	.07	.03	7H	100	E-6	LUBRICANT
BRAYCOTE 3L-38-MS GREASE BATCH DLG1 GRAY	GSFC9488	.04	.01				GREASE
BRAYCOTE 3L-38-RP GREASE BATCH CLT7 YELLOW	GSFC9512	.09	.04				GREASE
BRAYCOTE 3L-38-ZN GREASE BATCH ELM4 BLACK	GSFC9587	.02	.01				LUBRICANT
BRAYCOTE 601/CLM ADDITIVE (601 IS OLD 3L-38)	GSC14480	.27	.06				GREASE
BRAYCOTE 803 GREASE BATCH ELJ12 WHITE	GSFC9491	.24	.13				GREASE
BRAYCOTE 815Z OIL/CLM ADDITIVE	GSC14483	.17	.07				LUBRICANT
BSL 201 A/B AS 11/1 BW	GSFC1141	2.59	.03	16H	25	AIR	POTTING
BSL 201 A/B AS 11/1 BW	GSFC1144	1.46	.05	30M	100	AIR	POTTING
				8H	25	AIR	
BSL 206 BLACK EPOXY	GSFC8726	1.42	.15	1H	120	AIR	POTTING
				2.5H	40	AIR	
				1H	120	AIR	
BSL 208 EPOXY	GSFC1132	.82	.11	1H	164	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BSL 308 BLACK EPOXY UNSUPPORTED ADHESIVE FILM	GSFC8108	.70	.09	1H	170	AIR	ADH FILM
BSL 308 EPOXY	GSFC1129	.49	.10	1H	175	AIR	POTTING
BSL 312 GRAY EPOXY UNSUPPORTED ADHESIVE FILM	GSFC8135	.62	.07	30M	120	AIR	ADH FILM
BTR II SILICONE GROMMET CB 1077-40 BROWN	GSC12694	.32	.11				GROMMET
BTR RUBBER HD22-31	GSFC4896	.39	.09	24H	250	AIR	DAMPER
				16H	82	AIR	
BTR RUBBER HD22-31	GSFC5034	2.28	.52	24H	250	AIR	DAMPER
				16H	82	AIR	
BTR RUBBER HD222-22-2	GSFC2788	1.39	.13				DAMPER
BTR RUBBER HD222-22-2 IN ALUMINUM SANDWICH	GSFC2785	.28	.01				DAMPER
BTR RUBBER HTO (J-9330-5-1)/21	GSFC7352	.41	.20				DAMPER
BTR RUBBER VIBRATION ISOLATOR HT2-100	GSFC8513	1.34	.45				DAMPER
BUSHING TYPE MFE MIL M-14 MICA FILLED PHENOLIC	GSFC8572	.98	.01				BUSHING
BUTYL METHACRYLATE-BENZYL PEROXIDE	GSFC0612	11.95	.12	1.5H	100	AIR	OPT CEMENT
BUTYL 218 CURED	GSFC0143	3.52	1.07				RUBBER
BUTYL 218-M CURED	GSFC0140	2.00	.57				RUBBER
BUTYL 218-M UNCURED	GSFC0146	3.17	.86				RUBBER
BUTYL 218-2	GSFC0122	3.20	1.15	2H	160	AIR	RUBBER
BW 900 NYLON FILM - PINK/MAROON	GSC15026	4.71	.13				ANTI STATIC FILM
BZT-92 NATURAL BONDED NOMEX THREAD	GSFC8474	3.95	.08				THREAD
C-1589-3 BLACK INK/F	GSC11794	11.68	3.36	7D	25	AIR	INK
C-18F A/B AS 4/5 BW W/1% H4-3441 BLACK EPOXY	GSFC9182	.74	.06	4H	130	AIR	POTTING
C-210-7 ONE COMPONENT SILVER FILLED CPND/F	GSC13588	1.06	.13	1H	66	AIR	COND INK
C-220 ONE COMPONENT SILVER FILLED CPND/F	GSC13591	.98	.11	12M	80	AIR	COND INK
C-68/CAT A AS 100/5.3 BW GRAY EPOXY/70% SANDFILLED	GSFC7517	.12	.01	20H	82	AIR	ADHESIVE
C-725 TAPE POLYESTER FILM/2 SIDE ACRYLIC ADH/F	GSFC5058	1.54	.14				2 SIDED TAPE
C-727 TAPE PVC FILM/2 SIDED ACRYLIC ADH/F	GSFC5061	1.24	.21				2 SIDED TAPE
C-770-4 ONE COMPONENT SILVER FILLED EPOXY/F	GSC13611	.12	.00	1H	125	AIR	COND ADHESIVE
C-780 ONE COMPONENT SILVER FILLED EPOXY/F	GSC13659	.23	.00	1H	200	AIR	COND ADHESIVE
C-868-1 ONE COMPONENT SILVER FILLED EPOXY/F	GSC13662	.08	.00	1H	170	AIR	COND ADHESIVE
C-917 MS BLACK INK/F	GSC11791	8.91	.29	7D	25	AIR	INK
C-917 MS BLACK INK/F	GSC12010	8.12	.08	24H	60	AIR	INK
				7D	25	AIR	
C-917 MS BLACK INK/F HEAT GUN DRY	GSC12007	9.76	.15	7D	25	AIR	INK
C-931-57 ONE COMPONENT SILVER FILLED URETHANE/F	GSC13594	.30	.03	30M	25	AIR	COND INK
				1H	121	AIR	
C-932-62-1 ONE COMPONENT SILVER FILLED INK/F	GSC13635	.41	.06	1H	100	AIR	COND INK
C-966 ONE PART SILVER FILLED POLYIMIDE LOT K7399/F	GSC15411	.18	.01	1H	180	AIR	COND ADHESIVE
C-99/DETA AS 25/1 BW EPOXY FILM	GSFC4456	11.07	.04	2H	60	AIR	FILM
				12H	125	AIR	
C-993 ONE PART SILVER FILLED EPOXY LOT K7306/F	GSC15408	.19	.01	1H	15/	AIR	COND ADHESIVE
CAAP COAT FLUOROELASTOMER	GSC15528	.41	.01				FILM COATING
CABLE AA-3133 OUTER BRAID ONLY	GSC15004	.62	.26				CABLE SHEATH
CABLE BELDEN RG-58 C/U 8262	GSFC3760	1.97	.36				CABLE INSUL
CABLE BELDEN RG-58 C/U 8262 3000 HR VAC EXPOSURE	GSFC3606	2.93	1.20				CABLE INSUL
CABLE BELDEN 8404 - 3000 HR VAC EXPOSURE	GSFC3608	13.90	9.47				CABLE INSUL
CABLE CLAMP TAO 2105HO-07HB RED RUBBER SLEEVE	GSC13439	.22	.03				CABLE CLAMP
CABLE COAX WHITE OUTER INSUL MICRODOT	GSC11075	.00	.00				CABLE INSUL
CABLE C06C072 9551 COAX WHITE OUTER INSUL	GSFC8084	.02	.00				CABLE INSUL
CABLE HI-VOLTAGE WHITE OUTER SHEATH	GSC12271	.69	.41				CABLE INSUL
CABLE RG-316/U COAX TAN OUTER INSUL	GSFC8204	.02	.01				CABLE INSUL
CABLE 1/C 6-61 BY OKONITE DUPONT HYPALON	GSFC3604	9.13	4.52				CABLE INSUL
CABLE 2024 INSULATION BLACK/WHITE SILICONE	GSFC8543	1.69	.53				CABLE INSUL
CABLE 2219X300 CR BLACK/WHITE TEFLON INSULATION	GSFC9515	.03	.01				CABLE INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CABLE 24799/408 KAPTON SHIELDED POLYIMIDE	GSFC2721	.44	.01				CABLE INSUL
CABLE 2619X2.0 CRBSJ COAX RED OUTER INSUL	GSFC8138	.00	.00				CABLE INSUL
CANNON CONNECTOR HOUSING DE 50904-1 NYLON	GSFC7715	2.24	.02				CONN HOUSING
CANNON CONNECTOR INTERFACIAL SEAL PINK	GSC14163	.23	.05				CONN INSUL
CANNON CONNECTOR MIK O RING INTERFACIAL SEAL	GSC11451	2.42	1.02				O RING
CANNON CONNECTOR MIK POLYCARBONATE INSUL GREEN	GSC11421	.15	.03				CONN INSUL
CANNON CONNECTOR MIL C38999 PINK INSERT	GSC10438	.44	.13				CONN INSUL
CANNON CONNECTOR MS3470L14-19P EPIALL 1908 BLACK	GSC15432	1.32	.00				CONN INSUL
CANNON CONNECTOR MS3470L14-19P EPIALL 1908 BLACK	GSC15435	.84	.00	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	GSC15438	.20	.07				CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	GSC15441	.08	.02	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3476 BLACK PHENOLIC INSERT	GSFC8279	.54	.01				CONN INSUL
CANNON CONNECTOR MS3476 PINK SILICONE INSERT	GSFC8276	.40	.10				CONN INSUL
CANNON CONNECTOR PINK SILICONE C-16 MSFC 40M 39569	GSFC5573	.07	.01				CONN INSUL
CANNON CONNECTOR PVW6RGB372 PINK SILICONE ONLY	GSFC4144	.14	.02				CONNECTOR
CANNON CONNECTOR PV6G24B31/SWC 16 BLACK PLASTIC	GSFC3341	.61	.00				CONNECTOR
CANNON CONNECTOR PV6G24B31/SWC 16 RED SILICONE	GSFC3343	.19	.00				CONNECTOR
CANNON CONNECTOR RED SILICONE C-16 MSFC 40M 39569	GSFC5575	.08	.03				CONN INSUL
CANNON CONNECTOR SM 3500-55 PINK SILICONE	GSC11423	.06	.02				CONN SEAL
CANNON CONNECTOR SM 3500-63 PINK FLUOROSILICONE	GSC14160	.26	.03				CONN INSUL
CANNON CONNECTOR SM 3500-79 PINK SILICONE	GSC11425	.34	.13				CONN SEAL
CANNON CONNECTOR 7824-2DD-100P BLACK NYLON/GLASS	GSC12448	1.49	.04				CONN INSUL
CANNON CONNECTORS DBP-25PAA & 25SAA BLACK	GSC15028	.68	.01				CONNECTOR
CANNON FILTER PIN CONN DDJ-50PNM-A106 BLUE SILICONE	GSFC6670	.64	.28				CONN INSUL
CANNON FILTER PIN CONN DDJ-50PNM-A106 BLUE SILICONE	GSFC6718	.31	.06	64H	100	E-6	CONN INSUL
CANNON WM 202 CONNECTOR	GSFC2334	.24	.00				CONNECTOR
CAPCURE AF/2334-1-145-I AS 100/23 BW EPOXY	GSC15948	.92	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CAPCURE AF/2334-1-145-II AS 100/23 BW EPOXY	GSC15950	.97	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CAPCURE AF/2334-1-145-III AS 100/34.5 BW EPOXY	GSC15952	1.18	.01	3H	100	AIR	POTTING
				4H	150	AIR	
CAPRAN 512 NYLON ANTI STATIC FILM	GSC13030	4.93	.12				BAGGING
CAPRAN 512H NYLON ANTI STATIC FILM	GSC13362	6.01	.12				BAGGING
CAPRAN 980 FILM	GSC14886	3.40	.05				ANTI STATIC FILM
CARDINAL 6650/CHEMGLAZE PRIMER 9924/F SPRAYED	GSC14370	1.61	.00	8D	25	AIR	PAINT COMPOSITE
				24H	90	E-5	
CARDINAL 6650/CHEMGLAZE PRIMER 9924/F SPRAYED	GSC14372	4.49	.04	20D	25	AIR	PAINT COMPOSITE
CARE #2 ANTI STICK/MOLD RELEASE AEROSOL/F	GSC12274	16.78	6.98	7D	25	AIR	MOLD RELEASE
CARROLL 1019 EPOXY A/B AS 1/1 BW	GSFC0002	3.50	3.30	5D	25	AIR	ADHESIVE
CASTALL CX2303B CLEAR SILICONE	GSC12934	1.61	.57				POTTING
CASTALL E A/B AS 10/1 BW GRAY EPOXY	GSC10041	.51	.00	12H	65	AIR	ADHESIVE
CASTALL QUICK CURE EPOXY CAST-PAK PRE-MIX	GSFC7034	2.65	.13	24H	25	AIR	ADHESIVE
CASTALL 1520/RT-7 AS 100/7.5 BW EPOXY	GSFC6605	1.25	.07	45M	65	AIR	ADHESIVE
CASTALL 301/CAT 9 AS 4% BW CAT 9 BLACK EPOXY	GSC14127	2.00	.03	30M	107	AIR	COATING
CASTALL 490/HT91 AS 1/1 BW BLUE HI-STRENGTH EPOXY	GSC10044	.28	.01	4H	125	AIR	ADHESIVE
CASTALL 832-M HEAT SINK GREASE - PINK	GSC10556	9.58	3.33				THERM GREASE
CASTALL 832-MJ HEAT SINK GREASE - WHITE	GSC10559	7.70	3.47				THERM GREASE
CASTLOK 2 PART PRE-WEIGHED ADH KIT RED	GSC14394	1.53	.16	24H	25	AIR	ADHESIVE
CAT-A-LAC FLAT BLACK EPOXY COATING	GSFC2527	3.03	.06	72H	25	AIR	PAINT
				72H	51	E-6	
CAT-A-LAC WHITE EPOXY A/B AS 3/1 BV	GSFC2041	3.94	.13	7D	25	AIR	PAINT
				24H	93	AIR	
CAT-A-LAC WHITE EPOXY A/B AS 3/1 BW	GSFC2038	12.09	.14	7D	25	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CAT-A-LAC 463-3-100 A/B AS 3/1 BW WHITE EPOXY PAINT	GSFC0767	6.75	.23	24H	25	AIR	PAINT
CAT-A-LAC 463-3-100 A/B AS 3/1 BW WHITE EPOXY PAINT	GSFC0791	4.13	.14	16H	66	AIR	PAINT
CAT-A-LAC 463-3-100/CA-118 AS 3/1 BV WHITE PAINT	GSFC8918	4.16	.02	16H	25	AIR	PAINT
				24H	70	AIR	
CAT-A-LAC 463-3-100/CA-118 AS 3/1 BV/PRIMER 463-6-5	GSFC8921	4.11	.02	16H	25	AIR	PAINT
				24H	70	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	GSFC1147	.35	.17	24H	25	AIR	PAINT
				1H	66	AIR	
				47H	177	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	GSFC1150	4.50	.12	24H	25	AIR	PAINT
				72H	66	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	GSFC1165	1.18	.21	24H	25	AIR	PAINT
				48H	121	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-12-1A	GSFC1168	.55	.22	24H	25	AIR	PAINT
				48H	121	E-3	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-6-2 GREEN/F	GSFC8156	.70	.03	24H	25	AIR	PAINT COMPOSITE
				48H	121	AIR	
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	GSC10937	2.14	.03	1H	66	AIR	PAINT
				30M	140	AIR	
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	GSFC2164	1.33	.00	24H	120	AIR	PAINT
CAT-A-LAC 463-3-8 FLAT BLACK EPOXY PAINT	GSFC4240	1.02	.05	4H	25	AIR	PAINT
				1H	66	AIR	
				30M	135	AIR	
				72H	125	E-6	
CAT-A-LAC 463-3-8/CA-118 AS 3/1 BV BLACK EPOXY PAINT	GSFC4198	4.05	.03	1H	25	AIR	PAINT
				2H	60	AIR	
CAT-A-LAC 463-3-8/CA-118 AS 3/1 BW FLAT BLACK EPOXY	GSC12622	3.42	.07	1H	70	AIR	PAINT
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV BATCH - GSFC	GSFC9464	2.91	.25	2H	66	AIR	COND PAINT
				6.5H	104	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV BATCH - TRW	GSFC9485	3.96	.17	2H	66	AIR	COND PAINT
				6.5H	104	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	GSFC8741	8.16	.33	14D	25	AIR	PAINT
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	GSFC9176	6.98	.35	24H	25	AIR	COND PAINT
				1H	66	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	GSFC9179	2.17	.35	24H	25	AIR	COND PAINT
				6H	104	AIR	
CAT-A-LAC 463-6-14/CA-97 AS 3/1 BV COND BLK PAINT/F	GSFC9275	1.47	.34	24H	25	AIR	COND PAINT
				16H	104	AIR	
CAT-A-LAC 473-3-1 A/B AS 3/1 BV CLEAR EPOXY	GSFC7178	9.02	.43	1H	25	AIR	COATING
				16H	60	AIR	
CAT-A-LAC 473-3-1/X-304 AS 3/1 BW CLEAR EPOXY	GSC12625	4.36	.24	1H	70	AIR	PAINT
CAT-A-LAC 643-1-1 ALUMINUM PAINT	GSFC3580	2.35	.19	100H	45	AIR	PAINT
CAT-L-INK 50-100R/CAT 20 AS 100/6 BW WHITE INK/F	GSC14525	10.40	.17	7D	25	AIR	INK
CAT-L-INK 50-100R/CAT 9 AS 100/6 BW WHITE INK/F	GSC14522	.64	.01	30M	149	AIR	INK
CAT-L-INK 50-202AR/CAT 9 AS 100/6 BW YELLOW INK/F	GSC14528	.56	.01	30M	149	AIR	INK
CAT-L-INK 50-700R/CAT 9 AS 100/7 BW BLACK INK/F	GSC14531	.74	.01	30M	149	AIR	INK
CAULK GRIP CEMENT METHYL METHACRYLATE FILLED	GSFC5571	1.06	.02	5D	25	AIR	ADHESIVE
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	GSC15193	.16	.01	7D	25	AIR	FOAM
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	GSC15217	.21	.01	7D	25	AIR	FOAM
CD-772-5 POLYURETHANE	GSFC1885	1.01	.15	3D	25	AIR	ADHESIVE
CEBDA 60 POLYURETHANE	GSFC2083	1.08	.24				POTTING
CEBDA 70 POLYURETHANE	GSFC2068	1.07	.36				POTTING
CELCON M-90-04 ACETAL COPOLYMER INJECTION MOLDED	GSFC9224	.64	.04				MOLD CPND
CELCON M-90-04 ACETAL COPOLYMER UNMOLDED PELLETS	GSFC9227	.57	.03				MOLD CPND

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CELLULOSE ACETATE BUTYRATE 200 MICRON FILM PURPLE	GSFC9494	.95	.01				FILM
CELLULOSE ACETATE FILM SHIM STOCK	GSFC6080	10.70	1.19				FILM
CELLULOSE TRIACETATE 200 MICRON FILM BLUE	GSFC9497	1.28	.00				FILM
CERA-MITE CAPACITOR COATING - ORANGE	GSC13674	1.85	1.00				CONF COAT
CERA-MITE CAPACITOR COATING - ORANGE	GSC13676	1.78	1.02	26H	122	E-5	CONF COAT
CERTANIUM 61 SOLDER - OXIDIZED SN/PB/15% CD	GSFC4772	.00	.00				SOLDER
CERTANIUM 61 SOLDER SN/PB/15% CD	GSFC4774	.00	.00				SOLDER
CESIUM IODIDE COUPLING COMPOUND BLEND 10/1	GSFC8039	8.50	5.51				OPT ADHESIVE
CESIUM IODIDE COUPLING COMPOUND BLEND 12/1	GSFC8063	9.66	6.30				OPT ADHESIVE
CF 1006 STYRENE/FIBER GLASS AS 70/30	GSFC0942	.10	.01				MOLD CPND
CF 2500 A/B AS 10/1 BW CLEAR SILICONE	GSC14088	.13	.04	14D	25	AIR	POTTING
CF 2500-1 A/B AS 10/1 BW CLEAR SILICONE	GSC14130	.05	.00	7D	25	AIR	POTTING
CF 3003 EPOXY FR HUGHES CONNECTOR 138C320 H01	GSFC7385	.43	.04				POTTING
CFB 4012 FLUOROSILICONE COATED DACRON FABRIC	GSC13054	.45	.09				GASKET
CGH1 RESISTOR COATING BLUE EPOXY	GSC16257	2.32	1.07	4H	100	AIR	COATING
CHARGE GUARD STATIC PROTECTIVE STRUCTURAL LAMINATE	GSC14034	5.82	.00				LAMINATE
CHEM-POL 30-1961/2023 AS 1/1 BW POLYURETHANE FOAM	GSFC8111	7.07	.05	72H	66	AIR	FOAM
CHEMFLUOR TEFLON TFE SHRINK TUBING	GSFC4698	.00	.00	5M	325	AIR	SHRINK TUBING
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE	GSFC8801	1.67	.15	14D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE	GSFC9542	2.25	.02	7D	25	AIR	PAINT
				16H	85	AIR	
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE LOT TJD	GSFC9984	2.37	.10	14D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE LOT TJD	GSFC9987	1.46	.10	7D	25	AIR	PAINT
				16H	85	AIR	
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE/F	GSC12244	1.87	.14	28D	25	AIR	PAINT
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE/F	GSC12247	.99	.08	15D	25	AIR	PAINT
				48H	96	E-6	
CHEMGLAZE A276/A170 FLAT AGT/CAT 9986/PRIMER 9924/F	GSC15504	3.92	.31	28D	25	AIR	PAINT
CHEMGLAZE A276/A170 FLAT AGT/CAT 9986/PRIMER 9924/F	GSC15506	3.19	.26	7D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE A276E HIGH GLOSS WHITE POLYURETHANE	GSC15456	2.29	.05	14D	25	AIR	PAINT
CHEMGLAZE H322 BLACK CONDUCTIVE PAINT POLYURETHANE	GSFC8066	1.92	.07	20M	121	AIR	COND PAINT
CHEMGLAZE H322 BLACK CONDUCTIVE PAINT POLYURETHANE	GSFC8069	.86	.09	30H	121	AIR	COND PAINT
CHEMGLAZE L300 BLACK CONDUCTIVE PAINT POLYURETHANE	GSFC9467	1.57	.06	14D	25	AIR	COND PAINT
CHEMGLAZE TC 3692-74 FLAT BLACK POLYURETHANE LOT YEA	GSC11890	1.18	.01	14D	25	AIR	PAINT
CHEMGLAZE TC 3692-74 FLAT BLACK POLYURETHANE LOTADAC	GSC12598	1.07	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 2881-7 UV RESIST WHITE POLYURETHANE	GSFC7256	8.57	.10	14D	25	AIR	PAINT
CHEMGLAZE TS 2881-7 UV RESIST WHITE POLYURETHANE	GSFC7328	4.50	.22	30M	25	AIR	PAINT
				30M	121	AIR	
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SHB	GSFC9008	1.30	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SIA	GSFC9083	1.31	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3107-13 FLAT BLACK POLYURETHANE LOT SKA	GSFC9086	1.35	.02	14D	25	AIR	PAINT
CHEMGLAZE TS 3692-51 FLAT BLACK POLYURETHANE	GSC10694	2.15	.26	14D	25	AIR	PAINT
CHEMGLAZE TS 3692-74 FLAT BLACK POLYURETHANE	GSC10790	1.23	.02	14D	25	AIR	PAINT
CHEMGLAZE V200 GLOSSY WHITE POLYURETHANE PAINT	GSC10583	2.73	.17	14D	25	AIR	PAINT
CHEMGLAZE V200/V700/V175 FLAT/CAT 9995/PRIMER 9924/F	GSC15508	2.61	.36	27D	25	AIR	PAINT
CHEMGLAZE V200/V700/V175 FLAT/CAT 9995/PRIMER 9924/F	GSC15510	1.60	.20	9D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE V200/9924 GLOSS WHITE POLYURETHANE PAINT/F	GSC12286	1.52	.07	30D	25	AIR	PAINT SYSTEM
CHEMGLAZE V200/9924 GLOSS WHITE POLYURETHANE PAINT/F	GSC12288	.72	.03	11D	25	AIR	PAINT SYSTEM
				72H	90	E-6	
CHEMGLAZE V200/9989 AS 50/1.3 BW GLOSSY WHITE PAINT	GSC10586	6.03	.47	14D	25	AIR	PAINT
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	GSC13398	10.19	.76	7D	25	AIR	PAINT
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	GSC13460	9.97	.66	30D	25	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	GSC13463	8.46	.51	4D	25	AIR	PAINT
				24H	60	E-6	
CHEMGLAZE V209 GLOSS WHITE POLYURETHANE PAINT LOTBHA	GSC13478	1.07	.04	5D	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE V700/9995 AS 25/1 BW BLUE PAINT	GSC13526	5.48	.23	48H	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE V800/V175 FLAT AGT/CAT 9995/PRIMER 9924/F	GSC15512	2.54	.31	27D	25	AIR	PAINT
CHEMGLAZE V800/V175 FLAT AGT/CAT 9995/PRIMER 9924/F	GSC15514	1.60	.17	8D	25	AIR	PAINT
				24H	50	E-6	
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE	GSFC3756	1.42	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE	GSFC3798	1.18	.02	30D	25	AIR	CONF COAT
CHEMGLAZE Z001 CLEAR POLYURETHANE FLEXIBLE LOT TBA	GSFC9608	1.50	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 BLACK COND PAINT MOD POLYURETHANE	GSFC8072	1.35	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004 BLACK COND PAINT MOD POLYURETHANE	GSFC8282	.90	.04	7D	25	AIR	COND PAINT
				24H	70	AIR	
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGH FLEX LOT SHA	GSFC9611	1.51	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGH FLEX LOT TAA	GSFC9614	1.60	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE HIGHLY FLEXIBLE	GSFC3758	1.20	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 CLEAR POLYURETHANE LOT XGB	GSC11893	1.72	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z004 W/10% P-82 RED COLOR PASTE	GSFC6161	6.17	3.20	14D	25	AIR	MARKING INK
CHEMGLAZE Z004 W/5% CHROMIC OXIDE PIGMENT	GSFC7751	2.29	.03	7D	25	AIR	MARKING INK
CHEMGLAZE Z004 W/5% CHROMIC OXIDE PIGMENT	GSFC7754	.83	.03	2H	25	AIR	MARKING INK
				18H	60	AIR	
CHEMGLAZE Z004/XC-72R/9924 PRIMER BLACK COND PAINT	GSFC8846	1.40	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004/9924 PRIMER COMPOSITE BLACK COND MOD	GSFC8075	2.09	.01	7D	25	AIR	COND PAINT
CHEMGLAZE Z004/9924 PRIMER COMPOSITE BLACK COND MOD	GSFC8285	1.24	.04	7D	25	AIR	COND PAINT
				24H	70	AIR	
CHEMGLAZE Z053 CLEAR POLYURETHANE COATING	GSFC6950	2.22	.01	14D	25	AIR	CONF COAT
CHEMGLAZE Z202 POLYURETHANE FORMERLY TS 1603-16	GSFC2613	.60	.02	7D	25	AIR	PAINT
CHEMGLAZE Z255 WHITE POLYURETHANE COATING	GSFC3109	2.63	.00	30D	25	AIR	PAINT
CHEMGLAZE Z302 GLOSSY BLACK POLYURETHANE	GSFC3345	1.39	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306	GSC11427	1.12	.05	21D	25	AIR	PAINT
				24H	100	E-3	
CHEMGLAZE Z306 BATCH L11247	GSC11318	.49	.02	21D	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE Z306 LOT CJA/F	GSC14442	1.00	.02	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/F	GSC14444	.86	.02	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT CJA/OVER PRIMER AP131/F	GSC14450	1.61	.14	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/OVER PRIMER AP131/F	GSC14452	1.16	.11	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT CJA/OVER PRIMER 9924/F	GSC14446	3.20	.03	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/OVER PRIMER 9924/F	GSC14448	1.91	.04	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT LBC	GSFC3827	.47	.04	2H	25	AIR	PAINT
				16H	66	AIR	
CHEMGLAZE Z306 LOT LBC	GSFC3841	1.32	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MAA	GSFC3887	1.91	.28	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MAA	GSFC4316	1.42	.27	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MHA	GSFC4314	.92	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT MJC	GSFC4626	1.01	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA	GSFC4946	.90	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA SPRAYED	GSC11300	1.13	.06	7YR	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA SPRAYED	GSFC5228	.87	.04	14D	25	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHEMGLAZE Z306 LOT NDA	GSFC5109	.76	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OAB SPRAYED	GSFC6020	1.64	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OGB SPRAYED	GSFC6626	1.04	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT OIA SPRAYED	GSFC6629	1.10	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT RLA	GSFC9440	.91	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT TDA	GSFC9617	.83	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT WHA	GSC10721	1.16	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT WHA	GSC11555	.92	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT YBA	GSC11896	1.09	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306/BROLITE PRIME ALL PRIMER	GSFC7037	1.83	.01	2H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/B40D MICROBALLOONS/TOLUENE	GSFC2881	.83	.03	15D	25	AIR	PAINT
CHEMGLAZE Z306/CAT 9986 AS 100/1 BW/FREE FILM	GSFC3754	1.08	.25	2H	100	AIR	PAINT COMPOSITE
				35D	25	AIR	
CHEMGLAZE Z306/CAT 9986 AS 100/1 TWO COATS	GSFC3582	1.81	.36	15M	25	AIR	PAINT
				15M	71	AIR	
				15M	25	AIR	
				30M	71	AIR	
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE	GSC11429	1.18	.05	21D	25	AIR	PAINT COMPOSITE
				24H	100	E-3	
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE	GSFC4124	1.85	.06	30D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/CHEMGLAZE 9924 PRIMER COMPOSITE/F	GSC11327	1.45	.13	2H	25	AIR	PAINT COMPOSITE
				30D	25	AIR	
CHEMGLAZE Z306/CHEMLOK AP131 PRIMER/F	GSFC7841	.76	.05	30D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/CORITEX ENAMEL/F	GSC14908	3.39	.22	16H	25	AIR	PAINT COMPOSITE
				45D	25	AIR	
CHEMGLAZE Z306/CORITEX ENAMEL/PRIMER 9924/F	GSC14910	3.38	.19	8H	25	AIR	PAINT COMPOSITE
				16H	25	AIR	
				45D	25	AIR	
CHEMGLAZE Z306/KAPTON H	GSFC3777	1.00	.08	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	GSFC3779	.94	.09	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	GSFC3781	.88	.09	24H	125	AIR	PAINT COMPOSITE
				41D	25	AIR	
CHEMGLAZE Z306/PRIMER DESOTO 513-102/F	GSC10002	1.75	.12	1H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/PRIMER 9924/F	GSC14912	2.44	.06	16H	25	AIR	PAINT COMPOSITE
				45D	25	AIR	
CHEMGLAZE Z306/RANDOLPH EPOXY/POLYAMIDE PRIMER/F	GSFC9056	1.67	.08	2H	25	AIR	PAINT COMPOSITE
				14D	25	AIR	
CHEMGLAZE Z306/SUPER KOROPON PRIMER/F	GSFC9680	2.80	.03	7D	25	AIR	PAINT COMPOSITE
				30M	74	AIR	
CHEMGLAZE Z306/9954 THINNER AS 2/1 BV	GSC16316	1.31	.01	15D	25	AIR	PAINT
CHEMGLAZE Z402 ALUM FILLED POLYURETHANE LOT MEB	GSFC4674	.68	.07	14D	25	AIR	PAINT
CHEMGLAZE Z651 GREEN GLOSS POLYURETHANE/F	GSFC7757	2.35	.03	7D	25	AIR	PAINT
CHEMGLAZE Z652 TILE GREEN GLOSS POLYURETHANE	GSFC6188	2.79	.02	14D	25	AIR	MARKING INK
CHEMGLAZE Z853 MED YELLOW GLOSS POLYURETHANE	GSFC6191	2.57	.00	14D	25	AIR	MARKING INK
CHEMGLAZE 9421 ALUM FILLED P-URETHANE PRIMER LOT XIB	GSC11899	1.84	.03	14D	25	AIR	PRIMER
CHEMGLAZE 9922 EPOXY PRIMER FOR METAL	GSFC7976	1.58	.13	1H	60	AIR	PRIMER
CHEMGLAZE 9924 A/B AS 1/1 BV WASH PRIMER/F	GSFC4098	6.88	.29	7D	25	AIR	PRIMER
CHEMLOK 205 ADHESIVE PRIMER GREY	GSFC4836	.34	.00	30M	25	AIR	ADH PRIMER
				10M	160	AIR	
CHEMLOK 205/CHEMLOK 220 AS 1/1 BV AS FREE FILM	GSFC7040	5.95	.03	30M	25	AIR	POTTING PRIMER
				30M	60	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHEMLOK 205/CHEMLOK 220 AS 1/1 BV ON FOIL	GSFC7043	6.89	.01	30M	25	AIR	POTTING PRIMER
				30M	60	AIR	
CHEMLOK 218 ON FOIL	GSFC6902	15.72	.49	24H	25	AIR	ADHESIVE
CHEMLOK 220 ADHESIVE BLACK	GSFC4838	.39	.00	30M	25	AIR	ADHESIVE
				10M	160	AIR	
CHEMLOK 234	GSFC3061	15.54	.10	30M	25	AIR	ADHESIVE
				30M	149	AIR	
CHEMLOK 234B ELASTOMER BONDING AGENT - BLACK	GSFC6673	51.85	8.88	24H	25	AIR	ADHESIVE
CHEMLOK 236A BONDING AGENT FLAT BLACK/F	GSC13150	30.19	.29	30M	25	AIR	ADHESIVE
CHEMLOK 236A BONDING AGENT FLAT BLACK/F	GSC13153	27.93	.21	30M	95	AIR	ADHESIVE
CHEMLOK 305 A/B AS 1/1 BW EPOXY	GSFC4816	1.51	.02	3D	25	AIR	ADHESIVE
CHO-BOND 1024 CONDUCTIVE SILICONE	GSC10571	.44	.18	5M	177	AIR	COND ADHESIVE
CHO-BOND 1024 CONDUCTIVE SILICONE	GSC10598	.02	.00	48H	177	AIR	COND ADHESIVE
CHO-BOND 1029 CONDUCTIVE SILICONE	GSFC4384	.38	.16	1H	66	AIR	COND ADHESIVE
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	GSC15197	.34	.11	7D	25	AIR	COND ADHESIVE
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	GSC15199	.22	.12	1D	25	AIR	COND ADHESIVE
				16H	100	AIR	
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	GSC15336	.25	.10	7D	25	AIR	COND ADHESIVE
				4H	125	AIR	
CHO-BOND 1030/PRIMER 1030 SILVER FILLED SILICONE	GSFC4776	.31	.11	7D	25	AIR	COND ADHESIVE
CHO-BOND 1035 ONE PART SILVER FILLED SILICONE	GSFC6299	1.08	.65	7D	25	AIR	COND ADHESIVE
CHO-BOND 1038 ONE PART SILVER FILLED SILICONE	GSC14632	.93	.56	48H	25	AIR	COND ADHESIVE
CHO-BOND 1092	GSFC7928	1.66	.35				COND ADHESIVE
CHO-BOND 260-18 A/B AS 40/1 BW COND EPOXY	GSFC5210	1.17	.10	25M	113	AIR	COND ADHESIVE
CHO-BOND 360-208 CONDUCTIVE EPOXY ADHESIVE	GSFC9683	.66	.06	24H	25	AIR	COND ADHESIVE
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	GSFC9500	.39	.14	2H	100	AIR	ADHESIVE
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	GSFC9569	.32	.11	3H	200	AIR	RF SHIELD
CHO-BOND 4041-0402 A/B AS 1.5/5.5 BW BROWN	GSFC9593	.31	.11	6H	200	AIR	RF SHIELD
CHO-BOND 584-29 A/B AS 100/6.3 BW COND EPOXY	GSFC5212	1.15	.03	45M	100	AIR	COND ADHESIVE
CHO-BOND 584-29 CONDUCTIVE EPOXY	GSFC4584	1.12	.04	24H	66	AIR	COND ADHESIVE
CHO-BOND 586-29 A/B AS 100/4.2 BW SILVER EPOXY	GSFC4628	1.96	.10	24H	25	AIR	COND COATING
				2H	100	AIR	
CHO-FOAM 1501 SILVER FILLED SILICONE	GSC15247	.50	.10				FOAM
CHO-FOIL 101 COPPER FOIL/ADHESIVE/F	GSC13777	.04	.00				COND FOIL TAPE
CHO-SEAL 1212 SILVER FILLED SILICONE	GSFC3023	.44	.15				FILLER
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	GSC15140	.40	.13				GASKET
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	GSC15576	.07	.02	24H	177	AIR	GASKET
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	GSFC3245	.08	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1214 SILVER FILLED SILICONE	GSFC4602	.26	.05				GASKET
CHO-SEAL 1214 SILVER FILLED SILICONE	GSFC4604	.04	.02	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	GSC15142	.45	.10				GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	GSC15579	.06	.01	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	GSFC3201	.06	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	GSFC3203	.46	.07	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	GSC15231	.45	.01				GASKET
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	GSFC3163	.29	.01	15M	171	AIR	SHIELD
				3H	177	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	GSFC3165	.03	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200 GRADE	GSC15233	.23	.08				GASKET
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	GSFC3143	.34	.08	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	GSFC3145	.05	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1221 SILVER FILLED FLUOROSILICONE	GSC15249	.35	.02				GASKET
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	GSFC3101	.30	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	GSFC3103	.05	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE	GSFC2203	.36	.12				SEAL
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	GSC15211	.41	.10				GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	GSC15582	.07	.04	24H	177	AIR	GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	GSFC3105	.43	.06	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	GSFC3107	.04	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1236 REINFORCED SILICONE GASKET SEAL RED	GSC11459	.27	.12				GASKET
CHO-SEAL 1236 REINFORCED SILICONE GASKET SEAL RED	GSC15235	.17	.05				GASKET
CHO-SEAL 1250 SILVER FILLED SILICONE	GSC15237	.15	.07				GASKET
CHO-SEAL 1250 SILVER FILLED SILICONE	GSFC2140	.71	.16				SEAL
CHO-SEAL 1285 ELEC COND SILICONE BLUE	GSC12553	.41	.12				GASKET SEAL
CHO-SEAL 1285 ELEC COND SILICONE BLUE	GSC12556	.12	.05	24H	177	AIR	GASKET SEAL
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	GSC15251	.62	.09				RFI/EMI SHIELD
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	GSC15585	.12	.01	24H	177	AIR	RFI/EMI SHIELD
CHO-SEAL 1287 AG COATED ALUM FILLED FLUOROSILICONE	GSC15165	.63	.03				GASKET
CHO-SEAL 2020 AG COATED ALUM FILLED SILICONE BLUE	GSC15239	.29	.06				GASKET
CHO-SHRINK BOOT 71-02-7004-1000 AG COND INNER SURF	GSFC4746	.98	.22				SHRINK TUBING
CHO-SHRINK R TUBE 70-21-0003-0004 HEAT GUN SHRINK	GSC16319	.56	.03				SHRINK TUBING
CHO-SHRINK TUBING SILVER COND IN/SUR HEAT GUN SHRINK	GSC10170	.70	.10				SHRINK TUBING
CHO-SHRINK TUBING SILVER COND INNER SURFACE	GSFC4606	.61	.06	5M	121	AIR	SHRINK TUBING
CHO-SHRINK TUBING SILVER COND INNER SURFACE	GSFC4968	.65	.11	0.5M	121	AIR	SHRINK TUBING
CHO-SIL 1401 SILVER FILLED SILICONE	GSC15213	.92	.37				GASKET
CHO-SIL 1401 SILVER FILLED SILICONE	GSC15588	.20	.11	24H	177	AIR	GASKET
CHO-SIL 1401 SILVER FILLED SILICONE	GSFC3704	1.16	.22				SHIELD
CHO-SIL 1401 SILVER FILLED SILICONE	GSFC3706	.05	.02	24H	177	AIR	SHIELD
CHO-SIL 1405 SILVER FILLED SILICONE	GSC15253	.52	.32				GASKET
CHO-SIL 1405 SILVER FILLED SILICONE	GSFC2981	1.03	.27				GASKET
CHO-SIL 1405 SILVER FILLED SILICONE	GSFC3708	.06	.02	24H	177	AIR	SHIELD
CHO-SIL 1485 AG COATED ALUM FILLED SILICONE	GSC15167	.36	.08				GASKET
CHO-THERM 16-15-1616-1671 LOT ZB414 WHITE SILICONE	GSC13957	.32	.08				THERM CONTROL
CHO-THERM 1642 A/B AS 100/3 BW FILLED BLUE SILICONE	GSC11761	.40	.18	7D	25	AIR	THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	GSC11093	.76	.08				THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	GSC11240	.10	.06	24H	175	AIR	THERM CONTROL
CHO-THERM 1663 THERM COND SHEET WHITE SILICONE	GSC11096	1.53	.14				THERM CONTROL
CHO-THERM 1663 THERM COND SHEET WHITE SILICONE	GSC11243	.26	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1664 THERM COND SHEET - BLUE 7.5 MIL THICK	GSFC7334	.45	.13				DIELECTRIC
CHO-THERM 1671 THERM COND SHEET - WHITE SILICONE	GSFC9656	.04	.01	24H	175	AIR	ELASTOMER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	GSC11099	.76	.07				THERM CONTROL
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	GSC11246	.10	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1671 THERM COND SHEET/ADHESIVE REMOVED	GSC13801	.60	.27				THERM CONTROL
CHO-THERM 1673 THERM COND SHEET GREEN SILICONE	GSC11117	1.18	.10				THERM CONTROL
CHO-THERM 1673 THERM COND SHEET GREEN SILICONE	GSC11249	.11	.04	24H	175	AIR	THERM CONTROL
CHO-THERM 1674 THERM COND SHEET BLUE SILICONE	GSC11330	.45	.20				THERM CONTROL
CHO-THERM 1674 THERM COND SHEET BLUE SILICONE	GSC11372	.12	.01	24H	175	AIR	THERM CONTROL
CHO-THERM 1677 THERM COND SHEET WHITE FLUOROSILICONE	GSC11405	.57	.01				THERM CONTROL
CHO-THERM 1678 FILLED SILICONE SHEET	GSC14172	.55	.12				THERM CONTROL
CHO-THERM 1678 THERM COND SHEET PINK W/ADH FILM/F	GSC16079	.43	.10				THERM CONTROL
CHOMERICS HOT MELT CONDUCTIVE ADHESIVE FILM	GSC11654	1.96	.34				ADHESIVE FILM
CHOMERICS 4220 SILVER FILLED SILICONE GREASE	GSFC4744	.57	.10				COND GREASE
CHR 1869 GRAY CLOTH SUPPORTED SILICONE FILM/SHEET	GSC13057	.37	.14				THERM CONTROL
CHR 5707 BLACK VITON/GLASS FABRIC FILM	GSC13597	.52	.23				FILM
CI-6/BA-42 AS 10/2.3 BW EPOXY COIL IMPREGNANT	GSC15530	.83	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	GSC16010	.56	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	GSC16103	.64	.02	7D	25	AIR	IMPREGNANT
CICOIL SILICONE CABLE INSUL	GSFC1345	.24	.00				CABLE INSUL
CIRCLE K705 TAPE POLYPROPYLENE FILM/2 SIDE ACR ADH/F	GSFC5032	10.50	4.72				2 SIDED TAPE
CIRCUIT BOARD COMPOSITE NEMA G10 MICA/CE 1155	GSFC5978	.48	.01				CIRCUIT BOARD
CL-522 EPOXY LAMINATING FILM	GSC13401	.31	.09				FILM ADHESIVE
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	GSFC8574	.48	.23				CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	GSFC8576	.36	.21	3H	149	AIR	CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	GSFC8618	.14	.09	24H	177	AIR	CLAMP
CLARK FOAM 1234 POLYURETHANE - WHITE ALCOHOL WASH	GSFC8984	.85	.03	24H	100	AIR	FOAM
CLOTH BLACK POLYESTER STYLE 1825	GSC14578	.25	.02				CLOTH
CLOTH TFE COATED FIBERGLAS STYLE 16781 TYPE S	GSFC8273	.48	.27				CLOTH
CMC 10 ADHESIVE FILM THERMOSETTING	GSFC2943	1.02	.03	30M	165	AIR	ADH FILM
COAST EPOXY PREPREG F161-83-1P08/20	GSFC3191	.66	.12	2H	163	AIR	ADH FILM
COAST EPOXY PREPREG F161-83-108-B	GSFC3189	.46	.01	2H	163	AIR	ADH FILM
				1H	149	AIR	
				2H	204	AIR	
COAST EPOXY/GLASS PREPREG F161-83-1P08/20	GSFC3323	.29	.01	165M	163	AIR	LAMINATE
COATING RED HI VOLT CAPACITOR	GSC15780	.74	.01				COATING
COATING 5459 OVER PRIMER 6362	GSFC1204	6.91	.20	7D	25	AIR	PAINT COMPOSITE
COATING 5459/CAT 6201 AS 1/1 BV FLAT BLACK EPOXY	GSFC1201	7.51	.32	7D	25	AIR	PAINT
CODIT 7216 REFLECTIVE COATING	GSFC2717	2.11	.19	24H	25	AIR	PAINT
COHRLASTIC RFI GASKET 8016 ALUM CLOTH/NEOPRENE	GSC13093	4.64	2.27				RFI GASKET
COHRLASTIC RFI GASKET 8020 ALUM CLOTH/NEOPRENE	GSC13096	3.73	1.74				RFI GASKET
COHRLASTIC RFI GASKET 8516 ALUM CLOTH/SILICONE	GSC13099	.52	.14				RFI GASKET
COHRLASTIC RFI GASKET 8520 ALUM CLOTH/SILICONE	GSC13102	.42	.13				RFI GASKET
COHRLASTIC RUBBER R10470 #1	GSFC0125	.67	.24	6H	249	AIR	FOAM RUBBER
				?	100	E-6	
COHRLASTIC RUBBER R10470 SILICONE SPONGE	GSFC4724	.10	.03	24H	204	AIR	DAMPER
COHRLASTIC RUBBER R10470 SILICONE SPONGE BROWN	GSC12730	.12	.05	24H	182	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	GSC13015	.49	.24				DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	GSC15711	.17	.10	24H	177	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	GSC16322	.21	.08	24H	190	AIR	DAMPER
COHRLASTIC R10460 DARK BLUE SILICONE SPONGE SHEET	GSC13018	.45	.18				DAMPER
COHRLASTIC R10480 BROWN SILICONE SPONGE - MEDIUM	GSC12958	.61	.31				DAMPER
COHRLASTIC R10480 BROWN SILICONE SPONGE - MEDIUM	GSC13490	.94	.38				DAMPER
COHRLASTIC R10480 RED SILICONE SPONGE - SOFT	GSC12982	.67	.38				DAMPER
COHRLASTIC R10480 RED SILICONE SPONGE - SOFT	GSC13284	.16	.06	100H	100	E-6	DAMPER
COHRLASTIC 300 SILICONE RUBBER SHEET GEN PURPOSE	GSC12985	1.21	.58				GASKET

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
COHRLASTIC 3320 GLASS REINF SILICONE RUBBER SHEET	GSC12988	.63	.27				GASKET
COHRLASTIC 400 SILICONE RUBBER SHEET GEN PURPOSE	GSC13060	1.07	.43				GASKET
COHRLASTIC 500 SILICONE RUBBER SHEET	GSC10005	.26	.13	48H	140	AIR	SPACER
COHRLASTIC 500 SILICONE RUBBER SHEET	GSFC9990	1.90	.59				SPACER
COHRLASTIC 500 SILICONE RUBBER SHEET RED	GSC14914	.20	.02	24H	204	AIR	GASKET
COHRLASTIC 600 SILICONE RUBBER SHEET GEN PURPOSE	GSC13021	.81	.34				GASKET
COHRLASTIC 700 SILICONE RUBBER SHEET GEN PURPOSE	GSC13063	.45	.15				GASKET
COHRLASTIC 9235 SILICONE RUBBER SHEET HIGH PERFORM	GSC12991	.83	.43				GASKET
COHRLASTIC 9255 SILICONE RUBBER SHEET HIGH PERFORM	GSC13066	.77	.29				GASKET
COHRLASTIC 9275 SILICONE RUBBER SHEET HIGH PERFORM	GSC13024	.67	.33				GASKET
COHRLASTIC 9855 SILICONE RUBBER SHEET HIGH PERFORM	GSC13033	.55	.18				GASKET
COIL FORM - CLEAR	GSFC5815	.63	.06				COIL FORM
COIL FORM BASE - WHITE	GSFC5817	.52	.00				BASE
COIL FORM PHENOLIC	GSFC5791	4.76	.88				COIL FORM
COLAD 984 A/B AS 3/1 BV WHITE QUICK SET EPOXY	GSFC8519	1.19	.02				POTTING
COLAD 984 A/B AS 3/1 BV WHITE QUICK SET EPOXY	GSFC8522	.84	.01	16H	100	AIR	POTTING
CONAFLEX EA-50 POLYURETHANE FOAM ALCOHOL WASH	GSFC5996	.65	.03	8H	100	AIR	INSULATION
CONAFLEX EA-50 POLYURETHANE FOAM W/ADH BACKING	GSFC5951	8.86	3.17				INSULATION
CONAFLEX EA-50 POLYURETHANE FOAM W/O ADH BACKING	GSFC5954	1.93	.34				INSULATION
CONAP K-20 A/B AS 20/9 BW GRAY EPOXY	GSFC5349	.75	.05	2H	50	AIR	ADHESIVE
				30M	85	AIR	
CONAP K-26 WHITE EPOXY EQUAL LENGTHS FROM TUBES	GSC12916	1.10	.12	2H	65	AIR	ADHESIVE
CONASTIC AD-20 A/B AS 100/17.5 BW POLYURETHANE	GSC14214	1.18	.03	7D	25	AIR	ADHESIVE
CONATHANE CE 1153	GSFC4148	11.73	.10				CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW	GSFC3889	1.60	.04	30M	25	AIR	CONF COAT
				3H	66	AIR	
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	GSC16106	7.62	.01	7D	25	AIR	CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	GSC16109	3.94	.01	24H	60	AIR	CONF COAT
CONATHANE CE 1155 A/B AS 10/7 BW POLYURETHANE	GSC16127	4.76	.01	24H	25	AIR	CONF COAT
				24H	60	E-2	
CONATHANE CE 1155 A/B/CELLOSOLVE ACETATE AS 10/7/3	GSFC3891	1.30	.08	30M	25	AIR	CONF COAT
				3H	66	AIR	
CONATHANE CE 1155/CELLOSOLVE ACETATE MULTICURE	GSFC2681	.81	.05	10M	25	AIR	CONF COAT
				15M	49	AIR	
				3H	60	AIR	
CONATHANE CE 1155/PM ACETATE	GSC15552	.74	.03	30M	25	AIR	CONF COAT
				3.5H	65	AIR	
CONATHANE CE 1164 MIL I 46058C TYPE UR 2 COATS/FOIL	GSFC7082	7.26	.00	24H	25	AIR	CONF COAT
CONATHANE CE 1164 MIL I 46058C TYPE UR 2 COATS/FOIL	GSFC7133	1.95	.07	3H	60	AIR	CONF COAT
				14D	25	AIR	
CONATHANE CE 1170 - FLUORESCENT	GSC12679	9.60	.01				THERM ADHESIVE
CONATHANE CE 1171 - FLUORESCENT	GSC12682	9.32	.09				THERM ADHESIVE
CONATHANE DP 9761 A/B AS 100/46.5 BW POLYURETHANE	GSC11036	.93	.01	14D	25	AIR	ADHESIVE
CONATHANE EN 20 A/B AS 10/17 BW POLYURETHANE	GSC16130	.67	.05	7D	25	AIR	POTTING
CONATHANE EN 21/DP9761/DP9802 POLYURETHANE BLEND	GSC11120	.82	.01	30D	25	AIR	ADHESIVE
CONATHANE EN-11 A/B AS 100/55 BW	GSC11559	.33	.02	24H	60	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	GSC11303	.27	.01	10H	60	AIR	POTTING
				24H	60	E-3	
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	GSC13945	.45	.03	10D	25	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	GSFC7571	.43	.02	24H	55	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	GSFC7973	.38	.01	24H	50	AIR	POTTING
CONATHANE EN-11 THINNED/SPRAYED/F	GSC14596	.62	.08	16H	25	AIR	CONF COAT
				48H	60	AIR	
CONATHANE EN-12 A/B AS 100/55 BW	GSFC7904	.43	.01	48H	50	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CONATHANE EN-12 A/B AS 71.3/75 BW BUTADIENE URETHANE	GSFC7547	.44	.02	12H	38	AIR	POTTING
				24H	55	AIR	
CONATHANE EN-20 A/B AS 10/17 BW	GSC15648	.55	.02	8H	60	AIR	POTTING
CONATHANE EN-21 A/B AS 100/116 BW POLYURETHANE	GSC12055	.50	.03	14D	25	AIR	ADHESIVE
CONATHANE EN-21/DP9761/DP9802 POLYURETHANE BLEND	GSC11407	.72	.02	30D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	GSC10838	.57	.04	7D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	GSC10841	.52	.02	24H	60	AIR	ADHESIVE
CONATHANE EN-4 A/B AS 100/17.5 BW 2% CARBON BLACK	GSFC5322	1.15	.49	24H	80	AIR	POTTING
CONATHANE EN-5 A/B AS 100/17.5 BW POLYURETHANE	GSFC3247	.78	.02	7D	25	AIR	POTTING
CONATHANE EN-7 A/B AS 100/17.5 BW POLYURETHANE	GSFC7844	.32	.01	20H	25	AIR	POTTING
				24H	60	AIR	
CONATHANE EN-9 POLYURETHANE	GSC14644	.35	.00	24H	65	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	GSC14647	.37	.00	16H	85	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	GSC14650	.32	.00	8H	95	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	GSFC8729	.39	.00	30M	25	AIR	POTTING
				8H	93	AIR	
CONATHANE RN 1510/CONACURE AH18 AS 5/2 BW	GSFC1729	1.09	.10	20M	149	AIR	CONF COAT
CONATHANE 1M-1145 ONE COMPONENT LOT BN02	GSC11902	1.84	.09	16H	155	AIR	COATING
CONDULON ANTISTATIC FILM 2 MIL BLACK	GSC11938	.88	.03				FILM
CONDULON ANTISTATIC FILM 4 MIL BLACK	GSC11941	.76	.02				FILM
CONDULON CONDUCTIVE GRID BAG	GSC14827	1.68	.11				ANTI STATIC FILM
CONDULON LH86-13 STATIC DISSIPATIVE FILM - BLACK	GSC13281	.68	.07				BAGGING
CONDULON 89-7 ANTISTATIC FILM BLACK #9436	GSC11944	1.03	.02				FILM
CONDULON 89-7A ANTISTATIC FILM BLACK #9437	GSC11947	.86	.02				FILM
CONNECTOR ELCO RED FLUOROSILICONE MIL-R25988	GSC16012	4.46	.12				CONNECTOR SEAL
CONNECTOR ELCO 5051 SERIES VALOX 420 SEO BLACK	GSC16004	.49	.08				CONNECTOR INSUL
CONNECTOR ELCO 5051/53 SERIES TYPE L-II-49 BLACK	GSC16006	.33	.01				CONNECTOR INSUL
CONNECTOR ELCO 5053 SERIES TYPE BR68 BLACK	GSC16000	.14	.00				CONNECTOR INSUL
CONNECTOR ELCO 9082 SERIES TYPE R-4 DARK BROWN	GSC16002	.12	.00				CONNECTOR INSUL
CONNECTOR INSERT BLUE SILICONE	GSFC5793	.76	.30				CONN INSUL
CONNECTOR INSERT PTD6E-24-61P BROWN SILICONE	GSC11087	4.87	1.64	24H	175	AIR	CONNECTOR INSUL
CONNECTOR INSERT PTOOW-18-4P BROWN NEOPRENE	GSC14539	5.82	2.45				CONN INSUL
CONNECTOR INSERT RED SILICONE TRW CONN 8602	GSC15722	.63	.21				CONN INSUL
CONNECTOR INSERT TAN RUBBER PER MIL C38999	GSC11535	.42	.14				CONNECTOR INSUL
CONNECTOR INSERT TAN RUBBER PER MIL C38999	GSC11627	.23	.07	24H	175	AIR	CONNECTOR INSUL
CONNECTOR INSERT 474-11-96-093 RED FLUOROSILICONE	GSC12409	.20	.04				CONNECTOR INSUL
CONNECTOR INSERT 8293-50 RED SILICONE	GSC15945	.10	.04	24H	200	AIR	CONNECTOR INSUL
CONNECTOR MIL C38999 RED INSERT	GSC10445	.46	.11				CONN INSUL
CONNECTOR PLUG JP1S1PB GRAY	GSC10961	.52	.01				CONNECTOR
CONNECTOR TUBING POLYPROPYLENE 20% GLASS FILLED	GSFC6083	.26	.04				CONNECTOR
CONNECTOR W/LOCTITE 18019 UV ADHESIVE	GSC14316	.55	.01				CONN ADHESIVE
CONNECTOR 18.163/4UE	GSFC5683	.52	.01				CONNECTOR
CONNECTOR 3612261-01 BLACK NYLON/GLASS	GSC12450	1.25	.05				CONN INSUL
CONNECTOR-THERMOCOUPLE BLUE COPPER/CON	GSFC5613	.44	.01				TC CONNECTOR
CONOPTIC EN-30 A/B AS 50/22.75 BW CLEAR URETHANE	GSC12919	.74	.01	16H	60	AIR	POTTING
CONSIL C COMPOUND 874 SILVER FILLED SILICONE	GSC15122	.06	.03	24H	175	AIR	GASKET
CONSIL G SILVER FILLED SILICONE	GSFC3712	.06	.01	24H	115	E-3	SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	GSFC3866	.22	.10				SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	GSFC3868	.05	.01	24H	177	AIR	SHIELD
CONSIL R SILVER FILLED SILICONE	GSFC3710	.20	.10	24H	115	E-3	SHIELD
CONSIL SILVER FILLED SILICONE SHEET	GSFC3556	.44	.12				SHIELD
CONSIL 11 CPND 842 (FORMERLY CONSIL G)	GSC14818	.52	.34				SHIELD
CONSIL 11 CPND 842 (FORMERLY CONSIL G)	GSC14863	.14	.09	24H	175	AIR	SHIELD
CONVAIR GRAPHITE/EPOXY	GSFC2963	.63	.03				COMPOSITE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CONVAIR GRAPHITE/EPOXY/SI203/ALUMINUM	GSFC2961	.54	.01				COMPOSITE
CORFIL 615/DTA AS 100/7 BW EPOXY	GSFC1375	2.83	.10	24H	25	AIR	POTTING FOAM
CORFIL 615/DTA AS 100/7 BW EPOXY	GSFC8168	2.03	.13	3H	66	AIR	POTTING FOAM
CORK/DC100 SHEET	GSC12670	5.05	1.58				DAMPER
COTRONICS THERMEEZ CERAMIC PUTTY	GSC11461	3.77	.02	14D	25	AIR	ADHESIVE
COTRONICS THERMEEZ CERAMIC PUTTY	GSC11507	3.06	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 360-M MOLDABLE CERAMIC	GSC11463	3.41	.02	14D	25	AIR	ADHESIVE
COTRONICS 360-M MOLDABLE CERAMIC	GSC11509	2.67	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 918 CERAMIC ADHESIVE	GSC11467	2.74	.02	14D	25	AIR	ADHESIVE
COTRONICS 918 CERAMIC ADHESIVE	GSC11511	1.20	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 919/H2O AS 7.7/1 BW HIGH RES CERAMIC	GSC11469	5.34	.02	14D	25	AIR	ADHESIVE
COTRONICS 919/H2O AS 7.7/1 BW HIGH RES CERAMIC	GSC11513	4.20	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 940/ACT AS 4/1 BW FAST SET CERAMIC	GSC11465	1.57	.03	14D	25	AIR	ADHESIVE
COTRONICS 940/ACT AS 4/1 BW FAST SET CERAMIC	GSC11515	.79	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COTRONICS 944/H2O AS 5.5/1 BW HIGH STR CERAMIC	GSC11471	5.30	.03	14D	25	AIR	ADHESIVE
COTRONICS 944/H2O AS 5.5/1 BW HIGH STR CERAMIC	GSC11517	3.09	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	GSFC8252	7.84	4.78				CLOTH
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	GSFC8372	1.11	.05	24H	125	E-2	CLOTH
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	GSFC8399	.98	.02	72H	125	E-2	CLOTH
COX 28 EPOXY A/B AS 7/1 BW	GSFC1900	3.13	.90	20H	74	AIR	ADHESIVE
CP 1006 NATURAL RUBBER	GSFC4808	10.09	3.14	20M	146	AIR	DAMPER
CP 6002 SILICONE RUBBER	GSFC4810	4.35	1.16	15M	143	AIR	DAMPER
				4H	177	AIR	
CP 6002 SILICONE RUBBER	GSFC4868	1.01	.36	15M	143	AIR	DAMPER
				4H	177	AIR	
				24H	166	AIR	
CP 6007 SILICONE RUBBER	GSFC4812	3.08	.58	15M	143	AIR	DAMPER
				4H	177	AIR	
CP 6007 SILICONE RUBBER	GSFC4870	1.15	.35	15M	143	AIR	DAMPER
				4H	177	AIR	
				24H	166	AIR	
CPR 17-2C POLYURETHANE FOAM	GSFC3951	.87	.10	1H	120	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	GSFC3954	.24	.10	6H	80	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	GSFC4053	1.31	.03	16H	60	E-6	FOAM
CPR 17-2C POLYURETHANE FOAM	GSFC4096	.97	.09	16H	75	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	GSFC4120	1.26	.04	6H	85	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM LOT M2280	GSFC4122	1.13	.06	24H	65	AIR	FOAM
CPR 23-2A/2B AS 23.4/9.9 BW	GSFC2625	1.04	.00	18H	25	AIR	POTTING
				5H	93	AIR	
CPR 9002-3 POLYURETHANE FOAM BLUE/GREEN	GSFC3461	3.81	.21				FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN	GSFC4386	4.34	1.06				FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN	GSFC4434	2.26	.03	96H	125	E-1	FOAM
CPR 9005-2 POLYURETHANE FOAM GREEN 24H METOH WASH	GSFC5037	2.10	.03	72H	100	AIR	FOAM
CPR 9800-60 POLYESTER URETHANE FOAM 6#/CU FT	GSFC5577	7.24	.40				FOAM DAMPER
CPR 9800-60 POLYESTER URETHANE FOAM 6#/CU FT	GSFC5579	1.25	.46	24H	66	E-4	FOAM DAMPER
CRAMOLIN PLASTIK SPRAY DRY 10M/COAT/ROOM TEMP	GSFC5160	13.63	.09				CONF COAT
CRAMOLIN PLASTIK SPRAY DRY 10M/COAT/ROOM TEMP	GSFC5230	11.93	.11	24H	25	AIR	CONF COAT
				12H	60	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CRAMOLIN 81RC PASTE COPPER FILLED	GSC14235	99.99	55.55				LUBRICANT
CREST 3135/7111 AS 1/1 BW EPOXY	GSFC5184	.47	.01	24H	25	AIR	ADHESIVE
CREST 3170 A/B AS 1/1 BW MODIFIED WHITE EPOXY	GSFC8594	2.41	.05	5D	25	AIR	LOW TEMP ADH
CREST 3170 A/B AS 50/50 BW EPOXY	GSFC9089	1.38	.04	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 3170/7133 AS 1/1 BW EPOXY	GSFC4948	2.19	.04	21D	25	AIR	ADHESIVE
CREST 3170/7133 AS 1/1 BW WHITE EPOXY	GSFC8348	3.25	.09	16H	25	AIR	ADHESIVE
				2H	50	AIR	
CREST 3725/7148 AS 1/1 BW EPOXY	GSFC4950	3.47	.39	21D	25	AIR	ADHESIVE
CREST 3725/7148 AS 1/1 BW EPOXY-URETHANE	GSFC4780	2.01	.41	3H	66	AIR	ADHESIVE
CREST 391 A/B AS 100/60 BW BLACK POLYURETHANE	GSFC8588	26.86	7.58	5D	25	AIR	LOW TEMP ADH
CREST 419 A/B AS 100/60 BW BLACK POLYURETHANE	GSFC8591	26.52	7.06	5D	25	AIR	LOW TEMP ADH
CREST 7340/7109/7120 EPOXY	GSFC6038	.35	.04	2H	100	AIR	POTTING
				2H	154	AIR	
				2H	204	AIR	
CREST 7343/7139 AS 100/11 BW POLYURETHANE ADH	GSFC3610	1.10	.17	3D	25	AIR	ADHESIVE
CREST 7344 A/B AS 100/14 BW BROWN EPOXY/POLYURETHANE	GSFC8621	2.28	.68	72H	25	PSI	LOW TEMP ADH
CREST 7344 A/B AS 100/16 BW BROWN EPOXY/POLYURETHANE	GSFC9092	1.51	.07	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7344/7119 AS 50/7 BW EPOXY	GSFC4952	2.78	.66	21D	25	AIR	ADHESIVE
CREST 7380 A/B AS 100/16 BW MODIFIED BROWN EPOXY	GSFC8597	2.62	.23	5D	25	AIR	LOW TEMP ADH
CREST 7410 A/B AS 100/26 BW YELLOW POLYURETHANE	GSFC8600	7.92	4.80	5D	25	AIR	LOW TEMP ADH
CREST 7410 A/B AS 100/26 BW YELLOW POLYURETHANE	GSFC9095	6.76	4.01	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7425 A/B AS 100/24 BW	GSFC5981	1.45	.10	4D	25	AIR	ADHESIVE
CREST 7425 A/B AS 100/24 BW	GSFC8819	1.85	.17	7D	25	AIR	ADHESIVE
				16H	80	AIR	
CREST 7425 A/B AS 100/24 BW	GSFC9059	1.12	.11	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7450 A/B AS 100/16 BW	GSFC5984	1.34	.14	4D	25	AIR	ADHESIVE
CREST 7450 A/B AS 100/16 BW	GSFC8822	1.78	.30	7D	25	AIR	ADHESIVE
				16H	80	AIR	
CREST 7450 A/B AS 100/16 BW	GSFC9098	1.12	.19	3D	25	AIR	ADHESIVE
				24H	125	AIR	
CREST 7450 A/B AS 100/16 BW BROWN EPOXY/POLYURETHANE	GSFC8624	1.21	.30	5D	25	AIR	LOW TEMP ADH
CROFON LIGHT COND CLEAR NO JACKET	GSFC3800	.37	.08				FIBER OPTIC
CROFON 1 COND/JACKET YELLOW CODE	GSFC3823	.23	.05				FIBER OPTIC
CROFON 1 YELLOW CODED JACKET ONLY	GSFC3821	.26	.08				FIBER OPTIC
CROFON 3 COND/JACKET GREEN CODE	GSFC3804	.26	.06				FIBER OPTIC
CROFON 4 COND/JACKET PURPLE CODE	GSFC3802	.27	.04				FIBER OPTIC
CROFON 5 COND/JACKET BLUE CODE	GSFC3825	.23	.02				FIBER OPTIC
CRONAFLEX FILM - FROSTY	GSFC4264	.75	.00				TRANSPARENCY
CRONAR POLYESTER FILM TRANSPARENCY	GSFC2426	.37	.01				FILM
CROWN 6065 GREEN TFE AEROSOL COATING/F	GSC12994	.52	.09	20M	177	AIR	LUBRICANT
				24H	121	E-3	
CRP NATURAL POLYETHYLENE FILM	GSC14890	.21	.06				ANTI STATIC FILM
CRP NYLON FILM	GSC14888	3.42	.05				ANTI STATIC FILM
CRP PINK POLYPROPYLENE FILM	GSC14803	.53	.33				ANTI STATIC FILM
CRP POLYPROPYLENE FILM	GSC14892	.24	.15				ANTI STATIC FILM
CSB-46 STAR NYLON BONDED FINISH	GSFC2759	4.61	1.14				THREAD
CT 4042-1 A/B AS 1/1 BW SILVER FILLED EPOXY	GSC12196	2.35	.01	90M	80	AIR	COND ADHESIVE
				15M	120	AIR	
				5M	150	AIR	
CT 4091 A/B AS 17/1 BW SILVER FILLED EPOXY	GSC12198	1.55	.14	30M	93	AIR	COND ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CT 5030A/B-97 AS 100/1.5 BW AG FILLED EPOXY/F	GSC13564	1.55	.14	2H	80	AIR	COND ADHESIVE
CT 5047-2 A/B AS 100/6 BW SILVER FILLED EPOXY	GSC12172	.39	.00	24H	25	AIR	COND ADHESIVE
				2H	65	AIR	
				1H	100	AIR	
CTL-15 A/B AS 3/1 BW BLACK EPOXY PAINT	GSFC6790	3.93	.03	2H	65	AIR	PAINT
CTL-15 BLACK EPOXY PAINT BATCH 1541 HUGHES ACFT	GSFC2649	5.36	.00	15M	25	AIR	PAINT
				15M	66	AIR	
				4H	66	AIR	
CTL-15 GLOSSY BLACK PAINT	GSC10940	2.16	.06	30M	25	AIR	PAINT
				15M	66	AIR	
				2H	121	AIR	
CTL-15 GLOSSY BLACK PAINT ONE COAT	GSC11285	1.80	.04	24H	125	AIR	PAINT
CTL-15 GLOSSY BLACK PAINT THREE COATS	GSC11288	1.81	.06	1H	100	AIR	PAINT
				1H	100	AIR	
				24H	125	AIR	
CTL-15 WHITE EPOXY PAINT BATCH 1694 HUGHES ACFT	GSFC2651	3.85	.00	15M	25	AIR	PAINT
				15M	66	AIR	
				4H	66	AIR	
CTL-15 WHITE EPOXY PAINT HUGHES ACFT	GSFC9104	2.60	.10	12H	125	E-2	PAINT
CUSTOM LOAD 4101-190 EPOXY	GSFC5352	.11	.01				RF ABSORBER
CUVERTIN 306 BLACK POLYURETHANE COATING	GSFC4782	.69	.02	14D	25	AIR	PAINT
CV 8151 A/B AS 1/1 BW CLEAR OPTICAL GEL	GSC16325	.16	.03	7D	25	AIR	OPTICAL MEDIUM
CV 8151 A/B AS 1/2 BW CLEAR OPTICAL GEL	GSC16310	.22	.07	6H	50	AIR	OPTICAL MEDIUM
				7D	25	AIR	
CV-1142 TRANSLUCENT SILICONE ONE PART	GSC14695	.31	.01	14D	25	AIR	STAKING CPND
CV-1143 WHITE ONE PART SILICONE	GSC15338	.32	.03	7D	25	AIR	SEALANT
CV-1144-0 CLEAR COATING/F	GSC15340	.30	.00	7D	25	AIR	COATING
CV-1144-1 WHITE ONE PART SILICONE PAINT	GSC15741	.33	.03	7D	25	AIR	PAINT
CV-1144-2 BLACK ONE PART SILICONE PAINT	GSC15744	.24	.01	7D	25	AIR	PAINT
CV-1500 BLACK ONE PART ELEC COND ADHESIVE	GSC15342	.33	.01	7D	25	AIR	COND ADHESIVE
CV-2500 A/B AS 10/1 BW CLEAR SILICONE	GSC15344	.12	.02	7D	25	AIR	POTTING
CV-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 1223	GSC15630	.11	.05	7D	25	AIR	ADHESIVE
CV-2500 UNCURED MONOMER LOT 1028	GSC15992	.10	.02				DAMPER FLUID
CV-2500-2 A/B AS 10/1 BW BLACK SILICONE	GSC16223	.07	.01	7D	25	AIR	ADHESIVE
CV-2568 A/B AS 99.5/0.5 BW RED SILICONE	GSC15346	.33	.02	7D	25	AIR	ABLATIVE ADH
CV-2942 A/B AS 20/1 BW FILLED GRAY SILICONE	GSC15006	.13	.03	7D	25	AIR	THERM COND
CV-2942 A/B AS 20/1 BW GRAY SILICONE	GSC15348	.12	.04	7D	25	AIR	THERM COND ADH
CV-2943 A/B AS 500/1 BW FILLED GRAY SILICONE	GSC15050	.08	.01	7D	25	AIR	THERM COND
CV-2944 A/B AS 10/1 BW WHITE THERM COND SILICONE	GSC15696	.58	.04	7D	25	AIR	THERMAL POTTING
CV-2945 A/B AS 15/1 BW WHITE THERM COND SILICONE	GSC16133	.19	.03	7D	25	AIR	THERMAL POTTING
CV-2946 A/B AS 15/1 BW WHITE THERM COND SILICONE	GSC16226	.07	.01	7D	25	AIR	THERMAL POTTING
CV-8181 A/B AS 1/1 BW CLEAR OPTICAL GEL	GSC15675	.16	.04	7D	25	AIR	OPTICAL MEDIUM
CV-9042 WHITE THERMAL COND SILICONE GREASE	GSC15360	.11	.02				THERMAL GREASE
CV-9052 BLACK ELEC COND SILICONE GREASE	GSC15362	.05	.02				ELEC COND GREASE
CYANOPRENE 1857 BLUE THERMOPLASTIC POLYURETHANE	GSFC6194	1.16	.18				GASKET
CYANOPRENE 1880 CLEAR THERMOPLASTIC POLYURETHANE	GSFC6197	1.38	.34				GASKET
CYBOND 4010 A/B AS 3/1 BW	GSFC4576	1.48	.72	21D	25	AIR	ADHESIVE
CYCLEWELD 55-9	GSFC3558	3.31	.43	3M	71	AIR	ADHESIVE
				30M	135	AIR	
CYCOM MCG FIBER - NICKEL COATED GRAPHITE	GSC12871	.02	.01				FIBERS
CYCOM 950-S2 EPOXY/GLASS	GSC12222	.49	.01	1H	66	E-2	STRUCTURAL
				1.5H	138	PSI	
CYCOM 985-T300 GRAPHITE/EPOXY	GSC12224	.57	.01	1H	121	E-2	STRUCTURAL
				2H	177	PSI	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CY209/HT972 CLEAR AMBER EPOXY	GSFC8327	.78	.01	40H	25	AIR	ADHESIVE
				5H	80	AIR	
C15-015 EPOXY	GSFC0884	5.69	.00				POTTING
C15-057 A/B AS 100/120 BW	GSFC0539	1.94	.01	4H	130	AIR	COATING
C2-4259/3401	GSFC3515	.55	.01				POTTING
C6-1102 SILICONE GREASE	GSFC1981	.05	.02				THERMAL GREASE
C6-1103 SILICONE GREASE	GSFC1996	.17	.00				GREASE
C9 F700 EPOXY	GSFC4488	.16	.00	4H	77	AIR	POTTING
C9-4183/H2-3561/PC-1244 EPOXY	GSFC4790	.50	.00	24H	25	AIR	POTTING
C9-4190/H8-3563 AS 10/13 BV RED FLEX&BLE EPOXY	GSC12406	.43	.03	3H	125	AIR	POTTING
				25H	125	AIR	
C9-4198/H2-3561 AS 100/15 BW EPOXY	GSFC4980	.38	.09	8H	60	AIR	POTTING
C9-4207/HD-3561 AS 100/15 BW BLUE EPOXY	GSC15627	1.48	.04	3H	60	AIR	POTTING
C9-4207/HD-3561 AS 100/15 BW BLUE EPOXY FROM CONN	GSC15678	1.30	.04	3H	60	AIR	POTTING
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	GSC11672	.68	.00	2.5H	105	AIR	MOLD CPND
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	GSFC4558	.46	.00	8H	25	AIR	POTTING
C9-5340/3426 AS 100/8.3 BW EPOXY	GSFC1732	.60	.05	8H	25	AIR	POTTING
D-241-F3 SILICONE	GSFC5010	1.02	.21	14D	25	AIR	PAINT BASE
D-8150 POLYAMIDE-IMIDE/ADH/COPPER	GSFC2206	.15	.02				MEMORY CORE
D-8970 EPOXY FILM/ADH/COPPER	GSFC2167	.42	.00				MEMORY CORE
DABURN TAPE ST 275-3/4	GSFC8696	5.77	2.73				TAPE
DACRON CLOTH 3 OZ CARROLLON	GSFC2499	.05	.04				CLOTH
DACRON DAYBOND Y-46-8X	GSFC2521	.45	.09				THREAD
DACRON MESH B2A	GSFC5591	.19	.03				MESH
DACRON MESH B2A POLYESTER NETTING	GSC10652	.15	.00				THERM BLANKET
DACRON MESH B4A POLYESTER SCRIM	GSC16199	.31	.03				MESH
DACRON NET MONOFILAMENT	GSC14350	.23	.02				THERM BLANKET
DACRON NETTING 70886-10	GSFC2501	.19	.06				NETTING
DACRON POLYESTER CLOTH	GSFC5192	.33	.04				CLOTH
DACRON POLYESTER MESH STYLE 15320	GSFC2983	.12	.01				FABRIC MESH
DAG EC 1652 BLACK PAINT	GSFC4200	.79	.02				PAINT
DAIP GRADE K31 DIALLYL ISO META PHTHALATE GRAY	GSC13876	.42	.00				MOLD CPND
DAIP K66V GRAY MOLDING CPND	GSC14058	.79	.01	2M	149	PSI	MOLD CPND
DAN POX ENAMEL 160E AS 1/1 BV BLACK/F	GSFC8987	2.54	.26	7D	25	AIR	PAINT
DAP - MESA PLASTICS	GSFC0447	.34	.00				CAST CPND
DAP CONNECTOR A1004202	GSFC0179	.61	.01				CONNECTOR
DAP CONNECTOR 3-2-520 GLASS FILLED/FLAME RESISTANT	GSFC4970	.97	.04				CONNECTOR
DAP C2580-11B FR FMC - DAPON M	GSFC0701	.30	.00				MOLD CPND
DAP D62V GRAY MOLDING CPND	GSC14061	1.16	.01	2M	149	PSI	MOLD CPND
DAP D62V GREEN MOLDING CPND	GSC14112	.69	.01	2M	149	PSI	MOLD CPND
				2H	135	AIR	
DAP D72 SHORT GLASS FIBER FILLED GRAY	GSC13804	.44	.00				MOLD CPND
DAP GD1-30F GRAY GLASS FILLED	GSC14310	.48	.00				TERMINAL CONN
DAP INSERT/CANNON CONNECTOR DDM 24W7P	GSFC1456	.44	.00				CONNECTOR
DAP MDG BLUE MINERAL FILLED	GSC14313	.93	.00				TERMINAL CONN
DAP PLASKON FS-6 CAF BLUE MINERAL FILLED	GSC15651	.52	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP PLASKON 73-70-70-C GRAY MIL-M-14G TYPE SDG-F	GSC13942	.39	.02				MOLD CPND
DAP PLASKON 73-70-70-R GREEN 1015 GLASS FILLED	GSC15654	.45	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP SDG-F MIL M-14 AMP CONNECTOR	GSFC3870	.44	.00				CONNECTOR
DAP SHORT GLASS FIBER FILLED BLACK	GSC12079	.44	.00				MOLD CPND
DAP SHORT GLASS FIBER FILLED BLACK	GSC13807	.27	.00				MOLD CPND
DAP TRW CONN 8602 DCCM51SSBN	GSC15720	.64	.00				CONN INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DAP/FLAME RETARDANT-GLASS FILLED CANNON CON FS-80	GSFC0869	.44	.00				CONNECTOR
DAPON 35 SEALANT/IMPREGNANT	GSFC4748	13.98	.05	1H	149	AIR	IMPREGNANT
				6H	121	E-2	
DC HIGH VACUUM GREASE	GSC15175	.75	.20				LUBRICANT
DC HIGH VACUUM GREASE/GRAPHITE BLACK APL	GSC15177	3.15	.85				LUBRICANT
DC Q-96-005 ONE PART SILICONE	GSFC6653	1.43	.56	7D	25	AIR	CONF COAT
DC QCF-3-6500 ONE PART SILICONE	GSFC6691	1.84	.58	7D	25	AIR	CONF COAT
DC QCF-3-6500 ONE PART SILICONE STRIPPED IN VAC	GSFC6792	.96	.34	7D	25	AIR	CONF COAT
DC X93-500 LOT GA055723	GSC15134	.43	.23				ADHESIVE
DC X93-500 LOT GA065723	GSC15136	.34	.23				ADHESIVE
DC 1107 SILICONE FLUID UNCATALYZED	GSC10547	13.67	2.65	1H	150	AIR	RELEASE AGENT
DC 1107/T-12 AS 10GM/5 DROPS SILICONE FLUID	GSC10550	6.13	2.65	18H	74	AIR	RELEASE AGENT
DC 142 OVER A-4094 PRIMER	GSFC2455	1.67	.04	14D	25	AIR	ADHESIVE
DC 20-057 SILICONE OPTICAL COUPLING COMPOUND	GSFC7430	.86	.27				GREASE
DC 2106 SILICONE RESIN	GSFC1017	.06	.02				SILICONE
DC 271 SILICONE	GSFC3965	4.75	.85	24H	25	AIR	ADHESIVE
DC 271 SILICONE	GSFC3988	3.69	.89	4H	60	AIR	ADHESIVE
DC 3-6550 RTV DISPERSION ONE PART CLEAR	GSC11935	1.52	.54	7D	25	AIR	CONF COAT
DC 307 MOLDING CPND - FUSISTOR RS-1A-XX(R7741)	GSFC8942	.12	.02	24H	177	AIR	MOLD CPND
DC 3101 LOW DENSITY SYNTACTIC FOAM A/B AS 10/1 BW	GSFC4608	1.25	.30	2H	70	AIR	POTTING FOAM
DC 3110/F AS 10% CAT F	GSFC3129	.96	.25	30D	25	AIR	ENCAPS
DC 3110/H AS 10% CAT H	GSFC4954	1.35	.34	4H	65	AIR	ADHESIVE
DC 3110/S AS 10% CAT S	GSFC3131	1.13	.34	30D	25	AIR	ENCAPS
DC 3116/CAT S/T-12 AS 10/1 BW/.16% T-12	GSFC3806	1.46	.47	4H	66	AIR	ENCAPS
DC 3116/S AS 15% CAT S	GSFC8351	1.43	.41	1H	25	AIR	ADHESIVE
				7H	50	AIR	
DC 3118 DIMETHYL SILOXONE	GSFC1282	.92	.32				ENCAPS
DC 3140	GSFC1156	1.34	.61	24H	25	AIR	COATING
				24H	65	AIR	
DC 3140	GSFC2263	1.54	.63	7D	25	AIR	COATING
DC 3140	GSFC5308	.16	.06	24H	150	E-6	COATING
				7D	25	AIR	
DC 3144 SILICONE	GSFC7646	1.75	.66	30D	25	AIR	ADHESIVE
DC 3145	GSFC0191	1.74	.90	3D	25	AIR	ADH SEALANT
DC 3145	GSFC1153	1.70	.60	24H	25	AIR	ADH SEALANT
				24H	65	AIR	
DC 3145 ONE COMPONENT GRAY SILICONE	GSC10047	.54	.27	7D	25	AIR	ADH SEALANT
				24H	150	AIR	
DC 325 A/B AS 100/8 BW ABLATIVE SILICONE	GSFC0290	1.46	.36	3M	149	AIR	ABLATIVE
DC 340 HEAT SINK GREASE	GSFC0416	.35	.11				HEAT SINK
DC 340 SILICONE/ALUM PIGMENT AS 25/1 BW	GSFC1297	.50	.12				HEAT SINK
DC 510 SILICONE FLUID 30,000 CPS	GSFC8909	2.11	.39				DAMPER FLUID
DC 510 SILICONE FLUID 30,000 CPS DEVOLATILIZED	GSFC8936	.98	.43	24H	80	E-2	DAMPER FLUID
DC 510 SILICONE FLUID 30,000 CPS DEVOLATILIZED	GSFC9200	.16	.13	24H	80	E-2	DAMPER FLUID
				24H	125	AIR	
DC 5370 SILICONE FOAM	GSFC2575	.31	.12	16H	204	AIR	FOAM
DC 5370 SILICONE FOAM	GSFC3990	.59	.09	72H	150	E-4	FOAM
DC 55U SILICONE CONN INSERT AMP 8411211638-4	GSC16055	.39	.02				CONN INSERT
DC 6-1104	GSFC2017	.19	.01	7D	25	AIR	SEALANT
DC 6-1104 LOT E2134-142	GSFC6650	.20	.03	5D	25	AIR	ADHESIVE-COATING
DC 6-1104 LOT FM010380	GSC10820	.16	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM099313	GSC10529	.20	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT FM109321	GSC10769	.26	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM109329	GSC10697	.21	.03	14D	25	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 6-1104 LOT FM129370	GSC10823	.13	.03	7D	25	AIR	ADHESIVE
DC 6-1104 LOT GA054437	GSC13999	.21	.07	7D	25	AIR	SEALANT
DC 6-1104 LOT GA054438	GSC14008	.21	.08	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083347	GSC13365	.16	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083348	GSC13368	.15	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA085876	GSC15132	.19	.07				SEALANT
DC 6-1104 LOT GA093568	GSC13371	.14	.02	7D	25	AIR	SEALANT
DC 6-1104 LOT GA104695	GSC14352	.29	.03				ADHESIVE
DC 6-1104 SAMPLE A LOT FM108-046	GSC10103	.70	.39	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE B LOT FM108-061	GSC10105	.70	.43	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE C LOT FM118-087	GSC10115	.42	.24	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE D LOT FM118-088	GSC10113	.43	.24	40D	25	AIR	SEALANT
DC 6-1104 SAMPLE 1 LOT FM128-102	GSC10101	.49	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 10 LOT FM128-103	GSC10091	.47	.26	28D	25	AIR	SEALANT
DC 6-1104 SAMPLE 12 LOT FM128-104	GSC10089	.46	.26	28D	25	AIR	SEALANT
DC 6-1104 SAMPLE 2 LOT FM128-103	GSC10099	.49	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 3 LOT FM128-104	GSC10097	.47	.27	26D	25	AIR	SEALANT
DC 6-1104 SAMPLE 4 LOT FM128-102	GSC10095	.48	.24	80D	25	AIR	SEALANT
DC 6-1104 SAMPLE 8 LOT FM128-102	GSC10093	.44	.26	28D	25	AIR	SEALANT
DC 6-1104 UNFILLED W/LUMINESCER 174	GSFC5012	.30	.07	7D	25	AIR	CONF COAT
DC 6-1104 W/1% V-1232 BLUE FERRO DYE	GSFC8015	.33	.03	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	GSFC8012	.29	.01	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	GSFC9290	.21	.03	24H	25	AIR	SEALANT
DC 6-1104 W/10% V-1747 BLACK FERRO DYE	GSFC8255	.42	.07	24H	25	AIR	SEALANT
DC 6-1104/MEK/XYLENE	GSFC4650	.28	.04	7D	25	AIR	CONF COAT
DC 6-1104CV LOT FM119336	GSC10700	.13	.02	45D	25	AIR	SEALANT
DC 6-1106 A/B AS 10/1 BW SILICONE	GSFC3732	.09	.01	7D	25	AIR	SEALANT
DC 6-1109 - UNFILLED SILICONE	GSFC4676	.19	.01	7D	25	AIR	CONF COAT
DC 6-1125 (X3-6092) ONE PART WHITE SILICONE	GSC13003	.17	.01	7D	25	AIR	ADHESIVE
DC 6-1126 ONE COMPONENT BLACK SILICONE	GSC15088	.19	.03	7D	25	AIR	SEALANT
DC 63-488 A/B AS 10/1 BW OPTICAL SILICONE RESIN	GSFC1624	1.42	.74	4H	60	AIR	SILICONE RESIN
DC 63-488 A/B AS 10/1 BW SILICONE	GSFC1780	.99	.43	16H	25	AIR	ADHESIVE
				4H	65	AIR	
				24H	110	E-3	
DC 63-489 A/B AS 10/1 BW OPTICAL SILICONE RESIN	GSFC1642	1.42	.57	4H	60	AIR	SILICONE RESIN
DC 63-489 A/B AS 10/1 BW SILICONE	GSFC1789	.89	.44	4H	65	AIR	ADHESIVE
				48H	110	E-3	
DC 63-489 SILICONE	GSFC3762	.23	.15	4H	65	AIR	ADHESIVE
				69H	130	E-6	
DC 63-489 SILICONE	GSFC3843	.36	.17	69H	170	E-6	ADHESIVE
DC 806A SILICONE IN XYLENE/TOLUENE/F	GSC10197	.90	.11	1H	85	AIR	COATING
DC 806A SILICONE IN XYLENE/TOLUENE/F	GSC10212	2.14	.14	7D	25	AIR	COATING
DC 90-006 A/B AS 10/1 BW HT SILICONE SEALANT	GSFC1063	1.23	.32	24H	71	E-3	SEALANT
DC 90-031 A/B AS 10/1 BW ABLATIVE SILICONE SEALANT	GSFC1050	1.09	.27	24H	70	AIR	SEALANT
DC 90-031 SILICONE SEALANT	GSFC1072	.98	.18	24H	70	E-3	SEALANT
DC 90-031 SILICONE SEALANT	GSFC1075	.54	.15	4H	150	E-3	SEALANT
DC 90-092 SILICONE SEALANT	GSFC0194	2.03	.27	3D	25	AIR	ADH-SEALANT
DC 92-007 WHITE SILICONE INK/F	GSFC8228	.45	.14	1H	25	AIR	INK
				2H	93	AIR	
				4H	149	AIR	
DC 92-007 WHITE SILICONE PAINT	GSFC2044	.91	.36	7D	25	AIR	PAINT
DC 92-007 WHITE SILICONE PAINT	GSFC4678	.63	.20	24H	25	AIR	PAINT
				8H	60	AIR	
DC 92-018 SILICONE SEALANT	GSFC2741	2.00	.82	5D	25	AIR	SEALANT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 92-019 SILICONE PRIMER	GSFC2945	4.12	.07	2H	25	AIR	PRIMER
DC 92-024 SILICONE OVER PRIMER DC 1200	GSFC1177	2.07	.84	5D	25	AIR	CONF COAT
DC 93-006 A/B AS 10/1 BW DARK GRAY SILICONE	GSFC8258	.95	.28	72H	25	AIR	SEALANT
DC 93-072 A/B AS 10/1 BW SILICONE SEALANT	GSFC6347	1.67	.60	24H	25	AIR	SEALANT
DC 93-076-2 A/B AS 10/1 BW AEROSPACE SILICONE	GSFC4922	2.12	.46	7D	25	AIR	SEALANT-POTTING
DC 93-500 A/B AS 10/1 BW SILICONE	GSC10158	.20	.02	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	GSFC0371	.16	.00	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	GSFC0400	.29	.00	24H	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2134-16	GSFC5421	.12	.00	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2467-133 6/76	GSFC8636	.09	.03	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM020392	GSC10844	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM047611 6/77	GSFC8639	.19	.04	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM119335R2	GSC10670	.13	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM129358	GSC10793	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT GA023073	GSC15633	.05	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW W/BORON NITRIDE AS 3/2 BW	GSC15098	.27	.02	7D	25	AIR	THERMAL COND
DC 93-500 A/B AS 11/1 BW SILICONE	GSFC7136	.09	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 20/1 BW SILICONE	GSFC7181	.04	.00	48H	25	AIR	ADHESIVE
				24H	40	AIR	
DC 93-500 FM 029159 FEB 79	GSC10398	.17	.02				POTTING
DC 93-500 FM 059240	GSC10979	.38	.21	5D	74	E-5	POTTING
DC 93-500 FM 059240 MAY 79	GSC10401	.39	.18				POTTING
DC 93-500 FM 068949 JUN 78	GSC10404	.28	.12				POTTING
DC 93-500 FM 128101 DEC 78	GSC10407	.24	.10				POTTING
DC 93-500 GA104763	GSC14354	.21	.07				ADHESIVE
DC 93-500 LOT GA095891	GSC15138	.37	.23				ADHESIVE
DC 93-500 UNCURED MONOMER LOT E2467-133	GSFC7952	.06	.02				DAMPER FLUID
DC 93076-1/2 GRAY SILICONE	GSFC8207	3.15	.88	16H	25	AIR	ADHESIVE
				4H	60	AIR	
				4H	93	AIR	
DC 93076-1/2 GRAY SILICONE	GSFC8210	3.30	.96	16H	25	AIR	ADHESIVE
				4H	60	AIR	
				4H	149	AIR	
DC 94-003 DISPERSION COATING	GSFC1288	5.37	.18	24H	25	AIR	COATING
DC 955 SILICONE ELASTOMER PEROXIDE CAT DI CUP 40C	GSFC5615	.76	.26	15M	160	AIR	ELASTOMER
				6H	177	AIR	
DC 955 SILICONE ELASTOMER PEROXIDE CAT DI CUP 40C	GSFC5719	.15	.00	15M	160	AIR	ELASTOMER
				6H	177	AIR	
				24H	175	E-4	
DC 96-052 A/B AS 10/1 BW	GSFC2346	1.72	.24				POTTING
DC 96-079 A/B AS 1/1 BW	GSFC3365	.76	.19	100H	85	AIR	SILICONE
DC 96-080	GSFC3485	.48	.11	7D	25	AIR	ADH-SEALANT
DC 991 VARNISH - CLEAR SILICONE/F	GSFC7847	2.47	.93	7D	25	AIR	CONF COAT
DC 991 VARNISH - CLEAR SILICONE/F	GSFC7880	.88	.50	24H	125	AIR	CONF COAT
DE 100 SILICONE RUBBER GE SE 565 BASE	GSFC3945	.05	.02	4H	177	AIR	SILICONE
				5H	204	AIR	
				30M	232	AIR	
DECA-DRY DECAL CARRIER SHEET	GSFC1035	8.39	1.51				DECAL CARRIER
DECA-DRY LETTER DECALS	GSFC1032	11.26	1.66				DECAL
DELRIN 107 BLACK	GSC13380	.62	.01				MOLDING CPND
DELRIN 550 ROD - WHITE	GSFC6953	.39	.02				MOLD CPND
DELTA BOND 152-K-A EPOXY KIT 152/RTA2 AS 20/1.5 BW	GSFC2921	1.73	.01	8H	25	AIR	COND ADHESIVE
				4D	25	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DELTA BOND 152-Q-B4 A/B AS 100/3.5 BW BLUE EPOXY	GSFC8375	.49	.00	1H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152-1-A EPOXY KIT PRE-MIX BLUE	GSFC9853	1.14	.02	16H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152-1-B EPOXY KIT PRE-MIX BLUE	GSFC9856	1.14	.01	16H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152/B4 AS 100/3.5 BW BLUE EPOXY	GSC15921	.82	.01	30D	25	AIR	ADHESIVE
DELTA BOND 152/RTA AS 100/7.5 BW	GSFC3205	1.59	.05	8H	25	AIR	ADHESIVE
				4H	93	AIR	
DELTA CAST 153-K-A EPOXY KIT 153/RTA2 AS 20/1.5 BW	GSFC2923	1.62	.01	8H	25	AIR	POTTING
				4D	25	AIR	
DEN 438/MDA AS 100/27 BW EPOXY - AMBER	GSFC7211	.60	.01	2H	90	AIR	ADHESIVE
				4H	150	AIR	
DENFLEX 1162 A/B AS 1/1 BW YELLOW FLEXIBLE EPOXY	GSFC8719	4.13	.06	105M	66	AIR	CONF COAT
DENNIS 1162 A/B AS 1/1 BW LACQUER W/4600 THINNER	GSFC1384	4.29	.16	24H	25	AIR	LACQUER
				1H	65	AIR	
DENNIS 1169 A/B AS 1/1 BW EPOXY	GSFC32PN	5.00	.35	7D	25	AIR	ADHESIVE
DENNIS 1169 EPOXY	GSFC27PN	8.00	.01	3H	93	AIR	ADHESIVE
DENSIL 2078 SILICONE ADHESIVE TRANSFER FILM/F	GSC11797	2.78	.79				TRANSFER FILM
DENSIL 2403 SILICONE ADHESIVE TRANSFER FILM/F	GSC11914	1.94	.66				TRANSFER FILM
DER 324/DEH-20/DER-732 AS 100/12/12 BW	GSC12226	2.30	.10	4D	25	AIR	ADHESIVE
				24H	66	AIR	
DER 324/DEH-20/VERSAMID 150 AS 100/12/50 BW	GSC12228	3.02	.41	4D	25	AIR	ADHESIVE
				24H	66	AIR	
DER 332/DADS/LITHAFRAX AS 10/3/40 BW EPOX● - CREAM	GSFC7202	.24	.00	8H	120	AIR	ADHESIVE
				4H	150	AIR	
DER 332/MDA/LITHAFRAX/P-200 MODIFIED GRAY	GSC12082	.50	.00	18H	65	PSI	POTTING
DER 332/MDA/LITHAFRAX/P-200/CARBON BLACK MODIFIED	GSC12085	.48	.00	18H	65	PSI	POTTING
DER 332/TETA AS 10/1 BW EPOXY	GSFC4242	.54	.00				POTTING
DER 332/TETA/LITHAFRAX AS 100/14/170 BW EPOXY-WHITE	GSFC7205	.39	.00	1H	105	AIR	ADHESIVE
DER 332/TETA/LITHAFRAX/CAB-O-SIL AS 100/14/235/.67BW	GSFC7208	.29	.01	1H	105	AIR	ADHESIVE
DER 332/VERSAMID 125 AS 1/1 BW EPOXY	GSFC8834	.58	.01	2.5H	105	AIR	ADHESIVE
DER 332/732/AEP/SR-82 AS 60/40/15/4 DROPS SR-82	GSFC3714	1.34	.08	2H	60	AIR	POTTING
DER 332/732/AEP/SR-82 AS 60/40/16/4 DROPS SR-82	GSFC3787	1.32	.07	12H	35	AIR	POTTING
				2H	60	AIR	
				4H	85	AIR	
				1H	60	AIR	
DER 332/732/DEH 24 AS 9/9/2 BW EPOXY	GSFC9416	1.78	.17	60H	25	AIR	ADHESIVE
				24H	60	AIR	
DER 332LC/HV AS 100/18 BW EPOXY	GSFC2853	.33	.01	5H	25	AIR	POTTING
				12H	90	AIR	
				24H	90	AIR	
DER 332LC/VERSAMID 140 AS 35/30 BW EPOXY COATING	GSFC2809	.91	.05	3H	71	AIR	CONF COAT
DER 332LC/VERSAMID 140 AS 6/7 BW EPOXY	GSFC5721	.54	.01	12H	40	AIR	ADHESIVE
DER 661/2-PHENYLIMIDAZOLE WHITE SYNTACTIC FOAM	GSC11606	.72	.03	2H	100	AIR	FORM
DEUTSCH CONNECTOR	GSFC0185	.95	.02				CONNECTOR
DEUTSCH CONNECTOR A81510F16-1451 BROWN SILICONE	GSFC7583	.31	.10				CONNECTOR
DEUTSCH CONNECTOR M81511/46FF01S1 BROWN SILICONE	GSFC7781	.22	.07				CONNECTOR
DEUTSCH CONNECTOR M81511/46FF01S1 GREEN MOLD INSERT	GSFC7778	2.21	.00				CONNECTOR
DEUTSCH CONNECTOR RTK06-16-61S GREEN MOLD INSERT	GSC11195	1.50	.00				CONN INSUL
DEUTSCH CONNECTOR SILICONE RUBBER	GSFC0223	.09	.06				CONNECTOR
DEUTSCH CONNECTOR 41-010350 MOLDED INSERT	GSFC7184	1.23	.01				CONNECTOR
DEUTSCH CONNECTOR 41-010350 RED SILICONE	GSFC7187	.20	.05				CONNECTOR
DEUTSCH CONNECTOR 6825 RM04-442S PHENOLIC INSERT	GSFC1240	1.25	.00				CONNECTOR

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DEUTSCH CONNECTOR 6825 RM04-442S SILICONE INSERT	GSFC1237	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7221 UR864-212P SILICONE INSERT	GSFC4484	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7503 RTK00-14-44P SILICONE INSERT	GSC10706	.16	.05				CONNECTOR
DEUTSCH CONNECTOR 7544E RE64-212P SILICONE INSERT	GSC10703	.16	.02				CONNECTOR
DEUTSCH CONNECTORS 6905 & 6906 RED SILICONE INSERT	GSC14133	.14	.00				CONNECTOR
DEUTSCH CTJ SERIES TERMINAL BLOCK RED SILICONE ONLY	GSFC8654	.24	.03				TERMINAL BLOCK
DEUTSCH TERMINAL BLOCK TJ 11E 06-01 SILICONE INSERT	GSFC2695	.19	.01				TERMINAL BLOCK
DEV SEAL 7580MA TAPE POLYESTER FILM/2 SIDE ACR ADH/F	GSFC6905	1.61	.04				2 SIDED TAPE
DEVCON F-2 A/B AS 9/1 BW ALUMINUM FILLED EPOXY	GSC10982	.53	.06	7D	25	AIR	ADHESIVE
DEVCON MIX TUBE EPOXY	GSFC1879	1.57	.09	24H	25	AIR	ADHESIVE
DEVCON 5 MINUTE EPOXY EQUAL PARTS FROM TUBES	GSFC5186	1.53	.08	24H	25	AIR	ADHESIVE
DEXSIL 201 - BORON/SILICA	GSFC0625	.07	.00				MOLD CPND
DF 1006 POLYCARBONATE/FIBER GLASS AS 70/30	GSFC0945	.14	.00				MOLD CPND
DF 1471 ANTI STATIC FILM - BLACK	GSC15285	.00	.00				ANTI STATIC FILM
DIAL CORD STUR-D-DIAL DACRON 164 WHITE	GSFC5515	.48	.10				DIAL CORD
DIAL CORD 753-24 TFE COATED GLASS FIBER	GSFC8288	.08	.05				DIAL CORD
DIALL 52-70-70 SHORT GLASS FIBER/DAP	GSFC4232	.43	.00	2H	138	AIR	CONNECTOR
DK 18-05 EPOXY POWDER COATING YELLOW-GREEN	GSC15998	.38	.04	30M	150	AIR	COATING
DK 18-05/ECCOSPHERES SI AS 55/45 BW - BLUE	GSFC7700	.77	.20	2H	93	AIR	POT FOAM
DK-15-02 DRI-KOTE EPOXY	GSFC8867	.49	.07				INSULATION
DK-1705 BLUE POWDER COATING	GSC14932	.74	.15	4H	100	AIR	COATING
DK-4 DRI-KOTE EPOXY POWDER COATING	GSFC4244	.37	.01	3M	204	AIR	POTTING-COATING
DM 062-1 DAMPING MATERIAL	GSC14151	11.33	6.33				DAMPER
DMP-128 COATED	GSC14866	.50	.00				HOLOGRAM
DMP-128 UNCOATED	GSC14869	.21	.00				HOLOGRAM FILM
DODGE IND TAPE 2045-3 PTFE FILM SILICONE ADH/R	GSFC3487	.23	.11				TAPE
DODGE IND TAPE 2342-2R KAPTON FILM/ACRYLIC ADH/F	GSFC7019	1.57	.17	24H	60	AIR	TAPE
DODGE IND TAPE 2342-2R KAPTON FILM/ACRYLIC ADH/F	GSFC7718	1.20	.24	24H	60	AIR	TAPE
DOLPHON CB-1078 W/E3187/D8585 AS 20/1 BW BLACK	GSFC9443	1.34	.01	7D	25	AIR	ADHESIVE
DOLPHON CB-1078/RE-2000 AS 20/1 BW BLACK EPOXY	GSC11102	2.09	.01	30D	25	AIR	POTTING
DOLPHON CR-1050/RE-2010 AS 20/7 BW	GSFC4820	2.80	.01	3D	25	AIR	POTTING
DOUBLE BUBBLE ACRYLIC KIT IVORY/YELLOW 04050	GSC14091	7.00	.28	21D	25	AIR	ADHESIVE
DOUBLE BUBBLE ACRYLIC KIT OLIVE GREEN 04051	GSC14055	7.75	.20	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE EPOXY KIT YELLOW 04005	GSC14032	2.73	.05	5D	25	AIR	ADHESIVE
DOUBLE BUBBLE EPOXY PATCH KIT PREMEASURED GRAY	GSFC9641	1.27	.01	24H	25	AIR	ADHESIVE
DOUBLE BUBBLE FLEXIBLE GRAY EPOXY KIT 04007	GSC14052	2.01	.12	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX TUFF STUFF URETHANE 04024 BLACK	GSC14046	7.98	3.93	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX URETHANE KIT LIGHT BROWN 04022	GSC14043	7.62	3.54	7D	25	AIR	ADHESIVE
DOUBLE BUBBLE KALEX URETHANE KIT LIGHT GRAY 04023	GSC14029	1.03	.01	5D	25	AIR	ADHESIVE
DP-1000 ORANGE NYLON FILM	GSC15062	3.99	.20				ANTI STATIC FILM
DRI-SLIP POWDERED LUBRICANT - AEROSOL	GSFC5641	10.73	4.60				LUBRICANT
DRILUBE 822 FLUOROSILICONE LUBRICATING GREASE	GSFC8774	6.51	2.47				LUBRICANT
DUN-CHROME 500C VDA TEFLON	GSC10272	.01	.00				THERMAL BLANKET
DUOCEL ALUMINUM FOAM 10 PPI 6-8% DENSITY	GSC14934	.03	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 20 PPI 6-8% DENSITY	GSC14936	.03	.01				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 50% DENSITY	GSC14940	.11	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 6-8% DENSITY	GSC14938	.03	.00				STRUCTURAL
DUPONT BLUE LACQUER 43907-LHX/DETZLER PRIMER DZL-32	GSC13383	4.42	.66	6H	70	AIR	PAINT SYSTEM
DUPONT RED LACQUER 8571-LHX/DETZLER PRIMER DZL-32	GSC13386	4.57	.71	6H	70	AIR	PAINT SYSTEM
DUPONT 46971/CAT 805 AS 10/1 BW	GSFC2209	3.29	.51	1H	25	AIR	ADHESIVE
				15M	135	AIR	
DUPONT 4817 CONDUCTIVE SILVER PAINT	GSFC3183	3.84	.04	24H	25	AIR	COND PAINT
DUPONT 4922 A/B AS 1/1 BW COND SILVER PAINT	GSFC2643	.61	.00	15M	66	AIR	COND PAINT
				48H	99	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DUPONT 5504A SILVER FILLED EPOXY	GSFC4532	.05	.00	1H	160	AIR	COND ADHESIVE
				2H	240	AIR	
DUR-O-LITE	GSC10910	2.87	.17				MOLD CPND
DURAD/TFE WIRE INSULATION RED/BLK NPC	GSFC9248	.06	.00				WIRE INSUL
DURAD/TFE WIRE INSULATION YELLOW SPC	GSFC9251	.02	.00				WIRE INSUL
DURAFILM 300 SERIES ENAMEL	GSC10191	.33	.01	20M	149	AIR	COATING
				20M	149	AIR	
				20M	260	AIR	
DURALAC BLACK ENAMEL-LUSTERLESS	GSFC2200	2.70	.21	1H	121	AIR	PAINT
DUREZ 22761 DAP BLACK REINFORCED	GSC14374	.66	.04	3M	171	PSI	MOLD CPND
DUREZ 22761 DAP BLUE REINFORCED	GSC14376	.73	.02	3M	171	PSI	MOLD CPND
DUREZ 23570 PHENOLIC BLACK REINFORCED	GSC14378	1.18	.00	3M	171	PSI	MOLD CPND
DUREZ 23570 PHENOLIC GREEN REINFORCED	GSC14380	1.27	.00	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP AQUA REINFORCED	GSC14382	.66	.02	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP GRAY MIL-M-14G TYPE SDG-F	GSC13879	.68	.03				MOLD CPND
DUTCH BOY RED ENAMEL 756	GSFC3628	.94	.33	16H	125	AIR	PAINT
DUX SEAL	GSFC2098	2.75	.43				SEALANT
DYFLON DRY FILM LUBRICANT	GSC14653	.68	.03				LUBRICANT
DYNA-FELT REFRACTORY FIBER FELT - ETOH WASH	GSFC7724	.09	.01				FELT
DYNA-FLEX REFRACTORY FIBER FELT	GSFC7721	.13	.05				FELT
D4D CONDUCTIVE PAINT	GSC11054	1.88	.39	48H	66	AIR	COND PAINT
D4D CONDUCTIVE PAINT	GSC11213	1.57	.34	48H	66	AIR	COND PAINT
				48H	100	AIR	
D4D LEAFING ALUMINUM	GSFC1507	8.91	.78	48H	25	AIR	PAINT
				14D	25	AIR	
D4D LEAFING ALUMINUM	GSFC2348	.72	.10	48H	25	AIR	PAINT
				48H	99	AIR	
E 788 POTTING RESIN	GSFC8420	1.25	.01	4H	177	AIR	POTTING
E 876 EPOXY	GSFC8873	.88	.00	2H	121	AIR	POTTING
E-KOTE 3030 CONDUCTIVE ACRYLIC PAINT	GSFC2827	.76	.05	1H	66	AIR	COND PAINT
				24H	25	AIR	
E-KOTE 40 COND SILVER PAINT/ACRYLIC	GSFC3808	3.32	.10	16H	25	AIR	COND PAINT
				24H	60	AIR	
E-SOLDER 3021 A/B AS 1/1 BW SILVER FILLED EPOXY	GSFC2905	9.56	.18	2H	65	AIR	COND ADHESIVE
				3H	50	AIR	
E-SOLDER 3022/HARDENER 18	GSFC2056	1.25	.10	24H	25	AIR	COND ADHESIVE
				3H	65	AIR	
				1.5H	85	AIR	
E-SOLDER 3022/18 AS 100/8 BW SILVER FILLED EPOXY	GSFC3207	1.27	.02	1.5H	85	AIR	COND ADHESIVE
E-SOLDER 3025 SILVER FILLED EPOXY	GSC16259	.63	.02	4H	65	AIR	COND ADH
E-252/C-46 CAT/STYRENE AS 10/3/1.3 BW	GSC13466	2.55	.32	2H	82	AIR	ADHESIVE
E-2794-13 A/B AS 10/1 BW SILICONE - SPECIAL	GSFC7937	.85	.29	10D	25	AIR	ADHESIVE
E-720 EPOXY/FIBERGLASS LAMINATE - POTTING FORMS	GSFC7007	.54	.04				LAMINATE
EA 7 POLYESTER FILM INSULATOR - FROSTY	GSFC7010	.46	.01				FILM INSULATOR
EA 8 A/B AS 100/6 BW BROWN EPOXY	GSFC8627	.98	.02	90M	93	AIR	ADHESIVE
EA 901/B1 AS 100/11 BW EPOXY MAROON	GSFC9954	.83	.04	5H	116	AIR	ADHESIVE
EA 907 A/B AS 10/8 BW LIGHT BLUE EPOXY	GSC12628	3.60	1.03	3D	25	AIR	ADHESIVE
				2H	82	AIR	
EA 9203 ONE COMPONENT PRIMER FOR EPOXY	GSFC8498	19.65	1.96	1H	25	AIR	PRIMER
EA 921 A/B AS 4/1 BW GRAY EPOXY	GSFC5094	2.42	.02	2H	71	AIR	ADHESIVE
EA 9307 A/B AS 100/14 BW BROWN EPOXY	GSC10026	.48	.00	30M	121	AIR	ADHESIVE
				2H	82	AIR	
EA 9309 A/B AS 100/23 BW EPOXY	GSFC6794	2.18	.00	7D	25	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EA 9309 A/B AS 100/23 BW EPOXY	GSFC9620	1.25	.00	7D	25	AIR	ADHESIVE
				5H	74	AIR	
EA 9309 A/B AS 100/23 BW EPOXY LOT FQAS 90551	GSFC6323	3.27	.02	24H	25	AIR	POTTING
EA 9309 A/B AS 100/23 BW EPOXY LOT 29195	GSC12124	1.20	.02	12D	25	AIR	ADHESIVE
EA 9309.2NA A/B AS 100/22 BW BLUE	GSC16202	1.11	.01	24H	25	AIR	ADHESIVE
				8H	71	AIR	
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	GSFC9002	.95	.03	7D	25	AIR	POTTING
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	GSFC9011	.99	.02	24H	25	AIR	POTTING
				4H	71	AIR	
EA 9309.3NA A/B AS 100/22 BW PURPLE	GSC15414	1.41	.01	7D	25	AIR	ADHESIVE
EA 9309.3NA A/B AS 100/22 BW PURPLE LOT 6021	GSC15550	1.24	.02	5D	25	AIR	ADHESIVE
				4H	66	AIR	
EA 9313 ORANGE EPOXY	GSFC8732	2.08	.15	16H	25	AIR	ADHESIVE
				6H	80	AIR	
EA 9320 A/B AS 100/19 BW BLUE EPOXY	GSC10029	1.12	.04	15M	121	AIR	ADHESIVE
EA 9321 GRAY EPOXY	GSFC8291	.94	.04	90M	66	AIR	ADHESIVE
EA 9323 A/B AS 100/45 BW YELLOW EPOXY	GSC15909	.86	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY	GSC10592	.79	.01	7D	25	AIR	COATING
				24H	60	AIR	
EA 934 A/B AS 100/33 BW GRAY EPOXY	GSC10601	1.07	.01	30D	25	AIR	COATING
EA 934 A/B AS 100/33 BW GRAY EPOXY	GSC14770	.87	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY (EPON 934)	GSFC7475	.49	.01	7D	25	AIR	ADHESIVE
EA 934NA A/B AS 100/33 BW GRAY EPOXY	GSC11057	.54	.01	7D	25	AIR	ADHESIVE
EA 9414.1 ONE COMPONENT EPOXY WHITE	GSC10032	.78	.14	30M	121	PSI	ADHESIVE
EA 9434 A/B AS 100/33 BW GRAY NON ASBESTOS EPOXY	GSC15768	.47	.01	7D	25	AIR	ADHESIVE
EA 951 SUPPORTED EPOXY ADHESIVE FILM GRAY	GSFC5803	2.15	.19	1H	177	AIR	ADH FILM
EA 953 EPOXY	GSFC2847	2.28	.06				ADHESIVE
EA 9559 BROWN EPOXY	GSFC8721	.80	.00	2H	177	AIR	POTTING
EA 956 A/B/PGE AS 10/5.8/0.2 BW YELLOW EPOXY	GSC15052	.69	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.2 BW YELLOW EPOXY	GSC15078	1.03	.01	1H	93	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	GSC15054	.70	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	GSC15080	1.00	.00	1H	93	AIR	ADHESIVE
EA 956 EPOXY	GSFC2849	.69	.02				ADHESIVE
EA 9601 SUPPORTED EPOXY ADHESIVE FILM YELLOW	GSFC5805	1.54	.44	1H	121	AIR	FILM ADHESIVE
EA 9653 EPOXY FILM ADHESIVE	GSFC5214	1.34	.00	1H	177	E-1	FILM ADHESIVE
EASTMAN FA FILM 04010	GSFC4784	.27	.05				FILM ADHESIVE
EASTMAN 910 CYANOACRYLIC/FOIL SANDWICH	GSFC6836	6.15	.00	5D	25	AIR	ADHESIVE
EASYPOXY K-20 REPAIR KIT A/B AS EQUAL BEADS FR TUBES	GSFC4388	.65	.01	24H	25	AIR	ADHESIVE
EASYPOXY K-256 A/B AS EQUAL LENGTHS FROM TUBES WHITE	GSFC6287	.60	.04	24H	25	AIR	ADHESIVE
EASYPOXY K-26 WHITE EPOXY	GSC12712	1.11	.05	2H	66	AIR	ADHESIVE
EASYPOXY K-40 A/B AS EQUAL LENGTHS FROM TUBES GRAY	GSFC6281	.60	.02	24H	25	AIR	ADHESIVE
EASYPOXY K-43 A/B AS EQUAL LENGTHS FROM TUBES BLUE	GSFC6284	19.87	.08	24H	25	AIR	ADHESIVE
EC 102 BLACK ELEC CONDUCTIVE SILICONE	GSC15173	.88	.38				GASKET
EC 1386 ONE COMPONENT EPOXY	GSC16229	.65	.07	45M	177	AIR	POTTING
EC 1614 A/B AS 1/1 BW EPOXY ADH	GSFC2607	1.90	.12	1H	66	AIR	ADHESIVE
				72H	66	AIR	
EC 1663 A/B AS 1/10 BW SILICONE SEALANT	GSFC4192	1.02	.19	7D	25	AIR	POTTING
EC 1663 A/B AS 1/10 BW SILICONE SEALANT	GSFC4340	.94	.22	30D	25	AIR	POTTING
EC 1675 A/B AS 1/10 BW POLYSULFIDE SEALANT	GSFC4294	7.14	.45	48H	25	AIR	SEALANT
EC 1981 FLEXIBLE COATING - CLEAR	GSFC9933	1.45	.08	48H	25	AIR	CONF COAT
EC 2126 BUNA N ADHESIVE	GSFC3584	9.48	1.32	72H	25	AIR	ADHESIVE
EC 2258 EPOXY	GSFC3371	1.00	.00	24H	175	AIR	ADHESIVE
EC 2290 EPOXY ADH	GSFC3495	.20	.15	30M	82	AIR	ADHESIVE
				30M	177	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EC 2290 EPOXY ADH	GSFC3560	.01	.01	30M	82	E-4	ADHESIVE
				30M	177	E-4	
EC 2290 EPOXY ADHESIVE	GSFC8735	1.60	.00	2H	177	AIR	ADHESIVE
EC 3439 EPOXY FOAM WHITE ONE PART SYSTEM	GSFC4258	2.53	.28	1H	121	AIR	FOAM SEALANT
EC 3500 B/A AS 2/3 BW EPOXY ADHESIVE	GSFC3664	.19	.06	1H	121	AIR	ADHESIVE
EC 3500 EPOXY ADHESIVE	GSFC3618	.40	.00	60M	170	PSI	ADHESIVE
EC 3524/EC 3624 AS 100/94 BW EPOXY FOAM BLUE	GSFC4260	3.84	.51	16H	25	AIR	FOAM SEALANT
EC 3584 GREEN FLAME RETARD EPOXY FOAM	GSC16043	1.81	.04	16H	25	AIR	ADHESIVE
ECCOBOND SF 40 SYNTACTIC FOAM EPOXY RESIN	GSFC2794	.23	.04	48H	25	AIR	FOAM
ECCOBOND V-91 A/B AS 5/1 BW CONDUCTIVE EPOXY	GSC14980	2.15	.03	3D	25	AIR	COND COATING
				1D	40	AIR	
ECCOBOND 104 A/B AS 100/64 BW GRAY/GREEN EPOXY	GSFC8378	.52	.08	6H	120	AIR	ADHESIVE
ECCOBOND 24 A/B AS 100/28 BW CLEAR EPOXY	GSFC5162	1.69	.04	24H	25	AIR	ADHESIVE
ECCOBOND 24 A/B AS 100/28 BW W/4-5% BW BLUE PIGMENT	GSFC5924	1.69	.43	7D	25	AIR	POTTING
ECCOBOND 24 A/B AS 30/8 BW CLEAR EPOXY	GSFC5957	1.31	.13	7D	25	AIR	POTTING
ECCOBOND 276/CAT 17 AS 10/1 BW EPOXY	GSFC3939	.49	.00	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
ECCOBOND 281 ONE PART EPOXY - BLACK	GSFC6694	.35	.06	5H	80	AIR	THERM COND ADH
ECCOBOND 285/11 AS 20/1 BW EPOXY	GSFC3321	.28	.01	8H	82	AIR	ADHESIVE
ECCOBOND 285/24LV AS 25/2 BW EPOXY	GSFC3347	1.00	.00	24H	25	AIR	ADHESIVE
ECCOBOND 285/9 AS 25/1 BW EPOXY	GSFC3319	.48	.01	24H	25	AIR	ADHESIVE
ECCOBOND 286 A/B AS 1/1 BW EPOXY	GSFC2545	1.58	.71	24H	25	AIR	ADHESIVE
ECCOBOND 45/15 AS 1/1 BW BLACK EPOXY	GSC14962	2.57	.04	30M	104	AIR	ADHESIVE
ECCOBOND 45/15 AS 1/2 BW SEMI-RIGID EPOXY CLEAR	GSFC3447	7.92	.07	30M	104	AIR	ADHESIVE
ECCOBOND 45LV/15LV AS 2/1 BW SEMI-RIGID EPOXY BLACK	GSFC3449	1.98	.02	30M	104	AIR	ADHESIVE
ECCOBOND 45LV/15LV AS 4/1 BW EPOXY	GSFC3848	2.21	.73	24H	50	AIR	POTTING
ECCOBOND 51/9 AS 100/7 BW	GSFC0545	.44	.02	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	GSFC8786	.46	.01	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	GSFC8789	.45	.02	30M	66	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 NEW	GSC13981	.51	.01	7D	25	AIR	CONF COAT
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 OLD	GSC13984	.59	.05	7D	25	AIR	CONF COAT
ECCOBOND 56C/9 AS 40/1 BW SOLDER	GSFC8354	.23	.01	30M	25	AIR	ADHESIVE
				1H	60	AIR	
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	GSFC8087	.52	.04	7D	25	AIR	COND ADHESIVE
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	GSFC8141	.36	.03	30M	150	AIR	COND ADHESIVE
ECCOBOND 58C SOLDER SILVER FILLED EPOXY	GSFC4170	.36	.17	2H	149	AIR	COND ADHESIVE
ECCOBOND 582/CAT 9 AS 100/7 BW EPOXY	GSFC5216	5.38	.02	16H	25	AIR	POTTING
ECCOBOND 60L A/B AS 10/3 BW SILVER FILLED EPOXY	GSFC2296	1.54	.07	24H	25	AIR	COND ADHESIVE
ECCOBOND 787 A/B AS 1/1 BW THIXOTROPIC EPOXY	GSFC2709	1.29	.03	24H	25	AIR	ADHESIVE
ECCOBOND 83C A/B AS 100/2.7 BW SILVER FILLED EPOXY	GSC14698	2.94	.03	3H	65	AIR	COND ADHESIVE
ECCOBOND 83C A/B AS 100/2.7 BW SILVER FILLED EPOXY	GSC14773	2.44	.01	24H	65	AIR	COND ADHESIVE
ECCOBOND 83C A/B AS 100/3.5 BW BI-PAK SILVER FILLED	GSC12230	.64	.02	1H	66	AIR	COND ADHESIVE
ECCOBOND 83C-1 ONE COMPONENT SILVER FILLED	GSC12232	.35	.01	1H	149	AIR	COND ADHESIVE
ECCOCOAT CC-2 CONDUCTIVE SILVER COATING/F	GSFC8447	1.37	.08	30M	150	AIR	COATING
ECCOCOAT CC-4 SILVER FILLED ELASTOMER	GSFC6440	4.24	2.10	7D	25	AIR	COND COATING
ECCOCOAT EP-3 A/B AS 2/1 BW EPOXY COATING	GSFC4286	3.15	.03	2H	70	AIR	CONF COAT
				3H	95	AIR	
				168H	85	AIR	
ECCOCOAT TF-11 A/B AS 1/1 BV AMBER COATING	GSFC7676	1.01	.01	30M	25	AIR	COATING
				8H	93	AIR	
ECCOCOAT 200 A/B AS 10/1 BW EPOXY	GSFC2531	9.90	.04	72H	25	AIR	COIL COATING
				72H	51	E-6	
ECCOCOAT 582 A/B AS 100/7 BW THERMAL COATING	GSC11806	3.56	.02	24H	25	AIR	THERM COATING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSC10517	1.06	.34	16H	80	AIR	POT FOAM
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSC10520	.88	.28	16H	80	AIR	POT FOAM
				7D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSC10526	.91	.27	16H	80	AIR	POT FOAM
				14D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSC10532	1.23	.35	16H	80	AIR	POT FOAM
				4D	80	E-4	
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSFC7355	.93	.36	2H	125	AIR	FOAM DAMPER
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	GSFC7541	.40	.09	2H	100	AIR	FOAM DAMPER
				24H	125	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM	GSFC6371	2.32	.99	5H	110	AIR	FOAM
ECCOFOAM EFF-14FR SYNTACTIC FOAM	GSFC6437	.72	.30	2H	135	AIR	POT FOAM
				8H	145	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE EPOXY	GSFC7340	.67	.29	2H	125	AIR	FOAM DAMPER
				8H	66	E-6	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE EPOXY	GSFC7364	.73	.23	2H	125	AIR	FOAM DAMPER
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE LOT 518	GSFC7457	1.05	.56	2H	100	AIR	POT FOAM
				114H	50	E-5	
ECCOFOAM EFF-14FR SYNTACTIC FOAM - ORANGE LOT 521	GSFC7460	1.04	.52	2H	100	AIR	POT FOAM
				114H	50	E-5	
ECCOFOAM FP 12-10 A/B AS 100/12 BW POLYURETHANE FOAM	GSFC4414	3.54	.05	24H	40	AIR	FOAM
ECCOFOAM FP 12-10 A/B AS 100/12 BW POLYURETHANE FOAM	GSFC4436	3.45	.06	24H	40	AIR	FOAM
				48H	40	E-5	
ECCOFOAM FPH 12-10H A/B AS 4/3 BW POLYURETHANE FOAM	GSFC4416	2.10	.03	24H	40	AIR	FOAM
ECCOFOAM FPH 12-10H A/B AS 4/3 BW POLYURETHANE FOAM	GSFC4438	1.93	.01	24H	40	AIR	FOAM
				48H	40	E-5	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	GSC15444	1.29	.03	16H	25	AIR	FOAM
				49H	60	AIR	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	GSC15554	1.96	.09	50H	60	AIR	FOAM
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	GSFC5906	.99	.07	8H	60	AIR	FOAM
				12H	60	E-4	
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	GSFC5912	1.08	.10	8H	60	AIR	FOAM
				63H	60	E-4	
ECCOFOAM FPH/12-4H POLYURETHANE FOAM	GSFC3654	.61	.12	72H	60	AIR	FOAM
ECCOFOAM FPH/12-4H POLYURETHANE FOAM	GSFC4786	.68	.08	48H	100	AIR	FOAM
ECCOFOAM FS POLYURETHANE FOAM	GSC10490	4.08	.79				FOAM
ECCOFOAM FS POLYURETHANE FOAM ETOH WASH X2	GSC10493	.72	.19	1H	100	AIR	FOAM
ECCOFOAM FS POLYURETHANE FOAM ETOH WASH X2	GSC10496	.81	.18	24H	100	AIR	FOAM
ECCOFOAM PP-HT-3 WHITE	GSC11378	2.44	.24				STRUCTURAL FOAM
ECCOFOAM PP-2	GSC11144	2.77	.39				FOAM
ECCOFOAM SH 14#/CU FT POLYURETHANE FOAM	GSC12757	1.04	.00				FOAM
ECCOFOAM SH 2#/CU FT POLYURETHANE FOAM	GSC12754	1.59	.02				FOAM
ECCOFOAM SH 4#/CU FT POLYURETHANE FOAM	GSFC5897	.78	.00				FOAM
ECCOFOAM SH 8#/CU FT POLYURETHANE FOAM	GSFC5439	1.33	.08				FOAM
ECCOLITE 82-EP-PB A/B AS 100/9.6 BW EPOXY FOAM	GSC13882	.50	.01	24H	25	AIR	FOAM
ECCOMOLD L-28	GSFC2396	.18	.01	64H	127	AIR	MOLD CPND
ECCOMOLD L28/24LV AS 100/26.4 BW	GSC12262	.73	.05	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOMOLD L28/9 AS 100/12 BW	GSC11390	.59	.03	30M	25	AIR	MOLD CPND
				2H	70	AIR	
ECCOMOLD 66A EPOXY - MOLD AT 135C AND 420 PSI	GSFC4392	.49	.06	1H	118	AIR	STRUCTURAL
ECCOMOLD 77A EPOXY - MOLD 10M AT 163C W/PSI	GSFC7451	.32	.07				MOLD CPND
ECCOSEAL HIGH Q POLYSTYRENE	GSC14722	9.28	.12	1H	25	AIR	COATING
				3H	60	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSEAL W-19/CAT 11 AS 100/16 BW EPOXY - AMBER	GSFC4578	7.38	.34	16H	77	AIR	POTTING
ECCOSEAL W-19/CAT 24LV AS 100/26.4 BW EPOXY AMBER	GSC12214	4.17	.08	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSEAL W-19/CAT 9 AS 100/12 BW EPOXY	GSC12234	2.68	.03	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW BLACK EPOXY	GSFC2278	.27	.01	4H	71	AIR	POTTING
				1H	177	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOXY	GSC13972	.41	.00	4H	71	AIR	POTTING
				16H	130	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOXY	GSC13975	.40	.00	4H	71	AIR	POTTING
				16H	177	AIR	
ECCOSEAL 1218 A/B AS 10/7 BW EPOXY	GSFC2248	2.04	.35	12H	125	AIR	POTTING
ECCOSHIELD CO GRAPHITE FILLED SILICONE GREASE	GSFC4788	36.88	22.20				COND GREASE
ECCOSHIELD PST-C-A ALUM FOIL/SILVER FILL ACRYLIC ADH	GSFC2221	.26	.09				TAPE
ECCOSHIELD RVS ADHESIVE/ECCOSHIELD SV-R/FOIL	GSFC8849	.26	.11	7D	25	AIR	COND ADHESIVE
ECCOSHIELD SO AG FILLED GREASE	GSC15191	9.84	4.35				LUBRICANT
ECCOSHIELD SV SILVER FILLED PLASTIC	GSFC4075	14.06	8.58				SHIELD
ECCOSHIELD SV-F METALIZED FOAM	GSC13729	1.26	.28				EMI SHIELD
ECCOSHIELD SV-F METALIZED FOAM	GSC13732	1.13	.29				EMI SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	GSFC3875	.16	.06				SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	GSFC3877	.03	.01	24H	177	AIR	SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	GSFC8852	.15	.06				SHIELD
ECCOSHIELD SX SILVER FILLED SILICONE PASTE	GSC10077	1.05	.26				RF SHIELD
ECCOSHIELD VY CONDUCTIVE SEALER	GSFC1942	.58	.32				SEALANT
ECCOSIL LN1049-97 A/B AS 10/1 BW CLEAR SILICONE	GSC12526	.18	.04	30M	100	AIR	ADHESIVE
ECCOSIL TP-50 A/B AS 100/9 BW SILICONE PASTE	GSC10913	1.07	.33	7D	25	AIR	SEALANT
ECCOSIL 1745 ONE PART ADHESIVE FR TUBE TRANSLUCENT	GSC16052	1.66	.56	7D	25	AIR	ADHESIVE
ECCOSIL 4640/CAT 25 AS 0.3% CAT SYNTACTIC FOAM	GSFC4216	1.03	.27	16H	25	AIR	FOAM
ECCOSIL 4640/CAT 50 AS 0.3% CAT SYNTACTIC FOAM	GSFC4652	.91	.24	8H	66	AIR	POTTING
				8H	66	E-6	
ECCOSIL 4850/CAT 25 AS 100/0.5 BW SILICONE	GSFC1606	1.28	.35	16H	25	AIR	POTTING
ECCOSIL 4850/CAT 25 AS 100/0.5 BW SILICONE	GSFC1609	1.21	.34	2H	66	AIR	POTTING
				1H	121	AIR	
ECCOSIL 4952/CAT 50 AS 10/0.01 BW FILLED SILICONE	GSC13924	.42	.17	7D	25	AIR	THERM CONTROL
ECCOSIL 4952/CAT 50 AS 10/0.02 BW FILLED SILICONE	GSC10544	.29	.14	7D	25	AIR	THERM CONTROL
ECCOSIL 4952/CAT 50 AS 10/0.02 BW FILLED SILICONE	GSC14328	.42	.17	4H	66	AIR	THERM CONTROL
ECCOSIL 4954/CAT 50 AS 10/0.01 BW FILLED SILICONE	GSC10541	.24	.10	7D	25	AIR	THERM CONTROL
ECCOSIL 4954/CAT 50 AS 10/0.01 BW FILLED SILICONE/F	GSC14271	.34	.11	14D	25	AIR	POTTING
ECCOSIL 4954/CAT 50 AS 10/0.01 BW/PRIMER S-11/F	GSC14274	.30	.11	14D	25	AIR	POTTING
ECCOSIL 4954/CAT 50 AS 10/0.01 BW/PRIMER S-11/F	GSC14292	.24	.10	7D	25	AIR	POTTING
				48H	60	AIR	
ECCOSIL 5952 A/B AS 1/1 BW FILLED SILICONE	GSC14136	1.38	.62	7D	25	AIR	THERM CONTROL
ECCOSIL 5954 A/B AS 1/1 BW FILLED SILICONE	GSC14139	.45	.13	7D	25	AIR	THERM CONTROL
ECCOSLIP TM-24 LOW FRICTION EPOXY	GSFC4011	.40	.00	1H	66	AIR	EPOXY LUBE
				1H	80	AIR	
				24H	116	AIR	
ECCOSORB AN 74 ETHANOL WASH - 3	GSFC5405	.70	.07	21H	100	AIR	ABSORBANT
ECCOSORB AN 74 METHANOL WASH - 3	GSFC5407	.51	.05	21H	100	AIR	ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT	GSFC3025	4.37	.45				ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT 16H METOH WASH	GSFC4842	1.03	.15	3H	25	AIR	ABSORBANT
				21H	100	AIR	
ECCOSORB AN 79 MICROWAVE ABSORBANT 4H ETOH WASH	GSC11409	2.10	.14	25H	100	AIR	ABSORBANT
ECCOSORB AN 79 MICROWAVE ABSORBANT/3M ADH 44	GSFC4926	1.16	.39	3H	25	AIR	ABSORBANT
				21H	100	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECCOSORB CR-S 124 A/B AS 100/1 BW SILICONE BASE	GSFC5447	.29	.09	3H	80	AIR	ABSORBANT
ECCOSORB CR-110 X/Y/CABOSIL AS 100/12/1.5 BW EPOXY	GSC14118	.88	.11	12H	75	AIR	MOLD CPND
ECCOSORB CR-112 X/Y/CABOSIL AS 100/8.2/1.25 BW EPOXY	GSC14121	.32	.01	12H	75	AIR	MOLD CPND
ECCOSORB CR-117 X/Y AS 100/2.3 BW DARK GRAY EPOXY	GSC12088	.26	.01	12H	74	AIR	MOLD CPND
ECCOSORB CR-124 X/Y AS 50/1 BW EPOXY	GSFC5494	.11	.00	14D	25	AIR	ABSORBANT
ECCOSORB FDS	GSFC9575	.29	.12				ABSORBANT
ECCOSORB FDS	GSFC9596	.05	.02	6H	200	AIR	ABSORBANT
ECCOSORB GDS IRON FILLED SILICONE	GSC10796	.20	.08				ABSORBANT
ECCOSORB LS FOAM	GSFC5218	4.08	.44				INSUL FOAM
ECCOSORB MF 110 IRON FILLED EPOXY	GSFC2965	.51	.01				ABSORBANT
ECCOSORB MF 112 IRON FILLED EPOXY	GSFC2436	.26	.01				SHIELD
ECCOSORB MF 114 IRON FILLED EPOXY	GSFC2438	.22	.00				SHIELD
ECCOSORB MF 124 IRON FILLED EPOXY	GSFC2812	.08	.00				ABSORBANT
ECCOSORB OCF 9 FLAME RETARD MICROWAVE ABSORBER	GSFC3893	3.83	.53				FOAM
ECCOSORB SF 9.5 RESONANT ABSORBER-SILICONE FILLED	GSC13105	.31	.15				ABSORBER
ECCOSORB SF 9.5 RESONANT ABSORBER-SILICONE FILLED	GSC13156	.10	.06	16H	177	AIR	ABSORBER
ECCOSORB SFT 2.5	GSFC8261	.14	.06				ABSORBANT
ECCOSORB SFU-9 POLYURETHANE	GSC11809	.46	.05				ABSORBANT
ECCOSORB 269E A/B AS 100/1 BW GRAY 10 SPRAY COATS	GSC15030	1.21	.01	4H	75	AIR	COATING
ECCOSORB 269E A/B AS 100/1 BW GRAY 10 SPRAY COATS	GSC15032	.83	.01	24H	25	AIR	COATING
				4H	75	AIR	
				16H	75	E-3	
ECCOSORD CR-110 X/Y AS 100/12 BW EPOXY	GSC12529	.52	.00	16H	25	AIR	MOLD CPND
				12H	74	AIR	
ECCOTHANE CPC-18 A/B AS 8/1 BW/CABOSIL AMBER	GSC14330	1.12	.12	16H	85	AIR	POTTING
ECCOTHANE CPC-18 A/B AS 8/1 BW/CABOSIL/BLUE PIGMEMT	GSC14332	1.23	.16	16H	85	AIR	POTTING
ECCOTHERM LN 80142 FILLED HEAT SINK GREASE	GSC11333	.33	.16				THERM GREASE
ECCOTHERM TC 4 FILLED HEAT SINK GREASE	GSFC1522	.54	.05				THERM GREASE
ECCOTHERM TC 4 FILLED HEAT SINK GREASE	GSFC9545	.52	.17				THERM GREASE
ECCOTHERM TC-4 FILLED HEAT SINK GREASE BTCH 10803014	GSFC9599	.56	.19				THERM GREASE
ECCOTHERM TC-5 FILLED HEAT SINK GREASE	GSFC9602	.50	.10				THERM GREASE
ECCOTHERM TC-6 FILLED HEAT SINK GREASE	GSC10625	.40	.13				THERM GREASE
ECCOTHERM TC-7 FILLED HEAT SINK GREASE	GSC10718	.37	.15				THERM GREASE
ECCOTHERM TC-8M FILLED THERMAL COND GREASE	GSC13735	.47	.15				THERM GREASE
ECD 006 PERFLUOROELASTOMER	GSFC7151	.14	.00				SEAL-GASKET
ECD 487-90 FLUOROELASTOMER	GSFC1426	.51	.00				SEAL
ECP 2200 BLACK SOLAR ABSORBER COATING/F	GSC13174	1.99	.74	24H	25	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F	GSC13266	.08	.00	4H	204	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F	GSC13287	.61	.27	4H	121	AIR	THERM COATING
ECP 2200 BLACK SOLAR ABSORBER COATING/F	GSC14238	.35	.12	24H	121	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	GSC14384	.09	.01	40H	25	AIR	THERM CONTROL
				4H	204	AIR	
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	GSC14386	.33	.05	7D	25	AIR	THERM CONTROL
				24H	90	E-5	
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	GSC14396	.91	.27	30D	25	AIR	THERM CONTROL
ECR 4100 SILVER FILLED EPOXY PRE MIX KIT	GSC14746	1.10	.01	14D	25	AIR	COND ADH
ECR 4110 A/B AS 20/1 BW SILVER FILLED EPOXY	GSC16064	.96	.01	24H	25	AIR	COND ADH
ECR 4200 SILVER FILLED EPOXY PRE MIX KIT	GSC15572	2.11	.03	15D	25	AIR	COND ADH
ECTFE EXTRUDED SHEET HI-TEMP APPLICATION	GSFC4080	.08	.01				INSULATION
ECTFE 0.5 MIL FILM	GSFC4082	.17	.05				OPTICAL FILM
ECTFE 1.0 MIL FILM	GSFC4084	.19	.04				OPTICAL FILM
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED UNWASHED	GSFC4108	.62	.09				BLANKET
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	GSFC4110	.28	.03				BLANKET
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED UNWASHED	GSFC4088	.33	.08				BLANKET

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	GSFC4090	.21	.07				BLANKET
EE 0067/HD 3561 AS 100/21 BLACK EPOXY	GSC15831	1.08	.02	8H	38	AIR	POTTING
EE 1068/HD 3561 AS 100/15 BW BLACK EPOXY	GSC16082	2.04	.05	48H	25	AIR	MOLD CPND
EE 4210/HD 3561 AS 100/30 BW BLACK EPOXY	GSC16085	1.25	.01	24H	25	AIR	MOLD CPND
EE 4215/HD 3561 AS 100/15 BW BLACK EPOXY (C9-4215)	GSC16088	.90	.01	24H	25	AIR	MOLD CPND
EHP-1 POLYURETHANE FOAM - BLACK	GSFC5355	3.20	.27				FOAM ABSORBER
EHP-1 POLYURETHANE FOAM/BLUE NEOPRENE PAINT	GSFC5358	7.73	1.83				FOAM ABSORBER
EHP-3 HR POLYIMIDE IMPREG NOMEX PAPER HONEYCOMB	GSFC5361	1.97	.02				ABSORBER
EHP-8 MICROWAVE ABSORBING FOAM	GSFC3003	5.07	.29				FOAM
EKKCEL C-1000 AROMATIC COPOLYESTER BROWN HIGH TEMP	GSFC9242	.26	.00				MOLD CPND
EKKCEL I-2000 AROMATIC COPOLYESTER TAN HIGH TEMP	GSFC9245	.06	.00				MOLD CPND
EKKCEL WR-25 AROMATIC POLYESTER/TFE BLEND TAN	GSFC9254	.01	.00				SOLID LUBE
ELASTOMET WIRE EMBEDDED SILICONE SHIELDING	GSC13177	.05	.03	36H	160	E-3	EMI SHIELDING
ELECTROBOND 1700 A/B AS 100/5.3 BW	GSFC3185	3.19	1.31	24H	25	AIR	ADHESIVE
ELECTROBOND 2015 A/B AS 10/1 BW SILVER FILLED EPOXY	GSFC2967	.44	.02	2H	65	AIR	COND ADHESIVE
ELECTROLUMINESCENT LAMP-GRIMES-YELLOW	GSC13299	.41	.01				LAMP
ELECTROSHIELD C28 POLYESTER FILM/.0007 COPPER FOIL	GSC13894	.28	.03				RFI/RMI SHIELD
ELTEN POLYETHERIMIDE	GSC10889	.65	.01	30M	316	AIR	MOLD CPND
EM 7302 GLASS FILLED EPOXY	GSC12175	.48	.00	15M	135	PSI	MOLD CPND
				12H	143	PSI	
EM-166 TYPE K RED EPOXY MOLDING CPND	GSC15984	.38	.00	14M	149	PSI	MOLD CPND
				2H	138	AIR	
EMA 7037 IRON	GSFC5741	.34	.01				DIELECTRIC
EMA 7085 IRON	GSFC5743	.23	.00				DIELECTRIC
EMA 8190 IRON	GSFC5745	.21	.00				DIELECTRIC
EMC 115-B-1 GLASS/EPOXY	GSFC2260	.29	.00				MOLD CPND
EMC 14107-01-445 GLASS FILLED POLYESTER AQUA	GSC15534	.23	.04				MOLD CPND
EMC 15108-01-446 GLASS FILLED POLYESTER AQUA	GSC15536	.19	.01				MOLD CPND
EMC 7195-295-5 PHENOLIC DARK GREEN	GSC15538	1.33	.00				MOLD CPND
EMC 90 - BLACK	GSFC7214	.60	.01	5M	150	AIR	POTTING
EMI SILVER FILLED SILICONE ME 51-08-0201	GSFC3005	1.06	.35				GASKET
EMP 100 STATIC DISSIPATION MAT TAN	GSC14398	2.81	.81				ANTISTATIC MAT
EMP 100 STATIC DISSIPATION MAT TAN HIGH CROSS LINK	GSC14894	2.56	.36				ANTI STATIC MAT
EMP 100 STATIC DISSIPATIVE MAT TAN	GSC14477	2.65	.74	15M	149	AIR	ANTISTATIC MAT
EMX-116 A/B AS 1/1 BW TAN EPOXY	GSC11770	1.37	.14	48H	25	AIR	ADHESIVE
ENAMEL FLAT BLACK AEROSOL BROD-DUGAN 100	GSC10374	.85	.14	72H	100	AIR	PAINT
ENAMEL 453-4-5/CA-212 AS 1/1 BV BLUE EPOXY/F	GSC11992	3.95	.09	7D	25	AIR	PAINT
END CAP D300-18 SHRINKABLE IRRAD BLACK POLYOLEFIN	GSFC8578	.92	.30	1M	260	AIR	END CAP
ENVEX 1000	GSC10709	1.94	.01				BEARING MATL
ENVEX 1000	GSC10892	1.74	.01	24H	204	AIR	BEARING MATL
ENVEX 1000X	GSC10895	1.87	.01	24H	204	AIR	BEARING MATL
ENVEX 1000X POLYIMIDE	GSC10712	1.83	.00				BEARING MATL
ENVEX 1115	GSC10724	1.67	.01				BEARING MATL
ENVEX 1115	GSC10916	1.29	.03	24H	204	AIR	BEARING MATL
ENVEX 1228	GSC10727	1.29	.00				BEARING MATL
ENVEX 1228	GSC10919	1.25	.02	24H	204	AIR	BEARING MATL
ENVEX 1315	GSC10730	2.03	.00				BEARING MATL
ENVEX 1315	GSC10922	1.36	.02	24H	204	AIR	BEARING MATL
ENVIBAR UV 1244 UV CURED	GSC16179	3.41	.02				CONF COAT
EP 4100 SINGLE COMPONENT EPOXY	GSC16136	1.04	.14	6H	125	AIR	POTTING
EPC-011 KAPTON FILM/THERMOSET ADH	GSFC8402	1.26	.25	75M	171	AIR	LAMINATE FILM
EPDM SILVER STRIP CLOSED CELL FOAM/ADH FILM/FOIL	GSC13442	13.63	3.73				INSULATION
EPDM SPONGE B-42-E GRAY	GSC15783	13.38	7.65	1.5M	177	AIR	FOAM
EPIALL 1914 EPOXY/GLASS - BLACK	GSC16289	.43	.01				MOLD CPND

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPIALL 1914 EPOXY/GLASS - BLACK	GSFC8450	.47	.00	7D	25	AIR	MOLD CPND
EPIALL 3100LS-X7049 EPOXY/GLASS/MINERAL FILL-GOLD	GSC14918	.38	.01				MOLD CPND
EPIBOND 1210/CAT 9615 AS 100/65 BW EPOXY	GSFC3065	.65	.01	3H	66	AIR	ADHESIVE
EPIBOND 1210/9861 AS 5/1 BW EPOXY	GSFC6798	.77	.00	7D	25	AIR	ADHESIVE
EPIBOND 122/CAT 931	GSFC3630	3.17	.01	16H	66	AIR	ADHESIVE
EPIBOND 122/CAT 952	GSFC3632	4.37	.00	7D	25	AIR	ADHESIVE
EPIBOND 123/CAT 952 AS 20/3 BW EPOXY	GSFC1621	.63	.03	24H	25	AIR	ADHESIVE
EPIBOND 123/CAT 9615-10	GSFC3634	.85	.03	7D	25	AIR	ADHESIVE
EPIBOND 8510 A/B AS 10/3 BW	GSFC1312	.05	.00	5D	25	AIR	ADHESIVE
EPICAP 1961 BLACK EPOXY MOLDING CPND	GSC15990	.50	.00	5M	177	PSI	MOLD CPND
				4H	163	AIR	
EPIPHEN 825A/MOD T/FILLER/CONVERTER - EPOXY	GSFC4150	.83	.01	16H	25	AIR	ADHESIVE
				8H	66	AIR	
EPO-TEK H11 A/B AS 15/2.6 BW SILVER FILLED EPOXY	GSFC4930	3.40	.02	90M	80	AIR	COND ADHESIVE
EPO-TEK H20E A/B AS 1/1 BW SILVER FILLED EPOXY	GSFC9101	1.18	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H20E A/B AS 2/1 BW W/O METAL FILLER	GSFC7388	8.16	.02	15M	150	AIR	ADHESIVE
EPO-TEK H20E-175M A/B AS 1/1 BW SILVER FILLED EPOXY	GSC15384	1.10	.01	1H	165	AIR	COND ADHESIVE
EPO-TEK H20S A/B AS 1/1 BW SILVER FILLED EPOXY	GSFC9107	1.54	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H21D A/B AS 10/1 BW SILVER FILLED EPOXY	GSFC5018	.19	.00	30M	100	AIR	COND ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	GSFC9446	1.00	.01	3.5H	50	AIR	ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	GSFC9449	.99	.01	20M	100	AIR	ADHESIVE
EPO-TEK H27D A/B AS 10/1 BW SILVER FILLED EPOXY	GSC10574	.52	.09	1H	150	AIR	COND ADHESIVE
EPO-TEK H31 SILVER FILLED EPOXY	GSFC5232	.59	.05	1H	150	AIR	COND ADHESIVE
EPO-TEK H31DLV SILVER FILLED EPOXY SINGLE COMPONENT	GSFC7112	.47	.02	1H	125	AIR	COND ADHESIVE
EPO-TEK H35-175M ONE PART SILVER FILLED EPOXY	GSC15387	.33	.02	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H35-175M(AU) ONE PART GOLD FILLED EPOXY	GSC15390	.36	.09	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H40 GOLD FILLED EPOXY SINGLE COMPONENT	GSFC6416	.19	.00	1H	120	AIR	COND ADHESIVE
EPO-TEK H41 GOLD FILLED EPOXY	GSFC5234	.14	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H43 GOLD FILLED EPOXY	GSFC5236	.20	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H44 GOLD FILLED EPOXY	GSFC5238	.27	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H70E A/B AS 1/1 BW THERM COND EPOXY	GSC11267	1.51	.03	12H	50	AIR	THERM COND ADH
EPO-TEK H70E A/B AS 1/1 BW THERM COND EPOXY	GSC12127	.99	.03	12H	60	AIR	ADHESIVE
				18D	25	AIR	
EPO-TEK H72 A/B AS 10/.4 BW DIELECTRIC EPOXY PASTE	GSFC9877	.31	.00	30M	100	AIR	ADHESIVE
EPO-TEK H73 A/B AS 10/0.3 BW EPOXY	GSC12236	.43	.01	20M	100	AIR	COATING
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	GSC13930	.27	.01	24H	50	E-3	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	GSC13987	.20	.01	48H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	GSC15321	.31	.01	24H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	GSFC5881	.56	.00	30M	150	AIR	ADHESIVE
EPO-TEK H77 A/B AS 20/3 BW BROWN EPOXY	GSFC9452	.22	.00	1H	125	AIR	ADHESIVE
EPO-TEK H80 SILVER FILLED EPOXY	GSFC3081	.16	.01	24H	50	AIR	COND ADHESIVE
EPO-TEK H81 A/B AS 1/1 BW PLATINUM FILLED EPOXY	GSFC7586	.62	.00	16H	60	AIR	COND ADHESIVE
				16H	95	E-6	
EPO-TEK H81 A/B AS 10/1 BW GOLD FILLED EPOXY	GSFC4932	.06	.01	12H	50	AIR	COND ADHESIVE
EPO-TEK H81E A/B AS 1/1 BW GOLD FILLED EPOXY	GSFC9128	.20	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H81E-175M A/B AS 1/1 BW GOLD FILLED EPOXY	GSC15393	.44	.01	1H	165	AIR	COND ADHESIVE
EPO-TEK 301 A/B AS 20/5	GSFC0590	1.08	.00	24H	25	AIR	OPT CEMENT
EPO-TEK 301 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	GSC15717	1.94	.04	7D	25	AIR	OPT CEMENT
EPO-TEK 301 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	GSFC9605	1.29	.01	24H	25	AIR	OPT CEMENT
				18H	65	AIR	
EPO-TEK 301 A/B AS 20/5 BW OPTICAL EPOXY LOT 375049	GSFC9978	1.09	.01	24H	25	AIR	OPT CEMENT
				6H	65	AIR	
EPO-TEK 301 A/B AS 20/5 BW OPTICAL EPOXY LOT 375051	GSFC9981	1.17	.02	24H	25	AIR	OPT CEMENT
				6H	65	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPO-TEK 301-2 A/B AS 20/5 BW OPTICAL CEMENT EPOXY	GSFC9724	2.62	1.03	24H	25	AIR	OPT CEMENT
EPO-TEK 301J A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	GSFC3716	3.58	.15	24H	25	AIR	OPT CEMENT
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	GSC16292	2.87	.08	24H	25	AIR	OPT CEMENT
				1H	65	AIR	
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	GSFC2689	1.54	.04	24H	25	AIR	OPT CEMENT
EPO-TEK 305 A/B AS 10/2.8 BW OPTICAL CEMENT EPOXY	GSFC9554	3.28	.15	24H	25	AIR	OPT CEMENT
				6H	65	AIR	
EPO-TEK 314 A/B AS 10//6 BW OPTICAL EPOXY YELLOW	GSC16205	.77	.00	2H	120	AIR	ADHESIVE
				1H	150	E-3	
EPO-TEK 320 A/B AS 5/1 BW BLACK EPOXY	GSC12427	1.49	.02	7D	25	AIR	ADHESIVE
EPO-TEK 330 EPOXY PRE-MIX PACK	GSC16016	2.24	.01	5M	100	AIR	ADHESIVE
EPO-TEK 330 EPOXY PRE-MIX PACK	GSC16196	2.26	.01	5M	100	AIR	ADHESIVE
				1H	120	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	GSC12064	2.03	.02	24H	25	AIR	ADHESIVE
				5H	60	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	GSC12067	1.83	.01	24H	25	AIR	ADHESIVE
				10M	100	AIR	
EPO-TEK 353ND HIGH TEMP EPOXY PRE-MIX PACK 10/1 BW	GSC12070	1.88	.04	24H	25	AIR	ADHESIVE
				2M	150	AIR	
EPO-TEK 390 POLYIMIDE/F	GSC13389	.43	.01	30M	25	AIR	ADHESIVE
				1H	200	AIR	
EPO-TEK 415G A/B AS 1/1 BW SILVER FILLED EPOXY	GSFC9377	1.85	.27	24H	25	AIR	COND ADHESIVE
EPO-TEK 417 A/B AS 15/1 BW SILVER FILLED EPOXY	GSFC4928	2.19	.02	3D	25	AIR	COND ADHESIVE
EPO-TEK 417 A/B AS 15/1 BW SILVER FILLED EPOXY	GSFC5423	3.13	.01	1H	100	AIR	COND ADHESIVE
EPO-TEK 905 A/B AS 5/1 BW THERMAL COND EPOXY	GSC15100	2.58	.01	7D	25	AIR	THERM COND ADH
EPO-TEK 920 EPOXY ADHESIVE	GSFC4360	.65	.01	45M	80	AIR	ADHESIVE
EPO-TEK 930 A/B AS 100/3.3 BW FILLED EPOXY	GSFC9787	.49	.00	45M	80	AIR	THERM COND ADH
EPOCAST N4E-053/CAT 9816	GSFC2110	.07	.02	24H	25	AIR	POTTING
				2H	93	AIR	
EPOCAST 1368/9313 AS 50/17 BW EPOXY-FURANE SL-15E	GSFC4128	5.83	.01	8H	25	AIR	ADHESIVE
EPOCAST 1610 SINGLE COMPONENT EPOXY FOAM - WHITE	GSC14124	2.87	1.13	2H	121	AIR	HONEYCOMB FILL
EPOCAST 202-100	GSFC4900	5.24	.01	5H	66	AIR	POTTING
EPOCAST 202-60	GSFC4898	3.54	.00	5H	66	AIR	POTTING
EPOCAST 202/9615 AS 10/8 BW	GSFC3251	5.69	.02	48H	25	AIR	POTTING
EPOCAST 26-11 EPOXY POWDER COATING	GSFC4610	1.09	.36	1H	177	AIR	COATING
EPOCAST 403-S-3	GSFC2326	.32	.01	4M	163	AIR	MOLD CPND
EPOCAST 452-600 BLACK MINERAL FILLED EPOX●	GSC16014	.29	.00	2M	150	PSI	MOLD CPND
				4H	150	AIR	
EPOCAST 461-008 MINERAL FILLED EPOXY	GSC12532	.48	.09				MOLD CPND
EPOCAST 8219 A/B AS 5/1 BW SYNTACTIC EPOXY FOAM	GSFC6608	2.94	.10	48H	25	AIR	POTTING FOAM
				4H	80	AIR	
				3H	93	AIR	
EPOCAST 8508 EPOXY ADHESIVE	GSFC3489	4.10	.24	24H	25	AIR	ADHESIVE
				2.5H	85	AIR	
EPON X-24 EPOXY	GSFC1633	.42	.05	15M	60	AIR	ADHESIVE
				45M	25	PSI	
				4H	25	AIR	
				10H	100	AIR	
EPON 1001-BT-70/VERSAMID 115/MEK/TOLUENE	GSFC5220	9.00	.00	150M	25	AIR	ADHESIVE
EPON 1001/VERSAMID 115 A/B AS 2/1 BW W/THINNERS	GSFC4612	12.02	.02	1H	99	AIR	ADHESIVE
EPON 8/CAT A/CYCLOHEXANOL AS 100/12.5/25 BW	GSFC0353	6.06	.01	3H	93	AIR	ADH-POTTING
EPON 8/CAT A/CYCLOHEXANOL AS 100/12.5/25 BW	GSFC0356	4.74	.00	3H	93	AIR	ADH-POTTING
				24H	121	E-4	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 815/DEH-20/VERSAMID 150 AS 100/12/12 BW EPOXY	GSC12218	.81	.03	4D	25	AIR	ADHESIVE
				24H	66	AIR	
EPON 815/DER 732/V9 SILVER PWDR/AEP	GSFC2837	.56	.07	4H	74	AIR	ADHESIVE
EPON 815/DTA AS 10/1 BW EPOXY	GSC12133	2.96	.06	7D	25	AIR	ADHESIVE
EPON 815/T AS 10/1.8 BW EPOXY	GSC12130	2.41	.03	7D	25	AIR	ADHESIVE
EPON 815/TETA AS 10/1 BW CURE 2	GSFC2543	1.83	.03	6D	25	AIR	ADHESIVE
EPON 815/TETA AS 10/1 BW CURE 4	GSFC2567	.76	.01	16H	63	AIR	ADHESIVE
EPON 815/U AS 4/1 BW EPOXY	GSFC8423	1.14	.01	4H	66	AIR	POTTING
EPON 815/V 140 AS 3/1.8 BW EPOXY	GSFC9936	.51	.02	7D	25	AIR	ADHESIVE
EPON 815/V 140 AS 50/50 BW EPOXY	GSFC3810	.70	.06	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140 AS 50/50 BW EPOXY	GSFC9152	1.07	.10	16H	25	AIR	CONF COAT
				4H	60	AIR	
EPON 815/V 140 AS 65/35 BW EPOXY	GSFC3812	.40	.02	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140/AL2O3/PIGMENT MODIFIED BLACK EPOXY	GSC11630	.60	.06	7D	25	AIR	COND ADHESIVE
EPON 815/V 140/DTA AS 100/15/6 BW EPOXY	GSC12136	2.42	.08	7D	25	AIR	ADHESIVE
EPON 815/V 140/DTA AS 100/6/6 BW EPOXY	GSC12139	4.68	.41	7D	25	AIR	ADHESIVE
EPON 815/V 140/PMS 175-ED AS 50/50/5 BW WHITE EPOXY	GSFC7502	.64	.07	3H	65	AIR	MARKING INK
EPON 815/V 140/SILFLAKE 135 AS 5/5/38 BW	GSFC8546	.65	.03	7D	25	AIR	COND POTTING
EPON 815/V-140 AS 50/50 BW EPOXY	GSC12595	1.84	.08	16H	25	AIR	CONF COAT
				24H	70	AIR	
EPON 815/VERSAMIDE 150 AS 60/40 BW EPOXY	GSFC3007	1.29	.06	24H	25	AIR	CONF COAT
EPON 820/TETA AS 10/1 BW CURE 1	GSFC2541	.43	.05	3D	25	AIR	ADHESIVE
EPON 820/TETA AS 10/1 BW CURE 8	GSFC2539	.36	.04	16H	63	AIR	ADHESIVE
				48H	25	AIR	
EPON 825/V 140 AS 7/6 BW EPOXY	GSFC5254	.32	.02	2H	75	AIR	POTTING
EPON 826/NMA/BDMA AS 100/88.5/1.5 BW EPOXY	GSC10302	.41	.00	2H	93	AIR	ADHESIVE
				8H	177	AIR	
EPON 826/871/Z AS 100/60/25.4 BW EPOXY	GSC10535	.64	.01	2H	80	AIR	POTTING
				4H	130	AIR	
EPON 827/VERSAMID 140 AS 1/1 BW EPOXY	GSFC6587	.96	.01	3.5H	60	AIR	ADHESIVE
EPON 828-ALUMINA/V-125/METHANEDIAMINE/ALUMINA	GSFC4266	.21	.01	3H	71	AIR	ADHESIVE
EPON 828/CAT 951 AS 10/1 BW EPOXY	GSC10215	2.31	1.27	24H	25	AIR	COATING
				2H	93	AIR	
EPON 828/DER 732/AEP/CARBON BLACK EPOXY ADHESIVE	GSFC1387	1.56	.06	2H	66	AIR	ADHESIVE
				24H	25	AIR	
EPON 828/DER 732/CAB-O-SIL/AEP	GSFC2855	1.46	.06	2H	74	AIR	POTTING
EPON 828/DTA AS 10/1 BW EPOXY	GSFC6002	.75	.04	3D	25	AIR	ADHESIVE
EPON 828/EM 308 AS 2/1 BW EPOXY	GSFC6383	.77	.06	48H	25	AIR	POTTING
EPON 828/EM 308/SILICA FLOUR AS 10/5/1 BW EPOXY	GSFC4630	.29	.00	1.5H	65	AIR	ADHESIVE
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY	GSFC4872	.34	.00	1H	100	AIR	POTTING
				48H	70	AIR	
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY/SAND	GSFC4902	.04	.00	1H	100	AIR	POTTING
				48H	70	AIR	
EPON 828/TETA AS 10/1 BW CURE 1	GSFC2595	.50	.01	3D	25	AIR	ADHESIVE
EPON 828/TETA AS 10/1 BW CURE 8	GSFC2597	.38	.00	16H	63	AIR	ADHESIVE
				2D	25	AIR	
EPON 828/U AS 4/1 BW CLEAR EPOXY	GSFC7046	1.03	.26	2H	55	AIR	POTTING
EPON 828/V 140/AL2O3/PIGMENT MODIFIED BLACK EPOXY	GSC11633	.46	.02	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 125 AS 1/1 BW W/3% SIO2	GSFC7331	1.06	.02	3H	60	AIR	ADHESIVE
				16H	82	E-6	
EPON 828/VERSAMID 125 AS 100/75 BW EPOXY	GSC10326	.69	.03	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 125 AS 50/50 BW EPOXY	GSFC6742	.79	.01	7D	25	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/VERSAMID 125 AS 60/40 BW EPOXY	GSFC6745	.46	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 65/35 BW EPOXY	GSFC6748	.55	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 66/33 BW EPOXY	GSFC6751	.59	.05	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 70/30 BW EPOXY	GSFC6754	.74	.19	7D	25	AIR	POTTING
EPON 828/VERSAMID 125/MD AS 100/21/13 BW EPOXY	GSFC4586	.70	.01	4H	71	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 30/70 BW EPOXY	GSFC5963	4.68	.45	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 40/60 BW EPOXY	GSC10985	1.63	.11	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 45/55 BW EPOXY	GSFC9518	1.28	.05	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSC10389	.86	.03	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSC10607	.91	.01	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSC10610	1.01	.01	7D	25	AIR	COATING
				24H	60	AIR	
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSC10799	1.16	.04	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSC11557	.58	.04	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	GSFC6721	.86	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 60/40 BW EPOXY	GSFC6724	.43	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 65/35 BW EPOXY	GSFC6727	.30	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 66/33 BW EPOXY	GSFC6730	.26	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	GSC10392	.19	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	GSC10613	.24	.00	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	GSC10616	.32	.00	7D	25	AIR	COATING
				24H	60	AIR	
EPON 828/VERSAMID 140/BORON NITRIDE AS 1/1/2 BW	GSC15102	.74	.03	7D	25	AIR	THERM COND ADH
EPON 828/VERSAMID 140/B40A MICROBALLOONS	GSC10173	.61	.03	4H	25	AIR	POTTING
				90M	126	AIR	
EPON 828/VERSAMID 140/B40A MICROBALLOONS/CABOSIL M5	GSC15417	1.08	.02	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/CARBOLAC/B-22A BUBBLES	GSFC1882	1.74	.19	16H	25	AIR	POTTING
				2H	66	AIR	
EPON 828/VERSAMID 140/CARBOLAC/GLASS BEADS	GSFC1876	1.80	.09	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/CARBOLAC/SYLOID 620	GSFC1846	1.67	.12	7D	25	AIR	PAINT
EPON 828/VERSAMID 140/CARBOLAC/SYLOID 620	GSFC1855	1.66	.07	16H	25	AIR	PAINT
				2H	66	AIR	
EPON 828/VERSAMID 140/CR2O3 GREEN EPOXY	GSC15927	.85	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/DTA AS 70/30/1 BW EPOXY	GSC10218	.18	.00	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/FE2O3 RED EPOXY	GSC15930	.73	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/20 BW	GSC11138	.81	.03	12H	50	AIR	COND ADHESIVE
				24H	125	AIR	
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/40 BW	GSFC4880	.50	.04	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 140/SR 82 AS 70/30/1 BW EPOXY	GSC10221	.35	.01	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/SR 82/DETA/MEK	GSFC4654	4.69	.00	16H	25	AIR	CONF COAT
				4H	60	AIR	
EPON 828/VERSAMID 140/SR 82/DTA/TOLUENE	GSFC5927	1.35	.00	1H	25	AIR	CONF COAT
				8H	60	AIR	
EPON 828/VERSAMID 140/SR-82/DETA/TOLUENE	GSFC5839	2.91	.00	1H	25	AIR	CONF COAT
				4H	60	AIR	
				4H	60	E-6	
EPON 828/VERSAMID 140/T-61 AS 2/3/16 BW MOD EPOXY	GSC11959	.88	.05	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/TIO2 WHITE EPOXY	GSC15933	.91	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/TIO2 R-960 AS 5/5/0.6 BW	GSFC8237	.87	.00	7D	25	AIR	COATING
EPON 828/VERSAMID 140/XYLENE/MIBK	GSFC6920	6.05	.04	7D	25	AIR	POTTING PRIMER
EPON 828/VERSAMID 15/DTA/TIO2 AS 25/27/1.5/40 BW	GSC10224	1.12	.01	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 15/T-61/CAB-O-SIL/RED DISPERSION	GSC11773	.93	.05	7D	25	AIR	ADHESIVE
EPON 828/ZZL-0803 AS 100/35.5 BW EPOXY COATING	GSFC3217	1.09	.04	1H	121	AIR	ROD

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/815/140/CARBOLAC/NOVACITE 1250	GSFC1813	1.72	.10	16H	25	AIR	ADHESIVE
				2H	66	AIR	
				7D	25	AIR	
EPON 828/815/140/CARBOLAC/NOVACITE 1250	GSFC1852	1.71	.16	7D	25	AIR	ADHESIVE
EPON 828/871/AEP AS 35/65/15.5 BW	GSFC1014	1.01	.05	2H	42	AIR	POTTING
				72H	37	AIR	
				4D	25	AIR	
EPON 828/871/AEP AS 40/60/15.5 BW	GSFC0251	.46	.02	16H	65	AIR	POTTING
EPON 828/871/AEP AS 40/60/15.5 BW	GSFC0284	1.16	.08	7D	25	AIR	POTTING
EPON 828/871/AEP/CAB-O-SIL AS 40/60/15.5/3 BW EPOXY	GSFC5723	1.24	.01	8H	54	AIR	ADHESIVE
EPON 828/871/AEP/CAB-O-SIL AS 40/60/15.5/3 BW EPOXY	GSFC5725	1.35	.03	4H	64	AIR	ADHESIVE
EPON 8280/VERSAMID 140 AS 50/50 BW EPOXY	GSC11393	.92	.02	7D	25	AIR	ADHESIVE
EPON 929 EPOXY	GSFC1717	.60	.00	1H	149	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	GSC10395	.95	.00	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	GSFC2440	.28	.01	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY W/MEK	GSFC1417	2.87	.02	2H	25	AIR	ADHESIVE
				1H	82	AIR	
EPON 934 A/B AS 100/33 BW W/MEK/MOS2	GSFC1255	2.93	.03	2H	25	AIR	ADHESIVE
				1H	82	AIR	
EPON 934 A/B AS 100/33 BW W/MEK/MOS2	GSFC1447	2.01	.11	16H	100	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW EPOXY	GSFC1741	.19	.01	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW/CARBOLAC/CABOSIL	GSFC1774	.81	.00	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW/CARBOLAC/NOVACITE 1250	GSFC1810	1.96	.12	7D	25	AIR	PAINT
EPON 956 A/B AS 100/58 BW/CARBOLAC/SYLOID 620	GSFC1837	1.02	.00	7D	25	AIR	PAINT
EPON 956 A/B AS 100/58 BW/MOS2/CARBOLAC/CABOSIL	GSFC1756	.88	.11	7D	25	AIR	ADHESIVE
EPOTHERM 180 A/B AS 100/4.5 BW BLACK EPOXY	GSC13555	.13	.01	2H	70	AIR	COATING
				4H	175	AIR	
EPOWELD XL13215 A/B AS 100/40 BW CLEAR EPOXY	GSC13600	2.92	.10	24H	25	AIR	ADHESIVE
EPOWELD XL13215 A/B AS 100/40 BW CLEAR EPOXY	GSC13638	3.13	.11	24H	25	AIR	ADHESIVE
				24H	40	E-3	
EPOXI-PATCH KIT 0151 CLEAR EQUAL LENGTHS FR TUBES	GSFC6209	1.51	.01	24H	25	AIR	ADHESIVE
EPOXI-PATCH KIT 0151 EQUAL LENGTHS FR TUBES	GSC12385	1.86	.02	2H	60	AIR	ADHESIVE
EPOXI-PATCH KIT 1C WHITE EQUAL LENGTHS FR TUBES	GSFC5797	.81	.02	24H	25	AIR	ADH-SEALANT
EPOXI-PATCH KIT 1073 EQUAL LENGTHS FR TUBES	GSC12388	4.77	.26	2H	60	AIR	ADHESIVE
EPOXI-PATCH KIT 56C WHITE EQUAL LENGTHS FR TUBES	GSFC7274	.34	.02	6H	25	AIR	POTTING
EPOXI-PATCH KIT 608 CLEAR EQUAL LENGTHS FR TUBES	GSFC5799	3.07	.15	24H	25	AIR	ADH-SEALANT
EPOXI-PATCH KIT 9340 EQUAL LENGTHS FR TUBES GRAY	GSC14247	.98	.03	7D	25	AIR	ADHESIVE
EPOXY ADHESIVE FOR REPLICA GRATINGS - PROPRIETARY	GSC13069	5.99	.12				ADHESIVE
EPOXY ADHESIVE FOR REPLICA GRATINGS - PROPRIETARY	GSC13108	5.53	.12	24H	80	AIR	ADHESIVE
EPOXY ANTI-TRACK COATING	GSC12715	2.01	.61	30M	100	AIR	COATING
				16H	150	AIR	
EPOXY FIBERGLASS BOOM CYLINDER	GSFC8681	.20	.05				LAMINATE
EPOXY POWDER COATING EPC MIDNIGHT BLUE	GSC15104	.55	.04	1H	150	AIR	COATING
EPOXY POWDER COATING EPC 20 BLACK	GSC15269	.48	.00	1H	150	AIR	COATING
EPOXY POWDER COATING 68-2 GOLD	GSC15106	.48	.02	1H	150	AIR	COATING
EPOXY 14	GSC11039	1.60	.31	30M	115	AIR	ADHESIVE
EPOXY 220 A/B AS EQUAL PARTS FROM TUBES	GSFC4976	.89	.07	24H	25	AIR	ADHESIVE
EPOXY 24C/BA-45 AS 100/6 BW BLACK	GSC15516	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-42 AS 100/6 BW RED	GSC15556	.65	.27	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-42 AS 150/9 BW RED	GSC15532	.53	.18	8H	82	AIR	POTTING
				16H	100	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPOXY 24F/BA-45 AS 100/6 BW BLACK	GSC15518	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-45 AS 100/6 BW RED	GSC15520	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 330 A/B AS EQUAL PARTS FROM TUBES	GSFC4978	10.42	.07	24H	25	AIR	ADHESIVE
EPOXY 432016-600 OLIVE GREEN	GSC15942	.82	.01	75M	163	AIR	ADHESIVE
EPOXY 71B PRE-MEASURED MIX PKG	GSFC5256	.97	.02	30M	81	AIR	POTTING
EPOXY 907 A/B AS EQUAL LENGTHS FROM TUBES	GSFC4362	2.25	.66	7D	25	AIR	ADHESIVE
				24H	45	AIR	
				8H	60	AIR	
EPOXYLITE P EPOXY	GSFC2987	3.57	.03	24H	25	AIR	ADHESIVE
EPOXYLITE P EPOXY	GSFC3045	5.84	.02	72H	50	E-6	ADHESIVE
EPOXYLITE 6203 A/B AS 2/1 BW EPOXY	GSFC5006	.45	.03	4H	121	AIR	POTTING
EPOXYLITE 8712 VARNISH	GSFC4680	8.41	.03	24H	52	AIR	IMPREGNANT
EPOXYLITE 9653 POLYURETHANE E-160 8 COATS	GSFC3169	9.15	.01	1H	71	AIR	CONF COAT
				2H	71	E-3	
EPOXYLITE 9653 POLYURETHANE E-194 8 COATS	GSFC3167	4.87	.00	1H	90	AIR	CONF COAT
EPOXYLITE 9653 TYPE 3	GSFC2008	15.48	.01	2H	70	AIR	ADHESIVE
EPPLEY PARSONS BLACK	GSFC1960	13.33	3.65				PAINT
EPPLEY PARSONS BLK L3G-13 OVER UNDERCOAT L3S-10/F	GSC14346	3.34	.08	2H	25	AIR	PAINT SYSTEM
				2H	66	AIR	
				48H	107	E-2	
EPY 150 PRE PACK EPOXY ADH LOT L101	GSFC5581	.99	.03	16H	25	AIR	ADHESIVE
ER 2600 A/B AS 10/1 BW CLEAR SILICONE	GSC13948	1.07	.47	7D	25	AIR	POTTING
ER 2600 A/B AS 10/1 BW CLEAR SILICONE	GSC14049	1.01	.47	7D	25	AIR	POTTING
				6H	60	AIR	
				2H	100	AIR	
ER-2287 A/B AS 10/1 BW BLUE EPOXY RUBBER	GSC15034	3.18	.62	24H	25	AIR	POTTING
ERL 2795/HN 951 SYNTACTIC FOAM	GSFC2800	.50	.02	24H	25	AIR	FOAM
ES-0424 BLACK EPOXY SYNTACTIC FOAM	GSC16193	1.66	.30	2H	85	AIR	FOAM
ES-0424 BLACK EPOXY SYNTACTIC FOAM	GSC16262	1.65	.31	2H	85	AIR	FOAM
				4H	150	AIR	
ESP 108 GRAY ONE PART EPOXY	GSC12922	.53	.13	45M	150	AIR	ADHESIVE
ESP 109 GRAY ONE PART EPOXY	GSC12925	.50	.10	45M	150	AIR	ADHESIVE
ESP 110 GRAY ONE PART EPOXY	GSC12928	.60	.13	45M	150	AIR	ADHESIVE
ESTAR PHOTOGRAPHIC FILM	GSFC9799	1.26	.00				FILM
ETHAFOAM WHITE	GSFC6089	.47	.03				FOAM PAD
ETHAFOAM 220 POLYETHYLENE FOAM 2.2#/CU FT	GSC10460	.36	.08				INSULATION
ETHAFOAM 400 POLYETHYLENE FOAM 4#/CU FT	GSC10463	.26	.04				INSULATION
ETHAFOAM 600 POLYETHYLENE FOAM 6#/CU FT	GSC10466	.24	.04				INSULATION
EUREPOX 710/VERSAMID 140 AS 2/1 BW EPOXY	GSFC9401	.33	.00				ADHESIVE
EVERLUBE 811 AEROSOL/F	GSC14701	2.97	.00	15M	25	AIR	DRY FILM LUBE
				2H	67	AIR	
				2H	150	AIR	
EX 8762 EPOXY DIELECTRIC ADHESIVE	GSFC4534	.08	.00	1H	160	AIR	ADHESIVE
				2H	240	AIR	
EXPANDO SLEEVING HR BLACK HALAR	GSC15954	.18	.02				SLEEVING
EXPANDO SLEEVING HR RED HALAR	GSFC9110	.29	.02				SLEEVING
EXPANDO SLEEVING HR WHITE HALAR	GSFC9131	.27	.06				SLEEVING
EXPANDO SLEEVING PT BLACK POLYESTER	GSFC9113	.19	.00				SLEEVING
EXPANDO SLEEVING PT WHITE POLYESTER	GSFC9116	.21	.00				SLEEVING
EXTREN 525 EPOXY/FIBERGLASS SQUARE STRUCTURAL TUBE	GSC13081	.85	.04				STRUCTURAL
E411-A RELEASE AGENT FORMULA A AEROSOL	GSC15558	1.34	.57	19D	25	AIR	DRY LUBRICANT
E411-A RELEASE AGENT FORMULA B AEROSOL	GSC15560	1.39	.38	19D	25	AIR	DRY LUBRICANT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
F-5 POLYESTER FILM 5 MIL	GSC16328	.55	.04				FILM
FA-8/BA-5 AS 100/13.5 BW EPOXY	GSFC3975	.74	.25	1H	60	AIR	ADH POTTING
				24H	71	AIR	
FACILON 1412 RED NYLON GRIDDED FILM	GSC14725	26.16	6.42				ANTI STATIC FILM
FAIRPRENE M5550 CURED	GSFC0134	6.90	.79				RUBBER SEALANT
FAIRPRENE SR5520	GSFC1483	.53	.17				SILICONE
FAIRPRENE VS0060 BLACK VITON A SHEET	GSFC9802	.35	.05				GASKET-SEAL
FAIRPRENE VS0080 BLACK VITON A SHEET	GSFC9805	.22	.01				GASKET-SEAL
FASCAL MARKING PLATES FOIL/INK/ADH/R	GSFC3850	1.20	.08				NAMEPLATE
FASCAL 710 CHROMIZED POLYESTER/ACRYLIC ADH/R	GSFC3967	.42	.01				NAMEPLATE
FASCAL 715 CHROME METALIZED MYLAR/ACRYLIC ADH/R	GSFC3636	.36	.03	16H	65	AIR	TAPE-FILM
FASSON ALUMINUM FOIL/ACRYLIC ADH/VINYL COAT/R	GSFC3297	.93	.14				TAPE
FASSON TAPE 1 ALUM FOIL/ACRYLIC ADH/R	GSFC3682	1.36	.42	16H	65	AIR	TAPE
FASSON TAPE 220 TISSUE PAPER/2 SIDED ACRYLIC ADH/F	GSFC9993	1.43	.01				2 SIDED TAPE
FASSON TAPE 333 WHITE POLYESTER FILM/R	GSFC3083	2.64	.34				2 SIDE TAPE
FASSON TAPE 431 BLACK POLYETHYLENE/POLYESTER ADH/F	GSFC9347	2.30	.89				TAPE
FASSON 313 SATIN FINISH LABEL - WHITE	GSC12775	5.13	.87				LABEL
FASTENER 06077 INJECTION MOLDED POLYURETHANE	GSFC5088	.76	.12				FASTENER
FASTRAPS SERIES 60 NYLON CABLE TIE	GSFC2969	2.29	.03				CABLE TIE
FELDEX R3 CLEAR POLYURETHANE	GSC13717	1.52	.26	16H	40	AIR	POTTING
FELT GRADE 5-600-1/8 POLYURETHANE	GSFC1993	2.05	.32				FELT PAD
FELT MARKER BLACK/F	GSC11776	15.75	3.52	7D	25	AIR	MARKER
FELT NOMEX ROCKWELL TYPE I	GSC10161	3.61	.04				FELT
FELT NOMEX ROCKWELL TYPE I	GSC10179	2.82	.01	24H	125	E-6	FELT
FEP TEFLON SILVERED/PERMACEL 223 TAPE/F	GSFC7682	.77	.35	18H	60	E-1	FILM
FEP TEFLON 30KV WIRE INSULATION	GSFC6824	.01	.00				WIRE INSUL
FF 1006 HI-DENSITY POLYETHYLENE/GLASS AS 70/30	GSFC2927	.12	.03				MOLD CPND
FIBER OPTIC BUNDLE	GSC15116	.03	.00				FIBER OPTIC
FIBER OPTIC CABLE OC-100	GSC12454	.27	.07				FIBER OPTIC
FIBER OPTIC CABLE OC-1050 4 PART SYSTEM	GSC16018	.09	.02				FIBER OPTIC
FIBER OPTIC CABLE 5030ST	GSC12456	.33	.13				FIBER OPTIC
FIBER OPTIC CABLE 5030ST - NO SILICONE	GSC12733	.28	.07				FIBER OPTIC
FIBERGLASS CLOTH PRE-PREG A10-104-75	GSFC4726	1.88	.97	90M	121	E-2	LAMINATE
FIBERGLASS REINF POLYESTER WHITE	GSC14064	2.11	.39				MOLD CPND
FIBERGLASS WOVEN NETTING STYLE 1562	GSFC7139	.23	.03				INSULATION
FIBERITE E-21718 BLACK EPOXY/GRAPHITE	GSC15179	.73	.02				MOLD CPND
FIBERITE E-3938 EPOXY	GSFC2322	.44	.01	10M	149	AIR	ADHESIVE
				2H	160	AIR	
FIBERITE FM 4005 GLASS REINFORCED PHENOLIC	GSC10451	1.60	.00	5M	163	PSI	MOLD CPND
				18H	100	AIR	
FIBERITE FM 4005 GLASS REINFORCED PHENOLIC	GSFC4728	2.07	.01	5M	140	PSI	MOLD CPND
FIBERITE FM 4008 DK GREEN CONNECTOR INSERT	GSC15956	.94	.01	24H	200	AIR	MOLD CPND
FIBERITE FM 4008 GLASS FIBER/PHENOLIC BLACK	GSC11431	1.49	.02	5M	166	PSI	MOLD CPND
FIBERITE HY-E 1076E EPOXY GRAPHITE LAMINATE	GSC12379	.50	.00	2H	177	AIR	LAMINATE
FIBERITE HY-E-1334A EPOXY/GRAPHITE LAYUP	GSFC6770	.81	.00	2H	177	E-3	LAMINATE
FIBERMAT TAPE 2540 NO ADHESIVE	GSC14356	.34	.06				TAPE
FIBERMAT 1 TYPE 2538 POLYESTER FILM/NO ADH	GSFC4094	.15	.02				TAPE
FIBERMAT 1 TYPE 2540 POLYESTER FILM/NO ADH	GSFC4934	.14	.10				TAPE
FIBERMAT 1V	GSFC3509	.68	.04				INSULATION
FIBERTAPE MXC-113 CARBON FIBER MOLDING TAPE	GSFC4458	1.82	.08				MOLDING TAPE
FINCH BLACK PAINT 663-3-2 POLYURETHANE A/B AS 4/1 BV	GSFC1429	4.62	.10	24H	25	AIR	PAINT
				16H	66	E-5	
FINCH BLACK PAINT 663-3-2 POLYURETHANE A/B AS 4/1 BV	GSFC1432	4.42	.00	24H	25	AIR	PAINT
				16H	66	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FINCH PRIMER 463-4-4 A/B AS 3/1 BW	GSFC8042	7.21	.00	7D	25	AIR	PRIMER
FINE-L-KOTE AR ONE PART CLEAR ACRYLIC	GSC15789	10.21	.01	5D	25	AIR	CONF COAT
FINE-L-KOTE AR ONE PART CLEAR ACRYLIC	GSC15958	10.60	.00	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE HT ONE PART CLEAR SILICONE	GSC15843	1.77	.39	5D	25	AIR	CONF COAT
FINE-L-KOTE SR ONE PART CLEAR SILICONE	GSC15822	2.41	.73	5D	25	AIR	CONF COAT
FINE-L-KOTE SR ONE PART CLEAR SILICONE	GSC15962	1.94	.87	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE	GSC15795	3.54	.03	5D	25	AIR	CONF COAT
FINE-L-KOTE UR ONE PART CLEAR URETHANE	GSC15966	1.44	.02	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE	GSC16151	1.63	.02	48H	25	AIR	CONF COAT
				24H	65	E-2	
FINE-L-KOTE UR ONE PART CLEAR URETHANE AEROSOL	GSC15964	1.26	.04	5D	25	AIR	CONF COAT
				24H	65	AIR	
FINE-L-KOTE UR ONE PART CLEAR URETHANE AEROSOL/F	GSC15792	2.28	.06	5D	25	AIR	CONF COAT
FIREBAN 600 EPOXY/FIBERGLAS	GSFC0237	.64	.03				LAMINATE
FISHER BLACK COATING 113/113-300/CARBOLAC/MEK/T-12	GSFC1108	.51	.02	7D	25	AIR	PAINT
FIT 221 IRRADIATED POLYOLEFIN SHRINK TUBING-HEAT GUN	GSFC7052	1.42	.68				SHRINK TUBING
FIT 350 KYNAR SHRINK TUBING NEUTRAL - HEAT GUN	GSC13269	.30	.07				SHRINK TUBING
FLAT PACK CABLE SILICONE 60 DUROMETER	GSC14014	1.36	.39				FLAT CABLE
FLAT PACK WIRING CABLE INSULATION ONLY	GSC14184	.89	.38				FLAT CABLE
FLEXAUST SD COATED FABRIC DUCT HOSE	GSC10505	5.51	.47				HOSE
FLEXITE PO 135 BLACK POLYOLEFIN SHRINK TUBING	GSC10200	1.50	.69	5M	121	AIR	SHRINK TUBING
FLEXITE PO 135 CLEAR POLYOLEFIN SHRINK TUBING	GSC10203	.73	.25	5M	121	AIR	SHRINK TUBING
FLEXITE SHRINKDOWN 7505 HA150C-VW1 HEAT GUN SHRINK	GSC14674	.88	.07				SHRINK TUBING
FLEXSTRIP FLEXIBLE WIRING LAMINATE	GSFC4486	.22	.01				LAMINATE
FLEXTITE TGL SILICON RUBBER TAPE NO ADH	GSFC2316	.96	.31				TAPE
FLEXTITE TGL SILICONE RUBBER TAPE NO ADH	GSC11282	.95	.34	20H	150	E-3	TAPE
FLEXTITE TGL SILICONE TAPE NO ADHESIVE	GSFC2841	.31	.12	20H	149	E-4	TAPE
FLOQUIL BLACK PAINT	GSFC3942	3.85	.28	7D	25	AIR	PAINT
FLORMEL TAPE 404 ALUM FOIL	GSC12697	.11	.01				TAPE
FLUOKEM DRY FILM LUBRICANT AEROSOL	GSC12391	15.05	7.59	7D	25	AIR	LUBRICANT
FLUOREL 1062 FOAM	GSFC1936	.38	.03				FOAM
FLUOREL 1079 FOAM	GSFC1939	.38	.12				FOAM
FLUORGLAS TAPE 2342-1R KAPTON/ACRYLIC ADH/F	GSC11962	.83	.03				TAPE
FLUORGLAS TAPE 2345-1 KAPTON/SILICONE ADH/F	GSC11965	.65	.16				TAPE
FLUORGLAS TAPE 2348-1R KAPTON/2 SIDE SILICONE ADH/F	GSC11983	.76	.11				2 SIDED TAPE
FLUORINATED ACRYLATE	GSC10673	.12	.00				POTTING
FLUORINATED EPOXIDE	GSC10676	.59	.00				POTTING
FLUOROCARBON WIRE INSULATION BLACK	GSFC5130	.09	.00				WIRE INSUL
FLUOROCLAD CLEAR V78VP21	GSFC0875	.05	.01	30M	93	AIR	PAINT
				15M	260	AIR	
FLUOROCLAD WHITE G79WP37	GSFC0878	.67	.05	30M	93	AIR	PAINT
				15M	260	AIR	
FLUOROFILM DF-1200 TEFLON FILM-ACRYLIC ADH	GSFC3562	.19	.01				PRESS SENS FILM
FLUOROGLAS 389-7 BETA CLOTH/PTFE COATED	GSFC9939	.03	.01				INSULATION
FLUOROGLIDE FB AEROSOL DRY FILM LUBRICANT/F	GSC10691	9.49	3.09	7D	25	AIR	LUBRICANT
FLUOROSILICONE CLOSED CELL EXTRUDED FOAM - BROWN	GSFC4202	.12	.03	16H	204	AIR	FOAM
FLUOROSILICONE GASKET WHITE THREE PART SYSTEM	GSFC6890	.41	.05	8H	200	AIR	GASKET
FLUOROSINT 500 MICA FILLED TFE	GSC10137	.05	.00				BEARING MATL
FLURAN F5000 BLACK FLUOROELASTOMER TUBING	GSFC6227	.16	.03				TUBING
FLURAN F5005 VITON A RED TUBING	GSFC4582	.53	.00				TUBING
FM 123-2 EPOXY ADH FILM	GSFC0896	1.30	.16	1H	107	AIR	ADH FILM

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FM 123-2 EPOXY ADH FILM - ORANGE	GSFC7883	1.43	.27	1H	121	AIR	ADH FILM
FM 123-2 EPOXY ADH FILM PURPLE	GSFC3255	1.23	.14	1H	121	AIR	ADH FILM
FM 123-2 EPOXY ADH FILM PURPLE	GSFC4464	.92	.22	10H	121	PSI	ADH FILM
FM 123-2LVC EPOXY ADH FILM PURPLE	GSFC3253	.68	.01	1H	121	AIR	ADH FILM
FM 123-2LVC EPOXY ADH FILM PURPLE/F	GSC10745	.94	.00	90M	124	PSI	ADH FILM
FM 123-2LVC MODIFIED AS NB149D-68C EPOXY PURPLE	GSFC3299	.81	.00	1H	121	AIR	ADH FILM
FM 123-5 EPOXY ADH FILM BLUE-GREEN	GSFC2629	.98	.02	1H	121	PSI	ADH FILM
FM 123-5 EPOXY ADH FILM GREEN	GSFC3369	1.17	.01	30M	125	PSI	ADH FILM
				14H	150	PSI	
FM 150-1 SUPPORTED EPOXY ALUM FILL HONEYCOMB ADH	GSFC3491	.49	.04	1H	177	AIR	ADH FILM
FM 150-2 SUPPORTED EPOXY FILM EP 15 HONEYCOMB ADH	GSFC3493	.87	.06	1H	177	AIR	ADH FILM
FM 150-2U UNSUPPORTED EPOXY FILM ADH	GSC13990	1.56	.02	1H	175	AIR	ADH FILM
FM 150-2U UNSUPPORTED EPOXY FILM ADH	GSFC3463	.89	.02	1H	177	AIR	ADH FILM
FM 24 EPOXY ADH FILM ORANGE	GSFC4460	.86	.21	10H	121	PSI	ADH FILM
FM 300U UNSUPPORTED EPOXY FILM ADHESIVE	GSC15024	1.05	.02	2H	175	AIR	ADH FILM
FM 34-18U ADHESIVE FILM	GSC12316	1.38	.00	90M	177	PSI	ADH FILM
FM 35U UNSUPPORTED EPOXY ADHESIVE FILM BLUE	GSFC5801	1.48	.34	1H	121	AIR	ADH FILM
FM 36 FILM ADHESIVE POLYIMIDE/GLASS	GSC13126	.82	.02	2H	177	AIR	ADH FILM
				2H	288	AIR	
FM 37 EPOXY FOAM ADH OLIVE GREEN	GSFC4462	.73	.04	10H	121	PSI	ADH FOAM
FM 37 EPOXY FOAM ADH PER HMS 20-1591-CL2	GSFC9578	1.05	.05	1H	121	AIR	ADH FOAM
FM 37 EPOXY FOAM ADH PER HMS 20-1591-CL2	GSFC9581	1.11	.05	3H	121	AIR	ADH FOAM
FM 40 EPOXY FOAM	GSFC3614	1.00	.05	1H	170	PSI	ADH FOAM
FM 400 SUPPORTED EPOXY FILM ADH GRAY	GSFC5883	1.13	.00	6H	177	AIR	ADH FILM
FM 41 EPOXY FOAM SILVER-GRAY	GSC12472	.76	.00	1H	170	AIR	ADH FOAM
FM 410-1 EPOXY FOAM BLUE/GREEN	GSC15726	.84	.00	3H	121	AIR	ADHESIVE
FM 73/DACRON KNIT/BR 127 PRIMER ON FOIL	GSFC9398	.78	.00	1H	120	AIR	COATING
				1H	120	AIR	
FM 96U UNSUPPORTED EPOXY FILM ADH	GSC13993	1.53	.11	1H	175	AIR	ADH FILM
FMD 60-FURF FIBERGLASS BATTING	GSC12091	.69	.01				INSULATION
FOAM CLOSED CELL POLYURETHANE MIL P26514 ETOH WASH	GSFC6998	.84	.00	24H	100	AIR	FOAM
FOAM CLOSED CELL POLYURETHANE MIL P26514 2#/CU FT	GSFC6977	8.40	.56				FOAM
FOAM GRAY POLYESTER 2#/CU FT	GSFC6092	1.29	.02				DAMPER
FOAM ME-1-10-94-1 POLYIMIDE	GSFC8582	.40	.02				THERM LOUVER
FOAM PL-2-17-52-3 POLYIMIDE	GSFC8586	.53	.05				THERM LOUVER
FOAM POLYURETHANE OPEN CELL ROGERS 263	GSFC1567	4.94	.43				FOAM
FOAM POLYURETHANE WILSHIRE CHEM	GSFC2683	1.34	.42	8H	125	AIR	FOAM
FOAM 1702-1 TAN THERMAL ACOUSTICAL	GSC10964	.00	.00				FOAM
FOAM-A-GASKET 27B ONE PART RED SILICONE	GSC14259	.95	.38	7D	25	AIR	GASKET
FOAM-POLYURETHANE HH1-00530	GSFC0652	4.80	.00				FOAM
FOAMEGA HT-603 FIRE RESISTANT SILICONE FOAM	GSC15255	1.11	.48				FOAM
FOAMEGA HT-800 GEN PURPOSE SPONGE GRAY	GSC15257	.92	.43				FOAM
FOAMEGA HT-820 GEN PURPOSE SPONGE BLACK	GSC15259	.96	.46				FOAM
FOAMEGA HT-830 LOW COMPRESSION SET RED SPONGE	GSC15263	1.18	.53				FOAM
FOAMEGA SILICONE FOAM	GSC13682	1.26	.51				FOAM
FOAMWIPE POLYURETHANE CLEAN ROOM WIPE	GSFC6257	3.87	1.86				FOAM
FOAMWIPE TX 704 CLEAN ROOM WIPE ALCOHOL EXTRACTION	GSFC8825	1.53	.03				FOAM
FOMBLIN P22 FLUORINATED FLUID	GSC14368	13.53	.09				LUBRICANT
FOMBLIN RT 15 FLUORINATED GREASE	GSC13753	1.29	.66				LUBRICANT
FOMBLIN VAC 3 FLUORINATED GREASE	GSC13756	.09	.02				LUBRICANT
FOMOFILL RIGID POLYURETHANE FOAM FROM AEROSOL	GSC12458	21.84	.41				FOAM
FORMDAFIL G80-20 ACETYL/FIBER GLASS AS 80/20 BW	GSFC1057	.44	.00				MOLD CPND
FORMULATION E EPOXY	GSC12862	2.43	.13	7D	25	AIR	POTTING
FORMVAR MAGNET WIRE COATING 105 DEG C USE	GSFC5292	.23	.04				WIRE COATING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FORTIN EC031P03 EPOXY FILM ADH UNSUPPORTED	GSFC5449	4.49	2.59	1H	177	AIR	FILM ADHESIVE
FP 135 SILICONE PRIMER/F	GSC14070	7.24	.18	10D	25	AIR	PRIMER
FP 301 SHRINK TUBING NEUTRAL	GSFC5623	.58	.15	2M	125	AIR	SHRINK TUBING
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	GSC11312	.38	.01	24H	25	AIR	COATING
				24H	60	AIR	
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	GSC11315	.24	.01	24H	25	AIR	COATING
				48H	60	AIR	
FR 127 A/B AS 16/1 BW	GSFC6275	4.37	1.60	14D	25	AIR	ADHESIVE
FR 127 A/B AS 16/1 BW	GSFC6277	4.48	1.98	14D	25	AIR	ADHESIVE
				40H	25	E-5	
FR 7035 UNSUPPORTED ADH FILM	GSC12200	2.31	.94	1H	121	AIR	ADH FILM
FR-3720 LAST-A-FOAM POLYURETHANE HONEYCOMB FILL	GSFC4516	.87	.01	24H	120	AIR	FOAM
FR-8136-W A/B AS 2/1 BW LOW DENSITY EPOXY - CREAM	GSFC7169	6.35	2.80	24H	25	AIR	POTTING
FRALOCK T-912 FILM ADH SYSTEM - THERMOSETTING	GSC13272	2.69	.53	45M	170	AIR	FILM ADHESIVE
FSP43 CONDUCTIVE COATING	GSFC5753	4.32	.00				PAINT
FSP49 A/B AS 1/1 BW SILVER FILLED EPOXY	GSFC7115	.52	.01	24H	25	AIR	COND ADHESIVE
FSS BLUE PAINT/F	GSC13239	2.53	.22	10D	25	AIR	PAINT
FSS BLUE PAINT/F	GSC13242	.71	.05	72H	25	AIR	PAINT
				24H	96	E-6	
FULLER 171-A-152 ALUMINUM SILICONE PAINT	GSFC3149	3.20	.73	24H	25	AIR	COND PAINT
FULTON 404 ACETAL TEFLON 80/20	GSFC2843	.52	.01				POTTING
FURANE 8633-40 GLASS REINF CARBON FILLED EPOXY	GSFC6386	.32	.00	6M	149	AIR	MOLD CPND
F6-1100 CONTROLLED VOLATILITY FLUID	GSFC2032	.07	.04				SILICONE FLUID
F6-1101 CONTROLLED VOLATILITY FLUID	GSFC2035	.05	.03				SILICONE FLUID
F6-1105 CONTROLLED VOLATILITY FLUID	GSFC2050	.07	.06				SILICONE FLUID
F6-1107 CONTROLLED VOLATILITY FLUID	GSFC2053	.11	.07				SILICONE FLUID
F88CPP/F88CPL AS 13/10 BW	GSFC6350	3.00	.02	24H	25	AIR	ADHESIVE
G 1033 TAPE ALUM KAPTON/SILICONE ADH/R	GSFC3684	1.48	.32				TAPE
G 113600 THERMAL CONTROL FILM LAMINATE	GSC11702	1.16	.07				THERM CONTROL
G 143700 THERMAL CONTROL FILM LAMINATE	GSC11708	1.28	.16				THERM CONTROL
G 3113 BLACK COATING BALL CHEM ALKYD-SILICONE	GSFC3910	.03	.02	1H	232	AIR	PAINT
G 400201 TAPE ALUMINIZED TEFLON/Y966 ADH/F	GSFC7226	.27	.00				TAPE
G 401500 SILVERED TEFLON FILM	GSFC9281	.00	.00				FILM
G 4019 TAPE PTFE FILM/AG METALIZED/ACRYLIC ADH/R	GSFC4152	.33	.00				TAPE
G 405900 TAPE VDA 2 SIDES KAPTON FILM/SR 585 ADH/F	GSFC7442	.98	.48	48H	125	E-5	2 SIDED TAPE
G 406400 TAPE AU COATED KAPTON/ACRYLIC ADH/F	GSC12343	.75	.01				TAPE
G 406405-020 TAPE KAPTON/AU METALIZED/Y 966 ADH/F	GSFC9754	1.06	.02				TAPE
G 407710 TAPE ALUMINIZED KAPTON/SILICONE ADH/F	GSC11833	1.98	.38				TAPE
G 408010 ALUM/TEFLON/SILICONE ADH/F	GSC16091	.80	.33				TAPE
G 408110 SILVER/TEFLON/INCONEL/SILICONE ADH/F	GSC16094	.85	.37				TAPE
G 408150 SILVER/TEFLON/INCONEL/SILICONE ADH	GSC15524	.20	.09				TAPE
G 408220 ALUM FOIL/SILICONE ADH/F	GSC16097	.56	.18				TAPE
G 410310 TAPE ALUM KAPTON/2 SIDE SILICONE ADH/F	GSC12346	1.45	.57				2 SIDED TAPE
G 410310 TAPE ALUMINIZED KAPTON/SILICONE ADH/F	GSC10239	2.44	.53				TAPE
G-1897 HT ALUMINUM COATING	GSFC3638	.09	.04	1H	232	AIR	PAINT
G-3230 ALKYD WHITE PAINT	GSFC3395	3.13	1.07	24H	25	AIR	PAINT
G-400/100 TAPE/S	GSFC2179	.94	.00				TAPE
G-640 INSULGREASE HEAT TRANSFER	GSFC0413	.71	.12				GREASE
G-641 INSULGREASE	GSFC8453	.16	.07				THERMAL GREASE
G-642 THERMAL GREASE	GSFC8699	.55	.38				THERMAL GREASE
G-9042 THERMAL GREASE - WHITE SILICONE	GSC12100	.05	.00				THERMAL GREASE
G-9052 ELEC CONDUCTIVE GREASE - BLACK SILICONE	GSC12103	.05	.01				COND GREASE
GA-2 A/B AS 1/1 BW EPOXY CEMENT	GSFC0839	2.48	.18	48H	25	AIR	ADHESIVE
GAGEKOTE 1 STRAINGAGE ADH AND COATING	GSFC3009	8.12	1.40	12D	25	AIR	ADH-COATING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
GAR-DUR CLEAR	GSC11660	.07	.01				MOLD CPND
GAR-DUR YELLOW	GSC11663	.10	.02				MOLD CPND
GARLOCK 201 A/B AS 1/1 BW EPOXY	GSFC1501	4.76	.00	24H	25	AIR	ADHESIVE
GASKET AMP RF-SMA CONNECTOR RED SILICONE	GSFC5915	.14	.02				GASKET
GASKET AMP RF-SMA CONNECTOR WHITE SILICONE	GSFC5918	.64	.22				GASKET
GE 1147 METHYL ALKYL SILICONE LUBE OIL	GSFC2420	4.28	2.41				OIL
GE 4088 ADHESIVE CLEAR	GSFC4840	3.52	.00	30M	25	AIR	ADHESIVE
				10M	160	AIR	
GE 4524U SILICONE	GSFC9957	.52	.18	25M	163	AIR	MOLD CPND
				8H	121	E-6	
				8H	121	E-6	
				8H	121	E-6	
GE 7031 INSULATING VARNISH - PHENOLIC	GSFC8876	8.75	.85	45M	25	AIR	VARNISH
				1H	120	AIR	
GE 7031 INSULATING VARNISH - PHENOLIC	GSFC8924	6.87	.71	45M	25	AIR	VARNISH
				1H	120	AIR	
				72H	80	E-6	
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	GSFC1867	.79	.08	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	GSFC1921	.62	.03	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 657/ACRYLIC PRES SENS ADH	GSFC1864	.85	.31	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 657/ACRYLIC PRES SENS ADH	GSFC1918	1.12	.04	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 784/ACRYLIC PRES SENS ADH	GSFC1861	1.55	.19	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 784/ACRYLIC PRES SENS ADH	GSFC1897	1.00	.05	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GELVA MP SOL RA 858/ACRYLIC PRES SENS ADH	GSFC1858	1.25	.38	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 858/ACRYLIC PRES SENS ADH	GSFC1894	1.02	.02	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GEMON 3010 THERMOSET POLYIMIDE	GSFC1927	.34	.02				MOLD CPND
GENEPOXY 185/VERSAMID 115 AS 1/1 BW EPOXY	GSFC4622	.35	.00	16H	25	AIR	ADHESIVE
				12H	66	AIR	
GENEPOXY 190/VERSAMID 140 AS 3/2 BW AMBER EPOXY	GSFC7262	.24	.01	12H	25	AIR	POTTING
				2H	60	AIR	
GENOTHERM D10B UNPLASTICIZED PVC FILM CLEAR	GSFC5695	.12	.00				FILM
GENOTHERM HT UNPLASTICIZED PVC FILM CLEAR	GSFC5697	.23	.01				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM CLEAR	GSFC5699	.63	.05				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM WHITE	GSFC5701	.38	.05				FILM
GENOTHERM US 1002 UNPLASTICIZED PVC FILM CLEAR	GSFC5703	.21	.02				FILM
GENOTHERM US 3003 UNPLASTICIZED PVC FILM CLEAR	GSFC5705	.50	.06				FILM
GEVAC VAC SEALANT 1	GSFC0672	12.08	1.41	24H	65	AIR	SEALANT
GEVAC VAC SEALANT 2	GSFC0673	2.82	1.54	7D	25	AIR	SEALANT
GF 1006 POLYSULFONE/FIBER GLASS AS 70/30	GSFC0948	.24	.00				MOLD CPND
GFRP TUBE	GSFC5543	.68	.02				STRUCTURAL
GG 306-4 EPOXY FILM ADHESIVE	GSC12907	.89	.01	1H	177	PSI	FILM ADHESIVE
GLASS ADH 2060 A/B AS 2/1 BW EPOXY	GSFC4466	1.07	.01	21D	25	AIR	ADHESIVE
GLASS CLOTH TAPE 134	GSFC7478	.18	.03				CLOTH TAPE
GLASS CLOTH 1620 - SMALL WEAVE	GSFC7727	.13	.08				CLOTH
GLASS FABRIC 195/50/857 SQUARE MESH COATED WHITE	GSFC7772	.23	.05				INSULATION
GLASS/POLYESTER TUBE	GSC10808	.54	.01				STRUCTURAL
GLASSCLEAR A/S FILM	GSC15108	15.68	9.09				ANTI STATIC FILM
GOLD-WIPES TX-809	GSC13849	49.70	38.60				LUBRICANT
GOODYEAR GRAPHITE FIBER EPOXY COMPOSITE	GSFC0996	.55	.04				STRUCTURAL
GOODYEAR GRAPHITE FIBER EPOXY COMPOSITE/FM 1000	GSFC1171	.82	.15	24H	121	E-3	STRUCTURAL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
GORE-TEMP GTS 810 PTFE RIBBON CABLE	GSC13278	.01	.00				FLEX WIRING
GORE-TEX CARBON DOPED EXPANDED TEFLON - GRAY	GSFC7688	.05	.00				DAMPER
GORE-TEX DOPED TIO2/CARBON AS 9/1 BW - GRAY/WHITE	GSFC7703	.18	.03				DAMPER
GORE-TEX JOINT SEALANT	GSC13897	.05	.01				GASKET-SEALANT
GORE-TEX JOINT SEALANT W/ADH STRIP	GSC13852	.53	.13				GASKET-SEALANT
GORE-TEX MICROWAVE CABLE INNER INSULATION WHITE	GSFC9032	.02	.00				CABLE INSUL
GORE-TEX MICROWAVE CABLE OUTER INSULATION PURPLE	GSFC9035	.04	.00				CABLE INSUL
GORE-TEX MODIFIED DOPED WITH CARBON - BLACK	GSFC7691	.10	.01				DAMPER
GORE-TEX PTFE TEFLON CABLE INSULATION 3 PLY	GSC12475	.03	.00				CABLE INSUL
GRAPHITE FIBER REINFORCED POLYMER HERCULES 2002M	GSFC4220	.48	.01	6H	149	E-4	STRUCTURAL
GRAPHITE POGO AXF5Q HEAT TREATED	GSC15522	.00	.00				STRUCTURAL
GRIFFOLYN POLYETHYLENE/NYLON REINF FILM	GSC14896	1.97	.20				ANTI STATIC FILM
GROMMET BLACK RUBBER MIL G3036	GSC11270	10.85	4.82				GROMMET
GROMMET FR GOSHEN RUBBER SILICONE CPND S1817	GSFC4132	.34	.09				GROMMET
GROMMET JASPER 1116	GSFC5765	13.51	6.85				GROMMET
GROMMET MIL ZZR765 CL2 GR50 BLACK SILICONE	GSC15747	.11	.02	24H	200	AIR	GROMMET
GROMMET MS35489-38X SILICONE MIL-ZZR765	GSC15798	1.54	.41				GROMMET
GROMMET MS35489-38X SILICONE MIL-ZZR765	GSC15801	.15	.06	24H	200	AIR	GROMMET
GROMMET STRIP NATURAL	GSC15396	.23	.05				GROMMET STRIP
GROMMET 1042 60 DUROMETER SBR COMM GRADE RUBBER	GSFC4268	11.92	6.61				GROMMET
GSFC 657-38 SILICONE WHITE PAINT	GSFC2125	.13	.13	7D	25	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSFC2143	.17	.09	3.5D	25	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSFC2176	.14	.00	7D	25	AIR	PAINT
				24H	66	AIR	
GSFC 657-42 SILICONE WHITE PAINT	GSFC2161	.21	.08	4D	25	AIR	PAINT
GSFC 657-44 SILICONE WHITE PAINT	GSFC2182	.15	.07	3D	25	AIR	PAINT
				20H	100	AIR	
GT 100 TAPE MYLAR COMPOSITE AS MYLAR/GT 100/MYLAR	GSFC4130	.25	.08	5M	149	AIR	TAPE COMPOSITE
GT 100 TAPE TWO SIDED HEAT SEALING POLYSTER FILM	GSFC2779	2.06	.15	4M	216	AIR	TAPE-FILM
GT 300 TAPE ONE SIDE HEAT SEALING POLYESTER FILM	GSFC2781	.26	.16	4M	216	AIR	TAPE
GT 400 TAPE SCHJELDAHL POLYESTER/POLYESTER ADH 2SIDE	GSFC3513	.63	.12	5M	160	AIR	2 SIDED TAPE
GT 5500 COPPER FOIL/MYLAR LAMINATE ONE SIDE	GSFC4972	.05	.04				LAMINATE
GY-70/X-30 GRAPHITE EPOXY COMPOSITE	GSFC7379	.46	.01				STRUCTURAL
GY-70/5208 GRAPHITE EPOXY COMPOSITE	GSFC8426	.53	.01	2H	177	AIR	LAMINATE
GY-70/5209 GRAPHITE EPOXY COMPOSITE	GSFC8477	.40	.01	2H	177	AIR	LAMINATE
HA-84 EPOXY COATING UV CURED	GSC15729	2.88	.01	4H	100	AIR	CONF COAT
HA-84 EPOXY COATING UV CURED	GSC15732	2.69	.01	15H	100	AIR	CONF COAT
HA-84 EPOXY COATING UV CURED	GSC15735	3.74	.02	4H	100	E-2	CONF COAT
HA-84 EPOXY COATING UV CURED	GSC15738	3.11	.02	6H	100	E-2	CONF COAT
HALON TFE IN Q9-6313 SILICONE WHITE	GSC13738	.14	.01				PAINT
HANCO 1355 RAVEN BLACK OPAQUE COATING/F	GSFC7997	16.85	.01	24H	25	AIR	MARKING MTL
HATHANE 1602-60D A/B AS 2/1 BV URETHANE	GSFC7415	1.16	.02	24H	25	AIR	MOLD CPND
HATHANE 1602-60D A/B AS 2/1 BV URETHANE	GSFC7445	.72	.01	24H	25	AIR	MOLD CPND
				24H	60	AIR	
HAVEG FR-1 STYLE 3239 WHITE SILICONE WIRE INSUL	GSFC6530	1.36	.38				WIRE INSUL
HAVEG FR-1 STYLE 3239 WHITE SILICONE WIRE INSUL	GSFC6545	.86	.43	22H	100	AIR	WIRE INSUL
HB 87 A/B AS 1/1 BW FLEXIBLE EPOXY	GSC14115	7.20	.51	7D	25	AIR	ADHESIVE
HDM 22 AMPLIMITE GROMMET	GSC14157	.56	.16				CONN INSUL
HDM 22 AMPLIMITE GROMMET	GSC14244	.24	.07	32H	200	AIR	CONN INSUL
HE 10 OPTICAL ASSEMBLY CEMENT A/B AS 93/7 BW	GSFC4632	18.69	.70	48H	25	AIR	OPTICAL CEMENT
HE 79 OPTICAL CEMENT A/B AS 100/2.5 BW	GSFC4656	19.11	1.27	7D	25	AIR	OPTICAL CEMENT
HE 80 OPTICAL CEMENT A/B AS 100/2.5 BW	GSC13484	19.87	1.96	7D	25	AIR	OPTICAL CEMENT
HEATER - COLUMN WALL COX SPEC 4500 ELASTOMER	GSFC5899	.16	.00	24H	125	E-6	HEATER
HEATER KAPTON TS Q-9485	GSFC6212	.58	.01				HEATER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
HEATER LIW 269-20	GSFC9203	.02	.01	8H	205	AIR	HEATER
HEATING TAPE CLAYBORN LABS A-16 DC 282 SILICONE	GSFC6923	.41	.20	24H	125	E-7	HEAT TAPE
HEATING TAPE CLAYBORN LABS A-16-2 DC 282 SILICONE/F	GSFC7643	.10	.01	20H	155	E-1	HEAT TAPE
				48H	155	E-3	
HEATING TAPE CLAYBORN LABS D-16-2 DC 282 SILICONE	GSFC6968	.74	.42	75H	140	E-6	HEAT TAPE
HEATING TAPE CLAYBORN LABS DC 280 ADH	GSFC4100	.46	.25	24H	150	AIR	HEAT TAPE
HEATING TAPE CLAYBORN LABS F-16-2X DC 282 SILICONE	GSFC7886	.15	.08	30H	150	E-2	HEAT TAPE
HEATING TAPE CLAYBORN LABS H-16-2X DC 282 SILICONE	GSFC7859	.07	.03	48H	155	E-2	HEAT TAPE
HEATING TAPE CLAYBORN LABS 1 COAT RTV 6-1104	GSFC4290	.73	.29				COATED HEAT TAPE
HEATING TAPE CLAYBORN LABS 2 COATS RTV 6-1104	GSFC4292	.50	.19				COATED HEAT TAPE
HEATING TAPE-CLAYBORN LABS DC 280A ADH	GSFC3586	.85	.37	100H	45	AIR	HEAT TAPE
HELI-TUBE HT 1/8-N	GSFC6467	3.51	.02				CABLE WRAP
HELIAX COAXIAL CABLE BLACK OUTER JACKET	GSC15291	.26	.03				CABLE INSUL
HELIAX COAXIAL CABLE FOAM DIELECTRIC	GSC15288	.19	.04				DIELECTRIC
HERCULITE 80 FILM	GSC14898	26.85	8.40				ANTI STATIC FILM
HEXABOND I EPOXY FILM ADHESIVE	GSFC4156	3.35	.76	1H	121	AIR	FILM ADHESIVE
HEXABOND 3 A/B AS 100/19.7 BW	GSFC9623	1.40	.30	15M	82	AIR	ADHESIVE
				1H	121	E-4	
HEXABOND 3 EPOXY FILM ADHESIVE UNSUPPORTED	GSFC9155	1.23	.26	1H	127	AIR	FILM ADHESIVE
HEXCEL F153 EPOXY GLASS PREPREG	GSFC2711	.18	.00	7H	171	PSI	LAMINATE
HEXCEL F174-120 GLASS CLOTH/POLYIMIDE PRE PREG 7CURE	GSFC5425	.40	.00				LAMINATE
HF 1006 NYLON 11/GLASS AS 70/30	GSFC2893	.37	.02				MOLD CPND
HFT GREEN WIRE INSULATION PTFE/KAPTON	GSC15994	.32	.01				WIRE INSUL
HFT ORANGE WIRE INSULATION PTFE/KAPTON	GSC15996	.35	.01				WIRE INSUL
HI-VAC GREASE	GSFC0656	1.52	.34				LUBRICANT/GREASE
HI-VAC GREASE 970V SILICONE	GSFC9829	.73	.22				LUBRICANT/GREASE
HIGH K-707-L-9	GSFC2845	.07	.00				DIELECTRIC
HIGH TEMP 221 MAGNET WIRE COATING	GSFC8879	.53	.15				WIRE COATING
HIPEC Q1-4939 A/B AS 1/1 BW SILICONE	GSC16112	1.23	.64	24H	150	AIR	CONF COAT
HL 155-55-1/2 AS 48/1 BW ACRYLIC COATING	GSFC4057	6.32	.00	7D	25	AIR	CONF COAT
HL-34-237 A/B/C AS 100/5/1 FLEXIBLE ACRYLIC COATING	GSFC4033	6.79	.06	7D	25	AIR	CONF COAT
HN 7 LINEAR POLARIZER LAMINATE	GSFC8894	2.90	.01				LAMINATE
HONEYCOMB HMF 176/34 EPOXY/GRAPHITE W/FM73M ADH	GSFC9302	1.62	.03				STRUCTURAL
HONEYCOMB SPECIAL COMPOSITE EPON 828/FIBERGLAS/PLUS	GSFC5885	1.27	.01				HONEYCOMB
HOSE SAE 100R5 BLACK RUBBER	GSC10329	3.13	.41				HOSE
HOSTALEN GUR HIGH MOLECULAR WT POLYETHYLENE	GSC10065	.14	.02				MOLD CPND
HRH-10 NYLON/PHENOLIC HONEYCOMB CORE	GSFC7979	2.74	.00				HONEYCOMB
HS 101 BLACK POLYOLEFIN SHRINK TUBING HEATGUN SHRINK	GSFC9999	2.50	.84				SHRINK TUBING
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	GSC16232	.24	.07	4H	204	AIR	CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	GSFC8990	.79	.31				CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	GSFC9044	.12	.00	7.5H	255	AIR	CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	GSFC9047	.13	.01	4H	204	AIR	CONN INSUL
				8.5H	260	AIR	
HS 5480 EPOXY	GSFC6491	1.88	.11	14D	25	AIR	ADHESIVE
HT 432 EPOXY-PHENOLIC FILM ADHESIVE	GSFC8483	.72	.02	10M	174	PSI	FILM ADHESIVE
				45M	174	PSI	
HT-424 PASTE - OLIVE/GREEN	GSFC8642	1.27	.00	3H	143	AIR	ADHESIVE
HUMISEAL X-381V A/B AS 1/1 BW POLYURETHANE	GSFC3971	21.66	.89	1H	25	AIR	CONF COAT
				2H	71	AIR	
				1H	25	AIR	
				1H	25	AIR	
HUMISEAL 1A20 POLYURETHANE	GSFC2865	2.58	.02				CONF COAT
HUMISEAL 1A27 AEROSOL/F	GSC10679	8.66	.19	7D	25	AIR	CONF COAT
HUMISEAL 1A27 AEROSOL/F	GSC13641	4.67	.42	24H	75	AIR	CONF COAT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
HUMISEAL 1A33 POLYURETHANE	GSFC2821	8.54	.24	19D	25	AIR	CONF COAT
HUMISEAL 1A33 POLYURETHANE	GSFC2991	4.98	1.00	24H	65	AIR	CONF COAT
HUMISEAL 1B12 ACRYLIC	GSFC2473	1.78	.00	24H	80	AIR	CONF COAT
HUMISEAL 1B12 ON SCREEN	GSFC2155	6.89	.18	30M	77	AIR	CONF COAT
				24H	25	AIR	
HUMISEAL 1B15 ACRYLIC	GSFC2971	9.38	.02	4H	71	AIR	CONF COAT
HUMISEAL 1B20 ACRYLIC	GSFC2375	14.04	.06	24H	25	AIR	CONF COAT
				2H	66	AIR	
HUMISEAL 1B31 ACRYLIC FREE FILM	GSC12154	3.80	.02	10H	66	AIR	CONF COAT
HUMISEAL 1B31 ACRYLIC ON FOIL	GSFC5727	9.74	.01	30M	77	AIR	CONF COAT
HUMISEAL 1B31/XYLENE AS 3/2 BV ACRYLIC 1 HR 25C/COAT	GSFC5901	11.81	.07	30M	80	AIR	CONF COAT
HUMISEAL 2A52LU A/B AS 1/1 BV EPOXY	GSFC1011	3.27	.14	30M	25	AIR	CONF COAT
				24H	71	AIR	
HUMISEAL 2A53 A/B AS 1/1 BV MOD EPOXY COATING	GSFC2907	1.94	.03	2H	93	AIR	CONF COAT
				16H	85	AIR	
HUMISEAL 2A56 A/B AS 1/1 BV POLYURETHANE	GSFC2953	12.73	.16	24H	25	AIR	CONF COAT
				16H	85	AIR	
				40D	25	AIR	
HUMISEAL 2A72 A/B AS 1/1 BV FLUORESCENT POLYURETHANE	GSFC6774	8.63	.02	2H	66	AIR	CONF COAT
				8H	66	E-6	
HUMISEAL 2A72 A/B AS 1/1 BV FLUORESCENT POLYURETHANE	GSFC6776	9.38	.02	2H	66	AIR	CONF COAT
				16H	66	E-6	
HUMISEAL 2B13LU/2B13 AS 100/2 BW EPOXY	GSFC1026	14.80	.47	24H	25	AIR	CONF COAT
				90M	93	AIR	
				16H	60	AIR	
HUMISEAL 2B74 A/B AS 100/85 BW POLYURETHANE	GSFC9963	1.12	.05	24H	25	AIR	POTTING
HUMISEAL 2B74 A/B/CABOSIL AS 15/10/1.75 BW URETHANE	GSC14457	.58	.04	14D	25	AIR	POTTING
HX-1000 LAMINATING FILM	GSFC3085	.10	.00	15M	216	AIR	ADH FILM
HX-1009 ADHESIVE FILM	GSFC1771	3.83	2.14	1H	149	AIR	ADHESIVE
HY-MAT 7534 MOLDED GRAPHITE/EPOXY	GSFC6326	.47	.00	3H	177	PSI	POTTING
HYDANTOIN TC-1-149-1 LIGHT GRAY EPOXY	GSFC8993	.36	.00	16H	135	AIR	POTTING
				72H	150	AIR	
HYDRIN RUBBER EPICHLOROHYDRIN-ETHYLENE OXIDE	GSFC3640	1.22	.18				RUBBER
HYSHRINK ST 9100 POLYOLEFIN PRESHRUNK	GSFC3327	.61	.16				SHRINK TUBING
HYSOL 0025 A/B AS 1/1 BW	GSFC7940	.97	.03	24H	50	AIR	POTTING
HYSOL 11C A/B AS 1/1 BV EPOXY	GSFC3073	.63	.01				ADHESIVE
HYSOL 2C A/B AS 25/11 BW BROWN EPOXY	GSFC5091	.85	.00	2H	71	AIR	ADHESIVE
HYSOL 4326/3421 AS 100/6 BW	GSFC4682	1.17	.01	1H	93	AIR	ADHESIVE
HYSOL 6C A/B AS 1/1 BV ALUM FILLED EPOXY	GSFC3195	1.42	.00	4H	60	AIR	COND ADHESIVE
HYSOL 6C A/B AS 12/4.6 BW ALUM FILLED EPOXY	GSFC3049	1.55	.29	48H	25	AIR	COND ADHESIVE
HYTREL 4055 POLYESTER/ANTI-OXIDANT	GSFC4172	.22	.08				ELASTOMER
IC-2 POLYURETHANE COATING	GSFC3267	.59	.08	24H	50	AIR	CONF COAT
				48H	50	E-5	
IMPALENE TUBING STABILIZED POLYPROPYLENE	GSFC2609	.29	.04				TUBING
IMPAX 5M W/UHMW POLYMER - NATURAL	GSFC6470	.22	.03				STRUCTURAL
INSL-X-E44F CELLULOSE NITRATE AND SOLVENT	GSFC3051	18.48	.15	24H	25	AIR	COIL COATING
INSTA-FOAM 2#/CU FT	GSFC4938	10.10	.05	16H	43	AIR	FOAM
INSULATION BLANKET MULTILAYER	GSFC2428	.61	.03				INSULATION
INSULATOR MOLDED MIL M20693	GSFC8630	2.47	.02				INSULATOR
INSULATOR 10230-DAP POLYURETHANE COATING	GSC12290	.44	.02				INSULATOR
INSULBOND 810/INSULCURE 24 AS 4/3 BW BLACK EPOXY	GSC12865	1.22	.06	7D	25	AIR	POTTING
INSULCAST 3-195-1 A/B AS 1/1 BW	GSC14982	.18	.00	2H	100	AIR	POTTING
				1H	125	AIR	
INSULSTRUC P5003-FR22 GLASS FILL THERMOSET POLYESTER	GSC12442	.56	.02				ENCAPSULANT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
INSULTEK 445 URETHANE DIELECTRIC	GSFC3325	.38	.01	1H	163	AIR	DIELECTRIC
				10D	25	AIR	
INTERFACIAL SEAL SILICONE UC-K-1314	GSFC1792	.40	.13				SEAL
INTERFACIAL SEAL SILICONE UC-K-1314	GSFC1795	.21	.06	26H	125	AIR	SEAL
IR-9 BLACK PVC TAPE NO ADH	GSC13263	4.69	1.67				TAPE
ISOCHEMREZ 1251LV/22H AS 25/2 BW THERM COND EPOXY	GSC11812	2.42	.09	24H	25	AIR	THERM COATING
ISOLEX R-65 ACRYLIC COATING SYSTEM/F	GSC12238	.52	.02	10M	125	AIR	COATING
ISOMEG ED 129/ED 100 AS 1/1 BV	GSFC2593	5.82	.02	16H	55	AIR	CONF COAT
ISOMID POLYESTER/POLYIMIDE COATING	GSFC1081	.44	.03	2M	400	AIR	CONF COAT
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 12MIL	GSFC4262	.35	.00				WIRE COATING
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 18MIL	GSFC4804	.18	.00				WIRE COATING
ITT CONNECTOR 7929 DBM-258 BLUE/GREEN MOLD INSERT	GSC11201	.55	.01				CONN INSUL
J-SIL 150-40/VAROX BLACK SILICONE	GSC15201	.96	.61				GASKET
J-SIL 35T WHITE SILICONE CABLE INSULATION	GSC15750	.81	.29				CABLE INSUL
JET-MELT 3736 ADHESIVE	GSC14418	2.23	.76	3M	145	AIR	HOT MELT ADH
JET-MELT 3758 ADHESIVE	GSC14400	4.49	2.70	3M	105	AIR	HOT MELT ADH
JET-MELT 3764 ADHESIVE	GSC14402	6.60	1.58	3M	105	AIR	HOT MELT ADH
JET-MELT 3765 ADHESIVE	GSC14404	14.08	8.12	3M	105	AIR	HOT MELT ADH
JET-MELT 3779 ADHESIVE	GSC14964	2.52	1.02	5M	200	AIR	HOT MELT ADH
JF 1004 POLYETHERSULFONE/GLASS AS 80/20 BW	GSC10227	.59	.00				MOLD CPND
JF 1006 CHLORONATED POLYETHER/GLASS AS 70/30	GSFC2929	.64	.13				MOLD CPND
JF 1008 POLYETHERSULFONE/GLASS AS 60/40 BW BLACK	GSC10242	.49	.00				MOLD CPND
JOINT COMPOUND SOCONY MOBIL TEMP 1 GREASE	GSFC5512	3.82	1.74				GREASE
K-1 URETHANE PRIMER/S FURANE PLASTICS	GSFC1366	9.10	.98	1H	25	AIR	PRIMER
K-10 ADHESIVE	GSFC6892	1.92	.08				ADHESIVE
K-16 A/B AS 3/1 BW CONDUCTIVE EPOXY	GSFC4506	.22	.01	48H	25	AIR	COND ADHESIVE
K-20 A/B AS 10/7 BW EPOXY	GSFC2443	7.43	.12	7D	25	AIR	COND ADHESIVE
KALREZ 1050 PERFLUOROELASTOMER	GSC11351	.44	.00				O RING
KALREZ 3018 PERFLUOROELASTOMER	GSC11354	.40	.00				O RING
KAPTON BLACK FIBERGLASS SUPPORTED FIRE RETARD ADH	GSC14683	1.20	.65				FILM
KAPTON BLACK 100A-C09 FILM	GSC14097	.50	.02				FILM
KAPTON FEP FILM 400F022	GSFC2158	.31	.18				FILM
KAPTON FEP FILM 400F022	GSFC2194	.25	.01	90M	302	AIR	FILM
KAPTON FIBERGLASS SUPPORTED	GSC14677	.42	.08				FILM
KAPTON FIBERGLASS SUPPORTED FIRE RETARD ADH	GSC14680	1.43	.71				FILM
KAPTON FILM W/MOD ACRYLIC ADH ONE SIDE	GSFC9119	.65	.00	1H	190	AIR	DIELECTRIC
KAPTON FILM 120F616 TEFLON BOTH SIDES	GSC14406	.90	.02				THERM BLANKET
KAPTON FILM/ALUMINIZED/CHEMGLAZE H322 BLACK PAINT	GSC13688	1.21	.03	15M	150	AIR	THERM BLANKET
				12H	50	E-5	
KAPTON H FILM - ALUMINIZED W/MMM 467 ADH/F	GSFC7022	.80	.04	24H	100	E-5	TAPE
KAPTON H FILM FIBERGLAS REINFORCED	GSFC3592	.46	.14				INSULATION
KAPTON H FILM REINF W/GLASS CLOTH 104	GSFC5164	.42	.05	24H	150	AIR	THERMAL CONTROL
KAPTON H FILM 5 MIL	GSFC3916	.77	.02				FILM
KAPTON H FILM/LINOWEAVE BETA MARQUISETTE GLASS CLOTH	GSFC5064	.13	.01	24H	150	AIR	INSULATION
KAPTON TAPE 603-1 SILICONE ADHESIVE/F	GSFC8357	1.50	.61				TAPE
KAPTON TAPE 603A KAPTON/ACRYLIC ADH/R	GSFC3590	.62	.12				TAPE
KAPTON T400-1/20 BRAND-REX	GSFC0646	.51	.10				WIRE INSUL
KAPTON-TEFLON FEP COATED T473-1/24 BRAND-REX	GSFC0666	.52	.00				WIRE INSUL
KAPTON/ALUM/H322/9988 FILM COMPOSITE	GSC13248	3.08	.63	15M	125	AIR	THERMAL CONTROL
				24H	125	AIR	
KAPTON/ALUM/H322/9988 FILM COMPOSITE	GSC13251	2.15	.22	15M	125	AIR	THERMAL CONTROL
				24H	25	E-3	
KAPTON/ALUM/H322/9988 FILM COMPOSITE	GSC13254	2.33	.25	15M	125	AIR	THERMAL CONTROL
				24H	25	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
KAPTON/ALUMINIZED/CHEMGLAZE H322 FILM	GSC12808	5.01	.03	15M	125	AIR	THERM CONTROL
KAPTON/ALUMINIZED/CHEMGLAZE H322 FILM	GSC12811	1.43	.17	4H	176	AIR	THERM CONTROL
KAPTON/CHEMGLAZE A276/CAT/FLATTENING AGENT	GSC13644	1.13	.03	14D	25	AIR	THERM BLANKET
KAPTON/DACRON MESH BONDED PROPRIETARY ADHESIVE	GSC13219	.30	.13				THERMAL BLANKET
KAPTON/DACRON MESH/CHEMGLAZE Z202 (BLACK KAPTON)	GSC13783	.53	.06				THERMAL BLANKET
KAPTON/DACRON MESH/CHEMGLAZE Z202 FILM	GSC13780	.67	.05				THERMAL BLANKET
KARON B SELF LUBE BEARING LINER BROWN	GSC15370	1.31	.00				BEARING LINER
KARON GP SELF LUBE BEARING LINER BLACK	GSC15372	1.47	.00				BEARING LINER
KARON H SELF LUBE BEARING LINER BROWN	GSC15374	1.04	.00				BEARING LINER
KARON M SELF LUBE BEARING LINER BROWN	GSC15376	1.91	.00				BEARING LINER
KARON RP SELF LUBE BEARING LINER GREEN	GSC15378	1.06	.00				BEARING LINER
KARON V SELF LUBE BEARING LINER BROWN	GSC15380	1.33	.01				BEARING LINER
KATHERM 41 SELF LUBE BEARING LINER BROWN	GSC15382	.72	.01				BEARING LINER
KDI PYROFILM PVC 70 RED RESISTOR COATING MIL-I29092	GSC13198	1.14	.16				COATING
KENDEL TAPE 292 FIBERGLASS/SILICONE ADH/S	GSFC1972	2.31	1.17				TAPE
KENDEL TAPE 293 FIBERGLASS/SILICONE ADH/S	GSFC1975	2.79	.80				TAPE
KENDEL TAPE 294 FIBERGLASS/ACRYLIC ADH/R	GSFC4021	2.06	.70				TAPE
KEVLAR CORD HEXANE WASH X2	GSC15906	3.53	.03				CORD
KEVLAR CORD HEXANE WASH X2	GSC16020	2.67	.01	24H	125	AIR	CORD
KEVLAR 120/NARMCO 8517 STRUCTURAL COMPOSITE	GSFC8645	1.33	.00	45M	121	PSI	LAMINATE
				2.5H	177	PSI	
KEVLAR 29 YELLOW FIBERS	GSC10119	3.13	.19				FIBERS
KEVLAR 29 YELLOW TIE CORD HEXANE WASHED	GSC15684	3.90	.02				CORD
KEVLAR 49 COMPOSITE KEVLAR 49 FABRIC/CORLAR 5143 RES	GSFC5821	1.68	.00	2H	177	PSI	ADH SKIN
KEVLAR 49/FR 8601 RESIN PRE-PREG	GSC12265	4.51	2.20	2H	121	E-2	PRE PREG
KF 1006 ACETAL/GLASS AS 70/30	GSFC2913	.27	.01				MOLD CPND
KFL 4036 ACETAL/30% GLASS/15% TFE	GSFC5519	.26	.02				STRUCTURAL
KFL 4536 ACETAL/30% GLASS/15% TFE/SILICONE	GSFC5521	.35	.02				STRUCTURAL
KIMFOL 8 GAUGE POLYCARBONATE	GSFC3355	.16	.00				INSULATION
KINEL 5504 GLASS FILLED POLYIMIDE	GSC14223	1.09	.01				STRUCTURAL
KIRKHILL SILICONE SPONGE RUBBER	GSFC3686	.23	.10	24H	177	AIR	GASKET
KIRKHILL SILICONE SPONGE RUBBER	GSFC4318	1.50	.71				GASKET
KJB CYCOLAC BLUE 5500 SERIES W/FIRE RETARDANT	GSFC9185	1.06	.30				CARD GUIDE
KJB CYCOLAC PINK W/FIRE RETARDANT	GSFC9188	.81	.21				CARD GUIDE
KL 4540 ACETAL/20% TFE/SILICONE	GSFC5517	.53	.01				STRUCTURAL
KLEEN-STIK DUBL-STIK 2 SIDED TAPE/F	GSFC5936	13.15	3.49				ADH FILM
KN 80 REINFORCED POLYIMID FILM	GSC14806	2.68	1.47				ANTI STATIC FILM
KODALITH ORTHO FILM TYPE 3	GSFC5767	1.08	.00				FILM
KOLORANE U-1-6002/9500 PRIMER - GLOSS WHITE ENAMEL	GSC12178	2.01	.01	24H	25	AIR	PAINT SYSTEM
KRYLON 1302 CLEAR COATING MULTI-COAT FILM	GSFC3397	7.23	.02	24H	25	AIR	PAINT
KRYLON 1602 ULTRA FLAT BLACK PAINT	GSFC3992	5.93	.45	7D	25	AIR	PAINT
KRYTOX 143 AB LUBRICATING OIL DEVOL AT 93C	GSC11141	28.93	13.03				OIL
KRYTOX 143 AX FLUOROALKYLPOLYETHER LUBRICATING OIL	GSFC2515	28.54	5.71				OIL
KRYTOX 240AC FLUOROCARBON GREASE (143AC OIL/TEFLON)	GSFC6980	5.72	3.00				LUBRICANT
KS 1003 CLEAR SILICONE FLEX CABLE INSUL	GSC14421	1.74	.73	15M	110	AIR	CABLE INSUL
KYNAR BLACK WIRE INSUL 30 GAUGE UL1422	GSC14360	.11	.02	24H	85	E-2	WIRE INSUL
KYNAR ITT SPACE GRADE POLYALKENE WHITE WIRE INSUL	GSC14094	.23	.03				WIRE INSUL
KYNAR PIEZO FILM - NI COATED KYNAR	GSC14253	.07	.03				PIEZOELECTRIC
KYNAR PURPLE WIRE INSUL 30 GAUGE UL1422	GSC14358	.10	.02				WIRE INSUL
KYNAR SHRINK TUBING MIL I23053/8 HEAT GUN SHRINK	GSFC7463	.39	.07				SHRINK TUBING
KYNAR SHRINKABLE SEALING SLEEVE BLUE W/WHITE INSERTS	GSFC8580	.66	.04	.25M	260	AIR	SHRINK SLEEVE
KYNAR SOLDER SLEEVE WITH POLYETHYLENE RINGS	GSFC2673	.37	.07				SHRINK TUBING
KYNAR SOLDER SLEEVE WITH POLYETHYLENE SLEEVES SHRUNK	GSC10925	.56	.14				SHRINK TUBING
KYNAR SOLDER SLEEVE WITHOUT POLYETHYLENE RINGS	GSFC2671	.44	.07				SHRINK TUBING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
KYNAR WIRE INSULATION - RED	GSFC6926	.07	.01				WIRE INSUL
K8-4238/H2-3475 AS 25/4 BW EPOXY	GSFC0984	.32	.00	24H	25	AIR	COND ADHESIVE
LABEL MARKING	GSC12073	5.36	2.12				LABEL
LABEL PRESSURE SENSITIVE FOIL/F	GSFC7799	.93	.11				LABEL
LABEL WIRE WRAP SOCKET POLYSTYRENE WHITE	GSC16154	.19	.05				LABEL
LACING CORD A-60-M NYLON	GSFC1546	3.24	.76				LACING CORD
LACING CORD DACRON 50D-0F17CW - WHITE	GSFC4468	1.30	.54				LACING CORD
LACING CORD GUDELACE 20 BLACK NYLON - WAXED	GSFC2989	8.47	4.05				LACING CORD
LACING CORD LC-136	GSFC4960	8.36	3.38				LACING CORD
LACING CORD LC-162 BLACK	GSFC5337	2.27	.95				LACING CORD
LACING TAPE A-60-M NYLON	GSFC1537	3.83	.42				LACING TAPE
LACING TAPE A-60-M POLYESTER	GSFC1573	1.88	.64				LACING TAPE
LACING TAPE DABURN 2047 DACRON - COATED	GSFC2218	.55	.28				LACING TAPE
LACING TAPE DABURN 2047 DACRON - COATED	GSFC7217	.11	.04	24H	125	AIR	LACING TAPE
LACING TAPE DACRON 20D-0F9X - WHITE	GSFC7277	.33	.08				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS	GSFC5689	.19	.04				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS METOH WASH	GSFC5769	.07	.02	1H	100	AIR	LACING TAPE
LACING TAPE E 779-1075 TFE TEFLON/GLASS	GSFC5755	.70	.25				LACING TAPE
LACING TAPE E 779-222 TFE TEFLON/GLASS	GSFC5707	1.42	.46				LACING TAPE
LACING TAPE E 779-303 TFE TEFLON/GLASS	GSFC5709	1.46	.57				LACING TAPE
LACING TAPE E 779-680 TFE TEFLON/GLASS	GSFC5711	.60	.26				LACING TAPE
LACING TAPE FIBERGLASS/TEFLON - WHITE	GSFC6958	1.02	.12				LACING TAPE
LACING TAPE FYR-LACE-R 21DR DACRON/VINYL IMPREG	GSFC9230	13.27	6.93				LACING TAPE
LACING TAPE GE NYLON	GSFC1540	7.93	.21				LACING TAPE
LACING TAPE GE POLYESTER	GSFC1693	1.00	.07				LACING TAPE
LACING TAPE GUDE-GLASS 18T FIBERGLAS/TEFLON WHITE	GSFC8045	.08	.02				LACING TAPE
LACING TAPE GUDE-NYLACE 18B NYLON/NYLON WHITE	GSFC6116	2.25	.19				LACING TAPE
LACING TAPE GUDE-Q BRAIDED SILICA FIBER NATURAL	GSFC4700	.52	.25				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GSC15540	.59	.20				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GSC15542	.38	.15	1H	149	AIR	LACING TAPE
LACING TAPE GUDE-SPACE DPT-H	GSC15544	.39	.16	2H	149	AIR	LACING TAPE
LACING TAPE GUDE-SPACE DPT-H F94 SUPER GRADE	GSC15546	2.08	.94				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H LOT 086-X	GSC15657	.40	.02				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GSC13870	1.41	.15				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GSFC4660	.55	.15	24H	50	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER BLACK	GSFC4664	.40	.18	24H	100	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GSFC4666	.24	.03	24H	100	AIR	LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GSFC5334	.52	.21				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GSFC6119	.71	.17				LACING TAPE
LACING TAPE GUDE-SPACE 21D96 DACRON/SYN RUBBER WHITE	GSFC6709	.73	.15				LACING TAPE
LACING TAPE GUDE-TEMP 718P NOMEX POLYCARBONATE COAT	GSFC5427	2.78	.04				LACING TAPE
LACING TAPE GUDE-TEMP 723 NOMEX WITHOUT FINISH	GSFC4112	1.39	.05				LACING TAPE
LACING TAPE GUDE-TEMP 723H NOMEX/RUBBER FINISH	GSFC4138	2.11	.12				LACING TAPE
LACING TAPE GUDE-TEMP 723S NOMEX/SILICONE FINISH	GSFC4136	3.19	.72				LACING TAPE
LACING TAPE GUDELACE 18 NYLON BRAID/WAXED - NATURAL	GSFC7289	7.72	3.95				LACING TAPE
LACING TAPE GUDELACE 18N96 NYLON	GSFC1903	2.57	.07				LACING TAPE
LACING TAPE GUDELACE 21H NYLON BRAID/SYN RUBBER	GSFC5409	2.36	.23				LACING TAPE
LACING TAPE GUDELACE 22U NYLON BRAID NATURAL	GSFC4538	1.53	.19				LACING TAPE
LACING TAPE HT30VR NOMEX/TEFLON COAT/SYN RUBBER SAT	GSFC8018	4.64	.06				LACING TAPE
LACING TAPE MT3-38 POLYESTER	GSFC2485	1.86	.18				LACING TAPE
LACING TAPE MW NYLON	GSFC1543	6.60	1.78				LACING TAPE
LACING TAPE MW POLYESTER	GSFC1579	3.92	2.17				LACING TAPE
LACING TAPE NOMEX R&D 1342VC VITON COATED	GSFC8711	2.23	.02	1H	227	AIR	LACING TAPE
LACING TAPE NOMEX STYLE 1251 SCOURED	GSFC8171	2.94	.00				LACING TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LACING TAPE NOMEX STYLE 1251VC VITON COATED	GSFC8174	3.13	.14				LACING TAPE
LACING TAPE NOMEX 1342VC SCOURED LOT 13278	GSFC9332	2.61	.03	1H	177	AIR	LACING TAPE
LACING TAPE PBI STYLE 1330 UNCOATED	GSFC8189	9.08	.02				LACING TAPE
LACING TAPE PBI STYLE 1330VC VITON COATED	GSFC8192	6.98	.06				LACING TAPE
LACING TAPE SR NYLON	GSFC1549	2.79	.12				LACING TAPE
LACING TAPE SR POLYESTER	GSFC1576	1.21	.18				LACING TAPE
LACING TAPE STUR-D-LACE 18DB DACRON/NYLON WHITE	GSFC6122	.42	.18				LACING TAPE
LACING TAPE STUR-D-LACE 18DH DACRON/SYN RUB L#121274	GSC13786	.91	.21				LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GSFC9326	.28	.03	15M	149	AIR	LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GSFC9335	.51	.01				LACING TAPE
LACING TAPE STUR-D-LACE 18DP DACRON/POLYCARBONATE	GSFC6362	2.17	1.27				LACING TAPE
LACING TAPE STUR-D-LACE 18DPT SCOURED PROD SAMPLE	GSFC6551	.14	.02				LACING TAPE
LACING TAPE STUR-D-LACE 18DU DACRON LEACHED	GSFC6419	.13	.02				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GSC12202	.41	.05				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GSFC9915	.38	.04				LACING TAPE
LACING TAPE TEFGLAS 90LOF13A FIBERGLAS/TEFLON WHITE	GSFC6473	.43	.05				LACING TAPE
LACING TAPE TEMP-LACE H231H TEFLON BRAID/SYN RUBBER	GSFC4560	.36	.02				LACING TAPE
LACING TAPE TEMP-LACE H256H TEFLON BRAID/SYN RUBBER	GSFC5008	.24	.05				LACING TAPE
LACING TAPE TEMP-LACE 230 TEFLON OLIVE DRAB/NO FIN	GSFC4668	.24	.00				LACING TAPE
LACING TAPE TG-40 FIBERGLAS/TEFLON COAT	GSFC8021	.50	.20				LACING TAPE
LACING TAPE 20DOF9G MIL T43435 TYPE 2 WHITE	GSC15687	.63	.25				LACING TAPE
LACQUER TYPE II CLEAR ACRYLIC FSN 8010-00-515-2487	GSC10847	4.35	.23	7D	25	AIR	LACQUER
LAMART TAPE 892 ALUM FOIL	GSC12700	.21	.01				TAPE
LAMINATE AL-300 G30 POLYIMIDE/GLASS - BROWN	GSC10050	.63	.00				LAMINATE
LAMINATE AL-3137 FR TYPE FL-GF W/O COPPER	GSFC8744	.29	.00				LAMINATE
LAMINATE AL-3247 FR THIN W/O COPPER	GSFC8747	.42	.00	1H	177	PSI	LAMINATE
				6H	135	AIR	
LAMINATE AS-4/1908 EPOXY/GRAPHITE	GSC10245	.11	.01	2H	121	PSI	LAMINATE
LAMINATE AS-4/1908 EPOXY/GRAPHITE	GSC10248	.19	.03	2H	149	PSI	LAMINATE
LAMINATE ASHLAM G40 GRADE EPOXY/FIBERGLAS	GSFC8093	.39	.01				LAMINATE
LAMINATE BL-2 EPOXY/FIBERGLASS W/O COPPER	GSFC3908	.25	.01				LAMINATE
LAMINATE B33 NATURAL TYPE GF CORLAR 5104/GLASS/FR4	GSFC8507	.62	.00	1H	177	PSI	LAMINATE
				6H	177	PSI	
LAMINATE CELION 6K/982-FIBERITE HY-E 1682H 5 PLY	GSC14073	.61	.12	90M	127	PSI	LAMINATE
LAMINATE CE339 HMS EPOXY/GRAPHITE	GSC16286	.53	.07	2H	121	PSI	LAMINATE
LAMINATE CE339 HMS EPOXY/GRAPHITE TUBE	GSFC9305	.54	.03				STRUCTURAL
LAMINATE CMC 608-1-3-1 KAPTON/COPPER FOIL/KAPTON	GSFC4470	.19	.02				LAMINATE
LAMINATE COTTON FILLED PHENOLIC	GSFC9212	3.11	.04				STRUCTURAL
LAMINATE COTTON FILLED PHENOLIC	GSFC9308	3.19	.01	8H	100	AIR	STRUCTURAL
LAMINATE COTTON FILLED PHENOLIC MIL-P-79	GSC14966	3.15	.03	4H	150	AIR	INSULATION
LAMINATE CP-109A CM CHOPPED MOLDED CARBON PHENOLIC	GSFC6098	4.75	.00	4H	149	AIR	LAMINATE
LAMINATE CP-109A TW TAPE WRAPPED CARBON PHENOLIC	GSFC6101	3.61	.00	4H	149	AIR	LAMINATE
LAMINATE CUCLAD TEFLON/GLASS W/FORTIN EC031P03 ADH	GSFC6062	.04	.01	45M	177	AIR	LAMINATE
LAMINATE CUSTOM LAM 606	GSC11375	.06	.00				LAMINATE
LAMINATE CUSTOM POLY TG TEFLON/FIBERGLASS	GSFC2975	.02	.01				LAMINATE
LAMINATE EPOXY FIBERGLASS MULTIWIRE CKT BD	GSC12462	.43	.02				PC BOARD
LAMINATE EPOXY/FIBERGLASS LOT 79-4809(MT)	GSC10278	1.04	.23	2H	49	PSI	HONEYCOMB
				6H	74	PSI	
LAMINATE EPOXY/FIBERGLASS LOT 79-4835(MT)	GSC10281	.94	.17	2H	49	PSI	HONEYCOMB
				6H	74	PSI	
LAMINATE EPOXY/FIBERGLASS TYPE II CLASS E GRADE 2	GSFC9134	.28	.01				LAMINATE
LAMINATE EPOXY/FIBERGLASS/MY740/HY219/DY219/1275	GSFC2585	.93	.00				LAMINATE
LAMINATE EPOXY/GLASS BLUE MIL-P13949/4A MULTILAYER	GSC13529	.35	.01				PC BOARD
LAMINATE EPOXY/GLASS MIL P25421A TYPE 2 CLASS 2	GSC15562	.27	.02				LAMINATE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE EPOXY/GLASS UNIGLASS STYLE 181	GSFC3902	.30	.00	2H	121	AIR	LAMINATE
				16H	232	AIR	
LAMINATE EPSILAM 10 MICROWAVE SUBSTRATE W/O COPPER	GSFC6974	.04	.00				LAMINATE
LAMINATE E787 EPOXY/FIBERGLASS PREPREG	GSC15294	.91	.00	2H	163	PSI	LAMINATE
LAMINATE F-945 BASE/1 OZ CU FOIL	GSC14942	.19	.01				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-122 COVER SHEET	GSC14944	.26	.02				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-4487 COVER SHEET	GSC14946	.28	.01				FLEX CIRCUITS
LAMINATE FERRO PREG CPI2272X/T-300 POLYIMIDE BLACK	GSC13996	.42	.00	90M	177	AIR	LAMINATE
				4H	232	AIR	
LAMINATE FIBERITE 176/EPON 828/360L	GSC15474	.67	.01	3H	121	PSI	LAMINATE
LAMINATE FLEXIBLE PRINTED WIRING	GSFC3612	.13	.00				LAMINATE
LAMINATE FLG 65M 28-11 EPOXY/FIBERGLASS/FIRE RETARD	GSFC2977	.19	.00				LAMINATE
LAMINATE FLG/FR-4 PC BOARD	GSC10967	.32	.01				LAMINATE
LAMINATE FLGF03902/1B3B EPOXY/GLASS MULTI-LAYER	GSC11675	.51	.01				LAMINATE
LAMINATE FLGF250C2/2AIIB-BLACK W/COPPER 2 SIDE	GSFC2583	.12	.00				LAMINATE
LAMINATE FR-4 G-11 EPOXY/FIBERGLASS	GSFC2973	.31	.01				LAMINATE
LAMINATE F161-83-1P08/20 EPOXY/FIBERGLASS	GSFC7448	.27	.00				LAMINATE
LAMINATE F550 EPOXY/CELION 3000 GRAPHITE COMPOSITE	GSC11123	.42	.00	6H	121	PSI	LAMINATE
LAMINATE G-10 BLACK EPOXY FIBERGLASS	GSFC6224	.30	.01				LAMINATE
LAMINATE G-10 EPOXY/FIBER GLASS	GSFC5687	.48	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - NORPLEX	GSFC5545	.93	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - WESTINGHOUSE	GSFC5547	.42	.00				LAMINATE
LAMINATE G-10 465 EPOXY/FIBERGLASS	GSC11207	.47	.03				LAMINATE
LAMINATE G-11 GEC-111 EPOXY/GIBERGLASS	GSFC8999	.59	.00				LAMINATE
LAMINATE GAROLITE GRADE C	GSC13614	3.51	.01				STRUCTURAL
LAMINATE GE 11 EPOXY/FIBERGLASS	GSFC3566	.43	.01				LAMINATE
LAMINATE GEE MIL P18117 BLUE EPOXY/GLASS	GSFC7394	.33	.02				LAMINATE
LAMINATE GEE TY MIL P18177 EPOXY/FIBERGLASS	GSFC9311	.52	.00				LAMINATE
LAMINATE GEE-FR 4300 RESIN EPOXY/FIBERGLASS - BLACK	GSFC9191	.61	.01				POTTING CUP
LAMINATE GLASS CLOTH/SILICONE - WHITE	GSFC9665	.14	.01				LAMINATE
LAMINATE G10 WESTINGHOUSE 65M25 FR-4 FLAME RETARDANT	GSFC6095	.34	.00				LAMINATE
LAMINATE G3HT PHENOLIC/GLASS SPACER-INSULATOR	GSC14686	1.78	.20				SPACER
LAMINATE G3HT PHENOLIC/GLASS SPACER-INSULATOR	GSC14749	.99	.16	24H	125	AIR	SPACER
LAMINATE HONEYCOMB KEVLAR/EPOXY/FM 123-2	GSFC9209	1.88	.10	1H	121	PSI	STRUCTURAL
				1H	121	PSI	
LAMINATE HY1534/934 GRAPHITE EPOXY	GSC10230	.29	.00	85M	121	PSI	LAMINATE
				2H	177	AIR	
LAMINATE K 6098 TEFLON/FIBERGLASS/3M	GSFC9880	.01	.00				LAMINATE
LAMINATE K-6098 W/AF 46 FILM ADHESIVE	GSC13359	.05	.01	90M	166	PSI	LAMINATE
LAMINATE KAPTON ENCAPSULATED COPPER	GSFC4158	.39	.01				LAMINATE
LAMINATE KEVLAR/EPOXY	GSFC9029	3.33	.12				LAMINATE
LAMINATE KEVLAR/EPOXY	GSFC9062	1.79	.02	24H	125	AIR	LAMINATE
LAMINATE KEVLAR/EPOXY	GSFC9206	2.94	.06	24H	70	E-2	LAMINATE
LAMINATE KEVLAR/EPOXY STYLE 181	GSC10206	2.10	.01	85M	121	PSI	LAMINATE
				2H	177	AIR	
LAMINATE LX6501 FLEXIBLE W/COPPER	GSFC1750	.43	.17				LAMINATE
LAMINATE MAS-G-10-84	GSFC5773	.37	.00				LAMINATE
LAMINATE MICAPLY EG 802 TYPE GF W/O COPPER	GSFC8408	.41	.02	90M	171	PSI	LAMINATE
LAMINATE MICAPLY PG 402 UNCLAD	GSFC6512	.91	.01				LAMINATE
LAMINATE MICAPLY PG 418T POLYIMIDE/FIBERGLASS	GSC10655	.82	.00				PC BOARD
LAMINATE MICAPLY 102-11 EPOXY/GLASS PRE-PREG 8 LAYER	GSC10251	.38	.03				LAMINATE
LAMINATE MICAPLY 102-11/G-10 EPOXY/GLASS	GSFC4364	.44	.00	80M	163	PSI	LAMINATE
LAMINATE MICAPLY 102-28M FR-4 EPOXY/GLASS PRE-PREG	GSC11473	.39	.02	1H	188	PSI	LAMINATE
LAMINATE MICAPLY 102-69 B-STAGE PRE PREG	GSFC9233	2.11	1.09				LAMINATE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE MICAPLY 818T W/O COPPER GREEN	GSFC8330	.36	.00				LAMINATE
LAMINATE MICARTA 65M50-22 LIGHT GREEN	GSC10053	.28	.00				LAMINATE
LAMINATE MICROFILL 55/EPON 828/V140	GSC15471	1.38	.04	3H	121	PSI	LAMINATE
LAMINATE MICROFILL 55/EPON 828/360L	GSC15468	.63	.01	3H	121	PSI	LAMINATE
LAMINATE MULTI-LAYER PER MIL P55617 P55636 P13949	GSFC5948	.32	.00				LAMINATE
LAMINATE MULTIWIRE PC BOARD	GSC10152	.63	.01				PC BOARD
LAMINATE MXB 7934/7781 EPOXY/GLASS LIGHT GREEN	GSC14011	.49	.01	45M	121	AIR	LAMINATE
				2H	177	AIR	
LAMINATE N-105 EPOXY/GLASS FL-GF FR-4 W/O COPPER	GSFC7607	.25	.00				LAMINATE
LAMINATE N-205 EPOXY/GLASS FL-GF FR-4 W/O COPPER	GSFC7625	.24	.01				LAMINATE
LAMINATE N-3105 RESIN RICH FR EPOXY/GLASS W/O COPPER	GSFC7589	.30	.00				LAMINATE
LAMINATE N-4105 EPOXY/GLASS FLEXIBLE W/O COPPER	GSFC7658	.29	.00				LAMINATE
LAMINATE NARMCO 3203-120 EPOXY/GLASS	GSC10332	.33	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 3203-1581 EPOXY/GLASS	GSC10335	.32	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 8517 EPOXY/GLASS	GSFC7985	.47	.00				LAMINATE
LAMINATE NEMA FR-45 BY GE W/O COPPER	GSFC3209	.23	.00				LAMINATE
LAMINATE NEMA G-10 GEC 500E EPOXY/FIBER GLASS	GSFC5685	.38	.00				LAMINATE
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 NO COPPER	GSFC3766	.11	.00				LAMINATE
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 W/COPPER	GSFC3768	.06	.01				LAMINATE
LAMINATE NEMA G7 GLASS FABRIC/SILICONE	GSC11521	.09	.02				LAMINATE
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST FILM	GSC13481	.12	.02	90M	135	AIR	LAMINATE/RESIST
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST/IR CURE	GSC13505	.14	.01	5M	177	AIR	LAMINATE/RESIST
LAMINATE NVF FLAME RETARDANT RED MARKING	GSFC5737	.38	.00				LAMINATE
LAMINATE NVF G-10 GREEN MARKING	GSFC5735	.49	.00				LAMINATE
LAMINATE NYLON FABRIC/PHENOLIC RESIN	GSFC5451	2.47	.00				LAMINATE
LAMINATE PBI ON 108-E GLASS CLOTH(POLYBENZIMIDAZOLE)	GSFC6572	2.77	.00	?	454	AIR	LAMINATE
LAMINATE PC BOARD IRRADIATED POLYOLEFIN	GSFC6611	.29	.07				PC BOARD
LAMINATE PHENOLIC LINEN MIL P15035	GSC16331	3.71	.01				LAMINATE
LAMINATE PHENOLIC/FIBERGLASS PREPREG	GSFC9194	.68	.01				LAMINATE
LAMINATE PMR-15/HMG EPOXY/GRAPHITE	GSC11228	.48	.01				LAMINATE
LAMINATE PMS 1000 GRAPHITE REINF EPOXY	GSC14984	.38	.03	30M	138	PSI	LAMINATE
LAMINATE POLYIMIDE/GLASS FABRIC BY AMOCO	GSFC1261	.77	.00				LAMINATE
LAMINATE REXOLITE 2200	GSFC5775	.88	.00				LAMINATE
LAMINATE SG-89	GSC15498	.40	.07	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SG-91	GSC15501	.45	.08	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SHIM ALUMINUM	GSC10284	.05	.00				SHIM
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-CTR	GSFC5046	.58	.10	48H	143	E-6	SHIELD
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-EDG	GSFC5043	.52	.06	48H	143	E-6	SHIELD
LAMINATE THORNEL 4CS X4500 EPOXY/GRAPHITE PRE-PREG	GSC14986	.43	.00	1H	120	AIR	LAMINATE
				2H	180	AIR	
LAMINATE TLGI MULTI-LAYER	GSC11678	1.12	.00				LAMINATE
LAMINATE TUFNOL GRADE 6F/45 FABRIC/EPOXY CREAM COLOR	GSFC8333	2.33	.00				LAMINATE
LAMINATE TYPE GF EPOXY/FIBERGLAS	GSFC3594	.20	.00				LAMINATE
LAMINATE T300/934 GRAPHITE EPOXY	GSFC9626	.58	.00				LAMINATE
LAMINATE V-378A/HMG EPOXY/GRAPHITE	GSC11231	.50	.01				LAMINATE
LAMINATE VECTORBOARD 85G24WE GLASS/EPOXY	GSC11435	.45	.01				PC BOARD
LAMINATE WBC 3201C ON 112 GLASS CLOTH EPOXY RESIN	GSFC2797	.17	.01	1H	163	AIR	LAMINATE
				2H	177	AIR	
LAMINATE WESTINGHOUSE EPOXY/FIBERGLASS	GSFC3829	.25	.02				TUBE
LAMINATE YLI	GSFC5739	.43	.00				LAMINATE
LAMINATE 1914	GSC15480	.44	.01	2H	149	PSI	LAMINATE
LAMINATE 1916	GSC15483	.46	.01	2H	149	PSI	LAMINATE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE 1920T	GSC15486	.17	.01	2H	180	PSI	LAMINATE
LAMINATE 55589R028 SILICONE/FIBERGLASS	GSC13425	1.69	.46				HEATER SUBSTRATE
LAMINATE 602 TEFLON/FIBERGLASS W/O COPPER	GSFC9832	.01	.00				PC BOARD
LAMINATING FILM 2C-200-1/FOIL SANDWICH	GSFC6838	.61	.11	30M	135	PSI	FILM ADHESIVE
LARC 160 GRAPHITE/POLYIMIDE LAMINATE 5 STEP POSTCURE	GSC12294	.83	.00	1H	177	E-2	LAMINATE
				3H	316	PSI	
LATEX SURGICAL TUBING	GSFC6800	6.16	1.44				TUBING
LCA4/ACT BA5 A/B AS 100/6 BW EPOXY ENCAPSULANT	GSFC2173	.12	.00	48H	56	AIR	POTTING
				16H	100	AIR	
LCA4/ACT BA5 AS 100/4.5 BW EPOXY	GSFC5115	.19	.00	16H	100	AIR	ADHESIVE
LCA9/ACT BA5 AS 100/4.5 BW MINERAL FILLED GREEN	GSFC6894	.23	.03	2H	93	AIR	ADHESIVE
LD 400 VIBRATION DAMPER	GSFC4590	12.82	6.35				DAMPER
LEACH 009 SEMI-GLOSS BLACK LACQUER AEROSOL/F	GSFC9158	1.74	.28	7D	25	AIR	PAINT
LEACH 010 FLAT BLUE LACQUER AEROSOL/F	GSFC9161	10.82	3.54	7D	25	AIR	PAINT
LEACH 013 AS 4/1 BV BLUE EPOXY ENAMEL	GSFC9122	4.84	.87	7D	25	AIR	PAINT
LEACH 014 AS 4/1 BV GLOSS BLACK EPOXY ENAMEL	GSFC9125	8.48	.52	7D	25	AIR	PAINT
LEACH 453-4-5-013/CA-318 AS 1/1 BV BLUE EPOXY/F	GSC16313	1.52	.14	90M	121	AIR	PAINT
LEAL CC EPOXY ADH	GSFC1099	1.45	.07	30M	25	AIR	ADHESIVE
				8H	104	AIR	
LECTROLITE CONDUCTIVE FABRIC - BLUE/BLACK VINYL	GSC12883	13.31	8.65				STATIC CONTROL
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	GSFC8294	1.17	.05	24H	25	AIR	ADHESIVE
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	GSFC8606	1.03	.02	5D	25	AIR	LOW TEMP ADH
				1H	66	AIR	
LEFKOWELD 109/LM-52 AS 100/74 BW LIGHT GRAY EPOXY	GSFC8738	2.65	.03	24H	25	AIR	ADHESIVE
				1H	93	AIR	
LEFKOWELD 46/LM-52 AS 100/74 BW YELLOW/GREEN EPOXY	GSFC7292	1.04	.08	3H	66	AIR	ADHESIVE
LEFKOWELD 46/LM-52 AS 100/74 BW YELLOW/GREEN EPOXY	GSFC8456	2.30	.08	7D	25	AIR	ADHESIVE
LENS BOND C-59 A/B AS 50/1 BV	GSFC3171	2.94	.10	8D	25	AIR	OPT CEMENT
LENS BOND F-65 A/B AS 20/1 BW	GSFC1087	4.83	.16	24H	25	AIR	OPT CEMENT
LENS BOND M-62 A/B AS 50/1 BW	GSFC1084	5.77	.62	90M	70	AIR	OPT CEMENT
LENS BOND UV-69 POLYESTER SUN LAMP CURE	GSC12250	3.65	.26				OPT CEMENT
LENS BOND UV-71 POLYESTER UV LAMP CURE	GSC12253	4.21	.62				OPT CEMENT
LENS BOND UV-74 POLYESTER UV LAMP CURE	GSC12256	3.68	.44				OPT CEMENT
LENS TISSUE E68L	GSFC6476	5.82	.03				WIPE
LEXAN 500 POLYCARBONATE	GSFC4017	.10	.00				MOLD CPND
LEXAN 9034-112 POLYCARBONATE LENS	GSFC0410	.19	.01				LENS
LEXAN 940 BLACK DIAL PLATE	GSC12646	.16	.00				DIAL PLATE
LEXCOTE G-3183/G3174 AS 100/5.7 BW CLEAR COATING	GSFC3399	17.65	.39	10M	25	AIR	CONF COAT
				30M	60	AIR	
LIGHT-WELD 184 CLEAR URETHANE/ACRYLIC UV CURED	GSC16157	5.84	.04				CONF COAT
LIGHT-WELD 602 CLEAR METHACRYLIC UV CURED	GSC16217	4.83	.08				ADHESIVE
LIQUID CRYSTALS ENCAPSULATED IN PLASTIC/ADHESIVE	GSFC4160	5.99	.93				HEAT SENSOR
LOCK-NUT 8V	GSC13741	14.07	5.25				THREAD SEAL
LOCTITE A RED ADHESIVE	GSFC9215	6.54	.03	24H	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM BOLTS	GSFC9695	5.47	.11	72H	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM BOLTS	GSFC9796	5.86	.01	7D	25	PSI	THREAD SEAL
LOCTITE A RED ADHESIVE FROM SHIMS	GSC11204	5.64	.07	16H	50	PSI	THREAD SEAL
LOCTITE AA OVER PRIMER N	GSFC3465	1.64	.00	72H	25	E-3	THREAD SEAL
LOCTITE AA WELD SEALANT GREEN FROM SHIMS	GSC11252	3.19	.02	16H	50	PSI	WELD SEALANT
LOCTITE B BEARING MOUNT YELLOW FROM BOLTS	GSFC9719	14.30	7.43	48H	25	PSI	ADH-SEALANT
LOCTITE B BEARING MOUNT YELLOW FROM BOLTS	GSFC9797	12.63	7.00	7D	25	PSI	ADH-SEALANT
LOCTITE C BLUE ADHESIVE	GSFC9137	13.45	7.68	24H	25	PSI	THREAD SEAL
				12H	77	E-2	
LOCTITE C BLUE ADHESIVE FROM BOLTS	GSFC9721	24.86	12.53	48H	25	PSI	ADH-SEALANT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LOCTITE DEPEND ADHESIVE/ACTIVATOR/F	GSC11009	8.33	.29	24H	25	AIR	ADHESIVE
LOCTITE LO-880/DEPEND AS 40/1 BW METALLIC BOULE	GSC13855	2.50	.05	24H	25	AIR	THREAD SEAL
LOCTITE LO-914/DEPEND AS 20/1 BW IVORY BOULE	GSC13858	4.50	.15	24H	25	AIR	THREAD SEAL
LOCTITE PMS-10 IMPREG RESIN CLEAR	GSC11411	3.40	.11	3D	25	AIR	IMPREGNANT
				1H	65	AIR	
LOCTITE PMS-10 PWDR METAL SEALANT	GSC11493	3.24	.20				IMPREGNANT
LOCTITE PMS-10E PWDR METAL SEALANT	GSC11495	3.80	.31				IMPREGNANT
LOCTITE PMS-50E PWDR METAL SEALANT	GSC11497	3.97	.31				IMPREGNANT
LOCTITE PMS-90E PWDR METAL SEALANT	GSC11499	9.93	.56				IMPREGNANT
LOCTITE RC-648 GREEN	GSC13837	1.50	.00	1H	121	AIR	ADH-SEALANT
LOCTITE TL-277	GSFC3517	3.79	.22	72H	25	E-3	THREAD SEAL
LOCTITE UV-326 YELLOW - UV CURED	GSC13840	5.28	.07				ADH-SEALANT
LOCTITE 220/PRIMER T AS 20/1 BW BLUE	GSC13834	10.58	3.08	24H	25	AIR	ADH-SEALANT
				30M	121	AIR	
LOCTITE 222 MILD STRENGTH ADH PURPLE	GSFC7742	17.71	7.65	24H	25	PSI	THREAD SEAL
LOCTITE 222 MILD STRENGTH ADH PURPLE FROM BOLTS	GSFC9668	26.84	13.78	48H	25	PSI	ADHESIVE
LOCTITE 242 MEDIUM STRENGTH ADH BLUE	GSFC7745	13.74	5.49	24H	25	PSI	THREAD SEAL
LOCTITE 242 MEDIUM STRENGTH ADH BLUE FROM BOLTS	GSFC9697	16.43	7.45	72H	25	PSI	ADH-SEALANT
LOCTITE 262 HIGH STRENGTH ADH RED FROM BOLTS	GSFC9699	4.43	.18	72H	25	PSI	ADH-SEALANT
LOCTITE 262 HIGH STRENGTH ADH RED FROM SHIMS	GSC11234	4.12	.18	16H	50	PSI	ADH-SEALANT
LOCTITE 271 HIGH STRENGTH ADH RED	GSFC7820	6.10	1.23	24H	25	PSI	THREAD SEAL
LOCTITE 271 HIGH STRENGTH ADH RED FROM BOLTS	GSFC9715	5.24	.47	48H	25	PSI	ADH-SEALANT
LOCTITE 290 MEDIUM STRENGTH ADH GREEN	GSFC7760	5.19	.02	24H	25	PSI	THREAD SEAL
LOCTITE 290 MEDIUM STRENGTH ADH GREEN FROM BOLTS	GSFC9717	2.97	.13	48H	25	PSI	ADH-SEALANT
LOCTITE 290 MEDIUM STRENGTH ADH GREEN FROM SHIMS	GSC11150	2.43	.01	16H	50	PSI	ADH-SEALANT
LOCTITE 317 STRUCTURAL ADHESIVE	GSC13431	10.02	.51	7D	25	PSI	ADHESIVE
LOCTITE 324	GSC10874	2.46	.13	15M	121	AIR	ADHESIVE
LOCTITE 324/ACT 707	GSC10876	5.00	.28				ADHESIVE
LOCTITE 325	GSC10878	2.45	.11	15M	121	AIR	ADHESIVE
LOCTITE 325/ACT 707	GSC10880	5.54	.31				ADHESIVE
LOCTITE 326/PRIMER N	GSC10882	3.75	.08				ADHESIVE
LOCTITE 35/LOCQUIC PRIMER N	GSFC4636	1.21	.14	6H	60	E-2	ADHESIVE
LOCTITE 354 MOD ACRYLIC UV CONVERTIBLE	GSC11090	9.61	.53				OPTICAL CEMENT
LOCTITE 354 MOD ACRYLIC UV CONVERTIBLE	GSC11147	8.94	.22				OPTICAL CEMENT
LOCTITE 361	GSC13036	3.80	.09				ADHESIVE
LOCTITE 410 CYANOACRYLATE BLACK	GSC15324	9.30	.07	24H	25	PSI	ADHESIVE
				16H	82	AIR	
LOCTITE 411 CYANOACRYLATE TRANSLUCENT	GSC15327	3.40	.01	24H	25	PSI	ADHESIVE
				16H	82	AIR	
LOCTITE 447 CYANOACRYLATE TRANSLUCENT	GSC15354	1.96	.01	24H	25	AIR	ADHESIVE
				16H	82	AIR	
LOCTITE 499 CYANOACRYLATE TRANSLUCENT	GSC15356	3.36	.02	24H	25	AIR	ADHESIVE
				16H	82	AIR	
LOCTITE 601 HIGH STRENGTH ADH GREEN	GSFC7748	5.21	.02	24H	25	PSI	THREAD SEAL
LOCTITE 93-13 SUPER BONDER ADHESIVE	GSFC5340	8.02	.37	24H	25	AIR	ADHESIVE
LOGO - LEXAN FILM/9900 SERIES INK RED/WHITE/BLUE	GSC13694	1.10	.01				LOGO
LOGO 1709/508 LACQUER/THINNER AS 3/1 BV	GSFC4338	1.65	.23	1H	66	AIR	LACQUER
				1H	163	AIR	
LOUVER - HI-TEMP HONEYCOMB	GSFC8549	1.43	.01				LOUVER
LST 350 EMI SUPPRESSANT TUBING	GSFC6914	.37	.14				MAG SHIELD
LST 350 EMI SUPPRESSANT TUBING	GSFC7049	.22	.11	16H	150	AIR	MAG SHIELD
LUBRI-BOND K SOLID FILM LUBRICANT MOS2/F	GSC11681	1.91	.15	24H	25	AIR	LUBRICANT FILM
LUBRI-BOND K SOLID FILM LUBRICANT MOS2/F	GSC11684	1.38	.12	24H	25	AIR	LUBRICANT FILM
				1H	80	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LUBRI-FILM N	GSFC5643	2.90	.19				LUBRICANT
LUBRIPLATE 630A	GSFC8264	51.00	14.59				LUBRICANT/GREASE
M 385-3 FILM BLACK TEFLON ON FABRIC	GSFC5583	.05	.01				HEAT BARRIER
M-BOND AE-10 EPOXY KIT	GSC13825	.88	.00	24H	25	AIR	ADHESIVE
M-O-N/CAT A AS 100/4 BW BLACK INK/F	GSC14561	.58	.07	30M	149	AIR	INK
M-O-N/CAT B-3 AS 100/4 BW BLACK INK/F	GSC14564	.50	.01	30M	149	AIR	INK
M-O-NC/CAT B-3 AS 100/5 BW BLACK INK/F	GSC14567	.61	.13	30M	149	AIR	INK
M-152 LACQUER BASECOAT	GSFC5645	4.82	1.03				LACQUER
M-152 LACQUER BASECOAT W/ VAC DEP ALUMINUM	GSFC5647	2.43	.19				LACQUER W/ALUM
M-152 LACQUER BASECOAT W/THINNERS - SPRAYED 2 COATS	GSFC6293	4.04	1.03	1H	66	AIR	LACQUER
				2H	121	AIR	
				2H	121	E-3	
M-5 ADHESIVE A/B AS 1/1 BW YELLOW	GSC11687	10.20	.17	72H	25	AIR	OPTICAL CEMENT
M-9-N/CAT B-3 AS 100/5 BW WHITE INK/F	GSC14534	.51	.04	30M	149	AIR	INK
MA 509 CONDUCTIVE SILICONE	GSC11126	.28	.09	25D	25	AIR	ADHESIVE
MACBOND 1B 1200 TWO SIDED TAPE/F	GSC11905	1.56	.05				FILM ADHESIVE
MACBOND 9626 POLYESTER FILM/2 SIDE ACR ADH MI418/F	GSFC5020	1.25	.00				FILM ADHESIVE
MAGIC VULC NEOPRENE EMULSION	GSFC0803	2.12	.21	1H	125	E-4	COVER
MAGNET FLEXIBLE STRIP MGO-1016	GSFC4540	.34	.07				MAG HOLD DOWN
MAGNET WIRE COATING TFE TEFLON/DURAD	GSFC5411	.29	.01				WIRE COATING
MAGNET WIRE HEAVY ARMOR POLYTHERMALEZE(COATING ONLY)	GSFC8411	.53	.08				WIRE COATING
MAGNET WIRE HEAVY ML POLYIMIDE	GSFC4472	.89	.10				WIRE COATING
MAGNET WIRE M4 MIL W-583C	GSFC3546	1.78	.11				WIRE COATING
MAGNETICS A2 GRAY POLYESTER PAINT	GSC15672	.60	.11				PAINT
MAGNETICS A2 GRAY POLYESTER PAINT	GSC15724	.37	.09	30M	177	AIR	PAINT
MAGNETICS A2 GRAY POLYESTER PAINT	GSC15753	.85	.19	1H	200	AIR	PAINT
MAI-60 MOLDING CPND - GRAY	GSFC8537	.73	.04				MOLD CPND
MAI-60 MOLDING CPND - GRAY	GSFC8552	.75	.01	16H	100	AIR	MOLD CPND
MARKEM 7224 BLACK EPOXY PASTE INK/F	GSC14181	2.97	.08	2H	121	AIR	INK
MARKEM 7224 BLACK INK	GSFC7343	3.12	.08	24H	25	AIR	INK
				2H	121	AIR	
MARKEM 7224 BLUE EPOXY PASTE INK/F	GSC15082	.43	.07	1H	149	AIR	INK
MARKEM 7224 GREEN EPOXY PASTE INK/F	GSC14178	2.03	.02	2H	121	AIR	INK
MARKEM 7224 GREEN INK 497-F	GSFC5397	.45	.02	4H	121	AIR	INK
MARKEM 7224 RED EPOXY PASTE INK/F	GSC15084	.41	.04	1H	149	AIR	INK
MARKEM 7224 WHITE EPOXY PASTE INK/F	GSC14175	1.69	.03	2H	121	AIR	INK
MARKEM 7224 WHITE INK SLOW SOLVENT	GSFC5385	1.88	.01	4H	121	AIR	INK
MARKEM 7227 WHITE INK FAST SOLVENT	GSFC5387	1.22	.12	4H	121	AIR	INK
MARKEM 7251 GREEN INK 497-F	GSFC5399	9.64	.64	24H	60	AIR	INK
MARKEM 7251 WHITE INK SLOW SOLVENT	GSFC5389	5.34	.01	2H	107	AIR	INK
MARKEM 7252 WHITE INK FAST SOLVENT	GSFC5391	4.05	.00	2H	107	AIR	INK
MARKEM 7254 BLACK INK - PHENOLIC	GSFC6389	4.27	.00	48H	125	AIR	INK
MARKEM 7905 WHITE INK A/B AS 2/1 BW	GSFC5325	8.01	.02	7D	25	AIR	INK
MARKEM 7905 WHITE INK A/B AS 2/1 BW	GSFC5328	3.50	.02	2H	88	AIR	INK
MARKEM 7906 WHITE INK A/B AS 8.18/1 BW	GSFC5401	.48	.01	2H	121	AIR	INK
MARKEM 8829 WHITE INK	GSFC5403	11.33	.13	72H	25	AIR	INK
MARKERS MYLAR L-124/BLACK INK	GSFC3831	2.33	.88				MARKERS
MARKING INK 1074 WHITE/F	GSC15636	14.69	3.56	7D	25	AIR	INK
MARKING INK 1075 WHITE/F	GSC15639	1.34	.17	7D	25	AIR	INK
MARKING INK 3 BLACK/F	GSC15642	19.20	4.62	7D	25	AIR	INK
MARKING INK 3 WHITE/F	GSC15804	7.52	3.00	7D	25	AIR	INK
MARKING INK 4N WHITE/F	GSC15807	9.30	1.58	7D	25	AIR	INK
MARKING INK 404 BLACK/F	GSC15810	12.52	1.16	7D	25	AIR	INK
MARKING INK 44 BLACK/F	GSC15645	18.85	.25	7D	25	AIR	INK

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MARPOXY C3-177 A/B AS 15/1 BW CU FILLED EPOXY	GSC15968	2.56	.12	60D	25	AIR	COND ADHESIVE
MARPOXY C3-177 A/B AS 15/1 BW CU FILLED EPOXY	GSC15970	2.38	.09	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-163 SINGLE COMPONENT CU FILLED EPOXY	GSC13072	.28	.01	2H	149	AIR	ADHESIVE
				1H	204	AIR	
MARPOXY 95-168 A/B AS 19/1 BW CU FILLED EPOXY	GSC12817	.45	.04	16H	25	AIR	COND ADHESIVE
				2H	200	AIR	
MARPOXY 95-202 SINGLE COMPONENT CU FILLED EPOXY	GSC13075	.27	.00	2H	149	AIR	ADHESIVE
				1H	204	AIR	
MARPOXY 95-4 A/B AS 19/1 BW CU FILLED EPOXY	GSC12568	1.45	.10	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-7 A/B AS 19/1 BW CU FILLED EPOXY	GSC12571	1.18	.08	24H	25	AIR	COND ADHESIVE
				2H	66	AIR	
MARPOXY 95-9 ONE COMPONENT CU FILLED EPOXY	GSC12574	.63	.06	1H	160	AIR	COND ADHESIVE
				2H	204	AIR	
MASTER BOND EP21AOHT A/B AS 1/1 BW THERM COND ADH	GSC16115	3.41	.18	48H	25	AIR	THERM COND ADH
MASTER BOND GP6 POLYESTER COPOLYMER	GSFC8000	14.73	.01	24H	25	PSI	THREAD SEAL
MAXORB SOLAR FOIL BLACK NICKEL W/ADHESIVE	GSC10884	.44	.23				THERM CONTROL
MAXORB SOLAR FOIL BLACK NICKEL W/O ADHESIVE	GSC10943	.02	.00				THERM CONTROL
MC-30 A/B AS 95/5 BW ACRYLIC ADH/BENZOYL PEROXIDE	GSFC9257	4.72	.03	7D	25	AIR	ADHESIVE
MC-30 A/B AS 95/5 BW W/TOLUENE ACRYLIC ADHESIVE	GSFC9260	14.01	.04	7D	25	AIR	ADHESIVE
MC469/MC470 AS 4/1 BW BROWN WASH PRIMER	GSFC7001	9.81	.01	30M	25	AIR	WASH PRIMER
				1H	60	AIR	
ME 5146A/B-97 AS 100/1.6 BW CLEAR BLUE EPOXY/F	GSC13570	9.33	.15	2H	80	AIR	COATING
ME 855 ONE COMPONENT OXIDE FILLED EPOXY/F	GSC13617	.19	.00	1H	125	AIR	ADHESIVE
ME-868-2 ONE COMPONENT OXIDE FILLED EPOXY	GSC13665	2.94	.01	1H	170	AIR	THERM COND ADH
ME-990 ONE PART THERM COND OXIDE FILLED LOTCK60310/F	GSC15420	.43	.00	1H	150	AIR	THERM COND ADH
MELAMINE G-5 PER MIL P-15037B FUSE INSULATOR	GSFC8531	3.21	.00				INSULATOR
MELAMINE G-5 PER MIL P-15037B FUSE INSULATOR	GSFC8534	2.06	.00	16H	100	AIR	INSULATOR
MEMORY CORE TAPE 47740W0055 FABRIC/SILICONE ADH	GSC15489	.61	.27	1H	150	AIR	TAPE
MERECO 4501 A/B AS 1/1 BW CLEAR FLEXIBLE EPOXY	GSFC9164	6.59	4.06	24H	85	AIR	POTTING
MET 100 ANTI STATIC FILM	GSC15279	.35	.01				ANTI STATIC FILM
METADUCT 1202 A/B AS 25/1 BW SILVER FILLED EPOXY	GSC15819	.54	.01	1.5H	100	AIR	COND ADHESIVE
METALAST PRIMER 919/920 AS 1/4 BW	GSFC1513	8.99	.23	1H	25	AIR	PRIMER
METALAST 920 PRIMER BASE/DILUENT AS 4/1 BW	GSFC0494	11.35	.00	1H	25	AIR	PRIMER
METALASTIC SILICONE FILLED ALUM MESH	GSC12349	.55	.16				SHIELDING
METALASTIC SILICONE FILLED ALUM MESH	GSC12373	.03	.02	24H	177	AIR	SHIELDING
METASEAL 19V5 THERMOSET POLYESTER/STYRENE COPOLYMER	GSC13899	5.16	.42	15M	149	AIR	IMPREGNANT
METASEAL 19V5 THERMOSET POLYESTER/STYRENE COPOLYMER	GSFC4322	9.38	.49	3H	149	AIR	IMPREGNANT
METASEAL 1980	GSC13901	5.00	.01	15M	91	AIR	IMPREGNANT
METHYLPENTENE POLYMER	GSFC3211	.67	.16				WAVEGUIDE
METLBOND 1113 EPOXY SUPPORTED FILM	GSFC4962	1.03	.04	25M	149	AIR	ADH FILM
METLBOND 227 EPOXY FILM ADHESIVE	GSFC2699	.98	.08	1H	127	AIR	ADH FILM
METLBOND 329 CLOTH SUPPORTED EPOXY FILM	GSFC5260	1.27	.01	1H	177	E-1	ADH FILM
METRE-GRIP 3446/T9 AS 1% CAT BW	GSFC5549	.49	.00	2H	93	AIR	ADHESIVE
				16H	204	AIR	
METRICEL GN-4 FILTER, FISHER CAT 64677 CELLULOSE EST	GSC14439	4.92	.01				FILTER
MF 1006 POLYPROPYLENE/GLASS AS 70/30	GSFC2911	.13	.03				MOLD CPND
MF0376 EPOXY MOLDING POWDER - GOLD	GSC15203	.19	.01	3M	150	PSI	MOLD CPND
				2H	150	AIR	
MG25F-LMP-1 EPOXY MOLDING POWDER - BLACK	GSC15205	.14	.01	2M	177	PSI	MOLD CPND
				4H	177	AIR	
MG8F-0134 MOLDING CPND - BLACK	GSFC8927	.22	.01	3M	149	AIR	MOLD CPND

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MH 11 BLACK MOLDING COMPOUND	GSC13573	.18	.01	5M	149	PSI	MOLD CPND
				2H	149	AIR	
MH2-W254 BLACK EPOXY MOLD CPND	GSC14599	.41	.00	10M	149	PSI	MOLD CPND
				5.5H	149	AIR	
MH6-/8 BLACK EPOXY MOLD CPND	GSC13969	.26	.01	0.5M	160	PSI	MOLD CPND
				.25M	149	PSI	
MH6F MOLDING CPND - BLACK	GSFC8930	.41	.01	3M	149	AIR	MOLD CPND
MH8F-0188-1 BLACK MOLDING CPND	GSC14752	.21	.01	2M	150	PSI	MOLD CPND
				2H	149	AIR	
MICO WELD 8509 A05M FLAT BLACK PAINT/F	GSC15086	2.18	.05	15M	163	AIR	PAINT
				1H	260	AIR	
MICO WELD 8509 A05M FLAT BLACK PAINT/F	GSC14812	3.25	.02	15M	163	AIR	PAINT
				1H	260	AIR	
				22H	185	E-3	
MICRO SWITCH 311SX4-T GLASS FILLED PHENOLIC W/ADH	GSFC6399	2.44	.01				SWITCH
MICROCIRCUIT TYPE M SILVER FILLED EPOXY	GSFC5393	.24	.00	16H	150	AIR	COND ADHESIVE
MICRODOT CONNECTOR RED SILICONE INSERT	GSC10478	.54	.34	10H	171	AIR	CONN INSUL
MICRODOT CONNECTOR RED SILICONE INSERT	GSC10481	.18	.09	5H	171	E-2	CONN INSUL
MICRODOT CONNECTOR RUBBER BOOT 7502 BLACK	GSFC6542	1.62	.51				BOOT
MICROFOAM	GSC16190	.70	.08				INSULATION
MICROLITE FELT AA 0.6#/CU FT W/SILICONE BIND-CENTER	GSFC5625	.29	.09	1H	260	AIR	INSULATION
				4H	330	AIR	
MICROTHIN TEFLON SLEEVING 20 GAUGE	GSFC6515	.02	.00				SLEEVING
MICROWELL R FOAM LUBRICANT RESERVOIR FREON TA WASH	GSFC8828	6.14	.41				FOAM
MIKROY 750 REG GRADE LEAD BORATE/MICA MIX	GSFC3568	.00	.00				INSULATION
MIL-ENE C WIRE INSULATION - YELLOW (COATING ONLY)	GSC10008	.78	.24				WIRE INSUL
MIL-ENE C WIRE INSULATION - YELLOW (COATING ONLY)	GSC10011	.52	.13	4H	150	AIR	WIRE INSUL
MIN-K TYPE SS HT INSULATION	GSFC3309	.20	.00				INSULATION
MIN-K 1301 HT INSULATION	GSFC3329	.51	.06				INSULATION
MINDEL B MODIFIED PXM 8407 POLYARYLETHER	GSC13620	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8408 POLYARYLETHER	GSC13623	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8409 POLYARYLETHER	GSC13632	.19	.01	1M	288	PSI	MOLD CPND
MINICEL B-302 CROSSLINKED POLYPROPYLENE FOAM WHITE	GSFC6816	2.82	.59				DAMPER
ML 6-55 URETHANE HIGH FRICTION ELASTOMER BLUE	GSFC5453	1.19	.39				ELASTOMER
ML 6-55 URETHANE HIGH FRICTION ELASTOMER CLEAR	GSFC5525	1.20	.36				ELASTOMER
MMM FOIL 7800 ALUMINUM/ACRYLIC ADH	GSFC0269	4.90	2.74				FOIL
MMM TAPE ALUM/MYLAR/ALUM/ACRYLIC ADH/R (Y-9360)	GSFC0603	.79	.06				TAPE
MMM TAPE X-1140 THERMOSET RUBBER ADH FILM/R	GSFC3117	6.14	2.13	3H	121	AIR	2 SIDED TAPE
MMM TAPE X-1157 POLYESTER FIBER/THERMOSET RUBBER/R	GSFC3339	6.26	2.50	6H	107	AIR	TAPE
MMM TAPE X-1170 ALUM FOIL/COND ACRYLIC ADH/F	GSFC7784	.51	.27				TAPE
MMM TAPE X-1181 COPPER FOIL/ACRYLIC ADH/F (ECC4868P)	GSFC7814	.31	.04				TAPE
MMM TAPE X-1205 KAPTON/ACRYLIC ADH/F	GSFC5262	.38	.02	1H	125	AIR	TAPE
MMM TAPE X-1205 KAPTON/ACRYLIC ADH/R	GSFC1738	1.90	.35				TAPE
MMM TAPE X-1237 NYLON PAPER/ACRYLIC ADH/R	GSFC0518	2.16	.05				TAPE
MMM TAPE X-1242 POLYESTER/THERMOSET RUBBER ADH/R	GSFC3918	1.19	.42	3H	121	AIR	TAPE
MMM TAPE X-1244 MYLAR/THERMOSET ACRYLIC ADH/R	GSFC1564	2.96	1.04	10M	130	AIR	TAPE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SID/F	GSFC5079	1.00	.00				2 SIDED TAPE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SIDE	GSFC1828	.93	.07	30M	130	AIR	2 SIDED TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYL ADH/F BAKE ON SCREEN	GSC10062	.58	.25	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYL ADH/F BAKE ON SCREEN	GSFC7871	.20	.05	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYLIC ADH/F BAKE AS ROLL	GSFC7868	.41	.19	16H	120	E-2	TAPE
MMM TAPE X-1267 EMBOSSED ALUM/ACRYLIC ADH/F CD3DOS86	GSFC7823	.44	.21				TAPE
MMM TAPE Y-582 TISSUE FILM/2 SIDED ADH/F (Y-9169)	GSFC6575	1.42	.41	2H	121	AIR	2 SIDED TAPE
MMM TAPE Y-8437 ALUM/MYLAR/ACR ADH/F (FORMER Y-9360)	GSFC8633	.68	.02				TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM TAPE Y-9040 2 MIL ALUM FOIL/SILICONE ADH/F (433)	GSFC5305	.47	.21				TAPE
MMM TAPE Y-9050 ALUM FOIL/GLASS CLOTH/SILICONE ADH/R	GSFC2775	.91	.38				TAPE
MMM TAPE Y-9133 GREEN POLYESTER FILM/SILICONE ADH/F	GSFC5248	.75	.34				TAPE
MMM TAPE Y-9184A GOLD LEAF/ACRYLIC ADH/R	GSFC1363	1.42	.01				TAPE
MMM TAPE Y-9184S GOLD LEAF/SILICONE ADH/R	GSFC1360	2.24	.41				TAPE
MMM TAPE Y-9224 TEFLON FEP/ACRYLIC ADH/R	GSFC3027	.18	.03				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 2-2UAL	GSFC1378	.80	.02				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 3-3UAL	GSFC1381	.20	.00				TAPE
MMM TAPE Y-9360 ALUM/MYLAR/ACRYLIC ADH/R	GSFC1453	.54	.01				TAPE
MMM TAPE Y-9460 ISOTAC ACRYLIC TRANSFER FILM 2 MIL/F	GSFC9470	.85	.00				TRANSFER TAPE
MMM TAPE Y-9469 ISOTAC ACRYLIC TRANSFER FILM 5 MIL/F	GSFC9503	1.29	.02				TRANSFER TAPE
MMM TAPE Y-9473 ISOTAC ACRYLIC TRANSF FILM 10 MIL/F	GSC12204	1.23	.01				TRANSFER TAPE
MMM TAPE Y-9567 (467NBA) TRANSFER FILM ACR/F SNDWCH	GSC13377	1.27	.03				TRANSFER TAPE
MMM TAPE Y-966 TRANSFER FILM ACRYLIC/FOIL SANDWICH	GSFC7604	1.02	.01				TRANSFER TAPE
MMM TAPE Y-967 TRANSFER FILM ACRYLIC/FOIL SANDWICH	GSC11051	.81	.01				TRANSFER TAPE
MMM TAPE YR-364 EXPERIMENTAL ALUM GLASS CLOTH/F	GSC11744	1.44	.81				TAPE
MMM TAPE 1194 COPPER FOIL/NON COND ACRYLIC ADH/F	GSC10260	.28	.14				TAPE
MMM TAPE 1245 EMBOSSED COPPER FOIL/ACRYLIC ADH/F	GSC13540	.26	.12				EMI SHIELD
MMM TAPE 1245 EMBOSSED COPPER FOIL/ACRYLIC ADH/F	GSC14334	.20	.05				TAPE
MMM TAPE 1318 POLYESTER FILM/ACRYLIC ADH/F - YELLOW	GSC11360	.48	.13				TAPE
MMM TAPE 363 ALUM GLASS CLOTH/SILICONE ADH (MOD)/F	GSC11741	1.28	.63				TAPE
MMM TAPE 363 ALUM GLASS CLOTH/SILICONE ADH/F	GSFC6917	1.30	.47				TAPE
MMM TAPE 365 GLASS CLOTH/THERMOSET RUBBER ADH/R	GSFC1915	2.46	.99	3H	121	AIR	TAPE
MMM TAPE 4016 FOAM/2 SIDE ACRYLIC ADH/FOIL SANDWICH	GSFC5651	2.64	.22				FOAM TAPE 2 SIDE
MMM TAPE 4032 SCOTCHMOUNT FOAM/2 SIDE ACRYLIC ADH/F	GSC12160	2.09	.10				TAPE MOUNT
MMM TAPE 4032 SCOTCHMOUNT FOAM/2 SIDE ACRYLIC ADH/F	GSC12163	2.26	.15	24H	90	E-5	TAPE MOUNT
MMM TAPE 415 SCOTCHPAR FILM/2 SIDE ACRYLIC ADH/F	GSFC6706	.91	.01				2 SIDED TAPE
MMM TAPE 420 RUBBER BASE ADHESIVE ONLY/F	GSFC5890	1.85	.14				TAPE
MMM TAPE 420 5 MIL LEAD FOIL/RUBBER BASE ADH/F	GSFC5889	.09	.00				TAPE
MMM TAPE 422 ACRYLIC ADHESIVE ONLY/F	GSFC6463	1.03	.04				TAPE
MMM TAPE 422 LEAD FOIL/ACRYLIC ADH/F	GSFC6461	.05	.00				TAPE
MMM TAPE 425 ALUM FOIL/SYNTHETIC ADH	GSFC0234	.24	.03				TAPE
MMM TAPE 425 3 MIL ALUM FOIL/ACRYLIC ADH/F	GSFC5296	.20	.01				TAPE
MMM TAPE 428B ALUM FOIL/SYN BLEND ACRYLIC ADH/R	GSFC2771	.79	.28				TAPE
MMM TAPE 433 2 MIL ALUM FOIL/SILICONE ADH/F (Y-9040)	GSFC5299	.53	.25				TAPE
MMM TAPE 464 TISSUE FILM/RUBBER ADH/R	GSFC3091	6.17	.86				2 SIDED TAPE
MMM TAPE 465 TRANSFER FILM SYN ACRYLIC/FOIL SANDWICH	GSC13392	1.20	.07				TRANSFER TAPE
MMM TAPE 465 TRANSFER FILM SYN ACRYLIC/R	GSFC2769	.84	.20				TRANSFER TAPE
MMM TAPE 467 TRANSFER FILM ACRYLIC/FOIL SANDWICH	GSFC8765	.88	.02	24H	75	AIR	TRANSFER TAPE
MMM TAPE 467MP TRANSFER FILM/ACRYLIC/FOIL SANDWICH	GSC14704	1.66	.04				TRANSFER TAPE
MMM TAPE 467NBA FIBER IMBED ACRYLIC TRANS FILM/F	GSFC7505	.83	.04				TRANSFER TAPE
MMM TAPE 470 VINYL FILM/YELLOW SYN RUBBER ADH/F '84	GSC14208	10.36	6.39				TAPE
MMM TAPE 471 VINYL/SYNTHETIC RUBBER ADH/R	GSFC3642	6.30	2.91				TAPE
MMM TAPE 4945 SCOTCHMOUNT ACRY FOAM/2 SIDE ACR ADH/F	GSC13302	1.24	.01				2 SIDED TAPE
MMM TAPE 4962 SCOTCHMOUNT NEOP FOAM/2 SIDE ACR ADH/F	GSC13305	2.64	.61				2 SIDED TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/F	GSC16142	.57	.09				TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/R	GSFC0527	.56	.00				TAPE
MMM TAPE 53 POLYESTER/THERMOSET RUBBER ADH/R	GSFC3920	1.02	.13	3H	121	AIR	TAPE
MMM TAPE 5411 KAPTON/SILICONE ADH/F	GSFC6140	.58	.03	1H	125	AIR	TAPE
MMM TAPE 5413 KAPTON/SILICONE ADH/F	GSFC6143	.87	.32	1H	125	AIR	TAPE
MMM TAPE 5490 TEFLON TFE/SILICONE ADH/F	GSFC7397	.72	.40				TAPE
MMM TAPE 56 POLYESTER/THERMOSET RUBBER ADH/R	GSFC0918	2.67	.24				TAPE
MMM TAPE 56 POLYESTER/THERMOSET RUBBER ADH/R	GSFC3077	1.22	.27	3H	121	AIR	TAPE
MMM TAPE 59 POLYESTER/ACRYLIC ADH/R	GSFC0530	1.25	.00				TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	GSFC3075	.14	.07	3H	260	AIR	TAPE
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	GSFC3906	.33	.09				TAPE
MMM TAPE 63 TEFLON TFE/THERMOSET ACRYLIC ADH/R	GSFC2777	.33	.03				TAPE
MMM TAPE 65 TEFLON TFE/ACRYLIC ADH/R	GSFC1870	.29	.08				TAPE
MMM TAPE 666 PVC FILM/2 SIDE ACRYLIC ADH/R	GSFC3305	2.11	.15				2 SIDED TAPE
MMM TAPE 67 EPOXY RESIN GLASS CLOTH/THERMOSET RUB/R	GSFC0536	2.76	.71				TAPE
MMM TAPE 670 CELLOPHANE/TISSUE PAPER/ACRYLIC-RUBBER	GSFC2747	5.92	1.09				TAPE
MMM TAPE 69 GLASS CLOTH/THERMOSET SILICONE ADH/S	GSFC2312	2.25	1.18				TAPE
MMM TAPE 70 SILICONE RUBBER TAPE/SILICONE ADH/R	GSFC1252	1.62	.73				TAPE
MMM TAPE 70 SILICONE RUBBER TAPE/SILICONE ADH/R	GSFC1492	.40	.07	24H	121	E-3	TAPE
MMM TAPE 74 POLYESTER FILM/THERMOSET RUBBER ADH/F	GSFC9017	2.20	.60				TAPE
MMM TAPE 75 POLYESTER FILM/THERMOSET RUB ADH/R CYCLE	GSFC1440	3.12	.72	24H	-40	E-5	TAPE
				24H	65	E-6	
MMM TAPE 75 POLYESTER FILM/THERMOSET RUBBER ADH/R	GSFC1234	5.26	.75				TAPE
MMM TAPE 79 GLASS CLOTH/ACRYLIC ADH/F	GSFC5811	.54	.07				TAPE
MMM TAPE 8402 POLYESTER FILM/SILICONE ADH/F (Y-9064)	GSFC5733	.73	.31				TAPE
MMM TAPE 848 VAP DEP AU/KAPTON/ACR ADH/F (Y-9184A)	GSFC8336	1.81	.02				TAPE
MMM TAPE 848 VAP DEP AU/KAPTON/ACR ADH/F LOT 9	GSC12412	1.79	.02				TAPE
MMM TAPE 849 VAP DEP AU/KAPTON/SILICONE ADH/F	GSC12330	1.99	.71				TAPE
MMM TAPE 850 ALUMINIZED POLYESTER/ACRYLIC ADH/R	GSFC2773	.68	.09				TAPE
MMM TAPE 850 BLACK MYLAR/ACRYLIC ADH/R	GSFC0900	.77	.02				TAPE
MMM TAPE 850 MYLAR/ALUMINIZED/CLEAR ACRYLIC ADH/F	GSC15976	.74	.03				TAPE
MMM TAPE 850 MYLAR/RED ACRYLIC ADH/F	GSC15974	.77	.02				TAPE
MMM TAPE 850 MYLAR/WHITE ACRYLIC ADH/F	GSC15972	.48	.04				TAPE
MMM TAPE 850 TRANSPARENT POLYESTER/ACRYLIC ADH/F	GSC12181	.61	.08				TAPE
MMM TAPE 851 POLYESTER FILM/GREEN SPEC BLEND ADH/F	GSC12157	3.33	.93				TAPE
MMM TAPE 852 ALUM/MYLAR/ACRYLIC ADH/F	GSFC5282	.79	.02				TAPE
MMM TAPE 852 ALUM/POLYESTER LABEL STOCK	GSC13819	7.18	2.27				LABEL
MMM TAPE 854 TRANSPARENT P'ESTER/WHITE SYN RUB ADH/F	GSC12184	2.20	.14				TAPE
MMM TAPE 92 KAPTON/THERMOSET SILICONE ADH	GSFC2631	.78	.25				TAPE
MMM Y-6887 HEAT SHRINK TAPE - HEAT GUN SHRINK	GSC13323	4.15	1.22				SHRINKABLE TAPE
MMM 101-C10 VELVET BLACK ALKYD	GSFC2897	4.95	.24	1H	80	AIR	PAINT
				7D	25	AIR	
MMM 101-C10 VELVET BLACK ALKYD	GSFC5649	5.02	.02	20H	121	E-4	PAINT
MMM 101-C10 VELVET BLACK PAINT ALKYD	GSFC6856	6.02	.14	6H	25	AIR	PAINT
				96H	110	E-6	
MMM 2100 BLUE METALIZED FILM	GSC15040	.42	.09				ANTI STATIC FILM
MMM 301-C10 VELVET BLACK	GSFC2955	5.17	.02	1H	121	AIR	PAINT
				6D	25	AIR	
MMM 301-C10 VELVET BLACK	GSFC2957	5.60	.02	1H	66	AIR	PAINT
				6D	25	AIR	
MMM 401 BLACK OVER ZINC CHROMATE	GSFC2293	4.82	.12	5D	25	AIR	PAINT COMPOSITE
MMM 401-A10 A/B AS 3/1 BV WHITE PAINT	GSFC3087	2.88	.02	7D	65	AIR	PAINT
MMM 401-A10 A/B AS 3/1 BV WHITE PAINT	GSFC3115	2.85	.03	7D	65	E-3	PAINT
MMM 401-A10 A/B AS 3/1 BW VELVET WHITE	GSFC2095	3.09	.08	7D	25	AIR	PAINT
				24H	121	AIR	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	GSFC5118	2.91	.01	30M	121	AIR	PAINT
				5D	25	AIR	
				50H	93	E-6	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	GSFC5310	3.33	.02	30M	121	AIR	PAINT
				72H	95	E-5	
MMM 401-C10 A/B AS 3/1 BV VELVET BLACK	GSFC6302	3.18	.00	24H	25	AIR	PAINT
				30M	120	AIR	
				24H	120	E-5	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MMM 401-C10 VELVET BLACK OVER E-SOLDER 3022 LAYUP	GSFC7031	2.76	.01	3H	60	AIR	PAINT COMPOSITE
				30M	120	AIR	
				24H	100	E-5	
MMM 403-C10 A/B AS 3.5/1 BV VELVET BLACK	GSFC0972	3.11	.01	1H	25	AIR	CONF COAT
				2H	71	AIR	
				16H	71	E-6	
MMM 403-C10 A/B AS 3/1 BV VELVET BLACK	GSFC2935	3.00	.07	48H	66	AIR	PAINT
				5D	25	AIR	
MMM 801 A/B AS 10/1 BW SEALANT	GSFC0728	40.24	1.78	24H	25	AIR	SEALANT
				24H	49	AIR	
MMM 8418 POLYESTER LABEL STOCK/ADHESIVE	GSC13822	2.87	.03				LABEL
MMX50 ONE PART RIGID SILICONE COATING CLEAR	GSC15358	1.60	.01	24H	25	AIR	COATING
MOBIL 173 COATED VDALUMINIZED KAPTON	GSC12607	.85	.02				THERMAL BLANKET
MOBIL 173 COATED VDALUMINIZED KAPTON	GSC12610	1.05	.04	24H	50	E-6	THERMAL BLANKET
MOLYKOTE G-N PASTE GRAY	GSC12724	51.76	4.82				LUBRICANT
MOLYKOTE GREASE	GSFC6008	3.20	1.25				LUBRICANT
MOLYKOTE 321R AEROSOL FORM BURNISHED/F	GSC16070	3.66	.12				DRY FILM LUBE
MOLYKOTE 321R AEROSOL FORM/F	GSC16298	1.30	.00	4H	25	AIR	DRY FILM LUBE
				24H	100	E-3	
MOLYKOTE 321R DRY FILM LUBRICANT AEROSOL/F	GSC14656	1.54	.02	7D	25	AIR	LUBRICANT
MOLYKOTE 321R LIQUID FORM BURNISHED/F	GSC16067	4.22	.02				DRY FILM LUBE
MOLYKOTE 321R LIQUID FORM 5M HEAT GUN EXPOSURE/F	GSC16295	3.62	.00	4H	25	AIR	DRY FILM LUBE
MONSANTO 1835 POLYETHER-URETHANE FOAM	GSFC4508	3.13	.60				FOAM
MONSANTO 1835 POLYETHER-URETHANE FOAM	GSFC4510	1.25	.48	72H	120	AIR	FOAM
MONSANTO 1835 POLYETHER-URETHANE FOAM ISOPROP WASH	GSFC4732	.29	.08	1H	25	AIR	FOAM
				21H	100	AIR	
MONSANTO 1835 POLYETHER-URETHANE FOAM METOH WASH	GSFC4734	.27	.04	30M	25	AIR	FOAM
				4H	100	AIR	
MONSANTO 1835 POLYETHER-URETHANE FOAM METOH WASH	GSFC4736	.42	.13	30M	25	AIR	FOAM
				21H	100	AIR	
MONSANTO 3865-F POLYETHER-URETHANE FOAM	GSFC4512	3.05	.71				FOAM
MONSANTO 3865-F POLYETHER-URETHANE FOAM	GSFC4514	.94	.19	72H	120	AIR	FOAM
MOSITES 1028 BLACK FLUOREL SPONGE RUBBER	GSC10508	.81	.20				CUSHION
MOSITES 1028 BLACK FLUOREL SPONGE RUBBER	GSC10511	.30	.08	96H	125	AIR	CUSHION
MOSITES 1028 SPONGE	GSFC6305	.21	.00				CUSHION
MOSITES 1059 FLUOREL FLUOROCARBON ELASTOMER	GSFC4398	.05	.00				ELASTOMER
MOSITES 1071 FLUOREL FLUOROCARBON ELASTOMER	GSFC4396	.64	.35				ELASTOMER
MOSITES 1079K FLUOREL FLUOROCARBON ELASTOMER	GSFC4394	.24	.10				ELASTOMER
MOX SB01020 SELF FUSIBLE SILICONE TAPE FIBER REINF	GSC13603	.52	.19				TAPE
MOX 604 SELF FUSIBLE SILICONE TAPE NO REINF	GSC13606	.98	.28				TAPE
MP 1485 POLYURETHANE FILM	GSFC2857	.67	.23				FILM
MP 1885 POLYURETHANE FILM	GSC11381	1.04	.19				FILM
MPC 3 GREEN EPOXY MOLD CPND	GSC16022	.42	.00	30M	149	AIR	MOLD CPND
				36H	132	E-2	
MPC 4K BLUE EPOXY MOLDING CPND	GSC15986	.23	.01	14M	177	PSI	MOLD CPND
				36H	149	AIR	
MS 125 WHITE COATING BASO4/PVA/KRYLON	GSC12478	.70	.10	14D	25	AIR	OPTICAL PAINT
MS 148.1 (C1217B) CLEAR LIQUID	GSC15564	3.24	2.12	19D	25	AIR	DRY LUBRICANT
MS 224 MH5 MOLD RELEASE ON FOIL	GSFC5975	.37	.08				MOLD RELEASE
MS 2402 PRIMER/FOIL	GSFC5777	11.66	.33	24H	25	AIR	PRIMER
MS 2704 SILICONE ADH	GSFC3029	4.55	1.41	30M	25	AIR	ADHESIVE
				30M	40	AIR	
MS 74 WHITE COATING K2SI03/TI02/ZNO/AL203	GSFC1984	6.27	.03	24H	25	AIR	PAINT
MS 74 WHITE COATING K2SI03/TI02/ZNO/AL203	GSFC2134	4.54	.00	48H	100	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MS 74/SILANE 6020 PRIMER COMPOSITE/F	GSC11609	4.36	.00	7D	25	AIR	PAINT COMPOSITE
MS-122 FLUOROCARBON DRY LUBRICANT - AEROSOL	GSFC5653	13.19	6.76				LUBRICANT
MS-136 FLUOROCARBON MOLD RELEASE ON FOIL	GSFC9314	10.42	4.72				MOLD RELEASE
MS-20L08	GSFC0083	.04	.00				ELASTOMER
MS-30C02	GSFC0086	.07	.05				ELASTOMER
MSA 101E GREEN PAINT OI 650/CHROMIC OXIDE	GSFC3331	1.04	.47	6H	95	AIR	PAINT
MSA 101E GREEN PAINT OI 650/CHROMIC OXIDE	GSFC3469	.11	.00	6H	150	AIR	PAINT
MSA 102 BLACK PAINT CARBON BLACK	GSFC3499	.95	.35	6H	150	AIR	PAINT
MSA 103 BLACK PAINT OI 650/CARBON BLACK	GSFC3337	10.90	5.94	6H	95	AIR	PAINT
MSA 5 BLACK COATING	GSFC2023	3.14	.02	3D	25	AIR	PAINT
MSA 5 BLACK COATING	GSFC2137	2.24	.04	48H	100	AIR	PAINT
MSA 82 WHITE PAINT OI 650/NA TREATED ZNO	GSFC3497	.67	.22	6H	150	AIR	PAINT
MSA 82 WHITE PAINT OI 650/ZINC OXIDE	GSFC3335	1.40	.58	6H	95	AIR	PAINT
MSA 90 WHITE PAINT OI 650/POTASSIUM TREATED ZNO	GSFC3467	.58	.06	6H	150	AIR	PAINT
MSA 90 WHITE PAINT OI 650/ZINC OXIDE	GSFC3333	1.78	.56	6H	95	AIR	PAINT
MSA 94B BLACK PAINT	GSFC8906	3.66	.00	16H	25	AIR	PAINT
				24H	70	AIR	
MSA 95E WHITE PAINT	GSFC3213	2.30	.23	2H	50	AIR	PAINT
MSA 96A GREEN PAINT	GSFC3127	2.75	.95	2H	50	AIR	PAINT
MULTIFILAR MAGNET WIRE PYRE ML B-4-30-28-0-5 CALC %	GSC12433	.98	.03				MAGNET WIRE
MYLAR IMAGING FILM W/CIRCUITRY	GSFC6778	.70	.04				FILM
MYLAR LA 616 - 7 MIL FILM	GSFC4246	.15	.00				FILM INSERT
MYLAR PHOTOSENSITIVE FILM TYPE A	GSFC9739	.59	.00				FILM/SHEET
MYSTIK TAPE 4017TLC GOLD/KAPTON/ACRYLIC ADH/R	GSFC3307	1.49	.42				TAPE
MYSTIK TAPE 4053TLC ALUM MYLAR FILM/ACRYLIC ADH/R	GSFC4738	.41	.06				TAPE
MYSTIK TAPE 6401 POLYESTER FILM/ACRYLIC ADH/F	GSC11818	.51	.03				TAPE
MYSTIK TAPE 6462 POLYPROPYLENE/LATEX ADH/F	GSC10188	3.73	.31				TAPE
MYSTIK TAPE 6466 POLYESTER FILM/2 SIDE TS RUBBER/FLS	GSFC5617	5.99	2.01				2 SIDED TAPE
MYSTIK TAPE 6468 TRANSFER FILM/ACRYLIC ADH/R	GSFC4702	1.51	.00				TRANSFER TAPE
MYSTIK TAPE 7000 FIBERGLASS/SILICONE ADH/S	GSFC1951	2.69	1.42				TAPE
MYSTIK TAPE 7021 GLASS CLOTH/ACRYLIC ADH/F	GSFC6329	1.41	.05				TAPE
MYSTIK TAPE 7100 GLASS CLOTH/2 SIDE SILICONE ADH/R	GSFC0563	3.22	.67				2 SIDED TAPE
MYSTIK TAPE 7321 POLYESTER FILM/THERMOSET RBBR ADH/F	GSFC7967	1.45	.49				TAPE
MYSTIK TAPE 7341 POLYESTER/ACRYLIC ADH/R	GSFC3475	.23	.04				TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	GSFC5284	.25	.03	48H	150	E-5	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	GSFC5312	.19	.03	24H	150	E-5	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	GSFC6401	.92	.27	115H	25	E-4	TAPE
				96H	25	E-6	
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	GSFC7655	.57	.14	48H	150	E-6	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	GSFC7853	.46	.17	48H	80	E-6	TAPE
MYSTIK TAPE 7362 KAPTON/SILICONE ADH/F	GSFC6593	.65	.03	48H	100	E-6	TAPE
MYSTIK TAPE 7366 KAPTON/ALUM SANDWICH/2 SIDE SIL	GSFC0797	4.06	1.10				2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/CLOTH LINER/2 SIDE SIL/F	GSFC7874	2.19	.43	24H	80	E-5	2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/CLOTH LINER/2 SIDE SIL/F SAN	GSFC4904	.87	.32	48H	138	E-6	2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/SILICONE ADH/FOIL SANDWICH	GSFC6164	4.92	1.49				2 SIDED TAPE
MYSTIK TAPE 7366 KAPTON/SILICONE ADH/FOIL SANDWICH	GSFC6167	2.99	.79	24H	150	E-6	2 SIDED TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH	GSFC2915	.63	.04				TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	GSC10308	.69	.02				TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	GSC10311	.65	.02	24H	93	AIR	TAPE
MYSTIK TAPE 7370 TEDLAR/ACRYLIC ADH/R GRAY	GSFC3473	1.40	.36				TAPE
MYSTIK TAPE 7375 TEDLAR/ACRYLIC ADH/R WHITE	GSFC3471	.34	.00				TAPE
MYSTIK TAPE 7402 ALUM FOIL/SILICONE ADH/R	GSFC1093	1.69	.35				TAPE
MYSTIK TAPE 7402L ALUM FOIL/SILICONE ADH/FOIL COMP	GSFC4544	.33	.20	1H	121	E-4	TAPE COMPOSITE
MYSTIK TAPE 7420 COPPER FOIL/ACRYLIC ADH/R	GSFC2507	.21	.01				TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MYSTIK TAPE 7430 RUBBER BASE ADHESIVE ONLY/F	GSFC5923	5.60	1.49				TAPE
MYSTIK TAPE 7430 4.5 MIL LEAD FOIL/RUBBER ADH/F	GSFC5921	.24	.06				TAPE
MYSTIK TAPE 7452 ALUM FOIL/ACRYLIC ADH/R	GSFC1714	.25	.03				TAPE
MYSTIK TAPE 7453 ALUM FOIL/ACRYLIC ADH/R	GSFC4490	.09	.00				TAPE
MYSTIK TAPE 7503 TEFLON/SILICONE ADH/F LOT ALM4A11H	GSC11297	.30	.13				TAPE
MYSTIK TAPE 7505 TEFLON/SILICONE ADH/F	GSFC6539	.21	.08				TAPE
N-SIL RTV 123 BLACK SINGLE COMPONENT SILICONE	GSC14988	2.55	.76	7D	25	AIR	STAKING CPND
N-SIL RTV 128 TRANSLUCENT ONE PART SILICONE	GSC15008	2.86	.88	7D	25	AIR	ADHESIVE
NAMEPLATE ANODIZED ALUM W/3M TAPE 467 ADH/F	GSFC6818	.63	.00				NAMEPLATE
NAMEPLATE PHOTO ALUMINUM W/ADH ON FOIL	GSFC6932	.10	.01				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED	GSC11929	.10	.00				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED BLACK	GSC11950	.11	.00				NAMEPLATE
NAMEPLATE 3655 BLACK/ALUM PVC W/ADH/F	GSFC6479	2.65	.38				NAMEPLATE
NARMCO 3135/7111 AS 1/1 BW EPOXY	GSFC3257	.59	.01	24H	25	AIR	ADHESIVE
NARMCO 328 SHEET ADHESIVE	GSFC10PN	1.00	.11	90M	165	AIR	ADH FILM
NARMCO 329 SHEET ADHESIVE	GSFC09PN	1.21	.05	90M	165	AIR	ADH FILM
NARMCO 550/120 EPOXY/GLASS PRE-PREG	GSFC4059	.69	.06	90M	125	AIR	LAMINATE
NARMCO 550/1581 EPOXY PRE-PREG	GSFC4704	.60	.02	90M	120	AIR	LAMINATE
				2H	180	AIR	
NAS1023D3 FASTENER RED INSERT	GSFC5595	2.26	.03				FASTENER
NAZ-DAR BE 111 BLACK EPOXY INK/F	GSC15161	6.02	.52	1H	121	AIR	MARKING INK
NAZ-DAR BE 112 WHITE EPOXY INK/F	GSC15163	2.17	.53	1H	121	AIR	MARKING INK
ND VIBRA-TITE THREAD SEAL	GSC14513	6.71	.64				THREAD SEAL
NE 110 POLYVINYLTOLUENE PHOSPHOR	GSC14145	1.56	.16				PHOSPHOR
NE 560 WATER BASE LATEX SI02 PAINT	GSFC3031	.96	.03	21D	25	AIR	PAINT
NE 581 A/B AS 4/1 BW OPTICAL CEMENT - EPOXY	GSC15702	10.48	.00	30H	25	AIR	OPT CEMENT
				30H	65	AIR	
NE 581 A/B AS 4/1 BW OPTICAL CEMENT - EPOXY	GSFC9236	10.66	.00	7D	25	AIR	OPT CEMENT
NEL TAPE 601 ML TRANSFER FILM/FOIL SANDWICH	GSC15207	7.28	1.23				TRANSFER TAPE
NEL TAPE 601 ML TRANSFER FILM/FOIL SANDWICH	GSC15330	5.49	.85	3H	135	AIR	TRANSFER TAPE
NELCO 11-4205-2 B-GLASS FR4 FABRIC/EPOXY COATED	GSFC6392	.29	.00	85M	177	AIR	IMPREG FABRIC
				2H	163	AIR	
NEOPRENE W GASKET SEAL	GSFC6667	9.04	.85				SEAL
NETTING POLYESTER MESH WHITE 40 DENIER	GSC15181	.28	.03				THERM BLANKET
NEXTEL 110-C10 BLACK PAINT/F	GSC15594	6.47	.03	40H	25	AIR	PAINT
				24H	90	E-5	
NEXTEL 3101-C10 I/II AS 8/1 BW BLACK SUEDE PAINT	GSC13407	2.21	.37	7D	25	AIR	PAINT
NF 1006 PPO/FIBER GLASS AS 70/30	GSFC0939	.11	.01				MOLD CPND
NICKEL BLACK/ELECTROLESS PLATED ALUMINUM	GSFC1660	.32	.04				COATING
NICKEL DULL PLATED ALUMINUM	GSFC1603	.15	.03				COATING
NICKLE B GLOSSY PLATED ALUMINUM	GSFC1597	.12	.05				COATING
NICKLE BLACK/COPPER/ALUMINUM	GSFC1669	.28	.05				COATING
NITTO TAPE 354 POLYESTER FILM/THERMOSET ACRYLIC/F	GSC15988	2.87	.63				TRANS INSUL TAPE
NO-FLO A11-108-65 PRE PREG LAMINATE	GSC12874	1.01	.04	75M	163	PSI	ADH LAMINATE
NOA 60 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11477	2.22	.02				OPT CEMENT
NOA 60 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11539	.90	.01	1H	125	AIR	OPT CEMENT
NOA 61 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11479	2.24	.01				OPT CEMENT
NOA 61 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11541	1.65	.01	1H	100	AIR	OPT CEMENT
NOA 63 OPTICAL ADHESIVE UV CURED	GSC16175	1.95	.04				OPTICAL ADH
NOA 63 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11489	2.27	.04				OPT CEMENT
NOA 65 OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11491	2.89	.14				OPT CEMENT
NOA 81 UV CURED ADH/F 30 MIN UV EXP	GSC14602	2.10	.13				OPTICAL ADH
NOA 81 UV CURED ADH/F 5 MIN UV EXP	GSC14624	.93	.03	1H	125	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
NODE BOND BXR-10176 LX-125 THERMOSET ADH/F	GSFC9521	.61	.00	30M	25	AIR	ADHESIVE
				1H	177	AIR	
NODE BOND GG-288-8 BATCH 108	GSC13454	.57	.04	30M	25	AIR	ADHESIVE
				1H	177	AIR	
NOMEX N-44 WHITE THREAD NATURAL 5977B	GSC13257	3.01	.29				THREAD
NOMEX T-912 NYLON/PAPER FILM ADHESIVE	GSC14103	2.95	.66	15M	163	PSI	FILM ADHESIVE
NOPCO A206-1	GSFC0005	2.00	.90				FOAM
NOPCO G302	GSFC0004	.30	.07				FOAM
NOPCO G500 POLYURETHANE FOAM - WHITE	GSFC4670	1.19	.01	25M	25	AIR	FOAM
				4H	65	AIR	
NOPCO H-402N WITH PVA COVER	GSFC12PN	21.40	1.03	14H	92	AIR	FOAM
NOPCO H-402N WITHOUT PVA COVER	GSFC13PN	23.20	1.03	14H	92	AIR	FOAM
NOPCO J106 POLYURETHANE	GSFC0051	1.12	.00				FOAM
NOPCO J106 POLYURETHANE	GSFC0054	1.19	.02	4H	32	CO	FOAM
				16H	60	CO	
NORFLEX N221 POLYOLEFIN SHRINK TUBING PRE-SHRUNK	GSFC6071	.78	.11				SHRINK TUBING
NORTON EAR VIBRATION DAMPING FOAM	GSFC2342	15.49	9.35				FOAM
NORYL EN 265	GSFC9338	.17	.00				MOLD CPND
NORYL GFN-3-801 MOD PPO	GSFC3574	.03	.02				INSULATION
NORYL N300 BLACK	GSFC9353	.25	.00				MOLD CPND
NORYL-MODIFIED PPO	GSFC0707	.10	.00				MOUNT
NS 43C WHITE PAINT K2SIO3/ZNO/AL2O3/TIO2	GSC12481	3.40	.00	14D	25	AIR	PAINT
NS 59A GREEN PAINT K2SIO3/ZNO AS 1/3 BW W/1% COBALT	GSFC8315	2.16	.00	24H	25	AIR	PAINT
NT 114 POLYMERIC COATING	GSFC6881	3.69	.01	48H	70	AIR	CONF COAT
NYE 183 SPECIAL OIL FOR BEARING LUBRICATION	GSFC2505	17.07	11.46				OIL
NYLAFIL F3/15 NYLON FOAM/15% GLASS FIBER	GSFC4019	1.76	.03				FOAM
NYLAFIL GLASS FILLED NYLON	GSFC3742	1.67	.02				INSULATOR
NYLAFLOW 413 HOSE BLACK OUTER SHEATH ONLY	GSC10254	.52	.13				HOSE
NYLASINT 64 HV SINTERED NYLON OIL RESERVOIR	GSFC9524	.73	.02				OIL RESERVOIR
NYLEZE MAGNET WIRE COATING RED 130C USE	GSFC4806	1.43	.00				WIRE COATING
NYLEZE MAGNET WIRE INSULATION - RED (COATING ONLY)	GSFC4298	1.34	.23				WIRE COATING
NYLEZE MAGNET WIRE INSULATION-GREEN (COATING ONLY)	GSFC4296	1.17	.13				WIRE COATING
NYLON CARD GUIDE RED FLAME RETARDANT	GSC12649	2.43	.03				MOLD CPND
NYLON FILM-ANTISTATIC DF	GSFC4226	2.40	.06				FILM
NYLON MD LP-410A 6/6 MOS2 IMPREG	GSFC6840	2.02	.00				STRUCTURAL
NYLON MOLDED INSERTS NEUTRAL COLOR	GSC11690	2.36	.03				MOLD CPND
NYLON NETTING	GSFC2611	1.41	.03				NETTING
NYLON ORANGE MIL-C-7020F TYPE I SUNSHADE MATL	GSFC5139	1.02	.01				CLOTH
NYLON ROD PER MIL P-17091	GSFC2569	1.13	.00	72H	51	AIR	ROD
NYLON 6 BLACK CABLE CLAMP - WECKESSER	GSFC3357	.84	.00	24H	125	AIR	CABLE CLAMP
NYLON 6 FASTENER - WHITE	GSFC7190	2.71	.05				FASTENER
NYLON 6/6 PC BD CHANNEL BLACK GLASS FILLED FLAME RET	GSC12652	1.09	.03				MOLD CPND
NYLON/GLASS AS 70/30 CONNECTOR INSERT - CANNON	GSFC3259	.91	.03				CONNECTOR
O RING - SILICONE	GSFC5655	1.12	.29				O RING
O RING - VITON A	GSFC5657	.21	.03				O RING
O RING FLEXCO 4069 RED SILICONE	GSC12097	1.16	.33				O RING
O RING 1109 BLACK NITRILE RUBBER	GSFC8123	8.35	3.31				O RING
O RING 129-70SA RED SILICONE	GSC15423	1.27	.24				O RING
O RING 134-40SP PINK SILICONE	GSC15426	.27	.12				O RING
O RING 5560 BLACK NITRILE RUBBER	GSFC8096	5.78	1.61				O RING
OI 100 GLASS RESIN 40% BW IN ETHANOL/F	GSFC7802	.25	.07	1H	175	AIR	CONF COAT
OI 650 GLASS RESIN 40% BW IN ETHANOL/F	GSFC7805	.15	.03	1H	175	AIR	CONF COAT
OI 650 RESIN REGULAR	GSFC5841	2.59	.32	1H	121	AIR	PAINT BASE
OI 650 RESIN WHITE PAINT GSFC SHAI	GSFC2230	.51	.02	16H	100	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
OI 650 RESIN WHITE PAINT/ZRO GSFC TRIOLO	GSFC2242	.77	.00				PAINT
OI 650G - GIORI MOD	GSFC5843	.87	.51	1H	163	AIR	PAINT BASE
OMNIFIT 5555-133-1 RED ANAEROBIC ADHESIVE	GSC14463	3.39	.02				THREAD SEAL
OMNIFIT 5555-133-2 GREEN ANAEROBIC ADHESIVE	GSC14468	4.98	.12				THREAD SEAL
OPTICAL COUPLING CPND - SILICONE (PROPRIETARY)	GSFC7856	2.08	1.12				ADHESIVE
ORCOFILM KN-10 KAPTON/NOMEX THREAD/POLYESTER BINDER	GSC10562	.92	.02	48H	125	E-5	THERMAL BLANKET
ORCOFILM KN-10 KAPTON/NOMEX THREAD/POLYESTER BINDER	GSFC9005	1.19	.08				THERMAL BLANKET
ORCOFILM KN-11 KAPTON/NOMEX THREAD/POLYESTER BINDER	GSFC9020	1.41	.05				THERMAL BLANKET
ORCOTAPE OT-6/F	GSFC9167	12.26	7.39				TAPE
ORTEC EPOXY ALUMINUM COVER	GSFC3313	2.06	.00				DETECTOR
ORTEC EPOXY GOLD COVER	GSFC3311	8.87	.05				DETECTOR
P 400/CAT 515 AS 1/1 BW EPOXY	GSFC6497	.30	.01	14D	25	AIR	ADHESIVE
P 764 EPOXY PRIMER EPON 828 BASE	GSFC2328	2.66	.00	72H	25	AIR	PRIMER
P 764-1A WHITE SILICONE PAINT	GSFC7140	.59	.03	7D	25	AIR	PAINT
P-17 POLYURETHANE FOAM - OPEN CELL	GSFC3764	.60	.13				FOAM
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GSFC4304	.77	.08				FOAM DAMPER
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GSFC4306	.49	.08	16H	100	AIR	FOAM DAMPER
P-17 POLYURETHANE FOAM 0.186 THICK WHITE	GSC13159	1.11	.11				DAMPER
P-22 POLYURETHANE FOAM OPEN CELL	GSFC6017	1.28	.07				FOAM
P-25 POLYURETHANE FOAM OPEN CELL	GSFC6029	.92	.04				FOAM
P-460 A/B AS 100/7 BW	GSFC7790	3.18	.17	24H	25	AIR	ADHESIVE
P-49 POLYESTER W/2% BENZOYL PEROXIDE	GSFC1726	1.04	.05	10M	104	AIR	TUBE
P-61 SILICA FILLED EPOXY	GSFC4974	.31	.04	2H	100	AIR	ADHESIVE
				8H	135	AIR	
P-65 POLYETHER URETHANE FOAM WHITE	GSFC4348	.47	.11				FOAM
P-65 POLYETHER URETHANE FOAM WHITE	GSFC4350	.29	.11	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE H2O WASH	GSFC4374	.91	.04	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE ISO-OCTANE WASH	GSFC4352	.12	.10	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH WASH	GSFC4372	.81	.02	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH/H2O WASH	GSFC4346	.14	.05	24H	100	AIR	FOAM
P-82 EPOXY	GSFC3662	.16	.03	7H	125	AIR	POTTING
P-82F CERAMIC FILLED RED EPOXY	GSC16032	.34	.00	3H	71	AIR	POTTING
				16H	100	AIR	
PA 61 CERAMIC	GSFC3576	.00	.00				INSULATION
PACKAGING FILM TRANSPARENT BLUE CONDUCTIVE	GSC15060	.25	.06				ANTI STATIC FILM
PAINT POLAR WHITE/GRAY PRIMER EXPERIMENTAL	GSC13707	3.39	.39				PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER EXPERIMENTAL	GSC13905	.62	.06	48H	125	AIR	PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER STANDARD	GSC13705	2.68	.42				PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER STANDARD	GSC13907	.44	.05	48H	125	AIR	PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER EXPERIMENTAL	GSC13711	2.83	.48				PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER EXPERIMENTAL	GSC13909	.87	.29	48H	125	AIR	PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER STANDARD	GSC13709	3.23	.26				PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER STANDARD	GSC13911	.66	.10	48H	125	AIR	PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER EXPERIMENTAL	GSC13715	2.81	.35				PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER EXPERIMENTAL	GSC13913	.45	.06	48H	125	AIR	PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER STANDARD	GSC13713	2.92	.45				PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER STANDARD	GSC13915	.59	.14	48H	125	AIR	PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER EXPERIMENTAL	GSC13699	2.76	.51				PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER EXPERIMENTAL	GSC13917	.51	.15	48H	125	AIR	PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER STANDARD	GSC13697	2.31	.39				PAINT SYSTEM
PAINT TULIP RED/GRAY PRIMER STANDARD	GSC13919	.63	.22	48H	125	AIR	PAINT SYSTEM
PAINT WHITE EPOXY PER MIL C 22750C/F	GSFC8963	1.50	.07	1H	60	AIR	PAINT
				14D	25	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PAINT 2019	GSFC2152	2.04	.23	6H	71	AIR	PAINT
				48H	93	AIR	
				16H	56	E-6	
PAINT 2019 OVER PRIMER 2012	GSFC0954	2.92	.07	16H	25	AIR	PAINT
				2H	77	AIR	
				24H	93	E-6	
PALADIN BLACK SATIN LACQUER	GSFC4354	.27	.13	30M	177	AIR	LACQUER
				1H	66	AIR	
				1H	163	AIR	
PALADIN BLACK SATIN LACQUER	GSFC6233	6.42	1.69	16H	100	E-4	LACQUER
PALMER CEMENT 0014	GSFC7193	4.02	.01	17H	80	AIR	ADHESIVE
				2H	120	AIR	
PAN-TY CABLE MOUNT	GSFC5242	.63	.04				CABLE MOUNT
PAN-TY CABLE TIE	GSFC5240	3.44	.01				CABLE TIE
PAN-TY CABLE TIE LIGHT BROWN	GSFC5286	3.13	.01				CABLE TIE
PAN-TY CABLE TIE HALAR MAROON	GSC13546	.21	.01				CABLE TIE
PAN-TY CABLE TIE NYLON NATURAL	GSC13549	1.73	.02				CABLE TIE
PAN-TY CABLE TIE TEFZEL BLUE	GSC13552	.08	.02				CABLE TIE
PARASOL GT-76 LAMINATE NYLON/MYLAR/ALUM	GSFC5142	.72	.08				THERMAL CONTROL
PARKER O-LUBE BARIUM BASE GREASE	GSFC0830	47.70	25.00				GREASE
PARKER O-RING B 612-70	GSFC11PN	1.20	.00				O-RING
PARKER O-RING B-612-70 BUTYL	GSC14424	1.08	.04				O-RING
PARKER O-RING E-515-8 VISTALON 404	GSFC0710	1.21	.18				O-RING
PARKER O-RING E-575-8 BLACK EPR	GSFC8684	2.22	.47				O-RING
PARKER O-RING E-692-75 ETHYLENE PROPYLENE	GSC14427	2.31	1.02				O-RING
PARKER O-RING E-962-85 ETHYLENE PROPYLENE	GSC14430	.65	.02				O-RING
PARKER O-RING L-677-7 RED FLUOROSILICONE	GSFC7508	.07	.03	8H	200	AIR	O-RING
PARKER O-RING L-806-80 BLUE FLUOROSILICONE	GSFC8687	.32	.03				O-RING
PARKER O-RING L-946-60 BLUE FLUOROSILICONE	GSC13517	1.80	.77				O-RING
PARKER O-RING N-219-7 BUNA N	GSFC0686	4.49	2.24				O-RING
PARKER O-RING N-299-5 BUNA-N	GSFC0680	14.74	6.25				O-RING
PARKER O-RING N-649-7 NITRILE	GSFC0674	2.58	.22				O-RING
PARKER O-RING N-674-70 BUNA N	GSFC2875	4.99	2.40				O-RING
PARKER O-RING S-383-70 RED SILICONE	GSFC8690	.17	.01				O-RING
PARKER O-RING S-455-70 RED SILICONE	GSFC9506	.18	.02				O-RING
PARKER O-RING S-604-7/SILICONE	GSFC2372	1.11	.36				O-RING
PARKER O-RING S-613-60 RED SILICONE	GSC14486	.22	.09	24H	175	AIR	O-RING
PARKER O-RING S-641-5 SILICONE	GSFC0677	.29	.09				O-RING
PARKER O-RING V-747-75 VITON DUP E60C FLUOROCARBON	GSFC3375	.10	.00				O-RING
PARKER O-RING 2-023 NEOPRENE	GSFC0815	6.35	.37				O-RING
PARKER O-RING 77-545 VITON A	GSFC0683	.35	.02				O-RING
PARKER SEAL S 1808-50 GREEN SILICONE	GSFC8216	.11	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				24H	249	AIR	
PARYLENE C FILM	GSC15333	.75	.02				FILM/SHEET
PBI FOAM 4#/CU FT	GSFC6176	4.09	.01	?	482	AIR	HEAT SHIELD
PBI FOAM 4#/CU FT SAMPLE 925-30 POLYBENZIMIDAZOLE	GSFC6296	5.37	.00	30M	496	AIR	HEAT SHIELD
PBI THREAD - POLYBENZIMIDAZOLE	GSFC8657	10.93	.09				THREAD
PC 12-007 A/B AS 5/4 BW	GSFC5222	6.17	.01	16H	80	AIR	POTTING
PC 12-007 A/B AS 5/4 BW	GSFC5343	4.97	.00	12H	121	AIR	POTTING
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	GSFC4376	13.85	.07	7D	25	AIR	CONF COAT
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	GSFC4492	12.21	.06	30M	25	AIR	CONF COAT
				24H	65	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PC 17 A/B AS 2/1 BW FLEXIBLE EPOXY COATING	GSFC4988	7.01	.06	5H	25	AIR	CONF COAT
				5H	50	AIR	
PC 18 POLYURETHANE COATING	GSFC3588	4.51	.20	1H	71	AIR	COATING
PC 18M ONE PART POLYURETHANE COATING/F	GSFC7733	2.06	.09	24H	25	AIR	CONF COAT
				2H	60	AIR	
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	GSFC7739	3.10	.05	7D	25	AIR	CONF COAT
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	GSFC7832	1.04	.05	16H	50	AIR	CONF COAT
				24H	80	AIR	
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	GSFC7835	.88	.03	16H	50	AIR	CONF COAT
				24H	80	E-5	
PC 20M ONE PART ACRYLIC COATING/F	GSC11306	4.00	.05	7D	25	AIR	CONF COAT
PC 200-200 KAPTON/CU LAMINATE - KAPTON ONLY	GSC15771	3.36	.00				FLEX LAMINATE
PC 22 A/B AS 3/1 BW	GSFC0036	.75	.00	8H	66	AIR	POTTING
PC 29 A/B AS 5/3 BW URETHANE	GSFC1008	7.42	.10	3H	60	AIR	CONF COAT
PC 401/T AS 100/17 BW SILK SCREEN EPOXY GREEN	GSC11553	1.59	.18	30M	160	AIR	COATING MASK
PC 401/T AS 100/17 BW SILK SCREEN EPOXY GREEN	GSC11636	.72	.01	3.5H	160	AIR	COATING MASK
PC 501 A/B AS 10/1 BW GREEN SOLDER MASK	GSC15825	6.21	.00	1H	150	AIR	COATING MASK
PC-5 BLACK COATING	GSFC1480	4.31	.12	24H	25	AIR	PAINT
PCRG-4 PHENOLIC COATING	GSC14948	1.33	.00	10M	160	AIR	COATING
PD 147 (RTV 511)	GSFC5022	.11	.00	10H	93	AIR	COATING
				10H	177	AIR	
				48H	177	E-6	
PD 200-16 FOAMED RTV 560	GSFC4990	1.12	.49	10H	93	AIR	POTTING
				10H	177	AIR	
PD 200-16 FOAMED RTV 560	GSFC4992	.03	.02	10H	93	AIR	POTTING
				10H	177	AIR	
				24H	177	E-6	
PEEK 450G (POLYETHER-ETHER-KETONE) BROWN	GSC14250	.30	.02				MOLD CPND
PENN CHEM A TEFLON INNER CORE ONLY	GSC14023	.01	.01				TUBE/HOSE
PENN CHEM A TEFLON/DACRON/ELASTOMER TUBE/HOSE	GSC14002	3.58	2.19				TUBE/HOSE
PENNTUBE II SO 3-7164AX/C TEFLON TUBING	GSFC6074	.01	.00				TUBING
PENNTUBE V POLYOLEFIN SHRINK TUBE CLEAR	GSFC4638	.45	.13	5M	150	AIR	SHRINK TUBING
PENNTUBE VIIB NEOPRENE SHRINK TUBING BLACK	GSFC4640	8.42	4.75	5M	80	AIR	SHRINK TUBING
PENTON - CHLORONATED POLYETHER	GSFC4063	1.42	.33				MOLD CPND
PERMA-LOK HH120 FROM SHIMS	GSC12961	3.29	.37	48H	25	PSI	ADH-SEALANT
PERMA-LOK HL126 FROM SHIMS	GSC12964	3.76	.02	48H	25	PSI	ADH-SEALANT
PERMA-LOK HL138 FROM SHIMS	GSC12967	4.16	.03	48H	25	PSI	ADH-SEALANT
PERMA-LOK HM060 FROM SHIMS	GSC12973	4.11	.04	48H	25	PSI	ADH-SEALANT
PERMA-LOK HM128 FROM SHIMS	GSC12976	4.57	.13	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM012 FROM SHIMS	GSC12937	28.57	6.10	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM113 FROM SHIMS	GSC12940	14.67	6.23	48H	25	PSI	ADH-SEALANT
PERMA-LOK LM115 FROM SHIMS	GSC12943	10.84	4.46	48H	25	PSI	ADH-SEALANT
PERMACEL TAPE EE-6379 KAPTON H/SILICONE ADH	GSFC0217	2.31	.89				TAPE
PERMACEL TAPE EE-6600 ALUM/POLYESTER RUBBER ADH	GSFC14PN	8.50	3.90				TAPE
PERMACEL TAPE EE-6761 KAPTON/SILICONE ADH/S	GSFC2310	2.74	1.39				TAPE
PERMACEL TAPE EE-6962 KAPTON/2 SIDE SILICONE ADH/F	GSFC5757	1.94	.77				2 SIDED TAPE
PERMACEL TAPE EE-7240 GLASS CLOTH/ACRYLIC ADH/R	GSFC3994	.45	.03				TAPE
PERMACEL TAPE EE-7390 MYLAR FILM/ACRYLIC ADH/R	GSFC4065	.71	.02				TAPE
PERMACEL TAPE P-051 2 SIDE ACRYLIC ADH/F	GSC11989	2.36	.03				2 SIDED TAPE
PERMACEL TAPE PE-100 AL FOIL/GLASS FABRIC/SIL ADH	GSFC2089	3.08	1.79				TAPE
PERMACEL TAPE P280 CLEAR POLYESTER/ACRYLIC ADH/F	GSC14707	.50	.06				TAPE
PERMACEL TAPE 21 GLASS CLOTH/THERMOSET RUBBER ADH/R	GSFC4400	1.35	.34	1H	149	AIR	TAPE
PERMACEL TAPE 212 HI TEMP GLASS CLOTH/SILICONE ADH/R	GSFC4684	1.79	.70				TAPE
PERMACEL TAPE 213 GLASS CLOTH/ACRYLIC ADH/F	GSFC6332	.47	.02				TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PERMACEL TAPE 221 KAPTON/SILICONE ADH/F	GSFC5276	1.27	.55				TAPE
PERMACEL TAPE 221 KAPTON/SILICONE ADH/F	GSFC5314	1.30	.63	48H	150	E-5	TAPE
PERMACEL TAPE 223 KAPTON FILM/SILICONE ADH/F	GSFC7121	1.80	.73				2 SIDED TAPE
PERMACEL TAPE 224 KAPTON/ACRYLIC ADH/F	GSC13487	.60	.01				TAPE
PERMACEL TAPE 252 MYLAR/THERMOSET RUBBER ADH/R	GSFC4402	1.50	.37	30M	149	AIR	TAPE
PERMACEL TAPE 262 NOMEX FR NYLON PAPER/TS ACR ADH	GSFC3854	7.96	3.58	2H	135	AIR	TAPE
PERMACEL TAPE 2650 RED SILICONE TAPE WRAP	GSC15912	1.41	.26				TAPE
PERMACEL TAPE 2650 RED SILICONE TAPE WRAP	GSFC8855	.87	.47				TAPE
PERMACEL TAPE 422 TEFLON/SILICONE ADH/R	GSFC4418	.25	.09				TAPE
PERMACEL TAPE 4220 TEFLON/SILICONE ADH/F	GSFC8363	.70	.33				TAPE
PERMACEL TAPE 423 TEFLON/SILICONE ADH	GSFC0296	.65	.37	3H	21	AIR	TAPE
PERMACEL TAPE 423 TEFLON/SILICONE ADH/S	GSFC2224	1.39	.75				TAPE
PERMACEL TAPE 621 FIBERGLASS/SILICONE ADH/S	GSFC2185	12.69	5.95				TAPE
PERMACEL TAPE 921 WHITE MYLAR FILM SPLICING TAPE	GSFC2745	.91	.24				TAPE
PERMACEL TAPE 941 MYLAR/2 SIDE NATURAL RUBBER/R	GSFC4270	3.58	.58				2 SIDED TAPE
PERVEL ANTISTATIC MAT BLUE	GSC11866	31.79	11.57				MAT
PERVEL CONDUCTIVE FOAM BLACK HIGH DENSITY	GSC11872	1.77	.19				FOAM
PERVEL CONDUCTIVE FOAM BLACK LOW DENSITY	GSC11875	2.39	.16				FOAM
PERVEL LH30A STATIC DISSIPATIVE MAT MAROON COLOR	GSC12094	10.25	4.49				MAT
PERVEL 38056 CLEAR ANTISTATIC FILM	GSC11869	31.57	6.22				FILM
PETERSON CHEM EPOXY A/B AS 1/1	GSFC3527	1.06	.26	24H	125	AIR	ADHESIVE
PF 1006 NYLON 6	GSFC0927	1.50	.01				MOLD CPND
PHENAL 8000 PHENOLIC	GSC10457	1.18	.00	5M 18H	63 00	PSI AIR	MOLD CPND
PHENALL 8000 PHENOLIC	GSFC7013	1.34	.00	5M	149	PSI	MOLD CPND
PHENOLIC MOLD CPND PER MIL M14-CF1-10 BLACK	GSC12436	4.82	.04				MOLD CPND
PHENOLIC MOLD CPND PER MIL M14-CF1-10 BLACK	GSC12464	3.29	.04	16H	150	AIR	MOLD CPND
PHENOLIC ROD PER MILP-79C GRADE NA TYPE FBE	GSFC9757	3.30	.02				STRUCTURAL
PHENOLIC 76-0001-08/EPOXY ANHYDRIDE 76-0001-10	GSC12206	.33	.07	16H	150	AIR	MOLD CPND
PHENOLIC/NATURAL LINEN STANDOFF	GSFC4272	3.02	.01				STRUCTURAL
PHENOLIC/NATURAL LINEN STANDOFF	GSFC4562	1.89	.00	24H	125	AIR	STRUCTURAL
PHILLYSTRAN BRAIDED ROPE PS29-S-59	GSC14005	3.66	.31				CORD/ROPE
PHOTOPOLYMER 6011G MED VISCOSITY POLYTHIOETHER	GSFC7025	2.56	.04				CONF COAT - ADH
PHOTOPOLYMER 611AE RIGID POLYTHIOETHER	GSFC7103	1.97	.00				CONF COAT - ADH
PHOTOPOLYMER 911L LOW VISCOSITY POLYTHIOETHER	GSFC7028	2.18	.09				CONF COAT - ADH
PITEL CA A/B AS 1 DROP A/1 GM B CONDUCTIVE ADHESIVE	GSFC6992	2.58	.38	3D	25	AIR	COND ADHESIVE
PITEL CP CONDUCTIVE PUTTY	GSFC6989	5.88	2.18				ELEC COND PUTTY
PITEL PR PIEZOCONDUCTIVE RUBBER A/B AS PRE-MIX	GSFC6962	.92	.26	7D	25	AIR	ELASTOMER
PITT-GLAZE 16-402/H20 BASE ACRYLIC/EPOXY WHITE PAINT	GSC11210	2.80	.67	14D	25	AIR	PAINT
PITT-GLAZE 16-901/16-802 BASE ACRYLIC/EPOXY WHITE/F	GSC13445	4.23	.19	10D	25	AIR	PAINT
PKT WHITE PAINT OI 650/POTASSIUM TITINATE AS 1/1 BW	GSFC3173	1.95	.01	2H	50	AIR	PAINT
PLASTIC PART MOTOROLA CMOS 14011 DTD 7720	GSFC9140	.27	.00				MOLD CPND
PLASTIC PART MOTOROLA CMOS 14044 DTD 7731	GSFC8946	.25	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS00 DTD 7732	GSFC8948	.26	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS174 DTD 7733	GSFC9142	.27	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4011 DTD 723	GSFC9144	.24	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4044 DTD 727	GSFC8950	.26	.00				MOLD CPND
PLASTIC PART RCA CMOS 4011 DTD 723	GSFC8952	.27	.01				MOLD CPND
PLASTIC PART RCA CMOS 4044 DTD 701	GSFC9146	.26	.02				MOLD CPND
PLASTIC PART SIGNETICS 74LS00 DTD 7733	GSFC8954	.38	.00				MOLD CPND
PLASTIC PART SIGNETICS 74LS174 DTD 7723	GSFC9148	.31	.02				MOLD CPND
PLASTIC PART TEXAS INST 74LS00 DTD 7710	GSFC9150	.24	.00				MOLD CPND
PLASTIC PART TEXAS INST 74LS174 DTD 7718	GSFC8956	.25	.01				MOLD CPND
PLASTIKOTE MFR VARNISH 277 - DATA PER COAT CURE	GSFC0872	17.56	1.44	6H	25	AIR	VARNISH

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PLASTILOCK 717B NYLON/EPOXY ADH	GSFC2627	1.77	.06	1H	121	PSI	FILM ADHESIVE
PLEXIGLAS VS-100 OPTICAL	GSFC0463	1.00	.01				LENS
PLEXIGLAS 11 UVA	GSFC0460	.57	.00				LENS
PLIOBOND 30 FROM TUBE/FOIL SANDWICH	GSC12736	13.55	.70	48H	25	AIR	ADHESIVE
PLV 2000 VITON ADHESIVE	GSC11105	1.77	.63	3D	25	AIR	ADHESIVE
				1H	150	AIR	
PM-8592 PHENOLIC MOLDING CPND	GSC14950	.98	.01	2H	160	AIR	MOLD CPND
POLANE T F63B12/V66V27 AS 6/1 BV BLK POLYURETHANE/F	GSC14635	5.68	.09	14D	25	AIR	PAINT
POLANE T Z99BB513 BLACK POLYURETHANE PAINT/F	GSC14017	3.14	.05	6D	25	AIR	PAINT
POLANE T Z99BB513 BLACK POLYURETHANE PAINT/F	GSC14020	2.41	.06	1H	66	AIR	PAINT
POLASHEET GRAY SILICONE SHEET/EMBEDDED MONEL WIRE	GSC11273	1.56	.46				SHIELD
POLASHEET GRAY SILICONE SHEET/EMBEDDED MONEL WIRE	GSC11291	.20	.11	24H	177	AIR	SHIELD
POLY CAST EC EPOXY LOT 173-4416-4	GSFC6431	.83	.27	3H	171	AIR	ADHESIVE
				5H	163	AIR	
POLY-FLO TUBING 66P - POLYETHYLENE	GSFC8933	.46	.15				TUBING
POLYBUTYLENE TEREPHTHALATE (PBT) BLACK CELANEX 20-12	GSC13951	.34	.08				MOLD CPND
POLYBUTYLENE TEREPHTHALATE (PBT) WHITE CELANEX 20-12	GSC13954	.30	.05				MOLD CPND
POLYCARBAFIL G50/20 POLYCARBONATE/FIBER GLA AS 80/20	GSFC0963	.12	.00				MOLD CPND
POLYCARBONATE CIRCUIT CARD GUIDE	GSFC3053	.12	.02				GUIDE
POLYCHROME FILM 8 MIL	GSFC5619	.64	.01				FILM
POLYCOHR 630 TAPE POLYOLEFIN FILM/RUBBER ADH/F	GSFC5939	4.56	1.87				TAPE
POLYESTER FILM TRANSPARENT METALLIZED 100 GAUGE	GSC14728	.16	.01				ANTI STATIC FILM
POLYESTER FILM TRANSPARENT METALLIZED 50 GAUGE	GSC14734	.17	.02				ANTI STATIC FILM
POLYETHERSULFONE 200P THERMOPLASTIC	GSFC6844	1.04	.00				MOLD CPND
POLYETHYLENE FILM ANTISTATIC DF CLEAR	GSFC4908	.41	.16				FILM
POLYETHYLENE FILM ANTISTATIC DF PINK	GSFC4910	.20	.06				FILM
POLYETHYLENE FILM BLACK ANTI STATIC	GSC14782	.29	.13				ANTI STATIC FILM
POLYETHYLENE FILM TRANSPARENT	GSC14809	.41	.17				ANTI STATIC FILM
POLYETHYLENE FILM 2 MILS ALATHON RESIN-BRANCHED	GSFC7574	.14	.02				FILM
POLYETHYLENE POTTING CARTRIDGE	GSFC5779	1.10	.35				POTTING
POLYETHYLENE TUBE PE-35	GSC15660	.13	.02				TUBING
POLYETHYLENE ULTRA HIGH MOLECULAR WEIGHT	GSFC4546	.02	.00				STRUCTURAL
POLYETHYLENE VAPO FILM 6 MIL	GSC10928	.37	.10				FILM
POLYGON SG-101 COMPOSITE GLASS/SR 319 SILICONE	GSFC5144	.06	.02	10M	454	AIR	INSULATION
POLYGUIDE LAMINATING FILM	GSC10619	1.08	.33	24H	125	PSI	FILM ADHESIVE
POLYMERCAST V-356-HEF	GSC13341	2.80	.16	30M	82	AIR	CONF COAT
				2H	82	AIR	
POLYPENCO POLYSTYRENE	GSFC0197	.09	.00				STRUCTURAL
POLYSET EPC 68 BLUE EPOXY POWDER	GSC10111	.25	.03	2M	160	AIR	ADHESIVE
				20M	160	AIR	
				20M	94	AIR	
POLYSET 440 BLACK EPOXY MOLD CPND	GSC15566	.29	.00	1.5M	177	PSI	MOLD CPND
POLYSET 450-2 BLACK EPOXY MOLD CPND	GSC15568	.26	.01	1.5M	177	PSI	MOLD CPND
POLYSET 521 BLACK	GSFC8813	.30	.00				MOLD CPND
POLYSTYRENE CO-EXTRUDED BLUE BOX	GSC11878	.50	.09				MOLD CPND
POLYSTYRENE CO-EXTRUDED WHITE INSERT	GSC11881	.28	.05				MOLD CPND
POLYSULFONE	GSFC5395	.33	.00				MOLD CPND
POLYURETHANE COATING 22H ONE COMPONENT/FOIL	GSC13404	.91	.01	7D	25	AIR	COATING
				12H	120	AIR	
POLYURETHANE COATING 22H ONE COMPONENT/FOIL	GSFC7631	1.98	.03	7D	25	AIR	COATING
POLYURETHANE FILM 8560 W/RUBBER ADH/F	GSFC7118	1.49	.40				FILM
POLYURETHANE FOAM BY STOCKWELL RUBBER	GSFC4174	.53	.15				FOAM
POLYURETHANE TUBING MP 1485 PLASTICIZED	GSFC8438	.77	.22				TUBING
POLYURETHANE TUBING 8030-0060	GSC13245	.87	.26				TUBING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
POLYURETHANE 9250 BROWN	GSC12805	1.83	.23				MOLD CPND
POLYVINYL BUTYRAL FILM - BUTACITE	GSFC9793	30.31	5.07				FILM
PORCUPINE METALASTIC SILICONE FILLED MONEL MESH	GSC12352	.65	.25				SHIELDING
PORCUPINE METALASTIC SILICONE FILLED MONEL MESH	GSC12376	.09	.05	24H	177	AIR	SHIELDING
POREX ULTRA HIGH WEIGHT POLYETHYLENE HEAT PIPE WICK	GSC13320	.11	.01				HEAT PIPE WICK
PORON P01-20062-4-4 WHITE POLYURETHANE FOAM	GSC15010	1.26	.06				FOAM DAMPER
PORON P01-20062-7-3-1604 BLACK POLYURETHANE FOAM	GSC14972	.91	.09				FOAM DAMPER
PORON P09-20062-5-12 WHITE POLYURETHANE FOAM	GSC15012	1.52	.08				FOAM DAMPER
PORON P09-20062-7-2-1604 BLACK POLYURETHANE FOAM	GSC14970	1.14	.04				FOAM DAMPER
PORON S01-20062-6-11 WHITE POLYURETHANE FOAM	GSC15014	1.46	.09				FOAM DAMPER
PORON S01-20062-7-4-1604 BLACK POLYURETHANE FOAM	GSC14990	1.22	.05				FOAM DAMPER
PORON S09-20062-7-1-1604 BLACK POLYURETHANE FOAM	GSC14968	1.01	.07				FOAM DAMPER
PORON X4701-01-17105-1600 BROWN URETHANE FOAM	GSC15861	2.13	.35	1.5M	177	AIR	DAMPER
PORON X4701-01-17115-1600 BROWN URETHANE FOAM	GSC15846	1.47	.26	1.5M	177	AIR	DAMPER
PORON X4701-05-17125-1624 BLUE URETHANE FOAM	GSC15864	1.30	.10	1.5M	177	AIR	DAMPER
PORON X4701-05-19115-1633 WHITE URETHANE FOAM	GSC15867	2.32	1.15	1.5M	177	AIR	DAMPER
PORON X4701-05-20115-1613 BLUE URETHANE FOAM	GSC15870	1.87	.50	1.5M	177	AIR	DAMPER
PORON X4701-05-20120-1633 WHITE URETHANE FOAM	GSC15873	3.82	1.92	1.5M	177	AIR	DAMPER
PORON 01-20062-1604 BLACK POLYURETHANE FOAM	GSC14992	2.04	.53				FOAM DAMPER
PORON 09-20062 GRAY POLYURETHANE FOAM	GSC14994	1.28	.07				FOAM DAMPER
PORON 4701-01-20125-1614 BLUE URETHANE FOAM	GSC15849	1.23	.05	1.5M	177	AIR	DAMPER
PORON 4701-01-20125-1633 ALCOHOL WASH URETHANE FOAM	GSC13344	.73	.05	8H	100	AIR	DAMPER
PORON 4701-01-20125-1633 IVORY URETHANE FOAM	GSC12538	1.09	.02	20H	82	E-2	DAMPER
PORON 4701-01-20125-1633 IVORY URETHANE FOAM	GSC12541	1.35	.01				DAMPER
PORON 4701-05-20125-1637 GRAY POLYURETHANE FOAM	GSC15042	1.14	.05				FOAM
PORON 4701-05-20125-1637 GRAY URETHANE FOAM	GSC15876	.97	.02	1.5M	177	AIR	DAMPER
PORON 4701-09-20125-1648 GRAY URETHANE FOAM	GSC15879	.92	.05	1.5M	177	AIR	DAMPER
PORON 4716-16-20125-1633 URETHANE FOAM W/FLAMERETARD	GSC12544	4.35	1.07				DAMPER
PORON 4716-17-15250-1653 GRAY URETHANE FOAM	GSC15786	1.46	.02	1.5M	177	AIR	DAMPER
PORON 4716-18-15250-1654 BLUE/GRAY URETHANE FOAM	GSC15855	1.00	.05	1.5M	177	AIR	DAMPER
PORON 4716-21-15250-1655 PALE GREEN URETHANE FOAM	GSC15852	1.05	.06	1.5M	177	AIR	DAMPER
POTASSIUM TITANATE WHITE PAINT 150 GSFC SHAI	GSFC2227	.84	.00	18H	122	AIR	PAINT
POTTING CUP	GSFC8489	.62	.01	4H	135	AIR	LAMINATE
PP 87 TAPE POLYPROPYLENE FILM/SYN LATEX ADH/F	GSFC5441	2.29	.64				TAPE
PR 1201-Q A/B AS 1/10 BW POLYSULFIDE	GSFC3692	36.32	2.78	72H	25	AIR	MOLD CPND
PR 1221 A/B AS 10/1 BW POLYSULFIDE	GSFC5503	57.38	2.89	48H	25	AIR	GASKET SEAL
PR 1506 CLEAR PRIMER	GSFC7312	8.97	.05	2H	25	AIR	PRIMER
				16H	82	AIR	
PR 1524 A/B AS 26/100 BW POLYURETHANE	GSFC3151	.82	.09	10H	82	AIR	POTTING
PR 1525 A/B AS 8/25 BV POLYURETHANE	GSFC3215	.64	.11	16H	82	AIR	POTTING
PR 1527 A/B AS 26/100 BW POLYURETHANE	GSFC2565	.92	.10	5D	25	AIR	POTTING
				72H	51	E-6	
PR 1531 POLYURETHANE PRIMER	GSFC2452	5.97	2.29	24H	25	AIR	PRIMER
				24H	82	AIR	
PR 1535 A/B AS 32/100 BW POLYURETHANE	GSFC3694	.68	.10	7D	25	AIR	MOLD CPND
PR 1538 A/B AS 32/100 BW POLYURETHANE	GSFC0785	1.06	.00	20H	82	AIR	POTTING
PR 1538 A/B AS 32/100 BW POLYURETHANE	GSFC0800	.97	.02	20H	70	AIR	POTTING
PR 1538 A/B AS 32/100 BW POLYURETHANE	GSFC3690	.52	.05	144H	60	AIR	MOLD CPND
PR 1538 OVER PR 1531 A/B AS 32/100 BW	GSFC2354	1.94	.59	16H	82	AIR	CONF COAT
PR 1546L A/B AS 40/100 BW POLYURETHANE THICK BLOCK	GSFC8345	.67	.06	24H	25	AIR	POTTING
				84H	82	AIR	
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	GSFC8339	.63	.06	3H	25	AIR	CONF COAT
				60H	82	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	GSFC8342	.78	.06	24H	25	AIR	CONF COAT
				84H	82	AIR	
PR 1547 A/B AS 32/100 BW POLYURETHANE	GSFC3688	.65	.03	7H	82	AIR	MOLD CPND
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	GSC11276	.72	.01	7D	25	AIR	POTTING
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	GSC11279	.74	.02	24H	85	AIR	POTTING
				72H	100	E-5	
PR 1564 A/B AS 7.7/100 BW POLYURETHANE	GSFC5429	.86	.00	48H	25	AIR	POTTING
PR 1564 A/B AS 7.7/100 BW/BV POLYURETHANE CASTING	GSFC6338	1.12	.01	16H	85	AIR	ADHESIVE
				16H	100	E-5	
PR 1568 AEROSOL URETHANE COATING/F	GSC10577	1.57	.05	1H	25	AIR	CONF COAT
				12H	50	AIR	
PR 1568 AEROSOL URETHANE COATING/F	GSC10580	3.25	.02	1H	25	AIR	CONF COAT
				24H	75	AIR	
PR 1568 AEROSOL URETHANE COATING/F	GSC10628	1.92	.02	7D	25	AIR	CONF COAT
PR 1568 AEROSOL URETHANE COATING/F	GSC10631	3.00	.02	1H	25	AIR	CONF COAT
				3H	82	AIR	
PR 1568 AEROSOL URETHANE COATING/F	GSFC6596	1.69	.08	48H	25	AIR	CONF COAT
PR 1568 DIP COATING/F	GSC10784	1.97	.04	7D	25	AIR	CONF COAT
PR 1568 DIP COATING/F	GSC10787	2.29	.05	1H	25	AIR	CONF COAT
				3H	82	AIR	
PR 1570	GSFC7316	.35	.03	24H	25	AIR	POTTING
				16H	82	AIR	
				16H	82	E-6	
PR 1570 A/B AS 1/4 BW POLYURETHANE	GSFC7511	.34	.06	8H	82	AIR	POTTING
PR 1570 A/B AS 1/4 BW POLYURETHANE	GSFC7532	1.49	.30	72H	60	AIR	POTTING
PR 1574 A/B AS 18/100 BW POLYURETHANE	GSFC7400	.40	.04	25H	25	AIR	POTTING
				19H	82	AIR	
PR 1574 A/B AS 18/100 BW POLYURETHANE	GSFC7418	.54	.02	25H	25	AIR	POTTING
				31H	74	AIR	
PR 1592 A/B AS 53/100 BW POLYURETHANE	GSFC7235	1.01	.06	5D	25	AIR	POTTING
				5.5H	50	AIR	
				15H	65	AIR	
				17H	75	AIR	
PR 1660 A/B AS 11.5/100 BW POLYURETHANE FILM	GSFC6341	.86	.01	16H	100	AIR	ADHESIVE
PR 1660L A/B AS 1/4 BW AMBER POLYURETHANE LOT C21828	GSFC9359	1.05	.01	16H	65	AIR	ADHESIVE
PR 1660L A/B AS 1/4 BW W/MEK - POLYURETHANE	GSFC7553	.86	.01	16H	65	AIR	CONF COAT
PR 1660L A/B/CAB-O-SIL M-5 AS 25/100/8 W/PGMT/DEFOAM	GSFC7556	.81	.00	14D	25	AIR	ADHESIVE
PR 1710 ADHESIVE FOR VITON A	GSFC4250	.38	.01	16H	25	AIR	ADHESIVE
				1H	121	AIR	
PR 1710 POLYSULFIDE SEALANT	GSFC9479	.66	.04	16H	25	AIR	SEALANT
				2H	121	AIR	
PR 1710 POLYSULFIDE SEALANT	GSFC9482	1.35	.07	7D	25	AIR	SEALANT
PR 1930-2 A/B AS 10/1 BW SILICONE	GSFC3814	1.02	.27	14D	25	AIR	POTTING
PR 365 BLACK POLYURETHANE RUBBER	GSC11132	3.34	.09	21D	25	AIR	GASKET
PR 420 ORANGE PRIMER	GSFC7310	5.41	1.30	2H	25	AIR	PRIMER
				16H	82	AIR	
PR 420 PRIMER/ACETONE	GSFC2547	12.49	.01	7D	25	AIR	PRIMER
PREM 10 MIL TEFLON COATED FIBERGLASS	GSC15064	.02	.00				ANTI STATIC FILM
PREM 20 MIL TEFLON COATED FIBERGLASS FILM	GSC15110	.02	.00				ANTI STATIC FILM
PREPARAKOTE	GSFC1393	3.43	.37	24H	25	AIR	PRIMER
PRIMER DESOTO 513-102/F	GSC10014	2.50	.09	14D	25	AIR	PRIMER
PRIMER RANDOLPH GREEN ZINC CHROMATE	GSFC2254	3.23	.23	24H	25	AIR	PRIMER
PRIMER RANDOLPH GREEN ZINC CHROMATE	GSFC2255	2.32	.28	30M	25	AIR	PRIMER
				24H	107	E-6	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PRIMER ZINC CHROMATE	GSFC2275	3.23	.22	24H	25	AIR	PRIMER
PRIMER 3-1W-24/3-1H-8 AS 3/1 BW EPOXY URETHANE WHITE	GSC11884	7.06	.33	7D	25	AIR	PRIMER
PRIMER 6362/CAT 6361 AS 1/1 BV	GSFC1198	5.24	.19	16H	25	AIR	PRIMER
PRINT-KOTE GC 14-2 ON FOIL	GSFC5589	3.45	.79	16H	25	AIR	CONF COAT
PRINT-KOTE GC 14-2 ON FOIL	GSFC5621	1.47	.98	24H	100	AIR	CONF COAT
PRO-LINE 4601 WHITE EPOXY/POLYAMIDE PAINT	GSC16281	4.10	.03	5D	25	AIR	PAINT
PROFIL F60/20 POLYPROPYLENE FOAM/20% GLASS FIBER	GSFC4040	.16	.04				FOAM
PROLITE P-527-66/P-863-66 AS 1/1 BW YELLOW EPOXY/F	GSFC6697	4.01	.02	24H	25	AIR	PRIMER
PROOF BOARD CLOSED CELL POLYURETHANE FOAM	GSC10017	1.14	.00	48H	100	AIR	INSULATION
PROOF BOARD CLOSED CELL POLYURETHANE FOAM	GSC10035	1.36	.00				INSULATION
PROSEAL 796-80	GSFC0506	1.41	.02	24H	82	AIR	URETHANE
PROSEAL 796-80 A/B AS 10/3 BW	GSFC0450	1.21	.02	16H	80	AIR	URETHANE
PROSEAL 799 A/B AS 100/41 BW PURPLE POLYURETHANE	GSC12778	9.97	6.71	12H	82	AIR	POTTING
PRP 11165 SILICONE O-RING	GSFC0425	.30	.04				O-RING
PRUFCOAT 4000 BLACK EPOXY PAINT/545 RED PRIMER	GSFC5346	9.24	.09	24H	25	AIR	PAINT COMPOSITE
				24H	25	AIR	
PS 18 ACRYLIC CEMENT	GSFC2753	.73	.00	72H	25	AIR	ADHESIVE
PSWR-010 2000 DENIER ROPE NYLON/KEVLAR 29	GSC14408	6.35	2.46				ROPE
PT 201 THERMOSETTING YELLOW GOLD EPOXY COATING/F	GSC12355	.96	.07	1H	163	AIR	COATING
PT 207 POLYVINYL FLUORIDE	GSFC6557	3.88	.21	48H	25	AIR	COATING
PT 401 WHITE PAINT	GSC10946	3.00	1.00	15M	25	AIR	PAINT
				30M	66	AIR	
				90M	121	AIR	
PT 401/H-11 AS 16/1 BV WHITE PAINT	GSFC2783	1.87	.07	15M	25	AIR	PAINT
				15M	66	AIR	
				1.5H	121	AIR	
PT 401/H11 AS 16/1 BV GLOSSY WHITE EPOXY	GSC11366	1.05	.10	15M	25	AIR	PAINT
				15M	66	AIR	
				90M	121	AIR	
PT 4121 A/B AS 1/1 BW EPOXY	GSFC1648	13.27	.20	1H	66	AIR	ADHESIVE
PT 4121 A/B AS 100/73 BW EPOXY	GSFC4994	8.31	.03	5H	54	AIR	CONF COAT
				24H	52	AIR	
PT 426 A/B AS 1/1 BV TUF/FILM GLOSSY WHITE EPOXY	GSC11336	1.89	.14	7D	25	AIR	PAINT
PT 426 A/B AS 1/1 BV TUF/FILM GLOSSY WHITE EPOXY	GSC11339	1.28	.15	2H	66	AIR	PAINT
PT 750 A/B AS 3/1 BV MAROON	GSC11437	1.74	.13	1H	25	AIR	COATING
				40M	71	AIR	
				24H	100	AIR	
PT 750 A/B AS 3/1 BV POLYURETHANE	GSFC2993	10.95	.01	24H	25	AIR	CONF COAT
PTX-206 BLACK POLYIMIDE COATING	GSC15297	9.59	.04	1H	60	AIR	COATING
				16H	90	AIR	
PUTTY VACUUM SEALING	GSFC1966	1.87	.48				SEALANT
PV 100 SILICONE WHITE PAINT	GSFC2332	2.86	.06				PAINT COMPOSITE
PYRALIN 12 POLYIMIDE PREPREG	GSFC1183	.52	.00	30M	177	PSI	LAMINATE
				2H	260	PSI	
PYRALIN 3 POLYIMIDE PREPREG	GSFC1174	2.37	.07	2H	177	PSI	LAMINATE
PYRALUX COPPER CLAD 2 SIDES 5.5 MILS THICK	GSFC7484	.14	.00	1H	177	AIR	LAMINATE
PYRALUX FILM POLYIMIDE 2 MILS THICK	GSFC7481	.34	.00	1H	177	AIR	FILM
PYRALUX WA CLOTH SUPPORT/ACRYLIC FILM ADH - AMBER	GSFC8804	.20	.01	1H	204	AIR	FILM ADHESIVE
PYRALUX 3249-87 CLOTH SUPPORTED FILM ADHESIVE	GSFC8777	.31	.02	2H	154	AIR	FILM ADHESIVE
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	GSFC5097	.96	.00	15M	149	AIR	COATING
				30M	204	AIR	
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	GSFC5100	.86	.00	15M	149	AIR	COATING
				30M	204	AIR	
				24H	149	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PYROFILM PVC 70 RESISTOR COATING	GSC13678	.91	.10				CONF COAT
PYROFILM PVC 70 RESISTOR COATING	GSC13680	.72	.06	26H	122	E-5	CONF COAT
PYROMARK STANDARD WHITE SILICONE ON ALUMINUM	GSFC0323	.06	.02				PAINT
PYROMARK STANDARD WHITE SILICONE ON EPOXY	GSFC0326	.40	.03				PAINT
PYROMARK 2500 FLAT BLACK COATING	GSC14731	.15	.05	18H	25	AIR	COATING
				15M	121	AIR	
				1H	249	AIR	
PYROMARKER HIGH TEMP WHITE MARKER/F	GSC11785	2.83	.42	7D	25	AIR	MARKER
PYRONE	GSFC1843	3.49	.03	1H	450	AIR	MOLD CPND
P413D PHENOLIC COATING - BROWN/F	GSC15016	.77	.00	20M	25	AIR	COATING
				30M	121	AIR	
				2H	204	AIR	
P415A EPOXY PRIMER	GSFC3620	3.97	.10	7D	25	AIR	PRIMER
P527 PRIMER EPOXY/POLYAMIDE	GSFC3548	2.16	.04	15M	25	AIR	PRIMER
				1H	77	AIR	
Q DOPE POLYSTYRENE COIL COATING	GSFC4284	7.72	.32	24H	25	AIR	COIL COATING
QED HIGH VAC SEALANT SILICONE IN XYLENE	GSFC1954	3.55	2.28	2H	160	AIR	SEALANT
QF 1006 NYLON 6/10 30% FIBER GLASS	GSFC0906	.65	.04				MOLD CPND
QR-4-3117 ONE PART SILICONE	GSFC4818	1.49	.19	7D	25	AIR	CONF COAT
QR-4-3117 ONE PART SILICONE	GSFC5040	1.07	.25	16H	25	AIR	CONF COAT
				24H	70	AIR	
Q1-2577 CLEAR SILICONE	GSC13111	2.57	.85	25D	25	AIR	PAINT BASE
Q1-2577 SILICONE	GSC12685	2.59	.67				THERM ADHESIVE
Q1-2577 WHITE SILICONE	GSC13114	1.70	.47	25D	25	AIR	PAINT
Q2-3067 OPTICAL COUPLING COMPOUND	GSC10341	.77	.05				GREASE
Q3-6527 A/B AS 1/1 BW OPTICAL COUPLING CPND	GSC12997	1.73	.78	1H	90	AIR	OPTICAL COUPLE
Q3-6567 A/B AS 1/1 BW BLACK SILICONE	GSC13000	.95	.41	24H	80	AIR	ENCAPSULANT
Q3-6575 A/B AS 1/1 BW CLEAR OPTICAL COUPLING GEL	GSC15209	5.06	1.87	7D	25	AIR	OPTICAL COUPLE
Q3-6575 A/B AS 1/1 BW GEL DEVOL PART A	GSC15300	2.54	.72	7D	25	AIR	OPTICAL COUPLE
Q9-6312 CLEAR RTV COATING/F	GSC13230	3.33	.01	10D	25	AIR	COATING
Q9-6312 CLEAR RTV COATING/F	GSC13233	2.33	.01	2H	80	AIR	COATING
R&S 9384 COATED VDALUMINIZED KAPTON	GSC12613	.73	.00				THERMAL BLANKET
R&S 9384 COATED VDALUMINIZED KAPTON	GSC12616	.72	.01	24H	50	E-6	THERMAL BLANKET
R-0-N ONE PART BLACK INK/F	GSC14495	.88	.01	30M	149	AIR	INK
R-104 PRIMER/F	GSC15368	11.00	.01	10D	25	AIR	PRIMER
R-104 PRIMER/F	GSC15597	8.47	.03	24H	25	AIR	PRIMER
				1H	65	AIR	
R-11-N ONE PART SILVER INK/F	GSC14501	1.61	.04	30M	149	AIR	INK
R-1152 ONE COMPONENT SILICONE - CLEAR LOT 013-166	GSC12760	.15	.01	7D	25	AIR	CONF COAT
R-1500 ONE COMPONENT ELEC COND SILICONE - BLACK	GSC12394	.31	.04	7D	25	AIR	ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-058	GSC12655	.45	.08				ADH-SEALENT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	GSC12631	.45	.06				ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	GSC12946	.39	.07	7D	25	AIR	ADH-SEALANT
R-179 CYCLOALIPHATIC EPOXY UNFILLED	GSFC1711	.81	.03	30M	160	AIR	POTTING
R-179 CYCLOALIPHATIC EPOXY/FILLED	GSFC1708	1.17	.00	30M	160	AIR	POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	GSC12634	.27	.04				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	GSC12895	.25	.05	7D	25	AIR	ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	GSC12658	.33	.07				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	GSC12949	.29	.07	7D	25	AIR	ADH-POTTING
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	GSC12637	.37	.03				ADHESIVE
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	GSC12898	.59	.03	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT DBID WHITE SILICONE	GSC12586	.28	.05	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	GSC12661	.42	.07				ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	GSC12892	.44	.07	7D	25	AIR	ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
R-2566 0.5% BW CAT RED CONT VOLATILITY SILICONE	GSC12397	.35	.02	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 274	GSC12718	.34	.05	7D	25	AIR	POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	GSC12664	.31	.03				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	GSC12952	.50	.03	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	GSC12640	.35	.05				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	GSC12886	.63	.06	7D	25	AIR	ADH-POTTING
R-2567 0.5% BW CAT CLEAR SILICONE	GSC12400	.62	.05	7D	25	AIR	ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	GSC12643	.41	.02				ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	GSC12889	.31	.08	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301	GSC12688	.38	.07	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301(RERUN 12688)	GSC12739	.12	.03	7D	25	AIR	ADHESIVE
				24H	125	E-7	
R-313 A/B AS 100/8 BW EPOXY	GSFC0305	1.71	.19	12H	25	AIR	ADHESIVE
				2H	66	AIR	
R-9-N ONE PART WHITE INK/F	GSC14498	.90	.02	30M	149	AIR	INK
RADEL POLYARYLSULFONE	GSC15492	1.11	.02				MOLD CPND
RADITE 75	GSFC5431	1.38	.00				MOLD CPND
RANDAC KR 544-006 GOLD EPOXY	GSC15663	.63	.01	20M	150	AIR	COATING
RANDAC KR 544-8946 RED EPOXY	GSC15666	.62	.01	20M	150	AIR	COATING
RATE GYRO INSULATION MATERIAL	GSC10715	29.02	2.98				INSULATOR
RAYBESTOS R500 FRICTION MATERIAL	GSC11198	1.13	.00	16H	110	E-5	FRICTION PAD
RAYCHEM CABLE M27500-22 SB6T23 06090 WHITE OUTERINSL	GSC15144	.58	.02				CABLE INSUL
RAYCHEM COAX 5026A-1211-9 ORANGE INNER INSUL	GSFC5367	.72	.16				WIRE INSUL
RAYCHEM COAX 5026A-1211-9 WHITE OUTER INSUL	GSFC5364	.12	.04				WIRE INSUL
RAYCHEM KYNAR NOT PRE-SHRUNK	GSFC0242	.28	.28				SHRINK TUBING
RAYCHEM KYNAR PRE-SHRUNK	GSFC0239	.24	.13				SHRINK TUBING
RAYCHEM POLYALKENE WIRE INSULATION YELLOW	GSFC2701	1.73	.01				WIRE INSUL
RAYCHEM POLYALKENE WIRE INSULATION YELLOW TYPE 44	GSFC6802	.75	.03				WIRE INSUL
RAYCHEM POLYALKENE WIRE RADIATION CROSSLINKED	GSFC1801	.34	.07				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0111-20-9 WHITE	GSFC5196	.15	.01				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0811-20-9 GRAY	GSFC5198	.14	.00				WIRE INSUL
RAYCHEM POLYOLEFIN MT 13-4 SHRINK TUBING PRESHRUNK	GSFC2493	.82	.21	10M	71	AIR	SHRINK TUBING
RAYCHEM SPEC 44 WIRE INSUL BLACK/CLEAR M81044/12-24	GSC14584	.77	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J020197902	GSC11014	.46	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 INNER	GSC11020	.71	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 OUTER	GSC11022	.18	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 INNER	GSC11032	.64	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 OUTER	GSC11034	.17	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 INNER	GSC11024	.66	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 OUTER	GSC11026	.15	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 INNER	GSC11028	.68	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 OUTER	GSC11030	.22	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0401127801	GSC11012	.67	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0511107814	GSC11016	.65	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0602278014	GSC11018	.26	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL RED/CLEAR M81044/12-20	GSC14581	.91	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL WHITE LOT PJ0505157909	GSC10898	.29	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSULATION WHITE	GSFC2703	.52	.07				WIRE INSUL
RAYCHEM SPEC 44/A0111 GEN PURP GRADE WIRE INS WHITE	GSFC5825	1.89	.08				WIRE INSUL
RAYCHEM SPEC 44/0411 SPACE GR WHITE LOT PJ612127915	GSC10901	.19	.05				WIRE INSUL
RAYCHEM SPEC 44/0411-20 SPACE GR OUTER INS WHITE	GSFC7634	.77	.03				WIRE INSUL
RAYCHEM SPEC 44/0411-20X SP GR INS W/O BENZOPHENONE	GSC10143	.26	.02				WIRE INSUL
RAYCHEM SPEC 44/0414-24-9 WHITE WIRE INSUL	GSC10949	.65	.05				WIRE INSUL
RAYCHEM SPEC 44/1441-24 SPACE GR OUTER INS WHITE	GSFC7619	.13	.01				WIRE INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RAYCHEM SPEC 44/2431-22-0/1/9-9 CLEAR INSUL	GSC10955	.70	.05				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 COLOR CODE INSUL	GSC10952	.46	.05				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 WHITE OUTER SHEATH	GSC10970	.15	.04				WIRE INSUL
RAYCHEM SPEC 55 IRRADIATED ETFE WHITE WIRE INSUL	GSFC8885	.22	.00				WIRE INSUL
RAYCHEM SPEC 55A0811-24-9 PJ04032682 02 BLUE/WHITE	GSC12487	.08	.01				WIRE INSUL
RAYCHEM SPEC 88 POLY X INSULATION	GSFC2302	.80	.00				WIRE INSUL
RAYCHEM WIRE END SEAL CAP D-305	GSC15118	.07	.00	5M	300	AIR	SHRINK TUBING
RAYCHEM 102 PRE SHRUNK	GSFC0764	.95	.17				SHRINK TUBING
RAYOLIN F CABLE 4126E 1332 INSULATION GRAY	GSFC3383	.70	.17				WIRE INSUL
RB 10-51 A/B AS 2/3 BW FLEXIBLE EPOXY	GSFC1504	1.97	.38	?	25	AIR	POTTING
RB 10-51 A/B AS 2/3 BW FLEXIBLE EPOXY	GSFC1651	1.98	.42	8H	25	AIR	POTTING
				4H	52	AIR	
				24H	60	E-2	
RB 8-1338 A/B AS 100/65 BW POLYURETHANE	GSFC1672	.51	.04	8H	52	AIR	POTTING
				24H	60	E-2	
RB 8-1338 A/B AS 50/34 BW POLYURETHANE	GSFC1516	.75	.00	7D	25	AIR	POTTING
RC-AS-1200 ANTISTATIC POLYETHYLENE FILM	GSFC4706	.29	.04				FILM
RC-AS-1200 PINK POLYETHYLENE FILM	GSC14785	.67	.30				ANTI STATIC FILM
RC-AS-1200FR ANTISTATIC POLYETHYLENE FILM	GSFC4708	.70	.15				FILM
RC-AS-2400 ANTISTATIC NYLON FILM PINK/ORANGE	GSFC6482	6.34	.24				FILM
RC-AS-2400 ANTISTATIC POLYAMIDE NYLON FILM	GSC14755	4.28	.11				ANTI STATIC FILM
RC-AS-2400 A126 NYLON FILM W/O ANTISTATIC COMP/CLEAR	GSFC6846	6.75	.18				FILM
RC-AS-3600 3 LAYER ANTI STATIC FILM	GSC14821	.39	.16				ANTI STATIC FILM
RC-AS-4200 POLYESTER-ALUM-POLYETHYLENE FILM BLUE	GSC14758	.36	.11				ANTI STATIC FILM
RC-AS-4800 GRAY ANTISTATIC FILM	GSC14761	.33	.10				ANTI STATIC FILM
RCC-15D UV POLYMER	GSC11501	2.34	.20				CONF COAT
RCC-15D UV POLYMER	GSC11705	.48	.03				CONF COAT
RD 1875-3 POLYURETHANE	GSFC1627	1.60	.28	24H	25	AIR	COATING
RD 1875-3 POLYURETHANE	GSFC1630	1.35	.18	24H	25	AIR	COATING
				24H	71	E-3	
RD 3327-6/ACCEL 4/F	GSFC9760	7.63	.37	24H	25	AIR	ADHESIVE
RE 2039/HD 3485 AS 100/14 BW MILKY EPOXY	GSC15858	5.94	2.70	18D	25	AIR	COIL COATING
REDAR SI 503 REINFORCED SILICON HOSE	GSFC2513	.96	.31				HOSE
REDIMARK FELT MARKER BLACK/F	GSC11779	18.40	6.62	7D	25	AIR	MARKER
REDIMARK FELT MARKER RED/F	GSC11782	25.35	10.39	7D	25	AIR	MARKER
REDIMARK 139-101 FELT MARKER BLUE/F	GSC11995	22.14	1.01	7D	25	AIR	MARKER
REFLECTOR RED STIMSONITE	GSC13750	.38	.01				REFLECTOR
REICHOLD POLYURETHANE FOAM	GSFC2378	5.80	.17	1.5H	25	AIR	FOAM
				1H	77	AIR	
REIGAL PAPER MKCC11069 POLYIMIDE FILM	GSFC3550	3.35	.14	30M	174	PSI	ADH FILM
RELIABOND 398 FILM ADHESIVE GRAY	GSFC9527	1.17	.01	1H	130	PSI	FILM ADHESIVE
RELIABOND 7115 CLOTH SUPPORT EPOXY FILM	GSFC6971	.96	.06	1H	121	PSI	FILM ADHESIVE
RELIEF CAP - SILICONE RUBBER	GSFC4620	1.20	.28				CAP
REMTEK GLO-135 WHITE POLYOLEFIN SHRINK TUBING	GSFC9530	.49	.01	0.5M	135	AIR	SHRINK TUBING
RESDEL EPOXY WITH IRON FILLING	GSFC1747	.67	.03	10M	160	AIR	ADHESIVE
RESDEL 01-02-01 CIBA 6005/RESDEL 41 AS 5/1 BW EPOXY	GSFC1744	.82	.03	10M	160	AIR	ADHESIVE
RESINOL RTC A/B AS 100/6 BW	GSC15022	1.96	.02	16H	25	E-2	POTTING
RESINOL 90C A/B AS 100/6 BW	GSC15018	6.99	.04	1H	85	E-2	POTTING
RESINOL 90C A/B AS 100/6 BW	GSC15020	8.79	.07	15M	90	AIR	POTTING
RESISTOR COATING TYPE 100 FLAT BLACK/F	GSC13084	1.18	.75	20M	25	AIR	COATING
				20M	65	AIR	
				3H	150	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RESISTOR COATING TYPE 150 FLAT BLACK/F	GSC12781	.26	.13	15M	65	AIR	CONF COAT
				30M	125	AIR	
				30M	200	AIR	
RESISTOR COATING TYPE 200 FLAT BLACK/F	GSC12784	.32	.08	15M	65	AIR	CONF COAT
				30M	125	AIR	
				30M	200	AIR	
RESISTOR COATING TYPE 250 FLAT BLACK/F	GSC13087	.86	.44	20M	25	AIR	COATING
				20M	65	AIR	
				3H	150	AIR	
RESISTOR RLR07 BLUE EPOXY COATING	GSC15124	.10	.01				RESISTOR
RESISTOR RNC55 BLACK EPOXY COATING	GSC15126	.12	.01				RESISTOR
RESISTOR RWR81 DC 307 MOLDING CPND	GSC15128	.13	.02				RESISTOR
RESISTOR RWR89 SILICONE MOLDING CPND	GSC15130	.02	.01				RESISTOR
RESIWELD 7004 EPOXY ADH A/B AS 1/1 BV	GSFC0978	1.67	.12	24H	25	AIR	ADHESIVE
RESIWELD 7200 A/B AS 2/1 BV EPOXY COATING	GSFC4300	4.03	.01	2H	66	AIR	CONF COAT
RESIWELD 7200 A/B/SOL AS 2/1/2 BW EPOXY COATING	GSFC4686	11.01	.00	16H	25	AIR	CONF COAT
				16H	60	AIR	
RESYN 30-1215 PRESSURE SENSITIVE ACRYLIC ADHESIVE	GSFC4336	.63	.01	16H	25	AIR	ADHESIVE
				2H	66	AIR	
REXOLITE 1422 STYRENE	GSFC2281	.16	.02				INSULATION
RF 1006 NYLON 6/6	GSFC0912	.81	.04				MOLD CPND
RF 1730 A/B AS 1/1 BW POLYURETHANE (NO MOCA OR TDI)	GSFC6560	.85	.19	16H	25	AIR	POTTING
				24H	65	AIR	
RFF 263 POLYURETHANE FOAM GRAY	GSFC5124	1.79	.22	48H	66	AIR	FOAM
RFF 263 POLYURETHANE FOAM GRAY 48 HR METOH WASH	GSFC5127	.53	.05	48H	66	AIR	FOAM
				24H	100	AIR	
RFI 261-100 PPI2 WHITE FOAM	GSC15227	2.52	.33				FOAM
RFL 4536 NYLON 6/6 W/30% GLASS/15% TFE/SILICONE	GSFC5529	1.17	.17				STRUCTURAL
RG 304/U CABLE INSUL PTFE OUTER COVERING ONLY	GSFC7592	.01	.00				CABLE INSUL
RHODORSIL CAF 410 TRANSLUCENT FROM TUBE	GSC16034	2.83	.78	7D	25	AIR	ADHESIVE
RHODORSIL CAF 430T RED FROM TUBE	GSC16037	3.16	.68	7D	25	AIR	ADHESIVE
RHODORSIL CAF 460T TAN FROM TUBE	GSC16040	1.28	.35	7D	25	AIR	ADHESIVE
RHOPLEX N-619 PRES SENS ACRYLIC ADH/FOIL SANDWICH	GSFC5763	.51	.00	30M	25	AIR	ADHESIVE
				1H	70	AIR	
RICOTHENE 3711 THERMOSET THERMOPLASTIC HYDROCARBON	GSFC4023	1.50	.07				MOLD CPND
RIGIDAMP SILICONE	GSFC4642	2.01	.04				ADHESIVE
RIGIDAMP 19010-1 LAMINATE ONLY	GSFC4912	.57	.00				LAMINATE
RIGIDAMP 19010-1 VISCOELASTIC FILM/3M TAPE 467	GSFC4914	3.46	.50				ADHESIVE
RL 4540 NYLON 6/6 W/20% TFE/SILICONE	GSFC5527	1.40	.07				STRUCTURAL
RLR05 RESISTOR COATING PHENOLIC	GSC16253	.10	.02	10M	160	AIR	COATING
RLR05 RESISTOR COATING PHENOLIC	GSC16255	.08	.02	2H	150	AIR	COATING
RMBC 18 A/B AS 4/1 BW CLEAR EPOXY	GSFC7220	6.85	.01	1H	25	AIR	COATING
				1H	132	AIR	
RNC50 RESISTOR COATING PHENOLIC/EPOXY	GSC16251	.18	.04	10M	160	AIR	COATING
ROD JANCO HIGH TEMPERATURE - BLUE	GSC15900	.60	.01				INSUL SHIM
ROGERS POLYURETHANE FOAM	GSFC2497	8.51	.51				FOAM
ROGERS RX 611	GSFC2324	.53	.01	10M	149	AIR	MOLD CPND
				30M	149	AIR	
				30M	204	AIR	
ROH 261 GRAY FOAM	GSC15261	3.58	.42				FOAM
ROYCO 43 GREASE PER MIL G4343B	GSFC9296	85.13	15.34				LUBRICANT
RR 423 SILICONE RUBBER	GSFC2236	5.50	1.37				SEAL
RR 423 SILICONE RUBBER	GSFC2269	.11	.02	24H	232	AIR	SEAL
RS-12 MICRO SHIELD PAINT	GSFC3055	8.54	2.36	21D	25	AIR	PAINT

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RS-12 MICRO SHIELD PAINT ON FOIL	GSFC6455	9.58	4.37	2H	60	AIR	PAINT
RT DUROID 4300 REINFORCED TEFLON PTFE	GSFC3552	.01	.00				BEARING MTL
RT DUROID 5870 - LAMINATE	GSC10634	.05	.00				LAMINATE
RT DUROID 5880 - LAMINATE	GSC10637	.03	.00				LAMINATE
RT DUROID 6010 - LAMINATE	GSC10640	.03	.00				LAMINATE
RT 1146 BLACK VITON SHRINK TUBING - HEAT GUN SHRINK	GSFC9170	.37	.07				SHRINK TUBING
RTV 108 ONE COMPONENT TRANSLUCENT SILICONE	GSFC9365	4.32	1.10	10D	25	AIR	ADHESIVE
RTV 11/T-12 AS 0.6% T-12 WHITE SILICONE	GSFC8966	.67	.25	40H	25	AIR	POTTING
				72H	150	AIR	
RTV 11/T-12 AS 100/2 BW SILICONE	GSFC4800	1.08	.37	24H	25	AIR	POTTING
				24H	130	AIR	
RTV 11/T-12/SILVER FLAKE 0.5% T-12/70% SILVER FLAKE	GSFC4688	.81	.22	4D	25	AIR	COND ADHESIVE
RTV 11/T-12/SILVER FLAKE 0.5% T-12/70% SILVER FLAKE	GSFC6563	.72	.15	810D	25	AIR	COND ADHESIVE
RTV 118 ONE COMPONENT TRANSLUCENT SILICONE	GSC10140	1.60	.98	7D	25	AIR	ADHESIVE
				96H	104	AIR	
RTV 118 ONE COMPONENT TRANSLUCENT SILICONE	GSFC9068	1.96	1.01	20D	25	AIR	ADHESIVE
RTV 118 SILICONE CPND	GSFC0770	2.21	1.07	24H	25	AIR	ADH-SEAL-ENCAPS
RTV 12 A/B AS 20/1 BW CLEAR BLUE SILICONE	GSC13647	1.37	.58	3H	66	AIR	POTTING
RTV 136 SILICONE	GSFC1369	.25	.03	24H	25	AIR	SILICONE
RTV 142 ONE COMPONENT WHITE SILICONE	GSFC7487	.21	.01	6D	25	AIR	ADH-SEALANT
RTV 142 ONE COMPONENT WHITE SILICONE	GSFC9050	.24	.00	7D	25	AIR	ADHESIVE
RTV 142 ONE COMPONENT WHITE SILICONE LOT JM 107	GSC10748	.22	.00	7D	25	AIR	ADHESIVE
RTV 154 ADHESIVE SEALANT	GSFC2925	3.42	1.66	24H	25	AIR	ADH-SEALANT
RTV 162 ONE COMPONENT WHITE SILICONE	GSFC8198	1.59	.42	7D	25	AIR	ADHESIVE
RTV 168 SILICONE	GSFC3734	1.72	.55	24H	25	AIR	ADHESIVE
RTV 189 ONE PART GRAY SILICONE	GSC15621	1.33	.51	7D	25	AIR	ADHESIVE
RTV 511 .007-.009 IN THICK	GSFC7559	.62	.29	3D	25	AIR	ADHESIVE
				48H	100	E-6	
RTV 511 .007-.009 IN THICK	GSFC7562	.78	.39	3D	25	AIR	ADHESIVE
				48H	125	E-6	
RTV 511 0.5% BW CAT DEVOL AT 100C LOT JN 170	GSC11060	1.82	.49	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT DEVOL AT 125C LOT JN 170	GSC11084	.78	.26	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT DEVOL AT 150C LOT JN 170	GSC11108	.49	.11	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT DEVOL AT 160C LOT JN 170	GSC11453	.39	.05	7D	25	AIR	ADHESIVE
RTV 511 0.5% BW CAT VIRGIN RESIN LOT KH 181	GSC12052	3.66	.63	7D	25	AIR	ADHESIVE
RTV 511/CAT 9811 AS 6.0% BW CAT GREEN SILICONE	GSFC9380	3.59	.64	30D	25	AIR	POTTING
RTV 511/T-12 AS 0.5% T-12 BW SILICONE	GSFC4616	.09	.00	3D	25	AIR	COATING
				16H	177	E-5	
RTV 511/T-12 AS 40 GM/10 DROPS SILICONE	GSFC5264	2.97	.76	30D	25	AIR	ADHESIVE
RTV 511/577/T-12 AS 1/1/4% BW	GSFC2529	.65	.35	72H	25	AIR	ADH-SEAL-ENCAPS
				72H	51	E-6	
RTV 560/T-12 AS 0.1% T-12	GSFC7955	2.22	.49	150D	25	AIR	ADHESIVE
RTV 560/T-12 AS 0.1% T-12	GSFC7982	.08	.04	150D	25	AIR	ADHESIVE
				24H	125	E-6	
RTV 560/T-12 AS 0.5% T-12	GSFC2661	2.52	.55	7D	25	AIR	ADH-SEAL-ENCAPS
RTV 560/577/T-12 AS 1/1/0.5% BW SILICONE	GSFC6822	.63	.11	30D	25	AIR	ADHESIVE
				48H	75	E-6	
RTV 560/577/T-12 AS 1/9/0.5% BW SILICONE	GSFC6780	3.30	.57	30D	25	AIR	ADHESIVE
RTV 560/577/T-12 AS 1/9/0.5% BW SILICONE	GSFC6782	.45	.08	14D	25	AIR	ADHESIVE
				6D	75	E-6	
				10D	25	AIR	
RTV 560/580/T-12 AS 1/2 BW W/0.5% T-12	GSFC4420	2.20	.71	7D	25	AIR	ADHESIVE
				8H	125	AIR	
RTV 560/580/T-12 RCA ADHESIVE	GSFC5146	.46	.21	4D	75	E-5	ADH-SEAL-ENCAPS

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 560/9811	GSFC8958	2.82	.46	36H	25	AIR	ADHESIVE
RTV 566 0.07% BW CAT SILICONE	GSFC6236	.12	.00	7D	25	AIR	ADHESIVE
RTV 566 0.075% BW CAT SILICONE	GSFC6239	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.08% BW CAT SILICONE	GSFC6242	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.09% BW CAT SILICONE	GSFC6245	.10	.01	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE	GSFC6230	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT BH164/AH102	GSC12835	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT GJ 124	GSC11063	.13	.01	7D	25	AIR	POTTING
RTV 566 0.1% BW CAT SILICONE LOT JB 133	GSC10862	.08	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 136	GSC10865	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 137	GSC10868	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/DC 1200 PRIMER/SANDWICH	GSFC5268	.12	.01	4H	80	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/GE SS4155 PRIM/SANDWICH	GSFC5270	.13	.01	4H	80	AIR	ADHESIVE
RTV 566 0.175% BW CAT/CAB-O-SIL	GSC12383	.12	.02				POTTING
RTV 566 0.2% BW CAT SILICONE	GSFC1681	.23	.03	24H	25	AIR	POTTING-ADH
RTV 566 0.3% BW CAT SILICONE	GSFC1357	.34	.00	24H	25	AIR	POTTING-ADH
RTV 566 0.5% BW CAT SILICONE	GSFC1372	.41	.01	24H	25	AIR	POTTING-ADH
RTV 566 0.7% BW CAT SILICONE	GSFC1222	.36	.01				POTTING-ADH
RTV 567 0.3% BW CAT SILICONE	GSFC3736	.18	.01	12D	25	AIR	POTTING-ADH
RTV 567 0.5% BW CAT SILICONE	GSFC3720	.51	.02	5D	25	AIR	POTTING-ADH
RTV 568 0.13% BW CAT SILICONE	GSFC6632	.10	.01	7D	25	AIR	ADHESIVE
RTV 577/T-12 SILICONE	GSFC0281	2.99	.57	48H	25	AIR	ADH-SEALANT
RTV 601/PRIMER 1200/DC 200 FLUID	GSFC1510	3.43	1.54	2H	40	AIR	POTTING
				16H	25	AIR	
				1H	50	AIR	
RTV 602 764-1A WHITE PAINT FR BATCH 9	GSFC3069	.44	.01	7D	25	AIR	PAINT
RTV 602/SRC 04 AS 100/1 BW	GSFC2390	2.23	.56	24H	60	AIR	POTTING
RTV 602/SRC 05 AS 0.1% CAT LOT DK 263 VIRGIN RESIN	GSFC7811	1.96	.98	16H	60	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 10	GSFC2615	.33	.01	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 15	GSFC2885	.39	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 20	GSFC3564	.30	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 25	GSFC3969	.57	.01	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM242 BATCH 5	GSFC5509	.46	.00	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM252 BATCH 3	GSFC6032	.65	.05	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT CN258 BATCH 3	GSFC6200	.41	.03	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT FF272 BATCH 1	GSFC7838	.50	.11	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT LOT DK 263 VIRGIN RESIN	GSFC7808	2.07	.89	5D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.4% CAT/CABOSIL LOT BM242 BATCH 5	GSFC5781	.70	.02	7D	25	AIR	POTTING
RTV 602/SRC 05/CARBOLAC 1/TOLUENE BLACK PAINT	GSFC3303	1.19	.13	7D	25	AIR	PAINT
RTV 602/SRC 05/ZNO/TOLUENE	GSFC2633	.69	.18	7D	25	AIR	PAINT
RTV 602/SRC 05/ZNO/TOLUENE DEVOL BATCH 4	GSFC2619	.33	.00	7D	25	AIR	PAINT
RTV 615 A/B AS 10/1 BW CLEAR SILICONE	GSFC8969	.91	.37	4H	65	AIR	POTTING
				72H	150	AIR	
RTV 615 A/B AS 10/1 BW DEVOL AT 125C	GSC10080	.19	.07	7D	25	AIR	CONF COAT
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT HD183	GSC11563	.15	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210	GSC12318	.13	.01	7D	25	AIR	ENCAPSULANT
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210 BTCH4	GSC12403	.19	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH1	GSC12763	.17	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH2	GSC12769	.15	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH3	GSC12772	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH5	GSC12517	.20	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH6	GSC12547	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH7	GSC12748	.20	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 1	GSC13650	.15	.06	7D	25	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 2	GSC13653	.21	.10	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 1	GSC13165	.16	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 2	GSC13168	.21	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 3	GSC13180	.10	.04	7D	25	AIR	ADHESIVE
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 4	GSC13290	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 5	GSC13308	.71	.41	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 6	GSC13311	.11	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 7	GSC13314	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 8	GSC13347	.15	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 9	GSC13350	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH11	GSC13626	.20	.09	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 1	GSC13668	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 2	GSC13671	.16	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 3	GSC13685	.20	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 4	GSC13720	.20	.09	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 5	GSC13744	.24	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 6	GSC13747	.25	.13	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 7	GSC13762	.21	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 7	GSC13933	.22	.12	85D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 8	GSC13765	.24	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 9	GSC13789	.28	.12	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH10	GSC13792	.18	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH101	GSC13843	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH102	GSC13846	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH103	GSC13864	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH11	GSC13795	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH12	GSC13810	.13	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH13	GSC13828	.19	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH14	GSC13861	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH15	GSC13885	.14	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH16	GSC13888	.15	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH17	GSC14256	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH18	GSC14262	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH19	GSC14265	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH20	GSC14268	.18	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH21-7	GSC14283	.28	.14	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH22	GSC14286	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH23	GSC14289	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH24-7	GSC14318	.36	.16	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH25-7	GSC14336	.25	.11	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BCH21-7/24-7	GSC14504	.21	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 1	GSC14587	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 2	GSC14590	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 3	GSC14605	.11	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 4	GSC14608	.13	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 5	GSC14978	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 1	GSC15044	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 2	GSC15056	.10	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EG253 BATCH 1	GSC15399	.22	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 125C	GSC11908	.12	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 150C	GSC11920	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 VIRGIN RESIN	GSC11848	1.43	.72	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT KA210	GSC11561	1.33	.62	7D	25	AIR	POTTING
RTV 615 A/B AS 9/1 BW DEVOL AT 100C	GSC10020	.72	.41	7D	25	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 615 A/B AS 9/1 BW DEVOL AT 150C	GSC10023	.16	.02	7D	25	AIR	POTTING
RTV 615 SILICONE	GSFC0887	1.82	.83				POTTING-ENCAPS
RTV 616 A/B AS 10/1 BW BLACK SILICONE	GSFC6757	1.41	.66	1H	100	AIR	POTTING
RTV 616 A/B AS 10/1 BW DEVOL A LOT EC174 BATCH 1	GSC15714	.27	.12	7D	25	AIR	POTTING
RTV 616 A/B AS 10/1 BW DEVOL LOT DC170 BATCH 1	GSC13978	.30	.03	7D	25	AIR	POTTING
RTV 619 A/B AS 10/1 BW SILICONE	GSFC3071	1.30	.50	24H	25	AIR	POTTING
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GSC14199	.65	.36	2H	150	AIR	MOLD CPND
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GSC14410	.05	.02	30M	100	AIR	MOLD CPND
				24H	140	E-6	
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GSC14412	.04	.01	30M	100	AIR	MOLD CPND
				48H	140	E-6	
RTV 630 A/B AS 10/1 BW GRAY MOUNT W/DEVOL RESIN A	GSC14414	.37	.11	30M	100	AIR	MOLD CPND
RTV 630 GRAY SILICONE FROM COMPONENT	GSC13891	.42	.23	250H	125	AIR	POTTING
RTV 630 5% BW CAT GRAY SILICONE	GSC12970	.73	.46	1H	101	AIR	ADHESIVE
				24H	121	E-3	
RTV 655 A/B AS 10/1 BW DEVOL AT 125C LOT KF084	GSC12328	.39	.05	7D	25	AIR	ENCAPSULANT
RTV 655 A/B AS 10/1 BW DEVOL LOT KF084 BATCH 1	GSC13927	.51	.08	7D	25	AIR	POTTING
RTV 655 A/B AS 10/1 BW DISTILL @ 177C @ VAC #C82-1	GSC12320	.96	.31	4H	82	AIR	POTTING
RTV 655 A/B AS 10/1 BW DISTILL @ 177C @ VAC #C82-2	GSC12322	.63	.19	4H	82	AIR	POTTING
RTV 655 A/B AS 10/1 BW VIRGIN RESIN LOT KF084	GSC12415	3.55	.96	7D	25	AIR	ENCAPSULANT
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GSC12955	1.42	.70	10H	60	AIR	POTTING
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GSFC9263	1.37	.65	7D	25	AIR	POTTING
RTV 670 A/B AS 10/1 BW CLEAR SILICONE	GSFC9266	1.25	.59	1H	125	AIR	POTTING
RTV 670 A/B AS 10/1 BW DEVOL LOT CM206 BATCH 1	GSC13903	.06	.02	12H	65	AIR	POTTING
RTV 700 RED SILICONE MOLDED TERMINAL	GSC11342	.51	.32	16H	204	AIR	TERMINAL INSUL
RTV 760 SILICONE FOAM	GSC13469	1.10	.44				FOAM
RTV 8111/CAT 9891 AS 97/3 BW	GSFC0245	1.36	.41	16H	25	AIR	ADH-POTTING
RTV 8111/CAT 9891 AS 97/3 BW	GSFC0254	1.02	.28	16H	65	AIR	ADH-POTTING
RTV 8112/CAT 9858 AS 94/6 BW	GSFC0266	1.31	.33	16H	25	AIR	ADH-POTTING
RTV 8112/CAT 9858 AS 94/6 BW	GSFC0278	1.09	.35	24H	65	AIR	ADH-POTTING
RTV 8223/CAT 9858 AS 96/4 BW	GSFC0257	1.23	.21	16H	25	AIR	ADH-POTTING
RTV 8223/CAT 9858 AS 96/4 BW	GSFC0260	1.12	.28	16H	65	AIR	ADH-POTTING
RTV 8243/CAT 9858 AS 96/4 BW	GSFC0341	1.38	.15	16H	25	AIR	ADH-ENCAPS
RTV 8243/CAT 9858 AS 96/4 BW	GSFC0344	1.16	.23	24H	65	AIR	ADH-ENCAPS
RTV 8262/CAT 9858 AS 20/1 BW	GSFC2623	.68	.22	72H	25	AIR	ADH-ENCAPS
				72H	51	AIR	
RTV 8262/CAT 9858 AS 94/6 BW	GSFC0376	.73	.24	24H	65	AIR	ADH-ENCAPS
RTV 8262/CAT 9858 AS 94/6 BW	GSFC0379	.79	.25	16H	25	AIR	ADH-ENCAPS
RTV 8263/CAT 9858 AS 96/4 BW	GSFC0359	.87	.17	24H	65	AIR	ADH-ENCAPS
RTV 8263/CAT 9858 AS 96/4 BW	GSFC0362	.90	.21	16H	25	AIR	ADH-ENCAPS
RTV 8372/CAT 9858 AS 95/5 BW	GSFC0347	1.41	.28	16H	25	AIR	SILICONE
RTV 8372/CAT 9858 AS 95/5 BW	GSFC0350	1.32	.21	24H	65	AIR	SILICONE
RTV 8373/CAT 9858 AS 97/3 BW	GSFC0394	1.19	.20	16H	65	AIR	SILICONE
RTV 8373/CAT 9858 AS 97/3 BW	GSFC0397	1.31	.22	16H	25	AIR	SILICONE
RTV 8382/CAT 9858 AS 95/5 BW	GSFC0388	1.22	.38	16H	65	AIR	ADH-SEALANT
RTV 8382/CAT 9858 AS 95/5 BW	GSFC0391	1.10	.36	16H	25	AIR	ADH-SEALANT
RTV 8383/CAT 9858 AS 97/3 BW	GSFC0382	.66	.23	24H	65	AIR	SILICONE
RTV 8383/CAT 9858 AS 97/3 BW	GSFC0385	.73	.21	16H	25	AIR	SILICONE
RUBBER DAM LATEX RUBBER SHEET	GSFC2815	1.76	.52				GASKET
RULON A TEFLON FILLED BEARING MATERIAL	GSFC3477	.00	.00				BEARING MATL
RULON B TEFLON FILLED BEARING MATERIAL	GSFC3479	.00	.00				BEARING MATL
RULON C TEFLON FILLED BEARING MATERIAL	GSFC3481	.00	.00				BEARING MATL
RULON J TEFLON FILLED BEARING MATERIAL	GSFC3501	.10	.01				BEARING MATL
RULON LD TEFLON FILLED BEARING MATERIAL	GSFC3503	.00	.00				BEARING MATL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RULON 123 TEFLON FILLED BEARING MATERIAL	GSFC3505	.00	.00				BEARING MATL
RV 401 SPOOL EPOXY/FIBERGLASS	GSFC9341	.32	.00				COIL FORM
RYNITE E37628-34-6 TAN PELLETS UNMOLDED	GSC14388	.56	.27				MOLD CPND
RYNITE E37641-18-1 TAN PELLETS UNMOLDED	GSC14390	.21	.01				MOLD CPND
RYNITE E37641-18-2 TAN PELLETS UNMOLDED	GSC14392	.81	.35				MOLD CPND
RYNITE FR530 BK507 MOLDING CPND BLACK	GSC14324	.71	.37				MOLD CPND
RYNITE FR530 MOLDING CPND BLACK CONNECTOR	GSC14142	.74	.36				CONNECTOR
RYNITE FR530 NC10 MOLDING CPND IVORY	GSC14326	.62	.28				MOLD CPND
RYTON R-4 POLYPHENYLENE SULFIDE/40% GLASS	GSFC6826	.09	.00				MOLD CPND
RYTON R3 POLYPHENYLENE SULFIDE	GSC15495	.10	.02				MOLD CPND
RZ STA-KON TERMINAL SLEEVES - NYLON	GSFC6035	3.32	.06				INSULATION
R101 PROTECTANT COATING	GSFC2806	3.10	1.06	16H	25	AIR	CONF COAT
				15M	121	AIR	
R4-3117 ONE PART SILICONE - FREE FILM - CLEAR	GSFC7877	.61	.23	96H	25	AIR	CONF COAT
				24H	110	AIR	
R4-3117 ONE PART SILICONE/F	GSFC7673	1.43	.24	14D	25	AIR	CONF COAT
R8-2038/H2-3404 AS 100/11 BW BLACK EPOXY	GSFC4588	1.76	.02	24H	25	AIR	MOLD CPND
				1H	93	AIR	
R8-2038/H2-3404 AS 100/11 BW CLEAR	GSFC5969	2.01	.12	7D	25	AIR	POTTING
R8-2038/H2-3404 AS 100/88 BW EPOXY	GSFC7427	2.34	.10	1H	80	AIR	ADHESIVE
R8-2038/H2-3475 AS 4/1 BW CLEAR EPOXY	GSFC8201	.85	.03	24H	25	AIR	ADHESIVE
R9-2039/H2-3404 AS 9/1 BW EPOXY	GSFC7436	.64	.00	1H	80	AIR	POTTING
				5M	100	AIR	
				30M	150	AIR	
R9-2039/H2-3561 AS 10/3 BW EPOXY	GSFC6344	1.08	.01	7D	25	AIR	ADHESIVE
R9-2039/H2-3561 AS 10/3 BW EPOXY	GSFC6353	.98	.02	2H	60	AIR	ADHESIVE
R90-709 SILICONE JUNCTION COATING	GSFC2707	.88	.37	1H	70	AIR	SILICONE
				2H	150	AIR	
S-1009 EPOXY ADHESIVE	GSC13867	1.63	.04	24H	25	AIR	ADHESIVE
S-13-G SILICONE WHITE PAINT	GSFC2245	.42	.09	48H	25	AIR	PAINT
				16H	121	E-6	
S-13-G WHITE PAINT STANDARD D236C	GSFC5845	.82	.16	24H	25	AIR	PAINT
S-13-G-LO WHITE PAINT	GSFC5987	.56	.13	48H	25	AIR	PAINT
				24H	93	AIR	
S-13-G-LO WHITE PAINT A/B AS 100/1 BW W/TOLUENE	GSFC4740	.54	.10	7D	25	AIR	PAINT
S-13-G-LO WHITE PAINT E-127 NO PRIMER	GSFC6878	.50	.12				PAINT
S-13-G-LO WHITE PAINT W/PRIMER BATCH E-389	GSFC9041	.37	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-406	GSFC9218	.44	.04				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-497	GSFC9820	.40	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-555	GSC10832	.47	.03				PAINT
S-13-G-LO-1 WHITE PAINT L-048 IITRI	GSC16160	.30	.01	21D	25	AIR	PAINT
SAIL CLOTH ALUMINIZED	GSFC3770	.43	.06				THERMAL CONTROL
SAIL COMPOSITE MYLAR/ALUM/NYLON/WHITE PAINT	GSFC5148	.97	.22				THERMAL CONTROL
SAM SILICONE RESIN RIGIDIZED W/SILICA FIBERS	GSFC5024	.20	.02	16H	204	AIR	ABLATIVE
SANFORD MR SKETCH 2000 FELT TIP MARKER	GSC13296	33.70	16.31				MARKER
SARAN F310 POWDER LOT C301508	GSC10904	2.71	.03				COATING
SB TAPE	GSFC8780	2.17	.36				TAPE
SB 1020 GLASS REINFORCED SILICONE RUBBER TAPE	GSFC8267	.90	.33				TAPE
SB 1020 GLASS REINFORCED SILICONE RUBBER TAPE	GSFC8387	.25	.05	16H	125	E-2	TAPE
SBR RUBBER STANDARD	GSFC0149	7.23	2.34				RUBBER
SBR RUBBER STANDARD UNCURED	GSFC0137	8.90	3.10				RUBBER
SC-25-1B ONE COMPONENT THERM COND SILICONE	GSC13629	2.31	.13	48H	25	AIR	ADHESIVE
SCHENECTADY VARNISH 170	GSFC3153	1.19	.23	12H	143	AIR	VARNISH

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SCI REZ 80/S GLASS FILAMENT WOUND COMPOSITE	GSFC3670	.22	.03	4H	79	AIR	BAND
				4H	107	AIR	
				3H	149	AIR	
				3H	177	AIR	
SCOTCHBOND 4170 STUD LOCKING RED ADH-SEALANT F/BOLTS	GSFC9701	25.41	7.76	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4171 NUT LOCKING BLUE FROM BOLTS	GSFC9745	25.66	9.76	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4172 SCREW LOCKING PURPLE FROM BOLTS	GSFC9747	37.13	17.34	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4173 BUSHING ASSY GREEN FROM BOLTS	GSFC9749	25.39	8.15	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4174 BEARING ASSY GREEN FROM BOLTS	GSFC9763	14.04	1.74	72H	25	PSI	ADH-SEALANT
SCOTCHBOND 4174 BEARING ASSY GREEN FROM SHIMS	GSC11255	12.81	1.66	16H	50	PSI	ADH-SEALANT
SCOTCHBOND 4177 HYDRAULIC SEALANT AMBER FROM BOLTS	GSFC9765	43.02	22.69	72H	25	PSI	ADH-SEALANT
SCOTCHCAL 8001 RED ALUM LABEL UNCOATED	GSFC8114	.09	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/COATING 3900	GSFC8117	.17	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/FILM 7730	GSFC8120	.12	.01				FOIL LABEL
SCOTCHCAL 8005 BLACK PHOTO SENSE FILM/ALUM/ADH/FOIL	GSC13472	.12	.01				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/ACRYLIC ADH	GSFC4176	.10	.00				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/VINYLCOAT/ACR ADH	GSFC4178	.19	.01				DECAL/MARKER
SCOTCHCAL 8009 BLUE ALUM LABEL UNCOATED	GSFC8144	.08	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/COATING 3900	GSFC8147	.15	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/FILM 7730	GSFC8150	.14	.01				FOIL LABEL
SCOTCHCAL 8011 RED PHOTO SENSE FILM/ADH/FOIL	GSC13475	.56	.03				DECAL/MARKER
SCOTCHCAL 8015 PHOTOSENS FILM/MYLAR/ACRYLIC ADH	GSFC4180	1.57	.05				DECAL/MARKER
SCOTCHCAL 8015 PHOTOSENS FILM/MYLAR/VINYLCOAT/ACRADH	GSFC4182	2.14	.06				DECAL/MARKER
SCOTCHCAST PRIMER XR 5137 A/B AS 5/1 BW THIN COAT	GSFC3401	16.62	.19	24H	25	AIR	PRIMER
SCOTCHCAST XR-5068 EPOXY FOAM	GSFC3650	.55	.32	17H	85	AIR	FOAM
SCOTCHCAST XR-5088 A/B AS 2/5 BW EPOXY	GSFC4886	38.03	2.98	20H	25	AIR	POTTING
SCOTCHCAST XR-5088 A/B AS 2/5 BW EPOXY	GSFC4888	37.66	3.40	3H	65	AIR	POTTING
SCOTCHCAST XR-5133 EPOXY CASTING POWDER	GSFC3385	.42	.01	30M	149	AIR	POTTING
SCOTCHCAST XR-5137 PRIMER FOR POLYURETHANE	GSFC7958	8.58	.02	24H	25	AIR	PRIMER
SCOTCHCAST XR-5240 RUSTY BROWN EPOXY	GSFC9742	4.20	1.06	3H	65	AIR	POTTING
SCOTCHCAST 10 (XR-5241) A/B AS 1/1 BW RUST RED EPOXY	GSC10125	1.96	.52	70D	25	AIR	ADHESIVE
				24H	125	E-2	
SCOTCHCAST 10 (XR-5241) A/B AS 1/1 BW RUST RED EPOXY	GSFC9996	3.09	.81	24H	25	AIR	ADHESIVE
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	GSC11309	.55	.01	16H	25	AIR	POTTING
				24H	60	E-3	
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	GSFC7892	.25	.02	24H	50	AIR	POTTING
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	GSFC7919	.71	.05	72H	25	AIR	POTTING
SCOTCHCAST 225 A/B AS 5/8 BW MAROON POLYURETHANE	GSC11666	.53	.03				MOLD CPND
SCOTCHCAST 226 A/B AS 2/5 BW POLYURETHANE	GSFC7922	1.05	.16	72H	25	AIR	POTTING
SCOTCHCAST 250 A/B AS 1/1 BW EPOXY BROWN	GSFC5026	.65	.00	24H	75	AIR	IMPREGNANT
SCOTCHCAST 255 A/B AS 2/3 BW EPOXY	GSFC4882	.98	.12	20H	82	AIR	POTTING
SCOTCHCAST 255 A/B AS 2/3 BW EPOXY	GSFC4884	.52	.05	4H	120	AIR	POTTING
SCOTCHCAST 260 GREEN EPOXY POWDER COATING	GSC15936	.68	.04	1	15	AI	COATING
SCOTCHCAST 262 RED EPOXY POWDER COATING	GSC15939	.87	.07	1	15	AI	COATING
SCOTCHCAST 280 A/B AS 2/3 BW EPOXY	GSC16124	1.42	.01	3H	120	AIR	POTTING
SCOTCHCAST 280 A/B AS 2/3 BW EPOXY	GSFC2116	.48	.14	2H	121	AIR	POTTING
				24H	155	AIR	
SCOTCHCAST 281 A/B AS 2/3 BW BLACK EPOXY	GSFC9197	.56	.08	4H	130	AIR	POTTING
SCOTCHCAST 281 A/B AS 2/3 BW GRAY EPOXY	GSFC8972	.35	.02	12H	100	AIR	POTTING
				72H	150	AIR	
SCOTCHCAST 281/282 EPOXY FORMULATION	GSFC4518	.37	.05	4H	120	AIR	COATING
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	GSFC7265	.49	.10	16H	90	AIR	POTTING
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	GSFC7268	.45	.09	16H	90	AIR	POTTING
				8H	66	E-5	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SCOTCHCAST 8 A/B AS 1/1 BW EPOXY	GSFC7916	7.59	1.48	48H	25	AIR	POTTING
SCOTCHCAST 9 A/B AS 1/1 BW	GSFC2287	3.60	.04				POTTING
SCOTCHFLEX SOCKET CONNECTOR GLASS REINF POLYESTER	GSC10853	.19	.04				CONNECTOR
SCOTCHGRIP EC 1357 CONTACT CEMENT RUBBER BASE	GSFC2749	3.48	.90	24H	25	AIR	ADHESIVE
SCOTCHGRIP 2353 BLUE FROM BOLTS	GSFC9670	47.19	.19	48H	25	PSI	ADHESIVE
SCOTCHGRIP 2451 ORANGE FROM BOLTS	GSFC9672	4.88	.10	48H	25	PSI	ADHESIVE
SCOTCHLITE 3270 REFLECTIVE FILM/ACRYLIC ADH/F	GSC14076	2.71	.34				REFLECTIVE FILM
SCOTCHMATE POLYESTER FASTENER HOOK/NAP	GSFC2735	.39	.03				FASTENER
SCOTCHMATE SJ3401 NYLON HOOK AND PILE	GSFC2655	1.41	.01				FASTENER
SCOTCHMATE SJ3402 NYLON HOOK AND LOOP	GSFC2653	1.71	.00				FASTENER
SCOTCHMATE SJ3402/SJ3401 NYLON HOOK AND LOOP BLACK	GSFC9901	1.70	.06				FASTENER
SCOTCHMATE SJ3526/SJ3527 ADH BACKED HOOK & LOOP	GSC12439	5.60	2.22				FASTENER
SCOTCHWELD 1751 B/A AS 2/1 BW W/PHENYL GLYCIDYD ETH	GSFC2487	.75	.06	24H	25	AIR	ADH-POTTING
SCOTCHWELD 1838 B/A AS 1/1 BW EPOXY	GSFC2669	.65	.03	24H	25	AIR	ADHESIVE
SCOTCHWELD 2214 HD ALUM FILLED EPOXY	GSFC3507	.48	.05	40M	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 HIGH TEMP ALUM FILLED EPOXY	GSFC3791	.45	.00	1H	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 NMF UNFILLED EPOXY	GSFC3835	.77	.02	1H	121	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW EPOXY W/1.5% PMS4640ED	GSFC7142	1.25	.08	48H	40	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW FLEXIBLE GRAY EPOXY	GSFC6859	1.21	.03	24H	25	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW FLEXIBLE GRAY EPOXY	GSFC6862	1.16	.01	2H	65	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW W/4% M-5 CAB-O-SIL	GSFC8783	.76	.03	16H	25	AIR	ADHESIVE
				24H	100	AIR	
SCOTCHWELD 2216 CLEAR AMBER B/A AS 1/1 BW EPOXY	GSC10128	1.60	.32	18D	25	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 1/1 BW EPOXY	GSFC6599	1.60	.15	2.5H	68	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 5/7 BW EPOXY	GSFC6623	1.75	.31	2H	65	AIR	ADHESIVE
SCOTCHWELD 2216 CLEAR AMBER B/A AS 5/7 BW EPOXY	GSFC6644	1.09	.04	7D	25	AIR	ADHESIVE
				7D	65	E-5	
SCOTCHWELD 2216 SANDWICHED BETWEEN ALUMINUM	GSFC0317	.13	.02				ADHESIVE
SCOTCHWELD 3501 B/A AS 1/1 BV MOD EPOXY	GSC12520	1.51	.02	24H	25	AIR	ADHESIVE
SCOTCHWELD 3532 B/A AS 1/1 BW POLYURETHANE BROWN	GSC10038	1.66	.07	24H	25	AIR	ADHESIVE
SCOTCHWELD 583	GSFC3529	4.50	.41	3M	149	PSI	ADHESIVE
SCOTCHWELD 588	GSFC3531	4.20	.53	1H	154	PSI	ADHESIVE
SCOTT INDUSTRIAL FOAM POLYESTER URETHANE	GSFC3696	1.91	.40				FOAM SHEET
SCOTT POLYESTER-URETHANE FOAM - TAN	GSFC7577	4.46	1.63				FOAM
SCOTT POLYESTER-URETHANE FOAM - TAN 2X24HR ETOH WASH	GSFC7580	.81	.01	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM BROWN CLOSED CELL	GSFC7259	4.63	1.84				FOAM
SCOTT POLYESTER-URETHANE FOAM BROWN 2X24HR ETOH WASH	GSFC7565	.88	.01	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 100 PPI	GSFC4496	.86	.05	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 100 PPI METOH WASH	GSFC4502	.69	.00	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI	GSFC4324	3.22	.42				FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI	GSFC4356	1.81	.66	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI H2O WASH	GSFC4330	2.53	.39	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI METOH WASH	GSFC4326	.33	.04	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI NON-FLAME GRAY	GSFC4222	4.48	.42				DAMPER
SCOTT POLYETHER-URETHANE FOAM GRAY 2#/CU FT WASHED	GSC12418	1.59	.24	6H	100	AIR	FOAM
SCOTT POLYETHER-URETHANE FOAM WHITE 2#/CU FT WASHED	GSC12421	.69	.12	6H	100	AIR	FOAM
SCOTT POLYURETHANE FOAM BLACK 41 PPI	GSFC4002	1.55	.48				FOAM
SCOTT POLYURETHANE FOAM GREEN 100 PPI	GSFC3996	2.23	.73				FOAM
SCOTT POLYURETHANE FOAM GREEN 40 PPI	GSFC4000	1.14	.24				FOAM
SCOTT POLYURETHANE FOAM WHITE 100 PPI	GSFC4228	2.81	.44	48H	110	E-3	FOAM
SCOTT POLYURETHANE FOAM WHITE 100 PPI	GSFC4310	2.57	.43				FOAM DAMPER
SCOTT POLYURETHANE FOAM WHITE 90 PPI	GSFC3998	.83	.31				FOAM
SCOTT POLYURETHANE FOAM/ALUM KAPTON SANDWICH LOUVER	GSFC5731	2.84	.13				LOUVER BLADE
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	GSFC3197	1.28	.11	65H	120	AIR	INSULATION

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	GSFC3261	1.20	.09	24H	120	E-5	INSULATION
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	GSFC3315	.81	.04	48H	120	E-5	INSULATION
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	GSFC4234	2.02	.43				FOAM
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	GSFC4274	1.18	.37	8H	120	AIR	FOAM
SCOTT PYRELL FOAM POLYURETHANE GRAY FLAME RETARD	GSFC4276	1.22	.44	24H	120	AIR	FOAM
SE 4401 SILICONE ELASTOMER GRAY SHORE A40	GSFC7376	.15	.05	10M	166	PSI	MOLD CPND
				7H	210	E-1	
SE 4401 U GENERAL PURPOSE SILICONE	GSFC0074	.06	.00	24H	249	AIR	MOLD CPND
SE 4404 U GENERAL PURPOSE SILICONE	GSFC0071	.10	.00	24H	249	AIR	MOLD CPND
SE 4524U CLEAR SILICONE	GSC10068	.10	.01	25M	163	AIR	MOLD CPND
				7H	200	E-6	
SE 4524U CLEAR SILICONE	GSC10071	.07	.00	25M	163	AIR	MOLD CPND
				7H	200	E-6	
				24H	216	AIR	
SE 456/TS-50 SILICONE - TAN	GSFC8501	.10	.01	16H	238	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GSFC8555	.22	.07	4H	204	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GSFC8558	.17	.02	8H	238	AIR	MOLD CPND
SE 5204 SILICONE	GSFC4596	.07	.00	8H	232	AIR	ELASTOMER
SE 5211 U LOW TEMP SILICONE	GSFC0077	.08	.02	4H	249	AIR	GASKET
SE 5403 U	GSFC0066	.10	.02	3H	204	AIR	SILICONE
SE 5554U SILICONE FOOD GRADE FF	GSC10185	.16	.00	30M	163	PSI	MOLD CPND
				15H	200	E-6	
SE 5554U SILICONE FOOD GRADE GG	GSC10182	.25	.00	30M	163	PSI	MOLD CPND
				15H	121	E-6	
SE 557/VAROX AS 100/0.3 BW GRAY SILICONE	GSFC8219	.09	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				16H	249	AIR	
SE 565/VAROX AS 100/0.6 BW EXTREME LOW TEMP SILICONE	GSFC3925	.25	.12	2H	177	AIR	MOLD CPND
				5D	177	AIR	
SE 565/VAROX AS 100/0.6 BW EXTREME LOW TEMP SILICONE	GSFC3927	.12	.03	2H	177	AIR	MOLD CPND
				48H	177	E-6	
SE 9025 SILICONE WIRE INSUL BLACK	GSFC3858	1.38	.61	3H	204	AIR	WIRE INSUL
SE 9025 SILICONE WIRE INSULATION	GSFC3744	3.32	.58				WIRE INSUL
SE 9025 SILICONE WIRE INSULATION RERUN GSFC3744	GSFC3793	.16	.03	24H	125	E-7	WIRE INSUL
SE 9045 SILICONE WIRE INSULATION - OUTER	GSFC2119	1.37	.51				WIRE INSUL
SE 9090 SILICONE WIRE INSULATION	GSFC4520	4.12	1.01				WIRE INSUL
SECUR-A-TIE CABLE TIE NYLON	GSFC5853	2.88	.01				CABLE TIE
SEMKIT SF653K825AS EPOXY FSN 8040-00-916-9847	GSFC8651	4.86	.01	5D	25	AIR	ADHESIVE
SEN POLYETHER FOAM/FLAME RETARDANT	GSC14100	12.93	5.93				FOAM
SENTRY SEAL RED MARKING INK	GSFC4302	6.33	.79	7D	25	AIR	MARKING INK
SERIES 24 ANTI STATIC FILM - BLACK	GSC15282	.13	.00				ANTI STATIC FILM
SF 1006 NYLON 12/GLASS AS 70/30	GSFC2891	.65	.01				MOLD CPND
SFR 60-60W WHITE SILICONE	GSC13410	1.91	.39				CUSHION
SFR 60-60W WHITE SILICONE	GSC13413	.43	.11	6H	204	AIR	CUSHION
SFR 60-694W WHITE SILICONE	GSC13416	3.94	.85				CUSHION
SFR 60-694W WHITE SILICONE	GSC13419	.64	.13	6H	204	AIR	CUSHION
SG 840 RSC FIBER OPTIC CABLE	GSC13966	2.27	.70				FIBER OPTIC
SH 2X2-2.5 HEATER - RED SILICONE	GSFC6676	.08	.03				HEATER
SH 3/4X5 HEATER - RED SILICONE	GSFC6828	.12	.01				HEATER
SHRINK TUBING BLACK FROM CABLE BRAND REX	GSC12742	2.62	1.22				SHRINK TUBING
SHRINK TUBING GREEN MAX SHRINK-HEAT GUN	GSFC5631	.66	.29				SHRINK TUBING
SHRINK TUBING WHITE FROM CABLE PIRELLI	GSC12745	1.70	.54				SHRINK TUBING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SHUR-LOK SLE 3007 EPOXY - GRAY	GSFC4422	.32	.00	12H	25	AIR	POTTING
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3009 EPOXY - GREEN	GSFC4424	1.20	.18	12H	25	AIR	POTTING
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3010 EPOXY POTTING CPND	GSFC3596	1.22	.04	72H	25	AIR	POTTING
SHUR-LOK SLE 3010 SYNTACTIC FOAM BLUE-GREEN	GSFC4450	.77	.03	16H	25	AIR	FOAM
				8H	65	AIR	
				8H	121	AIR	
SHUR-LOK SLE 3015 SYNTACTIC FOAM GREEN	GSFC4452	1.13	.19	12H	25	AIR	FOAM
				8H	65	AIR	
				8H	121	AIR	
SIC 9030/GREEN BINDER/C-240 GRIT	GSC11503	.24	.01				DIELECTRIC
SICON BLACK 7X9055 SILICONE	GSFC1102	6.04	.36	24H	25	AIR	PAINT
SICON BLACK 7X9055 SILICONE	GSFC1105	.98	.04	30M	177	AIR	PAINT
SICON BLACK 7X933/S744 AS 4/1 BV	GSFC2995	1.39	.62	30M	204	AIR	PAINT
SICON R 8X929 BLACK PAINT	GSFC3133	.05	.00	15M	510	AIR	PAINT
SICON 3X258 LEAFING ALUMINUM	GSC11396	4.02	1.15	3H	71	AIR	PAINT
SICON 3X258 LEAFING ALUMINUM	GSC11543	.72	.17	48H	25	AIR	PAINT
				48H	99	AIR	
SICON 3X258 LEAFING ALUMINUM	GSC11545	.70	.11	48H	25	AIR	PAINT
				96H	71	E-3	
SICON 3X258 LEAFING ALUMINUM	GSC11639	.79	.09	48H	25	AIR	PAINT
				8D	71	E-3	
SIL-PAD K-10 THERMAL COND SHEET - TAN	GSC14996	.29	.11				THERMAL COND
SIL-PAD K-10 THERMAL COND SHEET - TAN	GSC15112	.36	.09	10M	145	AIR	THERMAL COND
SIL-PAD K-4 THERMAL COND SHEET - GRAY	GSC14998	.28	.07				THERMAL COND
SIL-PAD 1000 T-03 TRANSISTOR PAD	GSC15303	.20	.08				THERMAL COND
SIL-PAD 1000 THERMAL CONDUCTIVE SHEET/FILM SILICONE	GSC15306	.22	.08				THERMAL COND
SIL-PADS 400 SILICONE/FIBERGLASS SHEET GRAY	GSFC9892	.40	.11				FILM/SHEET
SILASTIC E A/B AS 10/1 BW WHITE SILICONE	GSC10664	2.08	.71	7D	25	AIR	POTTING
SILASTIC E A/B AS 10/1 BW WHITE SILICONE DEVOL 100C	GSC10667	1.22	.39	7D	25	AIR	POTTING
SILASTIC S-6508U/TS-50 AS 100/1.4 BW SILICONE	GSFC4618	.35	.13	1H	250	AIR	ELASTOMER
SILASTIC 140	GSFC0761	1.38	.22	24H	25	AIR	ADH-SEALANT
SILASTIC 1410 SHRINKABLE TUBING - PRESHRUNK	GSFC0788	.56	.15				SHRINK TUBING
SILASTIC 2000U TRANSLUCENT GROMMET	GSC11505	1.27	.34				MOLD CPND
SILASTIC 35	GSFC0063	.14	.06	24H	249	AIR	SILICONE
SILASTIC 6508/TS-50 CADOX AS 99/1 BW SILICONE	GSFC4822	.80	.18	5M	116	AIR	MOLD CPND
				90M	216	AIR	
SILASTIC 6508/TS-50 CADOX AS 99/1 BW SILICONE	GSFC4826	.20	.06	5M	116	AIR	MOLD CPND
				90M	216	AIR	
				24H	121	E-3	
SILASTIC 675 SILICONE	GSFC2509	.41	.04	5M	116	PSI	SEAL-GASKET
				24H	250	AIR	
SILASTIC 68-110 A/B AS 25/1 BW	GSFC0824	1.23	.26	24H	25	AIR	SILICONE
SILASTIC 68-110 A/B AS 25/1 BW	GSFC0845	1.15	.35	150H	25	AIR	SILICONE
SILASTIC 68-120 A/B AS 25/1 BW	GSFC0836	.84	.25	24H	25	AIR	SILICONE
SILASTIC 68-120 A/B AS 25/1 BW	GSFC0866	.88	.25	150H	25	AIR	SILICONE
SILASTIC 68-210 A/B AS 25/1 BW	GSFC0833	1.22	.24	24H	25	AIR	SILICONE
SILASTIC 68-210 A/B AS 25/1 BW	GSFC0863	1.24	.38	150H	25	AIR	SILICONE
SILASTIC 68-220 A/B AS 25/1 BW	GSFC0812	.91	.16	24H	25	AIR	SILICONE
SILASTIC 68-220 A/B AS 25/1 BW	GSFC0851	1.03	.18	150H	25	AIR	SILICONE
SILASTIC 68-310 A/B AS 25/1 BW	GSFC0821	1.56	.25	24H	25	AIR	SILICONE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SILASTIC 68-310 A/B AS 25/1 BW	GSFC0848	1.24	.33	150H	25	AIR	SILICONE
SILASTIC 68-320 A/B AS 25/1 BW	GSFC0893	1.64	.32	24H	25	AIR	SILICONE
SILASTIC 68-330 A/B AS 25/1 BW	GSFC0890	1.29	.28	24H	25	AIR	SILICONE
SILASTIC 69-210 A/B AS 10/1 BW	GSFC0818	1.02	.24	24H	25	AIR	SILICONE
SILASTIC 69-210 A/B AS 10/1 BW	GSFC0854	1.04	.26	150H	25	AIR	SILICONE
SILASTIC 69-210 LOT EU 103007	GSFC5463	.80	.27				COATING
SILASTIC 69-210 LOT EU 103007	GSFC5489	.02	.00	16H	250	AIR	COATING
SILASTIC 69-220 A/B AS 25/1 BW	GSFC0827	1.16	.28	24H	25	AIR	SILICONE
SILASTIC 69-220 A/B AS 25/1 BW	GSFC0860	1.31	.25	150H	25	AIR	SILICONE
SILASTIC 69-220 A/B/910 DILUENT AS 25/1/1.3 BW	GSFC7670	1.38	.40	24H	25	AIR	POTTING
				4H	60	AIR	
SILASTIC 731 RTV SEALANT	GSFC0575	1.39	.38	24H	25	AIR	SEALANT
SILASTIC 734 ONE PART SILICONE	GSC15669	1.64	.45	7D	25	AIR	ADHESIVE
SILASTIC 736 ONE PART RED SILICONE	GSC13532	2.03	.45	7D	25	AIR	ADHESIVE
SILASTIC 738 ONE PART NON-CORROSIVE SILICONE	GSC13798	2.24	.57	7D	25	AIR	ADH-SEALANT
SILASTIC 738 ONE PART NON-CORROSIVE SILICONE	GSFC4230	1.63	.51	72H	25	AIR	ADH-SEALANT
SILASTIC 75 SILICONE	GSFC0302	1.16	.22				O-RING
SILASTIC 75 SILICONE	GSFC0419	.29	.09	3H	204	AIR	VALVE SEAT
SILASTIC 881/CAT AS 14.2/.55 BW SILICONE	GSFC1423	1.63	.43	90M	38	AIR	SILICONE
SILASTIC 916	GSFC0060	.40	.00	24H	249	AIR	SILICONE
SILASTIC 916 GASKET	GSFC7148	.86	.30				GASKET
SILASTOMER 9161/CAT N9162 AS 100/4 BW WHITE RUBBER	GSFC6947	1.58	.24	6D	25	AIR	POTTING
SILCOSET 152 PRIMER/F	GSC10643	3.30	.09	7D	25	AIR	PRIMER
SILCOSET 152 WHITE SILICONE	GSC10568	2.08	.55	7D	25	AIR	ADHESIVE
				3H	60	AIR	
SILICONE INSULATOR SO-1058-8913 RED	GSC12004	.30	.18	24H	125	AIR	INSULATOR
SILICONE RTV-1 DISPERSION T-81/F	GSC14593	1.18	.46	7D	25	AIR	CONF COAT
SILICONE RUBBER - VIBRATION DAMPER BLUE/GRAY	GSFC8978	3.57	.80				DAMPER
SILICONE RUBBER - VIBRATION DAMPER BLUE/GRAY	GSFC8981	.29	.11	24H	204	AIR	DAMPER
SILICONE RUBBER MIL ZZ-R-765 CLASS IIB GR 65-75 RED	GSFC8975	.60	.20				DAMPER
SILICONE RUBBER MIL ZZ-R-765 CLASS 2 GRADE 50 - GRAY	GSFC7241	1.51	.40				GASKET
SILICONE RUBBER MIL ZZ-R-765 CLASS 2 GRADE 50 - GRAY	GSFC7295	.11	.06	16H	200	AIR	GASKET
SILICONE RUBBER MIL ZZ-R-765 GRADE 40 RED	GSC11006	.36	.21	24H	160	AIR	DAMPER
SILICONE RUBBER PER AMS 3332 RED	GSC11998	2.82	1.32				GASKET
SILICONE RUBBER PER AMS 3332 RED	GSC12001	.31	.20	24H	175	AIR	GASKET
SILICONE RUBBER UNION CARBIDE	GSFC2059	1.04	.35				SILICONE
SILICONE RUBBER UNION CARBIDE	GSFC2092	.10	.09	24H	232	AIR	SILICONE
SILICONE RUBBER 16254 GRAY SHEET	GSC13260	.14	.07	6H	204	AIR	CUSHION
SILICONE RUBBER 950-C-15-69 GRAY	GSC13723	.50	.33	24H	175	AIR	CUSHION
SILICONE RUBBER 950-C-15-69 GRAY	GSC13813	.08	.02	24H	175	AIR	CUSHION
				24H	195	E-2	
SILICONE RUBBER/FABRIC REINFORCED MIL R3065 TYPE HB	GSFC7172	.73	.39				MOLD CPND
SILICONE SPONGE RUBBER 9-S-602 GRAY	GSC13609	1.14	.41	12H	250	AIR	DAMPER
SILICONE SPONGE RUBBER 9-S-603 GRAY MODIFIED	GSC13726	.38	.03	24H	249	AIR	DAMPER
SILICONE WIRE INSULATION	GSFC1495	1.25	.28				WIRE INSUL
SILK NET ILLUSION 7517 FREON TF WASH	GSC14954	4.90	.01	16H	25	E-6	THERMAL BLANKET
				20H	66	E-6	
				8H	25	E-6	
				10D	25	AIR	
SILK NET ILLUSION 7517 UNWASHED	GSC14952	4.84	.00	16H	25	E-6	THERMAL BLANKET
				20H	66	E-6	
				8H	25	E-6	
				10D	25	AIR	
SILK NETTING STYLE 5517	GSFC2757	2.53	.07				NETTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SILK NETTING STYLE 5517	GSFC2879	2.34	.12	24H	25	E-6	NETTING
				5H	125	E-6	
				3H	25	E-6	
SILTEMP 84CH WOVEN GLASS CLOTH - BROWN	GSC12931	11.18	.00				THERM CONTROL
SILVER GOOP HIGH TEMP GREASE	GSC10871	2.48	.62				LUBRICANT
SISS-06 R/F SHIELDING SPIRAL GASKET	GSC13162	.71	.25				GASKET
SKYBOND RI 7271-01 FLEXIBLE POLYIMIDE FOAM	GSFC3011	.86	.52				FOAM
SKYBOND RI 7271-06 RIGID POLYIMIDE FOAM	GSFC3057	.31	.04				FOAM
SKYBOND RI 7271-12 RIGID POLYIMIDE FOAM	GSFC3079	.42	.01				FOAM
SKYBOND RI 7271-18 RIGID POLYIMIDE FOAM	GSFC3099	.45	.01				FOAM
SKYBOND 703 GRAPHITE/POLYIMIDE LAMINATE 3 STEP PCURE	GSC12306	.36	.01	1H	177	PSI	LAMINATE
SLE 3010 PRE-MIX CARTRIDGE BLUE-GRAY EPOXY	GSC16301	1.84	.01	7D	25	AIR	POTTING
SLM 71271 A/B AS 9/1 BW RED SILICONE	GSFC8270	.49	.04	7D	25	AIR	SEALANT
SMOOTH ON INSTANT EPOXY	GSFC4644	7.69	4.27	10M	25	AIR	ADHESIVE
SMP 62/63 AS 1/1 BV EPOXY	GSFC3860	16.25	.07	1H	25	AIR	ADHESIVE
				2H	60	AIR	
SMP 62/63 AS 1/1 BV EPOXY	GSFC4428	1.40	.14	4H	25	AIR	FILM DIELECTRIC
				8H	65	AIR	
				8H	121	AIR	
SMRD 100(43-3) FILLED HYDROCARBON RUBBER	GSFC6806	1.11	.13				DAMPER
SMRD 100B50P2	GSC15273	.47	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 100F90	GSC10685	2.46	.27	24H	100	AIR	DAMPER
				110H	135	E-3	
SMRD 100F90	GSFC7088	1.52	.19	16H	100	AIR	DAMPER
SMRD 100F90	GSFC7091	1.67	.22				DAMPER
SMRD 100F90 CYCLOHEXANE WASH - INTERNAL PORTION	GSFC7199	1.56	.24	24H	25	AIR	DAMPER
SMRD 100F90 CYCLOHEXANE WASH - SURFACE PORTION	GSFC7196	2.28	.27	24H	25	AIR	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GSC11000	1.10	.11	96H	130	E-6	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GSC11003	1.00	.11	168H	130	E-6	DAMPER
SMRD 100F90 FLEXIBLE EPOXY FOAM	GSC13051	1.23	.11	96H	135	E-6	DAMPER
SMRD 100F90 NEW RESIN REPLACEMENT	GSFC9629	1.39	.17	8H	100	E-3	DAMPER
SMRD 100F90P2	GSC15276	.83	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 1010 AF	GSC14320	1.28	.08	6H	121	AIR	DAMPER
SMRD 1010 VAC BAKE	GSC14338	.91	.02	6H	121	AIR	DAMPER
SMRD 1010/STRIPPED RESIN AF	GSC14342	1.47	.07	6H	121	AIR	DAMPER
SMRD 1010/STRIPPED RESIN/VAC BAKE	GSC14344	.99	.04	6H	121	AIR	DAMPER
SMRD 1014 AF	GSC14322	1.50	.11	6H	121	AIR	DAMPER
SMRD 1014 VAC BAKE	GSC14340	.91	.03	6H	121	AIR	DAMPER
SMRD 432	GSFC9533	.94	.15	48H	100	E-2	POTTING
SMRD 432 90A WHITE	GSFC9317	1.14	.17				POTTING
SOCKET STRIP BLACK RYNITE PET POLYESTER	GSC16166	.56	.23				SOCKET STRIP
SOCKET STRIP BLACK RYNITE PET POLYESTER	GSC16235	.40	.17	16H	175	AIR	SOCKET STRIP
SOCKET STRIP BLACK RYNITE PET POLYESTER	GSC16238	.42	.20	24H	175	AIR	SOCKET STRIP
SOCKETFAST BLUE 2 PART PRE-MEASURED KIT	GSC14416	5.40	.12	24H	25	AIR	POTTING
SOLDEREZE MAGNET WIRE RED	GSFC4426	.79	.14				WIRE COATING
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	GSC14489	.20	.02				FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	GSC14492	.19	.02	1H	288	AIR	FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM MIL F87090	GSC13448	.28	.01				FOAM
SOLITHANE 113/PPG-425/EH-330 FORMULA 20	GSC10733	4.21	1.38	7D	25	AIR	CONF COAT
SOLITHANE 113/RICINOLEY ALCOHOL FORMULA 25	GSC10757	.59	.01	7D	25	AIR	CONF COAT
SOLITHANE 113/TP-440/TMP FORMULA 27	GSC10763	.87	.12	7D	25	AIR	CONF COAT
SOLITHANE 113/300	GSFC0113	.40	.09	16H	65	AIR	POTTING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SOLITHANE 113/300 AS 100/100 BW FORMULA 4	GSFC5433	.30	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300 AS 100/120 BW FORMULA 6	GSFC7223	.41	.10	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	GSFC2266	.37	.08	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	GSFC2387	.31	.04	16H	50	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	GSC11565	.31	.04	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	GSFC0248	.32	.04	20H	70	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	GSFC4254	.28	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW 33% ALUM PIGMENT	GSFC1066	.69	.09	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	GSFC6011	.36	.01	7D	25	AIR	DAMPER
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	GSFC7616	.30	.01	24H	50	AIR	POTTING
SOLITHANE 113/300 FORMULA 15	GSC14926	.66	.04	7D	25	AIR	STAKING CPND
SOLITHANE 113/300 FORMULA 15	GSC14928	.54	.03	24H	65	AIR	STAKING CPND
SOLITHANE 113/300 FORMULA 6 OVER PRIMER 919/920	GSFC7175	.72	.03	7D	25	AIR	POTTING
SOLITHANE 113/300 THINNED/SPRAYED/F	GSC14611	.45	.14	16H	25	AIR	CONF COAT
				48H	60	AIR	
SOLITHANE 113/300/CABOSIL MS5/RODAMINE B/T-12	GSFC1186	.47	.00	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/T-12	GSFC1189	.42	.01	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/T-12/FLUORESCENT DYE	GSFC7314	.46	.04	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL M5/CARBOLAC 1	GSC10257	.43	.03	7D	25	AIR	SEALANT
SOLITHANE 113/300/CABOSIL/T-12/BLUE DYE	GSC14460	.44	.08	3H	60	AIR	POTTING
SOLITHANE 113/300/CALCAFLUOR WHITE/T-12/MIBK	GSFC6410	.57	.04	5H	54	AIR	CONF COAT
SOLITHANE 113/300/CALCAFLUOR/TOLUENE	GSC15477	.50	.03	16H	66	AIR	CONF COAT
SOLITHANE 113/300/DTDL AS 100/80/1 BW	GSFC7946	.66	.09	15H	50	AIR	POTTING
SOLITHANE 113/300/EH-330 AS 100/73/1 BW FORMULA 21	GSC10736	.56	.05	7D	25	AIR	CONF COAT
SOLITHANE 113/300/HUMISEAL THINNER 521	GSC13236	.32	.02	2H	93	AIR	COATING
SOLITHANE 113/300/M-5 AS 10/7.4/1 BW	GSC14776	.37	.02	48H	40	AIR	POTTING
SOLITHANE 113/300/M-5/TC-700	GSC14779	1.86	.05	4H	66	AIR	POTTING
SOLITHANE 113/300/M-5/TC-700	GSC14851	.91	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/MEK	GSC14930	.78	.03	5H	66	AIR	CONF COAT
SOLITHANE 113/300/MEK	GSC15195	.44	.02	5H	66	AIR	CONF COAT
SOLITHANE 113/300/N-METHYL MORPHOLINE FORMULA 23	GSC10751	.88	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 24	GSC10754	.29	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 26	GSC10760	.31	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/T-12 AS 25/18.25/1 DROP BW	GSFC1225	.37	.01	7D	25	AIR	POTTING
SOLITHANE 113/300/T-12/CALCAFLUOR RW/DB CASTOR OIL	GSC10472	.37	.02	3H	60	AIR	CONF COAT
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC13511	.38	.06	7D	25	AIR	PAINT
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC13514	.40	.05	2D	25	AIR	PAINT
				24H	60	AIR	
SOLITHANE 113/300/T-12/SILFLAKE 135/HEXANE	GSFC8177	.62	.00	7D	25	AIR	COND CONF COAT
SOLITHANE 113/300/TIPA AS 100/51/4.5 BW FORMULA 10	GSFC6266	.36	.02	7D	25	AIR	ADHESIVE
SOLITHANE 113/300/TIPA/ALUMINA T61	GSFC4206	.14	.01	4H	60	AIR	ADHESIVE
SOLITHANE 113/300/TOLUENE AS 100/73 BW/173 BV	GSFC4252	.50	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300/TRACER-TECH T-704/80	GSC11258	.36	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/TRIETHYLAMINE FORMULA 22	GSC10739	.43	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300/ZNO AS 20/14.6/1 BW	GSFC2212	.44	.04	20H	66	AIR	POTTING
SOLITHANE 113/300/328 AS 100/14.7/11.5 BW FORMULA 15	GSFC1069	.79	.04	24H	70	AIR	CONF COAT
SOLITHANE 113/300/328 AS 100/44/6 BW FORMULA 11	GSFC1585	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328 AS 100/51/4.5 BW FORMULA 10	GSFC1582	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328 AS 100/65.5/1.5 BW FORMULA 8	GSC10263	1.19	.08	3H	66	AIR	CONF COAT
SOLITHANE 113/300/328/B 35A GLASS BUBBLES	GSFC2470	.21	.00	21D	25	AIR	POTTING
SOLITHANE 113/300/328/ECCOSPHERES SI	GSFC2519	.53	.00	16H	57	AIR	POTTING
SOLITHANE 113/328/FLEXRICIN 9 FORMULA 29	GSC10811	.60	.03	7D	25	AIR	CONF COAT
SOLITHANE 291	GSFC1957	1.36	.51				O RING

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SOLITHANE 291/271/TIPA AS 100/48.5/1.9 BW	GSFC2635	1.45	.57	1H	60	E-3	CUSHION
				16H	100	AIR	
SORBOTHANE II BLUE PROPYLENE OXIDE POLYMER	GSC14226	17.07	10.57				DAMPER
SPACE GARD 4-B-33 FLAT BLACK COATING	GSFC4280	8.95	.06	5D	25	AIR	PAINT
SPACE GARD 4-B-33 OVER RANDOLPH PRIMER T54/F	GSFC7706	1.78	.02	2H	25	AIR	PAINT COMPOSITE
				96H	69	AIR	
SPACE GARD 4-B-33 OVER RANDOLPH PRIMER T54/F	GSFC7898	.79	.03	24H	100	E-2	PAINT COMPOSITE
SPACE GARD 4-C-25 CLEAR COATING	GSFC4278	9.46	.00	5D	25	AIR	CONF COAT
SPACE POLYOLEFIN TYPE 702 BLACK	GSC10428	.53	.02				SHRINK TUBING
SPECTRA-POR 146285 POLYCARBONATE FILTER MEMBRANE	GSC14570	.22	.01				FILTER
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	GSC14854	1.62	.03				POTTING
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	GSC14974	1.57	.03	24H	65	AIR	POTTING
SPECTRUM 2000 CM CLEAR ACRYLIC VISIBLE LIGHT CURE	GSC15000	1.33	.01				POTTING
SPECTRUM 2000 FMG GREEN ACRYLIC VISIBLE LIGHT CURE	GSC14857	.78	.01				POTTING
SPEED-O-PAQUE RED OPAQUEING LIQUID	GSFC8027	5.72	.00	24H	25	AIR	MARKING FLUID
SPENKEL M86-50CX POLYURETHANE	GSFC3904	8.72	.02	7D	25	AIR	CONF COAT
SPEREX SP-101 VHT HIGH TEMP COATING-WHITE SILICONE	GSFC6656	3.44	.83	7D	25	AIR	PAINT
SPEREX SP-101 VHT HIGH TEMP COATING-WHITE SILICONE	GSFC6659	.29	.01	15M	25	AIR	PAINT
				15M	121	AIR	
				1H	316	AIR	
SPIRAP NYLON CABLE WRAP 500013	GSFC6413	3.03	.05				CABLE WRAP
SPONGE RUBBER NEOPRENE MIL R6130B TYPE 1 BLACK	GSFC9811	14.10	4.92				DAMPER
SPONGE RUBBER NEOPRENE MIL R6130B TYPE 1 BLACK	GSFC9889	2.74	1.60	24H	125	E-7	DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	GSFC6700	.91	.40				DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	GSFC6703	.71	.40	24H	138	AIR	DAMPER
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	GSFC6804	.07	.00	22H	177	AIR	DAMPER
SPONGE RUBBER SILICONE MIL ZZ-R-765 RED	GSFC9808	.83	.40				DAMPER
SPONGE RUBBER SWS269/SE546 AS 1/1 BW SILICONE	GSFC6884	.53	.25				DAMPER
SPONGE RUBBER SWS269/SE546 AS 1/1 BW SILICONE	GSFC6887	.48	.23	42H	177	AIR	DAMPER
SPRAY-LAT 1071B STRIPPABLE COATING	GSFC2818	3.84	.81	24H	25	AIR	COATING
SPRAY-SEAL M-V ULTRA HIGH VAC SEALANT	GSC13831	2.37	.66				SEALANT
SR 1000 ONE PART GREEN SOLDER RESIST/F	GSC14507	1.62	.19	1H	149	AIR	MASK
SR 1010 ONE PART GREEN SOLDER RESIST/F	GSC14510	1.53	.16	1H	149	AIR	MASK
SR 165/MICA/IRON OXIDE/ALUM SILICATE COATING	GSC12190	.30	.00	12H	300	AIR	COATING
SR 2020/CAT 10 AS 1/1 BW GREEN SOLDER RESIST/F	GSC14537	1.06	.03	20M	149	AIR	MASK
SR 2030/CAT 11 AS 1/1 BW GREEN SOLDER RESIST/F	GSC15834	4.79	.00	15M	150	AIR	MASK
SR 2030/CAT 11 AS 1/1 BW GREEN SOLDER RESIST/F	GSC15897	3.35	.01	30M	135	AIR	MASK
SR 240 SILICONE LEAFING ALUMINUM	GSC11547	.58	.19	48H	25	AIR	PAINT
				48H	99	AIR	
SR 240 SILICONE LEAFING ALUMINUM	GSC11549	.74	.24	48H	25	AIR	PAINT
				96H	71	E-3	
SR 240 SILICONE LEAFING ALUMINUM	GSC11642	.72	.18	48H	25	AIR	PAINT
				8D	71	E-3	
SR 2702-75 VITON PER MIL R83248 TYPE 2 CLASS 1	GSFC4474	.16	.00				DUST SEAL
SR 2724-75 VITON E-60	GSC11294	.46	.00	24H	260	AIR	SEAL
SR 290 SILICONE (SR 17 AND SR 98)	GSFC0110	6.00	2.60	4H	65	AIR	COATING
				2D	25	AIR	
SR 529 SILGRIP SILICONE PSA	GSFC7421	2.48	.75	30M	25	AIR	ADHESIVE
SR 585 SILVER FILLED SILICONE	GSFC6679	2.09	1.00				ADHESIVE
SR 585 SILVER FILLED SILICONE ON SILVERED TEFLON	GSFC6682	.60	.27	1.5H	38	AIR	ADHESIVE
SR 585 SILVER FILLED SILICONE ON SILVERED TEFLON	GSFC7709	.28	.14	12H	66	AIR	ADHESIVE
SR 585/TOLUENE	GSFC1768	10.37	5.09	24H	25	AIR	ADH FOR TAPE
SR 634-70 BUTYL O RING STILLMAN RUBBER	GSFC1804	.93	.10				O RING
SS 4155 SILICONE PRIMER	GSFC2551	15.52	.00	1H	25	AIR	ADH PRIMER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ST 500 PINK POLYETHYLENE FILM	GSC14900	1.01	.68				ANTI STATIC FILM
ST 600 BLACK FILM	GSC14902	.78	.35				ANTI STATIC FILM
ST 700 CONDUCTIVE GRID FILM	GSC14958	.41	.11				ANTI STATIC FILM
ST 800 ALUM POLYETHYLENE BLUE TRANSPARENT	GSC15066	.69	.11				ANTI STATIC FILM
STA-STRAP SST CABLE TIE NATURAL NYLON ETHANOL WASH	GSFC7439	3.25	.01				CABLE TIE
STAG SOLITE 20678 OVER STAG PREVOX 1766 PRIMER/F	GSC12832	4.27	.36	7D	25	AIR	PAINT SYSTEM
STAKING CPND BLUE SOLITHANE 113/300 BASE	GSFC8057	.43	.06	7D	25	AIR	STAKING CPND
STAND-OFF G-10 EPOXY/GLASS COMPOSITION	GSFC5713	.10	.00				STAND-OFF
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	GSFC5829	1.78	.00	12H	66	AIR	FOAM
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	GSFC5855	1.32	.00	4H	105	AIR	FOAM
STANTHANE 817C-2 (FORMERLY CPR 17-2C)	GSFC5857	1.37	.01	2H	120	AIR	FOAM
STAPH CHECK 6 FABRIC - LIGHT AQUA/WHITE VINYL	GSC12880	27.16	17.11				PACKAGING
STATIC CONTROL TABLE MAT 8210 BROWN VINYL/FOAM	GSC12868	37.60	23.66				STATIC CONTROL
STATICURE ANTISTATIC FILM	GSC15570	.31	.07				ANTI STATIC FILM
STEPANFOAM G-306 6#/CU FT WHITE	GSC10442	.87	.06	24H	25	AIR	FOAM
				4H	66	AIR	
STRIP-N-STICK SILICONE TAPE 440S	GSC13120	2.05	.91				TAPE
STRIP-N-STICK 100 S RED SILICONE SPONGE/SILICONE/F	GSC14815	1.08	.53				TAPE
STRIP-N-STICK 200A RED SILICONE SPONGE/ACRYLIC ADH/F	GSC13204	.30	.10				TAPE
STRIP-N-STICK 220A BLUE SILICONE SPONGE/ACRYLIC/F	GSC14976	.75	.21				TAPE
STRIP-N-STICK 300AR BLUE SIL SPONGE/ACRYLIC ADH/F	GSC13207	.34	.11				TAPE
STRIPPABLE VINYL COATING	GSFC2393	9.31	4.97				PROTECTIVE COAT
STW 0474 WHITE SILICONE WIRE INSUL	GSFC2859	4.16	.76				INSULATION
STW 0474 WHITE SILICONE WIRE INSUL	GSFC2887	.10	.00	96H	204	AIR	INSULATION
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	GSFC6059	1.31	.20	7D	25	AIR	COATING-POTTING
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	GSFC6152	1.07	.15	7D	25	AIR	COATING-POTTING
				48H	70	AIR	
STYCAST CPC 18 A/B AS 100/12.5 BW POLYURETHANE	GSFC9509	.96	.15	16H	65	AIR	STAKING CPND
STYCAST CPC 19 A/B AS 100/38 BW POLYURETHANE	GSFC6056	19.37	12.16	7D	25	AIR	COATING-POTTING
STYCAST CPC-41 A/B AS 5/6 BW POLYURETHANE	GSC11419	.39	.04	7D	25	AIR	POTTING
STYCAST HI K 500 DIELECTRIC	GSFC5435	.47	.04				INSULATOR
STYCAST HIHIK FILLED EPOXY	GSFC8081	.38	.00				DIELECTRIC
STYCAST 0005 POLYSTYRENE	GSC10565	.29	.01				MOLD CPND
STYCAST 1090-SI/24LV AS 100/23 BW EPOXY FOAM	GSC10131	3.44	.10	16H	25	AIR	FOAM
				24H	70	AIR	
STYCAST 1090-SI/24LV AS 100/23 BW EPOXY FOAM	GSFC3680	.74	.09	16H	25	AIR	FOAM
				6H	65	AIR	
STYCAST 1090/11 AS 100/12 BW EPOXY FOAM	GSFC5457	.49	.06	24H	100	AIR	FOAM
STYCAST 1090/9 AS 10/1 BW EPOXY FOAM	GSC13691	.46	.06	30D	25	AIR	FOAM POTTING
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	GSFC5459	.38	.04	3H	95	AIR	FOAM
				3H	150	AIR	
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	GSFC5465	.36	.00	24H	125	AIR	FOAM
STYCAST 1095/9 AS 100/9 BW BLACK EPOXY FOAM	GSFC8366	.72	.07	16H	25	AIR	FOAM-POTTING
STYCAST 1217/9 AS 100/13 BW EPOXY	GSFC5485	1.20	.16	16H	52	AIR	CONF COAT
				24H	150	AIR	
STYCAST 1263/31 AS 100/3 BW EPOXY	GSFC5891	.33	.04	16H	107	AIR	ADHESIVE
STYCAST 1267 A/B AS 100/30 BW CLEAR EPOXY	GSC12208	1.06	.07	4D	25	AIR	ADHESIVE
				24H	66	AIR	
STYCAST 1467/CAT 9 AS 100/7 BW EPOXY	GSFC2517	.14	.00	16H	25	AIR	POTTING
				1H	77	AIR	
STYCAST 2057/CAT 9 AS 100/6 BW EPOXY	GSFC3361	.72	.01	24H	25	AIR	POTTING
STYCAST 2651-40/CAT 11 AS 10/1 BW BLACK EPOXY	GSC14436	.55	.01	2H	100	AIR	POTTING
				4H	125	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
STYCAST 2651-40/CAT 11 AS 100/11 BW BLACK EPOXY	GSC13771	.43	.01	4H	80	AIR	POTTING
				4H	150	AIR	
				4H	175	AIR	
STYCAST 2651-40/CAT 9 AS 100/9 BW BLACK EPOXY	GSC13768	.31	.03	16H	25	AIR	POTTING
				4H	75	AIR	
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	GSFC9053	.63	.01	3H	100	AIR	ADHESIVE
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	GSFC9071	.84	.03	18D	25	AIR	ADHESIVE
STYCAST 2651/CAT 11 EPOXY	GSFC2014	.14	.00				POTTING
STYCAST 2651/CAT 9 EPOXY	GSFC0993	.37	.03	8H	25	AIR	POTTING
STYCAST 2651MM/CAT 9 AS 100/6.5 BW BLACK EPOXY	GSC11612	.38	.00	7D	25	AIR	ADHESIVE
STYCAST 2662/CAT 14 AS 4/1 BW BLACK EPOXY	GSFC4580	.63	.00	2H	120	AIR	POTTING
STYCAST 2762/14 AS 25/2 BW BLACK EPOXY	GSFC7271	.27	.08	3H	149	AIR	POTTING
STYCAST 2850FT/9 AS 100/3 BW EPOXY	GSFC2424	.25	.01				POTTING
STYCAST 2850FT/11 AS 100/3 BW BLACK EPOXY	GSFC7124	.40	.01	20H	70	AIR	POTTING
STYCAST 2850FT/11 AS 100/4.5 BW EPOXY	GSC10907	.38	.01	12H	85	AIR	ADHESIVE
STYCAST 2850FT/11 AS 20/1 BW BLACK EPOXY	GSFC6569	.47	.01	2H	60	AIR	POTTING
				30M	120	AIR	
				30M	160	AIR	
				2H	200	AIR	
STYCAST 2850FT/11/9 AS 100/3/1.5 BW BLUE EPOXY	GSFC7004	.40	.00	4H	60	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	GSC15690	.58	.03	24H	25	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	GSC15705	.49	.01	2H	63	AIR	POTTING
STYCAST 2850FT/24LV AS 100/7 BW EPOXY	GSFC4343	.39	.00	24H	25	AIR	ADHESIVE
				72H	60	AIR	
STYCAST 2850GT/9 AS 10/0.3 BW EPOXY	GSFC4195	.33	.00	7D	25	AIR	ADHESIVE
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	GSC11854	.65	.09	7D	25	AIR	COATING
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	GSFC9431	.55	.02	24H	25	AIR	POTTING
				2H	65	AIR	
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	GSFC9434	.34	.01	16H	65	AIR	POTTING
STYCAST 2850KT/9 AS 100/1.7 BW BLUE EPOXY	GSC11851	2.44	.41	7D	25	AIR	COATING
STYCAST 2850MT/11 AS 100/2.7 BW BLUE EPOXY	GSC10299	.52	.03	24H	74	AIR	ADHESIVE
STYCAST 2850MT/9 AS 100/2.1 BW BLUE EPOXY	GSC10296	.52	.02	24H	25	AIR	ADHESIVE
STYCAST 2851KT ONE COMP BLUE THERM COND EPOXY	GSC11815	.29	.04	2H	105	AIR	POTTING
STYCAST 3050/11 AS 10/1 BW MAROON EPOXY	GSFC6149	1.04	.00	16H	77	AIR	POTTING
STYCAST 3050/11/B40A MICROBALLOONS	GSC10176	.75	.01	72H	25	AIR	POTTING
				90M	126	AIR	
STYCAST 3050/18 AS 10/3 BW DARK RED EPOXY	GSC11369	1.47	.07	7D	25	AIR	POTTING
STYCAST 3050/9 AS 100/6 BW DARK RED EPOXY	GSC11857	2.09	.01	7D	25	AIR	ADHESIVE
STYCAST 3050/9 AS 100/8 BW EPOXY	GSFC6077	1.10	.01	8H	60	AIR	POTTING
STYCAST 3050/9/11 AS 10/.6/.4 BW DARK RED EPOXY	GSC11384	1.64	.01	7D	25	AIR	POTTING
STYRAFIL F30/20 POLYSTYRENE FOAM/20% GLASS FIBER	GSFC4046	.26	.02				FOAM
STYRAFIL G37/20/CR BLACK POLYSTYRENE/FIBER GLASS	GSFC1060	.53	.00				MOLD CPND
STYROFOAM	GSC11153	.62	.22				SUN SHIELD
SULFIL 1500/20 POLYSULFONE/FIBER GLASS AS 80/20	GSFC0966	.20	.01				MOLD CPND
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	GSC10269	3.97	.13	48H	75	E-6	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	GSC10419	1.55	.15	48H	100	AIR	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	GSC10431	1.51	.19	72H	100	AIR	PRIMER
SUPER KOROPON FLUID RESISTANT PRIMER GREEN EPOXY/F	GSFC9689	5.03	.21	7D	25	AIR	PRIMER
				30M	74	AIR	
SUPER LAMICODE MARKERS WFD POLYESTER ADH	GSFC3039	2.09	.21				MARKERS
SUPRAMICA 500 SYNTHETIC MICA/ORGANIC BINDER	GSFC7796	.00	.00				STRUCTURAL
SURLYN A WIRE INSULATION	GSFC0338	.28	.03				WIRE INSUL
SURLYN A WIRE INSULATION IN SHEET FORM	GSFC0335	.55	.06				INSULATION
SURLYN SB IONOMER FILM	GSFC4572	.40	.05				FILM

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SURLYN 1652 2 MIL BAGGING FILM	GSFC7544	.39	.09				FILM
SWITCH CASE ES-4 BLACK PHENOLIC	GSC11237	4.33	.01				MOLD CPND
SWS 934 ONE COMPONENT SILICONE WHITE	GSC12370	.43	.21	7D	25	AIR	POTTING
SWS 934 ONE COMPONENT SILICONE WHITE	GSC15828	.53	.19	7D	25	AIR	SEALANT
SYLGARD 170 A/B AS 1/1 BW DARK GRAY SILICONE	GSFC9692	1.19	.27	7D	25	AIR	ADHESIVE
SYLGARD 182 A/B AS 10/1 BW	GSFC0365	1.10	.33	22H	100	AIR	SILICONE
SYLGARD 182 A/B AS 10/1 BW	GSFC0444	1.09	.33	7D	25	AIR	POTTING
SYLGARD 184 A/B AS 10/1 BW	GSFC2080	1.01	.48	2H	170	AIR	SILICONE
SYLGARD 184 A/B AS 10/1 BW DEVOL LOT GB053274 BATCH1	GSC13338	.19	.01	7D	25	AIR	ADHESIVE
SYLGARD 185 A/B AS 10/1 BW	GSFC05PN	1.80	.59	1H	100	AIR	SILICONE
SYLGARD 186 A/B AS 10/1 BW SILICONE	GSFC7127	2.19	.94	24H	25	AIR	ADHESIVE
SYLGARD 187	GSFC07PN	2.54	1.20				SILICONE
SYLGARD 187 A/B AS 10/1 BW SILICONE	GSFC4334	1.25	.44	4H	121	E-1	MOLD CPND
SYLGARD 51 A/B AS 10/1 BW	GSFC1005	2.40	.80	72H	66	AIR	SILICONE
SYLGARD 577 A/B AS 10/1 BW GRAY SILICONE	GSC13774	1.24	.58	24H	80	AIR	ADHESIVE
SYNTACTIC FOAM WHITE EPOXY/ECCOSPHERES AS 40/60 BW	GSC11693	.54	.00				FOAM
SYNTHITE BC 307 VARNISH	GSFC3387	3.70	.69	16H	110	AIR	WINDING COAT
S102 D10-10 FASTENER GRAY ANODIZE	GSFC5601	.02	.01				FASTENER
T-661 A/B AS 100/7.5 BW BLUE EPOXY THERM COND	GSFC9239	1.24	.03	25H	25	AIR	ADHESIVE
				2H	65	AIR	
TAME 200 A/B AS 1/25 BW ACRYLIC BASE ADH	GSFC5461	2.28	.03	24H	25	AIR	ADHESIVE
TAPE TEFLON 03641 TFE FILM/SILICONE ADH/F	GSC10155	.38	.17				TAPE
TBS 757 FLAME RETARDANT SILICONE BARRIER	GSFC3852	2.80	.76	5M	149	AIR	THERMAL BARRIER
TC 10 NYLON WIRE SUPPORT	GSFC3119	1.59	.00				SUPPORT
TC 100 FILLED BLUE SILICONE	GSC15429	.07	.02	5M	121	AIR	GASKET
				4H	204	AIR	
TC 101 TY-RAP NYLON CABLE RETAINER	GSFC2733	1.08	.02				CABLE RETAINER
TC 102 TY-RAP NYLON CABLE CLAMP	GSFC5168	1.11	.01	48H	125	AIR	CABLE CLAMP
TC 105A WIRE CLIP ADHESIVE	GSFC3263	6.66	1.72				ADHESIVE
TC 106M TY-RAP NYLON CABLE CLAMP	GSFC5170	1.05	.01	48H	125	AIR	CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	GSFC5049	1.61	.02				CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	GSFC5152	1.02	.00	24H	125	AIR	CABLE CLAMP
TC 1112 TY-RAP NYLON CABLE CLAMP	GSFC5172	1.05	.01	48H	125	AIR	CABLE CLAMP
TC 818 TY-RAP NYLON CABLE CLAMP	GSFC4998	2.15	.02	16H	50	AIR	CABLE CLAMP
TC 828 TY-RAP NYLON MOUNTING PLATE	GSFC9455	1.30	.01	24H	125	AIR	MOUNT PLATE
TC 92 TY-RAP NYLON CABLE CLAMP	GSFC5067	1.18	.00	24H	125	AIR	CABLE CLAMP
TCK 10 TEFLON COATED KEVLAR	GSC15092	.61	.01				ANTI STATIC FILM
TCK 1589 TEFLON COATED KEVLAR	GSC15094	.57	.00				ANTI STATIC FILM
TCK 1590 TEFLON COATED KEVLAR	GSC15096	.76	.00				ANTI STATIC FILM
TCK 6 TEFLON COATED KEVLAR	GSC15090	.36	.00				ANTI STATIC FILM
TEC MARKING INK BLACK LOT 105/F	GSC11953	16.10	1.84	7D	25	AIR	INK
TECH-PEN GREEN INK FROM TUBE	GSFC5331	8.81	1.24	24H	25	AIR	INK
TECHTHANE 92SS ORANGE URETHANE	GSC16304	1.72	.41	2D	25	AIR	COATING
TECKFELT 45-09802 SILICONE IMPREG SINT STAINLESS	GSFC3674	.70	.29	24H	100	AIR	FELT
TECKFELT 45-09810 UNFILLED SINT STAINLESS	GSFC9868	.01	.00				FELT
TECKNIT 72-00002 SILVER FILLED SILICONE	GSFC4756	.60	.21	24H	25	AIR	COND ADHESIVE
TECKNIT 72-00002 SILVER FILLED SILICONE	GSFC4758	.02	.00	48H	121	E-5	COND ADHESIVE
TECKNIT 72-00005 SILVER FILLED ACETATE	GSC14638	.21	.02	7D	25	AIR	CAULK/GASKET
TECKNIT 72-00008 A/B AS 1/1.4 BW AG FILLED EPOXY	GSC15183	.83	.08	24H	25	AIR	ADHESIVE
TECKNIT 72-00014 SILVER FILLED SILICONE PASTE	GSC14659	.74	.45	7D	25	AIR	GASKET
TECKNIT 72-08116 COND EPOXY A/B AS 1/1 BW	GSFC3483	.61	.02	30M	99	AIR	COND ADHESIVE
TECKNIT 77-09-776 SILVER COATED NYLON	GSFC3678	1.02	.02				SHIELDING
TECKNIT 82-124571 SILICONE SPONGE W/SCREEN	GSFC4760	4.37	.74				DAMPER
TECKNIT 82-124571 SILICONE SPONGE W/SCREEN	GSFC4762	.12	.02	48H	121	E-5	DAMPER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TECKNIT 82-124571/72-00002/82-124571 COMPOSITE	GSFC4764	.05	.01	48H	121	E-5	DAMPER
TECKNIT 86-10005 BLACK RUBBER GASKET/O RING	GSC11839	.35	.11				GASKET/O RING
TECKNIT 86-10005 BLACK RUBBER GASKET/O RING	GSC11860	.09	.04	24H	175	AIR	GASKET/O RING
TECKSPAN P/N 48-09866 WIRE EMBEDDED SILICONE	GSC13213	.92	.20				EMI SHIELDING
TECKSPAN P/N 48-09866 WIRE EMBEDDED SILICONE	GSC13216	.45	.20	24H	100	AIR	EMI SHIELDING
TEDLAR COATING ON ALUMINUM	GSFC2723	.14	.05				COATING
TEDLAR 150 BL 30 CC BLACK FILM	GSFC1999	.14	.00				FILM
TEFLON FEP INSULATION TX22-731	GSFC1249	.02	.00				INSULATION
TEFLON FEP SHRINK TUBING FIT 400	GSFC4692	.00	.00	5M	149	AIR	SHRINK TUBING
TEFLON FEP TYPE A 5 MIL FILM	GSC10661	.01	.00				FILM/SHEET
TEFLON INSUL 33181019 BRAND-REX	GSFC0669	.00	.00				INSULATION
TEFLON PFA FILM SHEET TE-9705	GSFC4830	.00	.00				FILM
TEFLON PFA MOLDED SPECIMEN TE-9704	GSFC4828	.01	.00				MOLD CPND
TEFLON PFA PELLETS (PERFLUOROALKOXY TEFLON)	GSFC4476	.00	.00				MOLD CPND
TEFLON PFA WIRE SLEEVING TE-9704 SODIUM ETCHED	GSFC4834	.00	.00				WIRE INSUL
TEFLON PFA WIRE SLEEVING TE-9704 UNETCHED	GSFC4832	.00	.00				WIRE INSUL
TEFLON PTFE CONDUCTOR RIBBON CABLE INSULATION	GSC10850	.00	.00				WIRE INSUL
TEFLON TFE/Y966/ALUM KAPTON/Y966 COMPOSITE TAPE	GSC11129	.57	.01				THERMAL CONTROL
TEFLON/GARLOC 201/SILVER/ALUM FOIL COMPOSITE	GSFC1636	.34	.13				MIRROR
TEFZEL ETHYLENE/TETRAFLUOROETHYLENE COPOLYMER	GSFC3455	.03	.00				MOLD CPND
TEFZEL FILM 2 MIL	GSFC4071	.12	.02				BLANKET
TEKFIT GPO 135 BLACK POLYOLEFIN HEAT GUN SHRINK	GSC16211	.50	.08				SHRINK TUBING
TEKFIT GPO 135 BLACK POLYOLEFIN SHRINK TUBING	GSC10209	.58	.05	5M	121	AIR	SHRINK TUBING
TEKFIT GPO 135 BLUE POLYOLEFIN HEAT GUN SHRINK	GSC16183	.62	.06				SHRINK TUBING
TEKFIT GPO 135 CLEAR POLYOLEFIN HEAT GUN SHRINK	GSC16213	.84	.14				SHRINK TUBING
TEKFIT GPO 135 GREEN POLYOLEFIN HEAT GUN SHRINK	GSC16181	.54	.07				SHRINK TUBING
TEKFIT GPO 135 RED POLYOLEFIN HEAT GUN SHRINK	GSC16185	.63	.06				SHRINK TUBING
TEKFIT GPO 135 WHITE POLYOLEFIN HEAT GUN SHRINK	GSC16145	.57	.08				SHRINK TUBING
TEKFIT GPO 135 YELLOW POLYOLEFIN HEAT GUN SHRINK	GSC16148	.57	.09				SHRINK TUBING
TEKFIT GPR 135 BLACK POLYOLEFIN SHRINK TUBING	GSC10233	1.13	.28	5M	121	AIR	SHRINK TUBING
TELATEMP MODEL 110 TEMP RECORDER TAPE/F	GSC10074	2.55	.72				TEMP LABEL
TEMP-PLATE 240/ROD	GSFC0598	2.90	.27				FILM
TEMP-PLATE 240/SCREEN	GSFC0596	4.14	.30				FILM
TEMP-R-GLAS A2005 FIBERGLASS/TEFLON TFE/SILICONE ADH	GSFC9386	.47	.26				TAPE
TEMP-R-TAPE A-471 TEFLON/FIBERGLAS/ACRYLIC ADH	GSFC3598	.87	.14				TAPE
TEMP-R-TAPE C TEFLON FEP/SILICONE ADH/F	GSC13171	.67	.33				TAPE
TEMP-R-TAPE C-400 TEFLON FEP/SILICONE ADH/R	GSFC2693	.27	.09				TAPE
TEMP-R-TAPE C-642 ALUM FOIL/CLOTH/SILICONE ADH/F	GSC14026	.45	.26				TAPE
TEMP-R-TAPE C-661 COPPER FOIL/ACRYLIC ADH/F	GSC13936	.15	.01				TAPE
TEMP-R-TAPE C-662 ALUM FOIL/ACRYLIC ADH/F	GSC13939	.21	.02				TAPE
TEMP-R-TAPE C-665 CU FOIL/ACRYLIC ADH/F	GSC15185	.07	.02				TAPE
TEMP-R-TAPE G-550 FIBERGLASS/ACRYLIC ADH/F	GSC10973	.30	.05				TAPE
TEMP-R-TAPE G-557 SILICONE COAT FIBERGLASS/SIL ADH/F	GSC12118	1.28	.46				TAPE
TEMP-R-TAPE G-557 SILICONE COAT FIBERGLASS/SIL ADH/F	GSC12121	.14	.02	4H	205	AIR	TAPE
TEMP-R-TAPE G-565 FIBERGLASS/SILICONE ADH/F FLAME R	GSC13183	2.72	1.46				TAPE
TEMP-R-TAPE G-569 FIBERGLASS/ACRYLIC ADH/F	GSC13129	.32	.05				TAPE
TEMP-R-TAPE GV FIBERGLAS/SILICONE ADH/R	GSFC2131	1.69	.93				TAPE
TEMP-R-TAPE HM-225 TEFLON TFE/SILICONE ADH/F	GSC10502	.22	.10				TAPE
TEMP-R-TAPE HM-225 TEFLON TFE/SILICONE ADH/F	GSC13520	1.10	.67				TAPE
TEMP-R-TAPE HM-350 TEFLON TFE/SILICONE ADH/PRIMER/F	GSC10976	.28	.15				TAPE
TEMP-R-TAPE HM-352 TEFLON TFE/SILICONE ADH/F	GSC10988	.26	.15				TAPE
TEMP-R-TAPE HM-430 TEFLON TFE/ACRYLIC ADH/F	GSFC9221	.14	.02				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/F	GSC13523	.14	.07				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/R	GSFC3363	.19	.08				TAPE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TEMP-R-TAPE K-100 KAPTON/2 SIDE SILICONE ADH	GSFC3624	1.44	.41				2 SIDED TAPE
TEMP-R-TAPE K-100 KAPTON/2 SIDE SILICONE ADH/KAPTON	GSFC4548	1.74	.60	24H	66	E-4	TAPE COMPOSITE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	GSC13508	.65	.01				TAPE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	GSFC6868	.78	.01				TAPE
TEMP-R-TAPE K-103 KAPTON/ACRYLIC ADH/F	GSC14241	.84	.03				TAPE
TEMP-R-TAPE K-104 KAPTON/SILICONE ADH/F	GSC13132	1.42	.76				TAPE
TEMP-R-TAPE K-105 KAPTON/SILICONE/F	GSC13123	.64	.15				TAPE
TEMP-R-TAPE K-250 KAPTON/SILICONE ADH	GSFC3622	.88	.32				TAPE
TEMP-R-TAPE K-250 KAPTON/SILICONE ADH/KAPTON	GSFC4550	.81	.25	24H	66	E-4	TAPE COMPOSITE
TEMP-R-TAPE K-350 KAPTON/SILICONE ADH/F	GSC13135	.81	.30				TAPE
TEMP-R-TAPE M-52 MYLAR/SILICONE ADH/F TRANSPARENT	GSC13186	.93	.47				TAPE
TEMP-R-TAPE M-54 POLYESTER FILM/YELLOW ADH/F	GSC15447	1.73	.73				TAPE
TEMP-R-TAPE M-60/TRANSPARENT POLYESTER/ACRYLIC ADH/F	GSC10991	.48	.04				TAPE
TEMP-R-TAPE M-64 POLYESTER FILM/YELLOW TS SYN RUB/F	GSC14193	1.87	.59				TAPE
TEMP-R-TAPE M-69 MYLAR FILM/2 SIDE ACRYLIC ADH/F	GSFC8756	.63	.02				2 SIDED TAPE
TEMP-R-TAPE M-705 POLYESTER FILM/BLACK ACRYLIC ADH/F	GSC14196	.76	.06				TAPE
TEMP-R-TAPE M-706/WHITE POLYESTER/FR ACRYLIC ADH/F	GSC10994	.41	.04				TAPE
TEMP-R-TAPE M-744 SILICONE TRANSFER ADHESIVE/F SAND	GSC14845	1.81	.95				TAPE
TEMP-R-TAPE M-765 CLEAR POLYESTER/BEIGE ACR ADH/F	GSC14848	.72	.11				TAPE
TEMP-R-TAPE M-97 MYLAR/ACRYLIC ADH/YELLOW/F	GSC13138	.52	.07				TAPE
TEMP-R-TAPE M-99 MYLAR/ACRYLIC ADH/F YELLOW	GSC13189	.37	.05				TAPE
TEMP-R-TAPE TH TEFLON TFE/SILICONE ADH/F	GSC13192	.44	.20				TAPE
TEMP-R-TAPE TR-900 TRADLON/SILICONE ADH/F	GSFC9841	1.07	.41				TAPE
TEMP-R-TAPE TV TEFLON TFE/SILICONE ADH/F	GSC13141	.50	.27				TAPE
TEMP-R-TAPE TV-350 TEFLON TFE/SILICONE ADH/F	GSC13195	.71	.41				TAPE
TEMP-R-TAPE TYPE T TEFLON FEP/SILICONE ADH/F	GSC11821	.52	.31	24H	100	AIR	TAPE
TEMP-R-TAPE TYPE T TEFLON TFE/SILICONE ADH/S	GSFC2308	.90	.53				TAPE
TEMP-R-TAPE 1072 TEFLON FEP/SILICONE ADH/F	GSC11842	.42	.23				TAPE
TENNECO PO 502 URETHANE FOAM WHITE 1.8#/CU FT	GSFC9077	5.66	2.02				FOAM
TENNECO 1194 URETHANE FOAM GREEN 3.9#/CU FT	GSFC9074	2.14	.10				FOAM
TENSOLITE 4318L-1 HIGH VOLTAGE WIRE INSUL MOD TFE	GSFC6662	.04	.00				WIRE INSUL
TERMINAL T-2-S CLAYBORN LABS DC 282 - GE 102 - CLOTH	GSFC6965	1.89	.65				TERMINAL
TEX GUARD CF143CX RESIN COATED COPPER FABRIC	GSC15885	3.63	.00				EMI SHIELD
TEX GUARD T 1600 N NICKEL-ACRYLIC FABRIC	GSC15891	.22	.02				EMI SHIELD
TEX GUARD T 3500 N NICKEL-POLYESTER-COTTON FABRIC	GSC15894	.93	.01				EMI SHIELD
TEX GUARD TFR 1100 N CORDELAN COATED NICKEL FABRIC	GSC15888	1.11	.01				EMI SHIELD
TEXACO RB PREMIUM GREASE	GSC13275	37.82	22.77				LUBRICANT
TEXGUARD CR142 CU COATED POLYETHYLENE FIBER MESH	GSC16334	.47	.01				RFI/EMI SHIELD
TEXIN 355DR POLYURETHANE FASTENER	GSFC6986	1.03	.23				FASTENER
TEXIN 355DR POLYURETHANE POLYESTER CONNECTOR	GSC14067	.91	.23	16H	110	AIR	MOLD CPND
TF 1004 POLYURETHANE/FIBER GLASS AS 80/20	GSFC1120	.56	.17				MOLD CPND
TF 1008 POLYURETHANE/GLASS AS 60/40	GSFC1159	.37	.08				MOLD CPND
TFE WIRE INSULATION	GSFC6086	.01	.00				WIRE INSUL
TH 1006 SILICONE	GSFC2251	.71	.15	10M	116	AIR	SEAT
				2H	149	AIR	
				4H	204	AIR	
				16H	246	AIR	
THALCO 331/732/AEP/BLACK DYE	GSFC1657	1.54	.14	30M	82	AIR	POTTING
THERMA-FILM 43-03-4 INSULATOR	GSFC4742	.08	.00				INSULATOR
THERMA-FILM 4300-002	GSC15918	.79	.01				FILM
THERMABOND	GSFC5835	1.80	.06	7D	25	AIR	ADHESIVE
THERMACOTE 250 THERMAL JOINT CPND	GSFC3698	.09	.02				SEALANT
THERMATICS XT-24 TFE SLEEVING - NON SHRINKABLE	GSFC5859	.01	.00				WIRE INSUL
THERMATICS 1XZ-20-1932 WHITE WIRE INSUL	GSFC5246	.04	.01				WIRE INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
THERMATICS 3XZ-16-1929 BLACK WIRE INSUL	GSFC5244	.00	.00				WIRE INSUL
THERMATICS 63514AA OUTER WHITE LACQUER IMPREG NYLON	GSFC5417	1.46	.17				WIRE INSUL
THERMAX TEFLON IMPREG FIBERGLASS WIRE INSULATION	GSFC4522	.27	.08				WIRE INSUL
THERMAX TEFLON TFE WIRE INSULATION TYPE E	GSFC3159	.02	.01				WIRE INSUL
THERMELEC G 2735 COIL COATING	GSFC2599	.87	.02	1H	149	AIR	COIL COATING
				1H	204	AIR	
THERMELEC G 3334 BLACK ANTI-TRACK COATING	GSFC3600	8.55	.36	5M	93	AIR	PAINT
THERMOFIT CONNECTOR BOOT 214A332-3 HEAT GUN SHRINK	GSC10377	.91	.32				SHRINK TUBING
THERMOFIT CRN CLEAR	GSFC4238	.60	.18	5M	225	AIR	SHRINK TUBING
THERMOFIT CRN WHITE	GSFC4236	1.66	.88	5M	225	AIR	SHRINK TUBING
THERMOFIT KYNAR CLEAR	GSFC4186	.14	.05	5M	300	AIR	SHRINK TUBING
THERMOFIT M120 VITON - BLACK HEAT GUN SHRINK	GSFC7469	.31	.07				SHRINK TUBING
THERMOFIT RNF-100 CLEAR	GSFC4184	1.02	.27	5M	250	AIR	SHRINK TUBING
THERMOFIT RNF-100 CLEAR - SURFACE ETCHED	GSFC4524	1.50	.30	5M	232	AIR	SHRINK TUBING
THERMOFIT RNF-100 TY 1 BLACK SHRINK TUBING LOT 17595	GSFC9410	1.72	.69	5M	177	AIR	SHRINK TUBING
THERMOFIT RT 102 BLACK POLYOLEFIN HEAT GUN SHRINK	GSFC8099	1.24	.21				SHRINK TUBING
THERMOFIT RT 1800 HT TMS WHITE MARKER SLEEVE W/INK	GSC14689	.27	.03	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 1800/1 HT TMS WHITE HEAT GUN SHRINK	GSFC8807	.97	.06				MARKER SLEEVE
THERMOFIT RT 1800/1 HT TMS WHITE MARKER SLEEVE	GSFC8831	.72	.05	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 1800/13 HT-TMS-CM CABLE MARKER W/INK	GSC16337	.23	.03				CABLE MARKER
THERMOFIT RT 218 WHITE KYNAR/VITON HEAT GUN SHRINK	GSFC8102	.24	.01				SHRINK TUBING
THERMOFIT RT 301 BLACK	GSFC2979	.68	.28	2H	125	AIR	SHRINK TUBING
THERMOFIT RT 850 KYNAR SHRINK TUBING NATURAL	GSFC6935	.15	.05	1M	300	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN CLEAR PRESHRUNK	GSFC3013	1.16	.19	30M	104	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN RED PRESHRUNK	GSFC3015	.77	.21	30M	104	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN WHITE HEAT GUN SHRINK	GSC12619	.67	.10				SHRINK TUBING
THERMOFIT RT 876 PRESHRUNK	GSFC2369	.43	.10	15M	125	AIR	SHRINK TUBING
THERMOFIT SCL - NOT SHRUNK	GSFC0557	.68	.19				SHRINK TUBING
THERMOFIT SCL - PRESHRUNK	GSFC0554	.61	.14				SHRINK TUBING
THERMOFIT SCL - SPECIAL MS-8SCL-NO2-CL3512	GSFC4712	.47	.20	5M	225	AIR	SHRINK TUBING
THERMOFIT SCL BLACK - HEAT GUN SHRINK	GSFC6104	.69	.25				SHRINK TUBING
THERMOFIT SCL BROWN	GSFC5000	.76	.26	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL BROWN	GSFC5002	.63	.26	1H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT SCL GRAY	GSFC5052	.83	.34	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL GRAY	GSFC5070	.71	.28	2H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT SCL GRAY SHRINK TUBING LOT I1491	GSFC9413	.82	.51	5M	177	AIR	SHRINK TUBING
THERMOFIT SCL WHITE	GSFC5073	.63	.25	0.5M	140	AIR	SHRINK TUBING
THERMOFIT SCL WHITE	GSFC5076	.52	.24	2H	100	AIR	SHRINK TUBING
				0.5M	140	AIR	
THERMOFIT TFE-R TEFLON PRE-SHRUNK	GSFC1687	.00	.00				SHRINK TUBING
THERMOFIT TMS-CM CABLE MARKER	GSC16208	1.43	.17				CABLE MARKER
THERMOFLEX HYGRADE 1200 FIBERGLASS SLEEVE	GSFC4404	.06	.01				INSUL SLEEVE
THIXON AB-894 URETHANE PRIMER - BLUE	GSFC4714	.75	.12	1H	125	AIR	PRIMER
THIXON Q-317 URETHANE PRIMER - BROWN	GSFC4716	5.96	.79	1H	60	AIR	PRIMER
THREAD STAR DEE DACRON/SILICOTE FINISH BLACK	GSC14232	3.25	1.65				THREAD
THREE TON ADHESIVE A/B AS 1/1 BV	GSFC6938	1.48	.01	7D	25	AIR	ADHESIVE
TI-R-300 INSULATION - UNFIRED	GSFC6995	2.09	.20				INSULATION
TIE CORD E 761-1330 TFE TEFLON/GLASS	GSFC5715	.15	.05				TIE CORD
TIE CORD E 761-688 TFE TEFLON/GLASS	GSFC5691	.37	.11				TIE CORD
TIE CORD E 761-688 TFE TEFLON/GLASS METOH WASH	GSFC5787	.09	.01	1H	100	AIR	TIE CORD
TILE COTE 1201 A/B AS 1/1 BV WHITE EPOXY PAINT	GSFC2011	8.08	.09	1H	25	AIR	PAINT
				2H	60	AIR	

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TILE COTE 1202 A/B AS 1/1 BV BLACK EPOXY	GSFC3977	5.78	.08	1H	25	AIR	STAKING CPND
				2H	60	AIR	
TO-1000 SYNTACTIC FOAM WHITE	GSC10146	1.46	.14	90M	126	AIR	POTTING FOAM
				24H	110	E-6	
TO-1000 SYNTACTIC FOAM WHITE	GSFC4440	1.82	.59	8H	65	AIR	FOAM
				10H	121	AIR	
TORLON 4203 MOLDING CPND POLYAMIDE/IMIDE	GSFC9674	1.85	.00				MOLD CPND
TORQUE-SEAL FLUORESCENT LACQUER	GSFC3672	10.16	1.08	7D	25	AIR	LACQUER
TORR SEAL A/B AS 1/1 BV	GSFC0981	.84	.00	24H	25	AIR	ADH SEALANT
TP-2 PANDUIT NYLON SUPPORT	GSFC3125	1.89	.02				SUPPORT
TRA-BOND BA 2106T/SILTEX 44 EPOXY BIPAX KIT	GSC14614	.91	.05	5D	25	AIR	ADHESIVE
TRA-BOND 2101 EPOXY BIPAX KIT	GSFC3179	1.71	.01	2H	60	AIR	ADHESIVE
TRA-BOND 2106T EPOXY BIPAX KIT THIXOTROPIC	GSFC6647	1.35	.08	7D	25	AIR	ADHESIVE
TRA-BOND 2111 STAKING CPND EPOXY BIPAX KIT	GSFC6131	2.90	.08	72H	25	AIR	STAKING CPND
TRA-BOND 2112 STAKING CPND EPOXY BIPAX KIT	GSFC6848	1.45	.01	7D	25	AIR	STAKING CPND
TRA-BOND 2113 EPOXY BIPAX KIT	GSFC2937	3.40	.15	24H	25	AIR	ADHESIVE
TRA-BOND 2114 CLEAR EPOXY BIPAX KIT/FOIL SANDWICH	GSFC6134	3.16	.62	72H	25	AIR	ADHESIVE
TRA-BOND 2116 EPOXY BIPAX KIT	GSFC7901	1.01	.05	24H	25	AIR	STAKING CPND
TRA-BOND 2122 ALUM FILLED EPOXY BIPAX KIT	GSFC6107	1.15	.05	72H	25	AIR	ADHESIVE
TRA-BOND 2126 BLACK EPOXY BIPAX KIT	GSFC7661	2.27	.31	7D	25	AIR	ADHESIVE
TRA-BOND 2135D EPOXY BIPAX KIT	GSFC4118	2.06	.10	3D	25	AIR	ADHESIVE
TRA-BOND 2143D POLYAMID-EPOXY BIPAX KIT	GSFC6248	1.95	.06	72H	25	AIR	ADHESIVE
TRA-BOND 2151 THERM COND EPOXY BIPAX KIT	GSFC6251	.65	.02	72H	25	AIR	ADHESIVE
TRA-BOND 2248 THIXOTROPIC HI-TEMP EPOXY BIPAX KIT	GSFC6254	.72	.01	16H	25	AIR	ADHESIVE
				2H	65	AIR	
				2H	90	AIR	
TRA-CON EPON 815/Z BIPAX KIT	GSC14575	.81	.00				POTTING
TRA-CON ERL2795/2793 EPOXY KIT	GSFC3389	1.43	.04	16H	25	AIR	ADHESIVE
TRA-CON J1158/E-8 AS 50/6.25 BW EPOXY	GSFC3979	16.04	1.13	1H	25	AIR	ADHESIVE
				2H	60	AIR	
TRA-DUCT BA 2902 EPOXY KIT - SILVER FILLED	GSFC3177	1.06	.03	2H	60	AIR	COND ADHESIVE
TRADLON FILM POLYPARABANIC ACID (M)	GSC10275	1.26	.00				FILM INSUL
TRANSLUBE 20204 DRY FILM LUBRICANT/F	GSC15405	4.93	2.68	24H	25	E-3	DRY FIL LUBE
TRANSLUBE 20204 LUBRICANT FILM	GSC11135	9.13	5.88	30M	121	AIR	LUBRICANT FILM
TRANSLUBE 20204 LUBRICANT FILM	GSC13422	5.29	2.27				LUBRICANT FILM
TROYFELT S4-19-070-17P POLYESTER	GSC13144	.10	.04				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	GSC10835	.33	.12				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	GSC12210	.25	.08				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	GSC12212	.04	.03	67H	95	E-5	THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE WASHED	GSC10859	.25	.04	20H	115	AIR	THERMAL BLANKET
TRUCAST 111/901 AS 100/3.4 BW	GSFC2491	.36	.01	24H	25	AIR	POTTING
TRUCAST 111M/TRUCURE 901 EPOXY	GSFC3722	.60	.01	3H	66	AIR	POTTING
TSC 11 A/B AS 10/1 BW CLEAR SILICONE	GSC13656	1.33	.56	30D	25	AIR	POTTING
				4H	66	AIR	
TU-0590/XHD-0158 AS 1/1 BW GREEN POLYURETHANE	GSFC7766	.85	.02	4H	25	AIR	POTTING
				6H	50	AIR	
TUBING-SILICONE-RED GRADE 60 CL2 SPEC ZZR765	GSFC4718	.75	.26				TUBING
TUBING-SILICONE-RED GRADE 60 CL2 SPEC ZZR765	GSFC4766	.09	.04	24H	166	AIR	TUBING
TUFCON 50 MIL-ENE POLYESTER RIBBON CABLE	GSC13293	.36	.21				FLEX WIRING
TUFCON 50 MIL-ENE POLYESTER RIBBON CABLE	GSC13374	.36	.21	24H	90	E-3	FLEX WIRING
TWINE - LINEN .020 DIAM 3 PLY	GSC13451	2.94	.24	10H	100	AIR	TWINE
TX 300 POLYPROPYLENE FILM	GSC14906	.05	.02				ANTI STATIC FILM
TY 25M TY-RAP NYLON CABLE TIE	GSFC0857	1.74	.05				CABLE TIE
TY 25M TY-RAP TEFZEL CABLE TIE BLUE/GREEN	GSFC8126	.10	.00				CABLE TIE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TY 307 TY-RAP TEFLON CABLE TIE	GSFC0782	.03	.00				CABLE TIE
TY 34M TY-RAP NYLON CABLE TIE	GSFC6155	2.49	.02	24H	125	AIR	CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	GSFC5055	2.33	.02				CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	GSFC5103	1.90	.00	16H	100	AIR	CABLE TIE
TY 46M TY-RAP NYLON CABLE TIE	GSFC5150	1.24	.01	24H	125	AIR	CABLE TIE
TY 5 TY-RAP ZYTEL 103 CABLE TIE	GSFC5174	2.49	.01				CABLE TIE
TY 523M TY-RAP NYLON CABLE TIE	GSFC9677	1.85	.00	24H	125	AIR	CABLE TIE
TY-RAP KYNAR CABLE TIE	GSFC4134	.05	.02				CABLE TIE
TY-RAP MS 3367 NYLON LACING TAPE	GSFC2591	1.83	.00				LACING TAPE
TY-RAP NYLON	GSFC0662	2.60	.00				CABLE TIE
TYB 23M TY-RAP NYLON CABLE TIE	GSFC4982	1.61	.05				CABLE TIE
TYB 23M TY-RAP NYLON CABLE TIE	GSFC4984	.85	.06	16H	100	AIR	CABLE TIE
TYB 24M TY-RAP NYLON CABLE TIE	GSFC9458	2.06	.01	24H	125	AIR	CABLE TIE
TYB 25M TY-RAP NYLON CABLE TIE	GSFC9461	1.98	.01	24H	125	AIR	CABLE TIE
TYGON TUBING FORMULATION B44-3	GSFC9389	32.91	14.96				TUBING
TYGOTHANE POLYURETHANE TUBING	GSFC4598	.44	.19				TUBING
TYTON T18R-9 CABLE TIE	GSC13395	3.43	.03				CABLE TIE
T4 MAGNET WIRE POLYURETHANE COATING	GSFC3862	.66	.08				WIRE COATING
UCARSIL Y-4310 SILICONE	GSFC5437	2.60	.00	6H	125	AIR	CONF COAT
UCARSIL Y-4486	GSFC4308	12.07	.27				CONF COAT
UDEL POLYSULFONE MOLDING CPND CLEAR	GSC15548	.40	.01				MOLD CPND
UDRI-3 ACRYLIC COPOLYMER/GRAPHITE/CARBON BLACK	GSC14794	.58	.03				DAMPER
ULTEM D6202 GREY/BROWN MOLD CPND FILLED	GSC13561	.37	.00				MOLD CPND
ULTEM 1000 CLEAR AMBER MOLD CPND UNREINFORCED	GSC13558	.40	.00				MOLD CPND
UNICOAT 2081-31A ONE COMPONENT EPOXY/F	GSC11971	5.95	3.73	2H	25	AIR	CONF COAT
				2H	125	AIR	
UNICOAT 2081-31A ONE PART FLUORESCENT EPOXY/F	GSC12280	.31	.11	2H	25	AIR	CONF COAT
				1H	180	AIR	
UNICOAT 2081-31A ONE PART FLUORESCENT EPOXY/F	GSFC7514	6.26	1.25	12H	70	AIR	CONF COAT
UNIGLASS 1542 FIBERGLASS TAPE/VOLAN A FINISH/NO ADH	GSFC5993	.03	.01				INSULATION
UNIGLAZE C 1752 GREEN EPOXY INK	GSFC6048	5.21	.11	2H	85	AIR	INK
UNIGLAZE 2010/9120 AS 3/1 BW YELLOW EPOXY INK	GSC13538	4.12	.08	1H	121	AIR	INK
UNIGLAZE 3005/9120 AS 3/1 BW RED EPOXY INK	GSC13535	7.82	.12	1H	121	AIR	INK
UNISET C-110 ONE COMPONENT SILVER FILLED EPOXY	GSC11974	1.81	.95	1H	150	AIR	COND ADHESIVE
UNISET C-110 ONE COMPONENT SILVER FILLED EPOXY	GSC12283	.44	.15	1H	180	AIR	COND ADHESIVE
UNISET C-429-2 SILVER FILLED THIXOTROPIC EPOXY	GSC12193	.19	.01	90M	125	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY	GSC11711	.32	.00	30M	150	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY ONE COMPONENT	GSC12259	.61	.00	1H	125	AIR	COND ADHESIVE
UNISET C-850 SILVER FILLED EPOXY	GSC11714	.14	.00	30M	150	AIR	COND ADHESIVE
UNISET C-850-4 SILVER FILLED EPOXY ONE PART	GSC11956	.43	.01	1H	125	AIR	COND ADHESIVE
UNISET C-850-6 ONE COMPONENT SILVER FILLED EPOXY	GSC11977	.60	.01	1H	125	AIR	COND ADHESIVE
UNISET C-929-49 SILVER FILLED EPOXY	GSC11717	.31	.00	30M	150	AIR	COND ADHESIVE
UNISET C-940-1 SILVER FILLED POLYIMIDE	GSC11720	.06	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET C-940-1 SILVER FILLED POLYIMIDE	GSC11739	.02	.00	1H	170	AIR	COND ADHESIVE
				30M	270	AIR	
UNISET C-940-4 ONE COMPONENT SILVER FILLED POLYIMIDE	GSC11986	.08	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET D-124F ONE COMPONENT EPOXY YELLOW	GSC14474	2.68	.46	10M	120	AIR	ADHESIVE
UNISET D-804-1 ONE COMPONENT THIXOTROPIC EPOXY TAN	GSC14471	1.27	.02	1H	160	AIR	ADHESIVE
UNISET ME-845 THERMAL COND ADHESIVE OLIVE-GREEN	GSC12216	.30	.01	1H	125	AIR	THERM COND ADH
UNISET ME-945 ONE COMPONENT POLYIMIDE/F	GSC12242	.26	.02	1H	170	AIR	THERM COND ADH
				30M	270	AIR	
UNISET UV 307 RED VINYL/ACRYLIC FILM UV CURED	GSC16169	5.95	.02				ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
UNISET UV-311 CLEAR VINYL/ACRYLIC UV CURED	GSC16243	3.60	.04				ADHESIVE
UNISET 906-25 SEMI-RIGID EPOXY	GSFC6314	1.31	.31	1H	93	AIR	ADH-POTTING
UNISET 909-60 ONE COMPONENT FILLED EPOXY	GSC11980	.48	.04	2H	125	AIR	THERM COND ADH
UNITED FOAM 5010 MIL P26514 GRAY TYPE I ALCOHOL WASH	GSC12484	1.17	.09	6H	100	AIR	FOAM
UNITED FOAM 5010 MIL P26514 GRAY TYPE I CLASS II G A	GSC12166	4.33	.54				FOAM
UNITED FOAM 5010 MIL P26514 GRAY TYPE I CLASS II G A	GSC12169	2.44	.51	24H	90	E-5	FOAM
URALANE 1723 A/B AS 100/85 BW/LITHIUM FLUORIDE	GSFC1807	2.50	.24	24H	25	AIR	FOAM
URALANE 1723 POLYURETHANE FOAM	GSFC1675	2.06	.08				POTTING FOAM
URALANE 22H POLYURETHANE	GSFC9023	1.60	.06	2H	25	AIR	CONF COAT
				24H	75	E-6	
URALANE 22H POLYURETHANE FILM	GSFC8225	2.44	.05	16H	75	AIR	CONF COAT
URALANE 22H POLYURETHANE FILM	GSFC9173	3.44	.02	7D	25	AIR	CONF COAT
URALANE 22H POLYURETHANE 2 COAT SAMPLE	GSFC3626	1.65	.01	20M	25	AIR	CONF COAT
				20M	25	AIR	
				15M	85	AIR	
URALANE 22H/MDAC FLUORESCENT TRACER	GSFC9026	2.43	.08	2H	25	AIR	CONF COAT
				24H	75	E-6	
URALANE 5712 A/B AS 2/1 BW	GSFC1840	18.28	1.18	16H	82	AIR	POTTING
URALANE 5738 A/B AS 100/55 BW	GSFC1276	10.71	6.11	3H	93	AIR	CONF COAT
URALANE 5750 A/B AS 18/100 BW	GSFC7322	.41	.03	14H	25	AIR	CONF COAT
				2H	60	AIR	
URALANE 5750 A/B AS 18/100 BW	GSFC7325	.83	.03	1H	25	AIR	CONF COAT
				3H	65	AIR	
URALANE 5750 A/B AS 4/25 BW URETHANE	GSFC5370	.45	.01	9H	66	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	GSC14662	.65	.01	7D	25	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	GSC14665	.27	.02	16H	65	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 W/TOLUENE/MEK	GSC15450	.48	.01	7D	25	AIR	CONF COAT
URALANE 5753 A/B AS 1/5 BW	GSFC7535	1.01	.02	14H	38	AIR	ADHESIVE
				24H	55	AIR	
URALANE 5753 A/B/ALUMINA AS 1/5/3 BW	GSFC7538	.73	.03	14H	38	AIR	ADHESIVE
				24H	55	AIR	
URALANE 5753-B-40 A/B AS 1/5 BW BLACK POLYURETHANE	GSC16008	.72	.01	7D	25	AIR	POTTING
URALANE 5753-40LV A/B AS 1/5 BW BLACK POLYURETHANE	GSC14079	.66	.01	3D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	GSC11156	.62	.01	7D	25	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	GSC11159	.60	.01	24H	60	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	GSC12814	.87	.01	7D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE/PRIMER PR1	GSC11413	.69	.02	14D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW/CABOSIL TS-720	GSC15453	.80	.02	7D	25	AIR	STAKING CPND
URALANE 8260	GSC12691	1.74	.03				THERM ADHESIVE
URALANE 8267 TRANSPARENT POLYURETHANE	GSFC1458	10.00	.17	24H	25	AIR	COATING
				2H	43	AIR	
US 0009 A/B AS 100/35 BW POLYURETHANE	GSFC7568	13.69	7.55	16H	25	AIR	CONF COAT
				5H	80	AIR	
US 4028 A/B AS 5/1 BW URETHANE FLEX CABLE INSUL	GSC14433	9.84	5.20	2H	82	AIR	CABLE INSUL
UV 66 SUMMERS LABS - DATA INCLUDES GLASS SUBTRATE	GSFC0615	3.03	.04				OPT CEMENT
UV 69 OPTICAL CEMENT POLYMERIZED WITH SUN LAMP	GSFC1531	11.09	.54				OPT CEMENT
UV-4080 CLEAR ACRYLIC UV CURED	GSC16172	4.41	.13				POTTING
UV-5010 CLEAR URETHANE UV CURED	GSC16241	10.62	.03				SEALANT
UVA 121 UV CURED ADH/F 30 MIN UV EXP	GSC14617	3.14	.41				ADHESIVE
UVA 121 UV CURED ADH/F 5 MIN UV EXP	GSC14626	1.59	.17	1H	125	AIR	ADHESIVE
UVA 123 CLEAR UV CURED	GSC16245	4.37	.21				ADHESIVE
UVA 123 HV RED UV CURED ADH/F 30 MIN UV EXP	GSC14622	3.27	.22				ADHESIVE
UVA 123 HV RED UV CURED ADH/F 5 MIN UV EXP	GSC14630	1.94	.14	1H	125	AIR	ADHESIVE
UVA 123 UV CURED ADH/F 30 MIN UV EXP	GSC14620	3.89	.21				ADHESIVE

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
UVA 123 UV CURED ADH/F 5 MIN UV EXP	GSC14628	2.16	.13	1H	125	AIR	ADHESIVE
UVA 132 UV CURED	GSC16177	1.41	.09				ADHESIVE
UVE 1003 EPOXY OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11481	4.18	1.10				OPT CEMENT
UVE 1003 EPOXY OPTICAL ADHESIVE/F 5 MIN UV EXP	GSC11551	1.91	1.01	1H	150	AIR	OPT CEMENT
V 357-80 A/B AS 1/1 BW BLACK POLYURETHANE	GSFC8369	2.19	.14	2H	82	AIR	POTTING
V 378 GRAPHITE/POLYIMIDE LAMINATE 2 STEP POSTCURE	GSC12308	.60	.01	30M	82	PSI	THERM CONTROL
				4H	177	PSI	
V-700075/BENZOYL PEROXIDE AS 100/1 BW	GSFC1705	.47	.01	10M	93	AIR	TUBE
VACREL 8030 DRY FILM SOLDER MASK UV CURED	GSC16219	4.41	.01				SOLDER MASK
VACREL 930 DRY FILM SOLDER RESIST UV CURED	GSC16221	2.00	.01				SOLDER RESIST
VACSEAL SILICONE LEAK SEALER	GSFC0743	3.52	.70	7D	25	AIR	SEALANT
VACSEAL SILICONE LEAK SEALER	GSFC0751	1.48	.45	24H	100	AIR	SEALANT
VALCA TAPE 7910 PTFE FILM/SILICONE ADH/F	GSFC6852	.35	.14				TAPE
VALCOR O RING - RTV 75	GSFC0042	.25	.09				O RING
VALOX DR48 BLACK MOLDED STRIP	GSC15924	.47	.08				MOLD CPND
VALOX DR48-7001 BLACK MOLDING CPND	GSC15978	.34	.06	0.5M	260	PSI	MOLD CPND
VALOX 310 THERMOPLASTIC POLYESTER	GSFC3554	.20	.02				MOLD CPND
VALOX 310-SEO WHITE THERMOPLASTIC POLYESTER	GSC16028	.24	.01	0.5M	250	PSI	MOLD CPND
VALOX 325 WHITE THERMOPLASTIC POLYESTER	GSC16030	.27	.01	0.5M	250	PSI	MOLD CPND
VALOX 420 SEO THERMOPLASTIC POLYESTER/30% GLASS	GSFC3602	.16	.03				MOLD CPND
VALOX 420 SEO 2051 THERMOPL POLYESTER/30% GLASS BLUE	GSC15774	.38	.10				MOLD CPND
VALOX 420 SEO-2051 BLUE MOLDING CPND	GSC15980	.34	.08	0.5M	260	PSI	MOLD CPND
VALOX 420 SEO-7001 BLACK MOLDING CPND	GSC15982	.33	.07	0.5M	260	PSI	MOLD CPND
VALOX 420 THERMOPLASTIC POLYESTER/30% GLASS FIBER	GSFC3578	.09	.02				MOLD CPND
VARGLAS NON FRAY SLEEVING TYPE HO	GSFC5419	.58	.11				INSUL SLEEVE
VARGLAS S-1600 TYPE H FIBERGLAS SLEEVE	GSFC4406	.01	.00				INSUL SLEEVE
VARGLAS SPEC A307 GLASS/SILICONE WIRE INSUL TAN	GSFC8030	.60	.07				WIRE INSUL
VARNISH STERLING THERMOPOXY T-653-LBH	GSFC4430	1.82	.31	8H	135	AIR	VARNISH
VARNISH STERLING THERMOPOXY T-653-LBH	GSFC4890	.70	.02	4H	180	AIR	VARNISH
				24H	25	E-5	
VARY-FLEX EPOXY POLYAMIDE	GSC12550	.64	.01	24H	25	AIR	POTTING
				40M	121	AIR	
VC-3 NYLOCK SEALING CPND	GSFC2637	3.61	.62				THREAD SEALANT
VC-3 NYLOCK SEALING CPND	GSFC4025	3.99	.68	1H	74	AIR	THREAD SEALANT
				1H	121	AIR	
VELCRO ASTRO H&L POLYESTER-BETA GLASS-TEFLON-FLUOREL	GSC10997	.78	.19				FASTENER
VELCRO ASTRO H&L POLYESTER/GLASS-TEFLON/GLASS	GSC15903	.50	.02				FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD	GSFC3879	5.33	2.04				FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD/ETOH WASH	GSFC8510	2.39	.01	16H	100	AIR	FASTENER
VELCRO HI-AIR FASTENER NOMEX/FLAME RETARD/EXTRACTED	GSFC3881	2.97	.00				FASTENER
VELCRO HI-AIR HOOK/LOOP FLAME RETARD 0399 BACKING	GSFC7961	5.82	1.93				FASTENER
VELCRO HI-AIR 062-066-017-0399 HOOK & LOOP	GSFC9844	3.74	.58	24H	105	E-2	FASTENER
VELCRO HI-GARD HOOK & PILE STAINLESS STEEL	GSC15777	.02	.00				FASTENER
VELCRO HI-GARD HOOKS STAINLESS STEEL	GSFC2869	.02	.01				FASTENER
VELCRO HI-MEG SILVERED NYLON HOOK & LOOP	GSC15882	.83	.02				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE	GSFC3883	.52	.00				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE/EXTRACTED	GSFC3885	.55	.00				FASTENER
VELCRO NYLON HOOK AND LOOP	GSFC2939	1.08	.05				FASTENER
VELCRO NYLON HOOK/LOOP 0199 BACKING	GSFC7964	1.50	.04				FASTENER
VELCRO NYLON NAP FASTENER	GSFC2320	.34	.20				FASTENER
VELCRO P537 FIBERGLASS/FLUOREL/TEFLON LOOPS	GSFC3199	.57	.21				FASTENER
VELCRO V330-1(65)-63/V330-2-63 BLACK NYLON H&L	GSFC6854	1.77	.01				FASTENER
VELCRO 100 POLYESTER HOOK AND LOOP	GSFC2823	.54	.02				FASTENER
VELCRO 100-003-017-0327AB NOMEX HOOK/LOOP W/ADH	GSFC6279	5.13	1.70	14D	25	AIR	FASTENER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VELCRO 100-005-012-0199AB/100-101-012-0199AB H&L	GSFC6356	.70	.02				FASTENER
VELCRO 100-006-715-1299AF STAINLESS LOOP	GSC13317	1.30	.00				FASTENER
VELCRO 100-040-715-1299AF STAINLESS HOOK	GSC13353	1.41	.03				FASTENER
VELCRO 1000-081-012-0199/1000-009-012-0199 WHITE	GSC12452	.40	.05				FASTENER
VELCRO 1000-081-106-0199/1000-009-106-0199 OL/GREEN	GSC12468	3.10	.05				FASTENER
VELCRO 1000-081-330-0199/1000-009-330-0199 BLACK	GSC12470	1.98	.06				FASTENER
VELOFOAM 1901 BLACK	GSFC6110	5.45	.29				COND FOAM
VELOSTAT BLACK POLYOLEFIN ANTI STATIC FILM	GSC14830	.98	.02				ANTI STATIC FILM
VELOSTAT CONDUCTIVE PLASTIC	GSFC1963	.67	.21				FILM
VELOSTAT 1801 ELEC COND POLYOLEFIN LAMINATE	GSC14037	.88	.05				LAMINATE
VELOSTAT 1880 ANTI STATIC FLOOR MAT LAMINATE	GSC14040	.60	.09				FLOOR MAT
VERSILOK 101/ACCEL 11/F	GSFC9769	7.47	.63	24H	25	AIR	ADHESIVE
VESPEL KS-105 ARAMID	GSC10056	3.35	.00				STRUCTURAL
VESPEL SP 211-D-1 POLYIMIDE/15% GRAPHITE/10% TEFLON	GSFC3411	.48	.00				SOLID LUBE
VESPEL SP-1 POLYIMID	GSC15187	1.29	.00				MOLD CPND
VESPEL SP-1-D-1 POLYIMIDE RESIN	GSFC3405	.58	.01				SOLID LUBE
VESPEL SP-1D POLYIMID	GSC15189	1.19	.00				MOLD CPND
VESPEL SP-21-D-1 POLYIMIDE/15% GRAPHITE	GSFC3407	.52	.01				SOLID LUBE
VESPEL SP-22-D-1 POLYIMIDE/GRAPHITE AS 60/40 BW	GSFC2997	.57	.00				SOLID LUBE
VESPEL SP-3 BROWN	GSC15309	1.08	.00				SOLID LUBE
VESPEL SP-3 POLYIMIDE/15% MOS2 FORMERLY SP-31-D-1	GSFC3409	.54	.01				SOLID LUBE
VESPEL SP-5 POLYIMIDE/30% SHORT GLASS FIBERS	GSFC3459	.49	.00				MOLD CPND
VF 1007 PVC 35% FIBER GLASS	GSFC0909	.30	.05				MOLD CPND
VIBRA-TITE FASTENER/F	GSC10149	2.37	.14	24H	25	AIR	THREAD SEAL
VIBRO FLO E 8530-2 FLUIDIXED BED COATING	GSFC5487	.57	.02	5M	204	AIR	PWDR COATING
VIBRO-FLO E-301 EPOXY POWDER COATING	GSFC4478	.87	.08	30M	180	AIR	PWDR COATING
VICTREX PES	GSC15574	1.30	.00				MOLD CPND
VINSYNITE AU-1/BT 215 AS 1/2 BV	GSFC3139	6.86	.01	24H	25	AIR	PRIMER
VINYL DISPERSION PLASTISOL 77X-3720 BLACK	GSFC5226	43.89	10.45	6H	100	AIR	CONF COAT
VISHAY MOLDED COMPONENT 311856 BLACK	GSC12466	2.09	.09				MOLD CPND
VITON A	GSFC2071	.21	.02				SEAL
VITON A O RING NAS 1593-012	GSFC2434	.21	.02				O RING
VITON B	GSFC4382	.89	.00				GROMMET
VITON B DUPONT	GSFC1696	.86	.04				SEAL
VITON B-525 FOAM RUBBER BLACK CLOSED CELL	GSFC4188	.33	.06	16H	204	AIR	FOAM DAMPER
VITON C HOSE	GSFC2422	.30	.03				TUBING
VITON IMPREGNATED DACRON DUPONT 84-001	GSFC2511	.85	.09				DAMPER
VITON TUBING C-6412-47	GSC12277	.13	.00				TUBING
VITON V14 BLACK BATCH 64135 CARBON BLACK	GSC14362	.17	.01				SEAL
VITON V31 WHITE BATCH 50592 ZNO	GSC14364	.46	.05				SEAL
VITON V31 WHITE BATCH 50592 ZNO	GSC14366	.22	.01				SEAL
VITON 05-2154 CLOSED CELL EXTRUDED FOAM - GRAY	GSFC4208	.91	.01	16H	204	AIR	FOAM
VOLARA FOAM	GSC11162	3.80	.26				SUN SHIELD
VOLTREX FEP HEAT SHRINK TUBING TYPE SST HEAT GUN SHR	GSC15693	.01	.01				SHRINK TUBING
VORITE 63 POLYURETHANE COATING	GSFC5028	.66	.05	24H	25	AIR	CONF COAT
VULTA 16L204 RIGID POLYURETHANE FOAM 4#/CU FT	GSC11415	1.77	.02				FOAM
VULTA 16L204 RIGID POLYURETHANE FOAM 4H ETOH WASH	GSC11417	2.51	.01	25H	100	AIR	FOAM
VYDAX 1000 FLUOROTELEMER	GSFC9572	.67	.08				LUBRICANT
WAKEFIELD THERMAL GREASE 120	GSFC5224	.41	.17				GREASE
WASHER BROWN SPONGE RUBBER SILICONE AMS 3195	GSC11261	.50	.19				WASHER
WASHER POLYPHENYLENE SULFIDE 40% GLASS FILLED	GSC10362	.08	.01				WASHER
WF 1006 THERMOPLASTIC POLYESTER/FIB GLASS AS 70/30	GSFC0951	.19	.00				MOLD CPND
WILCO FAST SET EPOXY 2 PART KIT	GSC10475	1.80	.02	24H	25	AIR	ADHESIVE
WIRE INSULATION YELLOW/BROWN	GSFC5972	.68	.00				WIRE INSUL

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
WIRE INSULATION GREEN COATED KAPTON MIL-W-81381/7	GSC13090	1.07	.01				WIRE INSUL
WIRE INSULATION GREEN FLUOROCARBON POLYIMIDE/TFE	GSC11069	.24	.03				WIRE INSUL
WIRE INSULATION HSCR PTFE BLUE	GSC15915	.10	.03				WIRE INSUL
WIRE INSULATION ORANGE MIL-W-22759/16-20	GSFC5893	.07	.01				WIRE INSUL
WIRE INSULATION RED FLUOROCARBON POLYIMIDE/TFE	GSC11072	.19	.01				WIRE INSUL
WIRE INSULATION WHITE COATED KAPTON MIL-W-81381/7	GSC13117	1.02	.05				WIRE INSUL
WIRE INSULATION WHITE FLUOROCARBON F01A080	GSC11830	.03	.00				WIRE INSUL
WIRE INSULATION WHITE MIL-W-22759/18-20	GSFC5895	.10	.01				WIRE INSUL
WIRE WRAP SOCKET BLACK GLASS/POLYESTER	GSC16163	.40	.11				IC SOCKET
WN-1500 BLUE NYLON FILM	GSC15068	2.98	.21				ANTI STATIC FILM
WORNOW CAT-L-INK 50-100/CAT 20 AS 20/1 BW WHITE	GSFC4210	5.99	.11	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-100/CAT 9/50-900 THINNER WHITE/F	GSFC8240	.62	.01	30M	25	AIR	INK
				30M	138	AIR	
				4H	149	AIR	
WORNOW CAT-L-INK 50-121869/CAT 28 AS 20/1 BW ALUM	GSFC4214	10.94	.05	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-300/CAT 20 AS 100/6.4 BW GREEN	GSFC4212	8.76	.18	30M	25	AIR	INK
				2H	60	AIR	
WORNOW CAT-L-INK 50-407/CAT 20 AS 100/7.5 BW BLUE	GSFC2482	11.75	.09	5D	25	AIR	INK
WORNOW CAT-L-INK 50-700/CAT 20 AS 100/7 BW	GSFC2751	4.86	.01	1H	93	AIR	INK
				72H	51	E-6	
WORNOW M-2-N RED/CAT 45/T-1 THINNER/F	GSFC8243	.40	.02	1H	25	AIR	INK
				15M	149	AIR	
				4H	149	AIR	
WORNOW M-5-N GREEN/CAT 45/T-1 THINNER/F	GSFC8246	.44	.02	1H	25	AIR	INK
				15M	149	AIR	
				4H	149	AIR	
WORNOW SERIES M RED INK M-2-N 0.5% CAT A	GSFC2479	9.94	.05	5D	25	AIR	INK
WORNOW SERIES M WHITE INK M-9-N 5.0% CAT	GSFC2605	4.63	.04	3H	66	AIR	INK
				72H	51	E-6	
WORNOW 1000 MASK FILM GREEN	GSC10688	2.07	.43	1H	135	AIR	MASK
WORNOWINK M-0-N/CAT A AS 100/4 BW BLACK PRE-MIX INK	GSC11615	7.95	.13	7D	25	AIR	INK
WORNOWINK M-0-N/CAT B3 AS 100/4 BW BLACK PRE-MIX INK	GSC11618	5.08	.09	3H	54	AIR	INK
WORNOWINK M-2-N/CAT A AS 100/4 BW RED EPOXY INK	GSC11621	6.67	.16	7D	25	AIR	INK
WORNOWINK M-2-N/CAT B3 AS 100/4 BW RED EPOXY INK	GSC11624	4.20	.11	3H	54	AIR	INK
WORNOWINK M-4-N/CAT 45 AS 20/1 BW YELLOW EPOXY	GSC12721	.84	.19	1H	25	AIR	INK
				4H	149	AIR	
WORNOWINK M-9-N/CAT A AS 100/4.9 BW WHITE PREMIX INK	GSC11645	6.10	.11	7D	25	AIR	INK
WORNOWINK M-9-N/CAT B3 AS 100/4.9 BW WHT PREMIX INK	GSC11648	4.27	.11	3H	54	AIR	INK
WORNOWINK MONC/CAT B AS 1/1 BW BLACK	GSFC4694	4.53	.05	6H	60	AIR	INK
WRIGHTLON AS-3000 ORANGE/PINK TREATED NYLON FILM	GSC14960	5.64	.13				ANTI STATIC FILM
WRIGHTLON 4000A RED NYLON FILM	GSC15046	.02	.01				ANTI STATIC FILM
WRIGHTLON 7000 GREEN NYLON FILM	GSC15070	4.25	.16				ANTI STATIC FILM
WRIGHTLON 7000 GREEN TRANSPARENT NYLON FILM	GSC14737	4.49	.15				ANTI STATIC FILM
WRIGHTLON 7400 GREEN NYLON FILM	GSC15048	4.07	.18				ANTI STATIC FILM
WRIGHTLON 8400 BLUE NYLON FILM	GSC15072	2.88	.19				ANTI STATIC FILM
X 3878-15-1 SILICONE PSA	GSFC7346	2.35	1.01	30M	25	AIR	ADHESIVE
X 7902 A/B AS 4/1 BW BLACK FLEXIBLE EPOXY	GSC11439	.48	.12	4H	125	AIR	ADHESIVE
				2H	165	AIR	
X 7902 A/B AS 4/1 BW BLACK FLEXIBLE EPOXY	GSC11441	.47	.11	4H	125	AIR	ADHESIVE
				2H	165	AIR	
				168H	125	AIR	
X-850 FILM LAMINATE ALUM MYLAR/DACRON SCRIM/AL MYLAR	GSFC5266	.51	.14				COVER

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
XA-3476 ONE COMPONENT GRAY EPOXY	GSC10134	.28	.04	1H	125	AIR	ADHESIVE
XCU-M179 A/B AS 10/4 BW POLYURETHANE	GSFC1486	15.72	1.06	16H	85	AIR	POTTING
XCU-M179 A/B AS 10/4 BW POLYURETHANE	GSFC1498	17.61	1.51	7D	25	AIR	POTTING
XC9-G710/H2 3561 AS 100/26 BW EPOXY	GSFC0924	.90	.02	24H	25	AIR	ADHESIVE
				6H	69	AIR	
XECON CS-14 12% SILVER FILLED SILICONE	GSFC6528	.11	.05	17H	177	AIR	COND GASKET
XF 1004 POLYIMIDE/GLASS AS 80/20	GSFC2867	1.06	.01				MOLD CPND
XF 1006 POLYARYL ETHER/GLASS AS 70/30	GSFC2931	.29	.00				MOLD CPND
XF-10 XEROGRAPHIC TRANSPARENCY FILM - CLEAR	GSC15526	.36	.01				FILM
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	GSFC7349	.80	.00	2H	125	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	GSFC7367	.82	.01	2H	100	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	GSFC7424	.88	.02	2H	100	AIR	FOAM DAMPER
XP1-MC-154 POLYIMIDE	GSFC1291	1.14	.01				STRUCTURAL
XR PERFLUOROSULFONIC ACID MEMBRANE	GSFC2999	4.77	.02				MEMBRANE
XR PERFLUOROSULFONIC ACID PRECURSOR TUBING	GSFC3017	.03	.02				TUBING
XR SODIUM PERFLUOROSULFONATE FILM	GSFC3019	2.41	.00				FILM
XR-4-3099 ONE PART SILICONE	GSFC5082	1.39	.25	7D	25	AIR	ADHESIVE
XR-4-3138 ONE PART SILICONE	GSFC5085	1.60	.24	7D	25	AIR	ADHESIVE
XR-5140 A/B AS 2/3 BW BROWN SEMI-RIGID EPOXY	GSFC7280	1.29	.52	16H	90	AIR	POTTING
XR-5140 A/B AS 2/3 BW BROWN SEMI-RIGID EPOXY	GSFC7283	1.39	.59	16H	90	AIR	POTTING
				8H	66	E-5	
XR-5166 A/B AS 2/3 BW FLEXIBLE BLACK EPOXY	GSFC8033	.51	.07	24H	70	AIR	POTTING
XR-6-2205 ONE PART SILICONE	GSFC5112	2.85	.09	7D	25	AIR	CONF COAT
XTU-0021/XHD-0165 AS 1/1 BW BLACK POLYURETHANE	GSFC7679	.87	.01	6H	25	AIR	POTTING
				4H	66	AIR	
XT40-110/CAT 23A/DYE 7GA AS 454/1.3/0.1 PBW SILICONE	GSFC8183	3.55	1.26	1H	74	AIR	COATING
XT40-110/CAT 23A/DYE 7GA AS 454/1.3/0.1 PBW SILICONE	GSFC8186	2.28	1.22	1H	74	AIR	COATING
				6H	100	AIR	
XU 218 HP POLYIMIDE BULK MATERIAL	GSC10487	2.32	.00				CONF COAT
XUS-0050 A/B AS 100/36 BW	GSFC7895	.83	.01	24H	50	AIR	POTTING
XYDAR SRT-300	GSC15215	.03	.01				MOLD CPND
X1-2561 A/B AS 10/0.2 BW CLEAR SILICONE COATING	GSC10589	.10	.00	14D	25	AIR	CONF COAT
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	GSFC7994	.19	.03	7D	25	AIR	CONF COAT
				1H	100	AIR	
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	GSFC8297	.06	.03	21D	25	AIR	CONF COAT
X1-2577 CLEAR POLYDIMETHYL SILOXANE - ONE PART	GSFC8249	2.20	.52	7D	25	AIR	CONF COAT
X3-6022/CAT 6060 AS 10/1 BW SILICONE/PRIMER DC92-023	GSFC8105	.35	.00	1H	25	AIR	ADHESIVE
				24H	25	E-2	
X3-6572 A/B AS 10/1 BW GRAY SILICONE	GSC13147	1.31	.54	20H	80	AIR	ADHESIVE
X5-8003 WHITE SILICONE THERMAL GREASE	GSC14641	.12	.06				THERMAL GREASE
Y-210 VARNISH - THERMODUR	GSFC7520	1.27	.24	20H	149	AIR	VARNISH
Y-210 VARNISH - THERMODUR	GSFC7664	.56	.07	20H	149	AIR	VARNISH
				24H	125	E-6	
Y-210 VARNISH INSULATION	GSFC5200	3.66	.22				VARNISH
Y-663 THERMOPOXY ADH ONE COMPONENT	GSFC5290	.40	.08	1H	177	AIR	ADHESIVE
YARSLEY L100/6/2 POLYURETHANE FORMULATION	GSFC7685	1.93	.29	48H	25	AIR	POTTING
				48H	50	AIR	
YARSLEY L100/6/4/Y POLYURETHANE FORMULATION CLEAR	GSFC7769	1.77	.12	3D	50	AIR	POTTING
Z 93 POTASSIUM SILICATE ZN02 WATER BASE	GSFC0481	2.54	.00	?	25	AIR	PAINT
Z-6040 SILANE PRIMER	GSFC2791	7.97	1.46	24H	25	AIR	PRIMER
ZEREFIL F700/20 VINYL FOAM/20% GLASS FIBERS	GSFC4048	.21	.00				FOAM
ZF 1006 NORYL/FIBER GLASS AS 70/30	GSFC0960	.04	.00				MOLD CPND

MATERIAL	DATA REFERENCE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ZINC ORTHOTITINATE WHITE PAINT (ZOT)	GSC15960	2.48	.00	10D	25	AIR	PAINT
ZIPPERTUBING ZTZ 0750 TSH CLEAR TEFLON	GSC14280	.05	.01				INSUL
ZIPPERTUBING ZTZ 1125 SH3-PFR-20-B BLK POLYURETHANE	GSC14277	4.72	2.88				INSUL
ZYTEL 101L BLACK CONNECTOR INSERT	GSC11669	2.31	.03				CONN INSUL
ZYTEL 101L BLACK EXTRUDED RODS	GSC11657	1.19	.00				CONN INSUL
ZYTEL 61 IN ALCOHOL	GSFC2537	2.32	.22	30M	25	AIR	COATING
				2H	90	AIR	
ZYTEL 7010-33 NYLON RESIN	GSFC1528	1.09	.00				MOLD CPND
ZYTEL 7110-13 NYLON RESIN	GSFC1525	1.28	.01				MOLD CPND

SECTION C

MATERIALS HAVING A TML

OF 1.0 PERCENT OR LESS

AND A CVCM OF 0.10 PERCENT OR LESS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
A-1177B A/B AS 1/1 BW EPOXY - BROWN	BFG	.45	.02	24H	25	AIR	ADHESIVE
				30M	82	AIR	
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	BFG	.75	.04	48H	25	AIR	ADHESIVE
A-1273-B A/B AS 1/1 BW GREEN EPOXY PER MMM A132	BFG	.71	.05	16H	25	AIR	ADHESIVE
				15M	121	AIR	
A-1282-B ONE PART HEAT CURED EPOXY	BFG	.65	.01	20M	204	AIR	ADHESIVE
ABLEBOND XA042485-2 BLUE EPOXY	AAC	.27	.00	7.5H	160	AIR	ADHESIVE
ABLEBOND 20-1 SILVER FILLED EPOXY ONE COMPONENT	AAC	.19	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 224-8 A/B AS 100/7.3 BW EPOXY	AAC	.39	.00	1H	52	AIR	ADHESIVE
ABLEBOND 36-2 SILVER FILLED EPOXY	AAC	.30	.00	30M	150	AIR	COND ADHESIVE
ABLEBOND 41-5 EPOXY	AAC	.46	.00	30M	150	AIR	ADHESIVE
ABLEBOND 41-6 EPOXY	AAC	.34	.01	30M	150	AIR	ADHESIVE
ABLEBOND 463-1 A/B AS 10GM/16DPS SILVER FILLED EPOXY	AAC	.62	.01	2H	25	AIR	COND ADHESIVE
				1H	65	AIR	
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	.81	.01	1H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 606-2NC TAN EPOXY PASTE	AAC	.82	.01	2H	95	AIR	ADHESIVE
				30M	150	AIR	
				3.5H	165	AIR	
				96H	100	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	AAC	.24	.06	10M	150	AIR	COND ADHESIVE
				10M	275	AIR	
ABLEBOND 71-1 SILVER FILLED POLYIMIDE	AAC	.25	.00	30M	150	AIR	COND ADHESIVE
				30M	275	AIR	
ABLEBOND 789-3/5% BW CABOSIL YELLOW-BROWN EPOXY	ACC	.85	.00	90M	125	AIR	ADHESIVE
ABLEBOND 789-4 SINGLE COMPONENT THERM COND EPOXY	AAC	.44	.01	1H	125	AIR	THERM COND ADH
ABLEBOND 826-1 ONE COMPONENT SILVER FILLED ADH	AAC	.58	.03	30M	150	AIR	COND ADHESIVE
ABLEBOND 84-1 LM15 ONE PART SILVER FILLED EPOXY	AAC	.26	.01	1H	150	AIR	COND ADHESIVE
ABLEBOND 84-3 ONE PART GREEN EPOXY	AAC	.35	.00	1H	150	AIR	ADHESIVE
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY	AAC	.76	.00	1H	150	AIR	COND ADHESIVE
				24H	125	E-3	
ABLEBOND 88-1 A/B AS 1/1 BW SILVER FILLED EPOXY THIN	AAC	.81	.01	1H	150	AIR	COND ADHESIVE
ABLEFILM ECF 518 CLOTH SUPPORT/EPOXY FILM ADH GRAY	AAC	.88	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM ECF 550-1 GLASS SUPPORT SILVER FILLED EPOXY	AAC	.37	.10	3H	125	AIR	FILM ADHESIVE
ABLEFILM ECF 564A GLASS SUPPORT SILVER FILLED EPOXY	AAC	.22	.01	2H	150	AIR	FILM ADHESIVE
ABLEFILM 501T GLASS SUPPORT/MOD EPOXY FILM ADH	AAC	.52	.00	45M	149	AIR	FILM ADHESIVE
ABLEFILM 504 CLOTH SUPPORT/EPOXY FILM ADH - WHITE	AAC	.38	.00	1.5H	93	AIR	FILM ADHESIVE
ABLEFILM 507 GLASS CLOTH/B-STAGED EPOXY	AAC	.38	.02	1.5H	163	AIR	FILM ADHESIVE
ABLEFILM 517 GLASS CLOTH SUPPORT/EPOXY FILM ADH	AAC	.07	.01	3H	74	AIR	FILM ADHESIVE
ABLEFILM 517-LV CLOTH SUPPORT/EPOXY FILM ADH PINK	AAC	.83	.00	3H	93	AIR	FILM ADHESIVE
ABLEFILM 518 CLOTH SUPPORT/EPOXY FILM ADH - GRAY	AAC	.83	.00	3H	165	AIR	FILM ADHESIVE
ABLEFILM 550-K CLOTH SUPPORT/EPOXY FILM ADH - WHITE	AAC	.31	.04	2H	125	AIR	FILM ADHESIVE
ABLEFILM 564A GLASS SUPPORT EPOXY FILM	AAC	.61	.01	2H	150	AIR	FILM ADHESIVE
ABLESTIK 240-2 POLYURETHANE	AAC	.44	.07				ADHESIVE
ABLESTIK 257-1 A/B AS 100/179.2 BW POLYURETHANE	AAC	.42	.04	6H	74	AIR	CONF COAT-ADH
ABLESTIK 681-12VD EPOXY FILM ADHESIVE GREEN	AAC	.98	.04	10M	100	AIR	FILM ADHESIVE
				16H	25	AIR	
				1H	175	AIR	
ABLESTIK 761-6 A/B/V9 AG AS 100/5/223 BW	AAC	.36	.00	1H	150	AIR	COND ADHESIVE
ABLETHERM 8-2 A/B AS 10/1 BW EPOXY	AAC	.41	.00	90M	93	AIR	THERM ADHESIVE
AG-1/HARDENER 22 AS 16/1 BW SILVER FILLED EPOXY	TPI	.37	.00	3H	99	AIR	COND ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ARALDITE AV100/HV100 AS 1/1 BW EPOXY	CIB	.78	.10	7D	25	AIR	ADH POTTING
ARALDITE AV138/HY998 AS 100/40 BW EPOXY	CIB	.97	.05	7D	25	AIR	ADHESIVE
ARALDITE AV138M/HV998 AS 100/40 BW GREY EPOXY	CIB	.68	.03				ADHESIVE
ARALDITE GY6020/HY830 AS 100/56 BW	CIB	.88	.01	30D	25	AIR	ADHESIVE
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	CIB	.19	.01	30H	60	AIR	ADH POTTING
AREMCO-BOND 517 THERMAL CONDUCTIVE EPOXY - BLACK	API	.91	.04				ADHESIVE
AREMCO-BOND 556 A/B AS 1/1 BW SILVER FILLED EPOXY	API	.73	.05	3H	66	AIR	COND ADHESIVE
				24H	125	E-3	
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	APC	.87	.00	24H	25	AIR	ADHESIVE
ARMSTRONG A-12 A/B AS 3/2 BW BROWN EPOXY	APC	.65	.00	8H	54	AIR	ADHESIVE
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	APC	.73	.02	14D	25	AIR	ADHESIVE
ARMSTRONG A-271 A/B AS 7/3 BW EPOXY	APC	.49	.02	30M	93	AIR	ADHESIVE
ARMSTRONG A-3/E AS 100/6 BW BLACK EPOXY	APC	.85	.01	1H	93	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.6 BW EPOXY	APC	.57	.04	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/3.8 BW TAN EPOXY	APC	.55	.06	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	APC	.74	.01	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	APC	.51	.03	7D	25	AIR	ADHESIVE
ARMSTRONG A-31 A/B AS 6/4 BW TAN EPOXY	APC	.44	.01	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 1/1 BW EPOXY	APC	.35	.02	21D	25	AIR	ADHESIVE
ARMSTRONG C-7/ACT W AS 2/3 BW EPOXY	APC	.81	.09	7D	25	AIR	ADHESIVE
ARMSTRONG C-7/H-20 AS 3/1 BW CLEAR EPOXY	APC	.79	.05	24H	25	AIR	ADHESIVE
AY-105/HY-951 AS 100/12 BW EPOXY	CIB	.61	.05	3H	65	AIR	ADHESIVE
A9-601 EPOXY HONEYCOMB ADH	HYS	.36	.03	1H	121	PSI	ADH FILM
BONDMASTER E645 A/B AS 10/3 BW ADH	NSC	.68	.04	1H	204	AIR	ADHESIVE
BONDMASTER E645 A/B AS 10/3 BW EPOXY	NSC	.50	.01	1H	100	AIR	ADHESIVE
				4H	180	E-2	
BONDMASTER 620	NSC	.74	.02	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
BR 34 EPOXY ADHESIVE	ACC	.65	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	177	AIR	
BR 34 EPOXY ADHESIVE	ACC	.34	.00	30M	25	AIR	ADHESIVE
				30M	104	AIR	
				90M	132	AIR	
				90M	288	AIR	
BR-610 EPOXY/TETRAHYDROFURANE/F	WTB	.99	.02	30M	60	AIR	ADHESIVE
				30M	150	AIR	
BSL 308 BLACK EPOXY UNSUPPORTED ADHESIVE FILM	CIB	.70	.09	1H	170	AIR	ADH FILM
BSL 312 GRAY EPOXY UNSUPPORTED ADHESIVE FILM	CIB	.62	.07	30M	120	AIR	ADH FILM
C-68/CAT A AS 100/5.3 BW GRAY EPOXY/70% SANDFILLED	HYS	.12	.01	20H	82	AIR	ADHESIVE
C-770-4 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.12	.00	1H	125	AIR	COND ADHESIVE
C-780 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.23	.00	1H	200	AIR	COND ADHESIVE
C-868-1 ONE COMPONENT SILVER FILLED EPOXY/F	AMC	.08	.00	1H	170	AIR	COND ADHESIVE
C-966 ONE PART SILVER FILLED POLYIMIDE LOT K7399/F	AMC	.18	.01	1H	180	AIR	COND ADHESIVE
C-993 ONE PART SILVER FILLED EPOXY LOT K7306/F	AMC	.19	.01	1H	15/	AIR	COND ADHESIVE
CASTALL E A/B AS 10/1 BW GRAY EPOXY	CAS	.51	.00	12H	65	AIR	ADHESIVE
CASTALL 490/HT91 AS 1/1 BW BLUE HI-STRENGTH EPOXY	CAS	.28	.01	4H	125	AIR	ADHESIVE
CHEMLOK 205 ADHESIVE PRIMER GREY	HCC	.34	.00	30M	25	AIR	ADH PRIMER
				10M	160	AIR	
CHEMLOK 220 ADHESIVE BLACK	HCC	.39	.00	30M	25	AIR	ADHESIVE
				10M	160	AIR	
CHO-BOND 1024 CONDUCTIVE SILICONE	CHO	.02	.00	48H	177	AIR	COND ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-BOND 1030 SINGLE COMPONENT AG FILLED SILICONE	CHO	.25	.10	7D	25	AIR	COND ADHESIVE
				4H	125	AIR	
CHO-BOND 360-208 CONDUCTIVE EPOXY ADHESIVE	CHO	.66	.06	24H	25	AIR	COND ADHESIVE
CL-522 EPOXY LAMINATING FILM	CHO	.31	.09				FILM ADHESIVE
CONAP K-20 A/B AS 20/9 BW GRAY EPOXY	CON	.75	.05	2H	50	AIR	ADHESIVE
				30M	85	AIR	
CONATHANE DP 9761 A/B AS 100/46.5 BW POLYURETHANE	CON	.93	.01	14D	25	AIR	ADHESIVE
CONATHANE EN 21/DP9761/DP9802 POLYURETHANE BLEND	CON	.82	.01	30D	25	AIR	ADHESIVE
CONATHANE EN-21 A/B AS 100/116 BW POLYURETHANE	CON	.50	.03	14D	25	AIR	ADHESIVE
CONATHANE EN-21/DP9761/DP9802 POLYURETHANE BLEND	CON	.72	.02	30D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	CON	.57	.04	7D	25	AIR	ADHESIVE
CONATHANE EN-24 A/B AS 100/82 BW POLYURETHANE	CON	.52	.02	24H	60	AIR	ADHESIVE
COTRONICS 940/ACT AS 4/1 BW FAST SET CERAMIC	COT	.79	.01	24H	25	AIR	ADHESIVE
				2H	100	AIR	
CREST 3135/7111 AS 1/1 BW EPOXY	CPC	.47	.01	24H	25	AIR	ADHESIVE
CT 5047-2 A/B AS 100/6 BW SILVER FILLED EPOXY	AMC	.39	.00	24H	25	AIR	COND ADHESIVE
				2H	65	AIR	
				1H	100	AIR	
CV 8151 A/B AS 1/1 BW CLEAR OPTICAL GEL	MCG	.16	.03	7D	25	AIR	OPTICAL MEDIUM
CV 8151 A/B AS 1/2 BW CLEAR OPTICAL GEL	MCG	.22	.07	6H	50	AIR	OPTICAL MEDIUM
				7D	25	AIR	
CV-1142 TRANSLUCENT SILICONE ONE PART	MCG	.31	.01	14D	25	AIR	STAKING CPND
CV-1500 BLACK ONE PART ELEC COND ADHESIVE	MCG	.33	.01	7D	25	AIR	COND ADHESIVE
CV-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 1223	MCG	.11	.05	7D	25	AIR	ADHESIVE
CV-2500-2 A/B AS 10/1 BW BLACK SILICONE	MCG	.07	.01	7D	25	AIR	ADHESIVE
CV-2568 A/B AS 99.5/0.5 BW RED SILICONE	MCG	.33	.02	7D	25	AIR	ABLATIVE ADH
CV-2942 A/B AS 20/1 BW GRAY SILICONE	MCG	.12	.04	7D	25	AIR	THERM COND ADH
CV-8181 A/B AS 1/1 BW CLEAR OPTICAL GEL	MCG	.16	.04	7D	25	AIR	OPTICAL MEDIUM
CY209/HT972 CLEAR AMBER EPOXY	CIB	.78	.01	40H	25	AIR	ADHESIVE
				5H	80	AIR	
DC 6-1104 LOT E2134-142	DCC	.20	.03	5D	25	AIR	ADHESIVE-COATING
DC 6-1104 LOT FM010380	DCC	.16	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM109321	DCC	.26	.05	7D	25	AIR	ADHESIVE
DC 6-1104 LOT FM109329	DCC	.21	.03	14D	25	AIR	ADHESIVE
DC 6-1104 LOT FM129370	DCC	.13	.03	7D	25	AIR	ADHESIVE
DC 6-1104 LOT GA104695	DCC	.29	.03				ADHESIVE
DC 6-1125 (X3-6092) ONE PART WHITE SILICONE	DCC	.17	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2467-133 6/76	DCC	.09	.03	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM020392	DCC	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM047611 6/77	DCC	.19	.04	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM119335R2	DCC	.13	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT FM129358	DCC	.10	.02	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 10/1 BW SILICONE LOT GA023073	DCC	.05	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 11/1 BW SILICONE	DCC	.09	.01	7D	25	AIR	ADHESIVE
DC 93-500 A/B AS 20/1 BW SILICONE	DCC	.04	.00	48H	25	AIR	ADHESIVE
				24H	40	AIR	
DC 93-500 GA104763	DCC	.21	.07				ADHESIVE
DELTA BOND 152-Q-B4 A/B AS 100/3.5 BW BLUE EPOXY	WAK	.49	.00	1H	25	AIR	ADHESIVE
				2H	60	AIR	
DELTA BOND 152/B4 AS 100/3.5 BW BLUE EPOXY	WAK	.82	.01	30D	25	AIR	ADHESIVE
DEN 438/MDA AS 100/27 BW EPOXY - AMBER	DOW	.60	.01	2H	90	AIR	ADHESIVE
				4H	150	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DER 332/DADS/LITHAFRAX AS 10/3/40 BW EPOXY - CREAM	DOW	.24	.00	8H	120	AIR	ADHESIVE
				4H	150	AIR	
DER 332/TETA/LITHAFRAX AS 100/14/170 BW EPOXY-WHITE	DOW	.39	.00	1H	105	AIR	ADHESIVE
DER 332/TETA/LITHAFRAX/CAB-O-SIL AS 100/14/235/.67BW	DOW	.29	.01	1H	105	AIR	ADHESIVE
DER 332/VERSAMID 125 AS 1/1 BW EPOXY	DOW	.58	.01	2.5H	105	AIR	ADHESIVE
DER 332LC/VERSAMID 140 AS 6/7 BW EPOXY	DOW	.54	.01	12H	40	AIR	ADHESIVE
DEVCON F-2 A/B AS 9/1 BW ALUMINUM FILLED EPOXY	DEV	.53	.06	7D	25	AIR	ADHESIVE
DUPONT 5504A SILVER FILLED EPOXY	DUP	.05	.00	1H	160	AIR	COND ADHESIVE
				2H	240	AIR	
E-SOLDER 3025 SILVER FILLED EPOXY	ACI	.63	.02	4H	65	AIR	COND ADH
EA 8 A/B AS 100/6 BW BROWN EPOXY	HYS	.98	.02	90M	93	AIR	ADHESIVE
EA 901/B1 AS 100/11 BW EPOXY MAROON	HYS	.83	.04	5H	116	AIR	ADHESIVE
EA 9307 A/B AS 100/14 BW BROWN EPOXY	HYS	.48	.00	30M	121	AIR	ADHESIVE
				2H	82	AIR	
EA 9321 GRAY EPOXY	HYS	.94	.04	90M	66	AIR	ADHESIVE
EA 9323 A/B AS 100/45 BW YELLOW EPOXY	HYS	.86	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY	HYS	.87	.00	7D	25	AIR	ADHESIVE
EA 934 A/B AS 100/33 BW GRAY EPOXY (EPON 934)	HYS	.49	.01	7D	25	AIR	ADHESIVE
EA 934NA A/B AS 100/33 BW GRAY EPOXY	HYS	.54	.01	7D	25	AIR	ADHESIVE
EA 9434 A/B AS 100/33 BW GRAY NON ASBESTOS EPOXY	HYS	.47	.01	7D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.2 BW YELLOW EPOXY	HYS	.69	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	HYS	.70	.00	5D	25	AIR	ADHESIVE
EA 956 A/B/PGE AS 10/5.8/0.5 BW YELLOW EPOXY	HYS	1.00	.00	1H	93	AIR	ADHESIVE
EA 956 EPOXY	HYS	.69	.02				ADHESIVE
EASTMAN FA FILM 04010	EAS	.27	.05				FILM ADHESIVE
EASYPOXY K-20 REPAIR KIT A/B AS EQUAL BEADS FR TUBES	CON	.65	.01	24H	25	AIR	ADHESIVE
EASYPOXY K-256 A/B AS EQUAL LENGTHS FROM TUBES WHITE	CON	.60	.04	24H	25	AIR	ADHESIVE
EASYPOXY K-40 A/B AS EQUAL LENGTHS FROM TUBES GRAY	CON	.60	.02	24H	25	AIR	ADHESIVE
EC 2258 EPOXY	MMM	1.00	.00	24H	175	AIR	ADHESIVE
EC 2290 EPOXY ADH	MMM	.01	.01	30M	82	E-4	ADHESIVE
				30M	177	E-4	
EC 3500 B/A AS 2/3 BW EPOXY ADHESIVE	MMM	.19	.06	1H	121	AIR	ADHESIVE
EC 3500 EPOXY ADHESIVE	MMM	.40	.00	60M	170	PSI	ADHESIVE
ECCOBOND 104 A/B AS 100/64 BW GRAY/GREEN EPOXY	EMC	.52	.08	6H	120	AIR	ADHESIVE
ECCOBOND 276/CAT 17 AS 10/1 BW EPOXY	EMC	.49	.00	2H	80	AIR	ADHESIVE
				1H	150	AIR	
				2H	200	AIR	
ECCOBOND 281 ONE PART EPOXY - BLACK	EMC	.35	.06	5H	80	AIR	THERM COND ADH
ECCOBOND 285/11 AS 20/1 BW EPOXY	EMC	.28	.01	8H	82	AIR	ADHESIVE
ECCOBOND 285/24LV AS 25/2 BW EPOXY	EMC	1.00	.00	24H	25	AIR	ADHESIVE
ECCOBOND 285/9 AS 25/1 BW EPOXY	EMC	.48	.01	24H	25	AIR	ADHESIVE
ECCOBOND 51/9 AS 100/7 BW	EMC	.44	.02	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	EMC	.46	.01	24H	25	AIR	ADHESIVE
ECCOBOND 55/9 AS 50/6 BW EPOXY	EMC	.45	.02	30M	66	AIR	ADHESIVE
ECCOBOND 56C/9 AS 40/1 BW SOLDER	EMC	.23	.01	30M	25	AIR	ADHESIVE
				1H	60	AIR	
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	EMC	.52	.04	7D	25	AIR	COND ADHESIVE
ECCOBOND 57C A/B AS 1/1 BW COND EPOXY SILVER	EMC	.36	.03	30M	150	AIR	COND ADHESIVE
ECCOBOND 83C A/B AS 100/3.5 BW BI-PAK SILVER FILLED	EMC	.64	.02	1H	66	AIR	COND ADHESIVE
ECCOBOND 83C-1 ONE COMPONENT SILVER FILLED	EMC	.35	.01	1H	149	AIR	COND ADHESIVE
ECCOMOLD L28/24LV AS 100/26.4 BW	EMC	.73	.05	4D	25	AIR	ADHESIVE
				24H	66	AIR	
ECCOSIL LN1049-97 A/B AS 10/1 BW CLEAR SILICONE	EMC	.18	.04	30M	100	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECR 4110 A/B AS 20/1 BW SILVER FILLED EPOXY	FOR	.96	.01	24H	25	AIR	COND ADH
ELECTROBOND 2015 A/B AS 10/1 BW SILVER FILLED EPOXY	EFI	.44	.02	2H	65	AIR	COND ADHESIVE
EPIBOND 1210/CAT 9615 AS 100/65 BW EPOXY	FPI	.65	.01	3H	66	AIR	ADHESIVE
EPIBOND 1210/9861 AS 5/1 BW EPOXY	FPI	.77	.00	7D	25	AIR	ADHESIVE
EPIBOND 123/CAT 9615-10	FPI	.85	.03	7D	25	AIR	ADHESIVE
EPIBOND 8510 A/B AS 10/3 BW	FPI	.05	.00	5D	25	AIR	ADHESIVE
EPIPHEN 825A/MOD T/FILLER/CONVERTER - EPOXY	BCM	.83	.01	16H	25	AIR	ADHESIVE
				8H	66	AIR	
EPO-TEK H21D A/B AS 10/1 BW SILVER FILLED EPOXY	EPK	.19	.00	30M	100	AIR	COND ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	EPK	1.00	.01	3.5H	50	AIR	ADHESIVE
EPO-TEK H22 A/B AS 20/0.9 BW SILVER FILLED EPOXY	EPK	.99	.01	20M	100	AIR	ADHESIVE
EPO-TEK H27D A/B AS 10/1 BW SILVER FILLED EPOXY	EPK	.52	.09	1H	150	AIR	COND ADHESIVE
EPO-TEK H31 SILVER FILLED EPOXY	EPK	.59	.05	1H	150	AIR	COND ADHESIVE
EPO-TEK H31DLV SILVER FILLED EPOXY SINGLE COMPONENT	EPK	.47	.02	1H	125	AIR	COND ADHESIVE
EPO-TEK H35-175M ONE PART SILVER FILLED EPOXY	EPK	.33	.02	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H35-175M(AU) ONE PART GOLD FILLED EPOXY	EPK	.36	.09	1.5H	150	AIR	COND ADHESIVE
EPO-TEK H40 GOLD FILLED EPOXY SINGLE COMPONENT	EPK	.19	.00	1H	120	AIR	COND ADHESIVE
EPO-TEK H41 GOLD FILLED EPOXY	EPK	.14	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H43 GOLD FILLED EPOXY	EPK	.20	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H44 GOLD FILLED EPOXY	EPK	.27	.00	1H	150	AIR	COND ADHESIVE
EPO-TEK H70E A/B AS 1/1 BW THERM COND EPOXY	EPK	.99	.03	12H	60	AIR	ADHESIVE
				18D	25	AIR	
EPO-TEK H72 A/B AS 10/.4 BW DIELECTRIC EPOXY PASTE	EPK	.31	.00	30M	100	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.27	.01	24H	50	E-3	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.20	.01	48H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.31	.01	24H	50	AIR	ADHESIVE
EPO-TEK H74 A/B AS 10/.3 BW THERM COND EPOXY BROWN	EPK	.56	.00	30M	150	AIR	ADHESIVE
EPO-TEK H77 A/B AS 20/3 BW BROWN EPOXY	EPK	.22	.00	1H	125	AIR	ADHESIVE
EPO-TEK H80 SILVER FILLED EPOXY	EPK	.16	.01	24H	50	AIR	COND ADHESIVE
EPO-TEK H81 A/B AS 1/1 BW PLATINUM FILLED EPOXY	EPK	.62	.00	16H	60	AIR	COND ADHESIVE
				16H	95	E-6	
EPO-TEK H81 A/B AS 10/1 BW GOLD FILLED EPOXY	EPK	.06	.01	12H	50	AIR	COND ADHESIVE
EPO-TEK H81E A/B AS 1/1 BW GOLD FILLED EPOXY	EPK	.20	.01	2H	100	AIR	COND ADHESIVE
EPO-TEK H81E-175M A/B AS 1/1 BW GOLD FILLED EPOXY	EPK	.44	.01	1H	165	AIR	COND ADHESIVE
EPO-TEK 314 A/B AS 10//6 BW OPTICAL EPOXY YELLOW	EPK	.77	.00	2H	120	AIR	ADHESIVE
				1H	150	E-3	
EPO-TEK 390 POLYIMIDE/F	EPK	.43	.01	30M	25	AIR	ADHESIVE
				1H	200	AIR	
EPO-TEK 920 EPOXY ADHESIVE	EPK	.65	.01	45M	80	AIR	ADHESIVE
EPO-TEK 930 A/B AS 100/3.3 BW FILLED EPOXY	EPK	.49	.00	45M	80	AIR	THERM COND ADH
EPON X-24 EPOXY	SHL	.42	.05	15M	60	AIR	ADHESIVE
				45M	25	PSI	
				4H	25	AIR	
				10H	100	AIR	
EPON 815/DEH-20/VERSAMID 150 AS 100/12/12 BW EPOXY	SHL	.81	.03	4D	25	AIR	ADHESIVE
				24H	66	AIR	
EPON 815/DER 732/V9 SILVER PWDR/AEP	SHL	.56	.07	4H	74	AIR	ADHESIVE
EPON 815/TETA AS 10/1 BW CURE 4	SHL	.76	.01	16H	63	AIR	ADHESIVE
EPON 815/V 140 AS 3/1.8 BW EPOXY	GSC	.51	.02	7D	25	AIR	ADHESIVE
EPON 815/V 140/AL203/PIGMENT MODIFIED BLACK EPOXY	GSC	.60	.06	7D	25	AIR	COND ADHESIVE
EPON 820/TETA AS 10/1 BW CURE 1	SHL	.43	.05	3D	25	AIR	ADHESIVE
EPON 820/TETA AS 10/1 BW CURE 8	SHL	.36	.04	16H	63	AIR	ADHESIVE
				48H	25	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 826/NMA/BDMA AS 100/88.5/1.5 BW EPOXY	SHL	.41	.00	2H	93	AIR	ADHESIVE
				8H	177	AIR	
EPON 827/VERSAMID 140 AS 1/1 BW EPOXY	SHL	.96	.01	3.5H	60	AIR	ADHESIVE
EPON 828-ALUMINA/V-125/METHANEDIAMINE/ALUMINA	SHL	.21	.01	3H	71	AIR	ADHESIVE
EPON 828/DTA AS 10/1 BW EPOXY	SHL	.75	.04	3D	25	AIR	ADHESIVE
EPON 828/EM 308/SILICA FLOUR AS 10/5/1 BW EPOXY	HAC	.29	.00	1.5H	65	AIR	ADHESIVE
EPON 828/TETA AS 10/1 BW CURE 1	SHL	.50	.01	3D	25	AIR	ADHESIVE
EPON 828/TETA AS 10/1 BW CURE 8	SHL	.38	.00	16H	63	AIR	ADHESIVE
				2D	25	AIR	
EPON 828/V 140/AL2O3/PIGMENT MODIFIED BLACK EPOXY	GSC	.46	.02	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 125 AS 100/75 BW EPOXY	SHL	.69	.03	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.58	.04	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/BORON NITRIDE AS 1/1/2 BW	GSC	.74	.03	7D	25	AIR	THERM COND ADH
EPON 828/VERSAMID 140/DTA AS 70/30/1 BW EPOXY	GSC	.18	.00	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/20 BW	SHL	.81	.03	12H	50	AIR	COND ADHESIVE
				24H	125	AIR	
EPON 828/VERSAMID 140/SILFLAKE 135 AS 5/5/40 BW	SHL	.50	.04	7D	25	AIR	COND ADHESIVE
EPON 828/VERSAMID 140/SR 82 AS 70/30/1 BW EPOXY	GSC	.35	.01	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 140/T-61 AS 2/3/16 BW MOD EPOXY	GSC	.88	.05	7D	25	AIR	ADHESIVE
EPON 828/VERSAMID 15/T-61/CAB-O-SIL/RED DISPERSION	GSC	.93	.05	7D	25	AIR	ADHESIVE
EPON 8280/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.92	.02	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	SHL	.95	.00	7D	25	AIR	ADHESIVE
EPON 934 A/B AS 100/33 BW EPOXY	SHL	.28	.01	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW EPOXY	SHL	.19	.01	7D	25	AIR	ADHESIVE
EPON 956 A/B AS 100/58 BW/CARBOLAC/CABOSIL	SHL	.81	.00	7D	25	AIR	ADHESIVE
EPOXI-PATCH KIT 1C WHITE EQUAL LENGTHS FR TUBES	HYS	.81	.02	24H	25	AIR	ADH-SEALANT
EPOXI-PATCH KIT 9340 EQUAL LENGTHS FR TUBES GRAY	HYS	.98	.03	7D	25	AIR	ADHESIVE
EPOXY 220 A/B AS EQUAL PARTS FROM TUBES	HUE	.89	.07	24H	25	AIR	ADHESIVE
EPOXY 432016-600 OLIVE GREEN	PCD	.82	.01	75M	163	AIR	ADHESIVE
EPY 150 PRE PACK EPOXY ADH LOT L101	BLH	.99	.03	16H	25	AIR	ADHESIVE
ESP 109 GRAY ONE PART EPOXY	PIC	.50	.10	45M	150	AIR	ADHESIVE
EUREPOX 710/VERSAMID 140 AS 2/1 BW EPOXY	SAG	.33	.00				ADHESIVE
EX 8762 EPOXY DIELECTRIC ADHESIVE	DUP	.08	.00	1H	160	AIR	ADHESIVE
				2H	240	AIR	
FIBERITE E-3938 EPOXY	FIB	.44	.01	10M	149	AIR	ADHESIVE
				2H	160	AIR	
FM 123-2LVC EPOXY ADH FILM PURPLE	ACC	.68	.01	1H	121	AIR	ADH FILM
FM 123-2LVC EPOXY ADH FILM PURPLE/F	ACC	.94	.00	90M	124	PSI	ADH FILM
FM 123-2LVC MODIFIED AS NB149D-68C EPOXY PURPLE	ACC	.81	.00	1H	121	AIR	ADH FILM
FM 123-5 EPOXY ADH FILM BLUE-GREEN	ACC	.98	.02	1H	121	PSI	ADH FILM
FM 150-1 SUPPORTED EPOXY ALUM FILL HONEYCOMB ADH	ACC	.49	.04	1H	177	AIR	ADH FILM
FM 150-2 SUPPORTED EPOXY FILM EP 15 HONEYCOMB ADH	ACC	.87	.06	1H	177	AIR	ADH FILM
FM 150-2U UNSUPPORTED EPOXY FILM ADH	ACC	.89	.02	1H	177	AIR	ADH FILM
FM 36 FILM ADHESIVE POLYIMIDE/GLASS	ACC	.82	.02	2H	177	AIR	ADH FILM
				2H	288	AIR	
FM 37 EPOXY FOAM ADH OLIVE GREEN	ACC	.73	.04	10H	121	PSI	ADH FOAM
FM 40 EPOXY FOAM	ACC	1.00	.05	1H	170	PSI	ADH FOAM
FM 410-1 EPOXY FOAM BLUE/GREEN	ACC	.84	.00	3H	121	AIR	ADHESIVE
FSP49 A/B AS 1/1 BW SILVER FILLED EPOXY	JMM	.52	.01	24H	25	AIR	COND ADHESIVE
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	MON	.79	.08	7D	25	AIR	ADHESIVE
GELVA MP SOL RA 263/ACRYLIC PRES SENS ADH	MON	.62	.03	24H	25	AIR	ADHESIVE
				24H	66	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
GELVA MP SOL RA 784/ACRYLIC PRES SENS ADH	MON	1.00	.05	24H	25	AIR	ADHESIVE
				24H	66	AIR	
GENEPOXY 185/VERSAMID 115 AS 1/1 BW EPOXY	GMC	.35	.00	16H	25	AIR	ADHESIVE
				12H	66	AIR	
GG 306-4 EPOXY FILM ADHESIVE	ACC	.89	.01	1H	177	PSI	FILM ADHESIVE
HT 432 EPOXY-PHENOLIC FILM ADHESIVE	ACC	.72	.02	10M	174	PSI	FILM ADHESIVE
				45M	174	PSI	
HX-1000 LAMINATING FILM	MMM	.10	.00	15M	216	AIR	ADH FILM
HYSOL 11C A/B AS 1/1 BV EPOXY	HYS	.63	.01				ADHESIVE
HYSOL 2C A/B AS 25/11 BW BROWN EPOXY	HYS	.85	.00	2H	71	AIR	ADHESIVE
K-16 A/B AS 3/1 BW CONDUCTIVE EPOXY	HYS	.22	.01	48H	25	AIR	COND ADHESIVE
K8-4238/H2-3475 AS 25/4 BW EPOXY	HYS	.32	.00	24H	25	AIR	COND ADHESIVE
LCA4/ACT BA5 AS 100/4.5 BW EPOXY	AAC	.19	.00	16H	100	AIR	ADHESIVE
LCA9/ACT BA5 AS 100/4.5 BW MINERAL FILLED GREEN	BAC	.23	.03	2H	93	AIR	ADHESIVE
M-BOND AE-10 EPOXY KIT	MGI	.88	.00	24H	25	AIR	ADHESIVE
MA 509 CONDUCTIVE SILICONE	CME	.28	.09	25D	25	AIR	ADHESIVE
MARPOXY 95-163 SINGLE COMPONENT CU FILLED EPOXY	KEY	.28	.01	2H	149	AIR	ADHESIVE
				1H	204	AIR	
MARPOXY 95-168 A/B AS 19/1 BW CU FILLED EPOXY	KEY	.45	.04	16H	25	AIR	COND ADHESIVE
				2H	200	AIR	
MARPOXY 95-202 SINGLE COMPONENT CU FILLED EPOXY	KEY	.27	.00	2H	149	AIR	ADHESIVE
				1H	204	AIR	
MARPOXY 95-9 ONE COMPONENT CU FILLED EPOXY	KEY	.63	.06	1H	160	AIR	COND ADHESIVE
				2H	204	AIR	
ME 855 ONE COMPONENT OXIDE FILLED EPOXY/F	AMC	.19	.00	1H	125	AIR	ADHESIVE
ME-990 ONE PART THERM COND OXIDE FILLED LOTCK60310/F	AMC	.43	.00	1H	150	AIR	THERM COND ADH
METADUCT 1202 A/B AS 25/1 BW SILVER FILLED EPOXY	MEC	.54	.01	1.5H	100	AIR	COND ADHESIVE
METLBOND 227 EPOXY FILM ADHESIVE	WCN	.98	.08	1H	127	AIR	ADH FILM
METRE-GRIP 3446/T9 AS 1% CAT BW	MEP	.49	.00	2H	93	AIR	ADHESIVE
				16H	204	AIR	
MICROCIRCUIT TYPE M SILVER FILLED EPOXY	TNC	.24	.00	16H	150	AIR	COND ADHESIVE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SID/F	MMM	1.00	.00				2 SIDED TAPE
MMM TAPE X-1255 KAPTON/THERMOSET ACRYLIC ADH/2 SIDE	MMM	.93	.07	30M	130	AIR	2 SIDED TAPE
NARMCO 3135/7111 AS 1/1 BW EPOXY	WCN	.59	.01	24H	25	AIR	ADHESIVE
NOA 60 OPTICAL ADHESIVE/F 5 MIN UV EXP	NOR	.90	.01	1H	125	AIR	OPT CEMENT
NOA 81 UV CURED ADH/F 5 MIN UV EXP	NOR	.93	.03	1H	125	AIR	ADHESIVE
NODE BOND BXR-10176 LX-125 THERMOSET ADH/F	ACC	.61	.00	30M	25	AIR	ADHESIVE
				1H	177	AIR	
NODE BOND GG-288-8 BATCH 108	ACC	.57	.04	30M	25	AIR	ADHESIVE
				1H	177	AIR	
P 400/CAT 515 AS 1/1 BW EPOXY	APP	.30	.01	14D	25	AIR	ADHESIVE
P-61 SILICA FILLED EPOXY	WEC	.31	.04	2H	100	AIR	ADHESIVE
				8H	135	AIR	
POLYSET EPC 68 BLUE EPOXY POWDER	MNC	.25	.03	2M	160	AIR	ADHESIVE
				20M	160	AIR	
				20M	94	AIR	
PR 1660 A/B AS 11.5/100 BW POLYURETHANE FILM	PRC	.86	.01	16H	100	AIR	ADHESIVE
PR 1660L A/B/CAB-O-SIL M-5 AS 25/100/8 W/PGMT/DEFOAM	PRC	.81	.00	14D	25	AIR	ADHESIVE
PR 1710 ADHESIVE FOR VITON A	PRC	.38	.01	16H	25	AIR	ADHESIVE
				1H	121	AIR	
PS 18 ACRYLIC CEMENT	ROH	.73	.00	72H	25	AIR	ADHESIVE
PYRALUX WA CLOTH SUPPORT/ACRYLIC FILM ADH - AMBER	DUP	.20	.01	1H	204	AIR	FILM ADHESIVE
PYRALUX 3249-87 CLOTH SUPPORTED FILM ADHESIVE	DUP	.31	.02	2H	154	AIR	FILM ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
R-1500 ONE COMPONENT ELEC COND SILICONE - BLACK	MCG	.31	.04	7D	25	AIR	ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-058	MCG	.45	.08				ADH-SEALENT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	MCG	.45	.06				ADH-SEALANT
R-1500 ONE COMPONENT ELEC COND SILICONE LOT 013-087	MCG	.39	.07	7D	25	AIR	ADH-SEALANT
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	MCG	.27	.04				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 014-034	MCG	.25	.05	7D	25	AIR	ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	MCG	.33	.07				ADH-POTTING
R-2500 A/B AS 10/1 BW CLEAR SILICONE LOT 298	MCG	.29	.07	7D	25	AIR	ADH-POTTING
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	MCG	.37	.03				ADHESIVE
R-2510 0.5% BW CAT WHITE SILICONE LOT 295	MCG	.59	.03	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT DBID WHITE SILICONE	MCG	.28	.05	7D	25	AIR	ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	MCG	.42	.07				ADHESIVE
R-2520 0.5% BW CAT WHITE SILICONE LOT 297	MCG	.44	.07	7D	25	AIR	ADHESIVE
R-2566 0.5% BW CAT RED CONT VOLATILITY SILICONE	MCG	.35	.02	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	MCG	.31	.03				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 281	MCG	.50	.03	7D	25	AIR	ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	MCG	.35	.05				ADH-POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 282	MCG	.63	.06	7D	25	AIR	ADH-POTTING
R-2567 0.5% BW CAT CLEAR SILICONE	MCG	.62	.05	7D	25	AIR	ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	MCG	.41	.02				ADHESIVE
R-2567 0.5% BW CAT CLEAR SILICONE LOT 300	MCG	.31	.08	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301	MCG	.38	.07	7D	25	AIR	ADHESIVE
R-2568 0.5% BW CAT RED SILICONE LOT 301(RERUN 12688)	MCG	.12	.03	7D	25	AIR	ADHESIVE
				24H	125	E-7	
RELIABOND 7115 CLOTH SUPPORT EPOXY FILM	RMC	.96	.06	1H	121	PSI	FILM ADHESIVE
RESDEL EPOXY WITH IRON FILLING	RES	.67	.03	10M	160	AIR	ADHESIVE
RESDEL 01-02-01 CIBA 6005/RESDEL 41 AS 5/1 BW EPOXY	RES	.82	.03	10M	160	AIR	ADHESIVE
RESYN 30-1215 PRESSURE SENSITIVE ACRYLIC ADHESIVE	NSC	.63	.01	16H	25	AIR	ADHESIVE
				2H	66	AIR	
RHOPLEX N-619 PRES SENS ACRYLIC ADH/FOIL SANDWICH	ROH	.51	.00	30M	25	AIR	ADHESIVE
				1H	70	AIR	
RTV 142 ONE COMPONENT WHITE SILICONE	GEC	.21	.01	6D	25	AIR	ADH-SEALANT
RTV 142 ONE COMPONENT WHITE SILICONE	GEC	.24	.00	7D	25	AIR	ADHESIVE
RTV 142 ONE COMPONENT WHITE SILICONE LOT JM 107	GEC	.22	.00	7D	25	AIR	ADHESIVE
RTV 560/T-12 AS 0.1% T-12	GEC	.08	.04	150D	25	AIR	ADHESIVE
				24H	125	E-6	
RTV 560/577/T-12 AS 1/9/0.5% BW SILICONE	GEC	.45	.08	14D	25	AIR	ADHESIVE
				6D	75	E-6	
				10D	25	AIR	
RTV 566 0.07% BW CAT SILICONE	GEC	.12	.00	7D	25	AIR	ADHESIVE
RTV 566 0.075% BW CAT SILICONE	GEC	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.08% BW CAT SILICONE	GEC	.11	.01	7D	25	AIR	ADHESIVE
RTV 566 0.09% BW CAT SILICONE	GEC	.10	.01	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE	GEC	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT BH164/AH102	GEC	.10	.02	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT JB 133	GEC	.08	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 136	GEC	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT KA 137	GEC	.13	.00	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/DC 1200 PRIMER/SANDWICH	GEC	.12	.01	4H	80	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE/GE SS4155 PRIM/SANDWICH	GEC	.13	.01	4H	80	AIR	ADHESIVE
RTV 566 0.3% BW CAT SILICONE	GEC	.34	.00	24H	25	AIR	POTTING-ADH
RTV 566 0.7% BW CAT SILICONE	GEC	.36	.01				POTTING-ADH
RTV 567 0.5% BW CAT SILICONE	GEC	.51	.02	5D	25	AIR	POTTING-ADH

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 568 0.13% BW CAT SILICONE	GEC	.10	.01	7D	25	AIR	ADHESIVE
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 3	GSC	.10	.04	7D	25	AIR	ADHESIVE
R8-2038/H2-3475 AS 4/1 BW CLEAR EPOXY	HYS	.85	.03	24H	25	AIR	ADHESIVE
R9-2039/H2-3561 AS 10/3 BW EPOXY	HYS	.98	.02	2H	60	AIR	ADHESIVE
SCOTCHWELD 1751 B/A AS 2/1 BW W/PHENYL GLYCIDYD ETH	MMM	.75	.06	24H	25	AIR	ADH-POTTING
SCOTCHWELD 1838 B/A AS 1/1 BW EPOXY	MMM	.65	.03	24H	25	AIR	ADHESIVE
SCOTCHWELD 2214 HD ALUM FILLED EPOXY	MMM	.48	.05	40M	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 HIGH TEMP ALUM FILLED EPOXY	MMM	.45	.00	1H	121	AIR	COND ADHESIVE
SCOTCHWELD 2214 NMF UNFILLED EPOXY	MMM	.77	.02	1H	121	AIR	ADHESIVE
SCOTCHWELD 2216 B/A AS 5/7 BW W/4% M-5 CAB-O-SIL	MMM	.76	.03	16H	25	AIR	ADHESIVE
				24H	100	AIR	
SCOTCHWELD 2216 SANDWICHED BETWEEN ALUMINUM	MMM	.13	.02				ADHESIVE
SOLITHANE 113/300 FORMULA 15	TCC	.66	.04	7D	25	AIR	STAKING CPND
SOLITHANE 113/300 FORMULA 15	TCC	.54	.03	24H	65	AIR	STAKING CPND
SOLITHANE 113/300/TIPA AS 100/51/4.5 BW FORMULA 10	TCC	.36	.02	7D	25	AIR	ADHESIVE
STAKING CPND BLUE SOLITHANE 113/300 BASE	IDE	.43	.06	7D	25	AIR	STAKING CPND
STYCAST 1263/31 AS 100/3 BW EPOXY	EMC	.33	.04	16H	107	AIR	ADHESIVE
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	EMC	.63	.01	3H	100	AIR	ADHESIVE
STYCAST 2651/CAT 11 AS 100/8 BW BLACK EPOXY	EMC	.84	.03	18D	25	AIR	ADHESIVE
STYCAST 2651MM/CAT 9 AS 100/6.5 BW BLACK EPOXY	EMC	.38	.00	7D	25	AIR	ADHESIVE
STYCAST 2850FT/11 AS 100/4.5 BW EPOXY	EMC	.38	.01	12H	85	AIR	ADHESIVE
STYCAST 2850FT/24LV AS 100/7 BW EPOXY	EMC	.39	.00	24H	25	AIR	ADHESIVE
				72H	60	AIR	
STYCAST 2850GT/9 AS 10/0.3 BW EPOXY	EMC	.33	.00	7D	25	AIR	ADHESIVE
STYCAST 2850MT/11 AS 100/2.7 BW BLUE EPOXY	EMC	.52	.03	24H	74	AIR	ADHESIVE
STYCAST 2850MT/9 AS 100/2.1 BW BLUE EPOXY	EMC	.52	.02	24H	25	AIR	ADHESIVE
SYLGARD 184 A/B AS 10/1 BW DEVOL LOT GB053274 BATCH1	GSC	.19	.01	7D	25	AIR	ADHESIVE
TECKNIT 72-00002 SILVER FILLED SILICONE	TEC	.02	.00	48H	121	E-5	COND ADHESIVE
TECKNIT 72-00008 A/B AS 1/1.4 BW AG FILLED EPOXY	TEC	.83	.08	24H	25	AIR	ADHESIVE
TECKNIT 72-08116 COND EPOXY A/B AS 1/1 BW	TEC	.61	.02	30M	99	AIR	COND ADHESIVE
TRA-BOND BA 2106T/SILTEX 44 EPOXY BIPAX KIT	TRA	.91	.05	5D	25	AIR	ADHESIVE
TRA-BOND 2151 THERM COND EPOXY BIPAX KIT	TRA	.65	.02	72H	25	AIR	ADHESIVE
TRA-BOND 2248 THIXOTROPIC HI-TEMP EPOXY BIPAX KIT	TRA	.72	.01	16H	25	AIR	ADHESIVE
				2H	65	AIR	
				2H	90	AIR	
UNISET C-429-2 SILVER FILLED THIXOTROPIC EPOXY	AMC	.19	.01	90M	125	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY	AMC	.32	.00	30M	150	AIR	COND ADHESIVE
UNISET C-840 SILVER FILLED EPOXY ONE COMPONENT	AMC	.61	.00	1H	125	AIR	COND ADHESIVE
UNISET C-850 SILVER FILLED EPOXY	AMC	.14	.00	30M	150	AIR	COND ADHESIVE
UNISET C-850-4 SILVER FILLED EPOXY ONE PART	AMC	.43	.01	1H	125	AIR	COND ADHESIVE
UNISET C-850-6 ONE COMPONENT SILVER FILLED EPOXY	AMC	.60	.01	1H	125	AIR	COND ADHESIVE
UNISET C-929-49 SILVER FILLED EPOXY	AMC	.31	.00	30M	150	AIR	COND ADHESIVE
UNISET C-940-1 SILVER FILLED POLYIMIDE	AMC	.06	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET C-940-1 SILVER FILLED POLYIMIDE	AMC	.02	.00	1H	170	AIR	COND ADHESIVE
				30M	270	AIR	
UNISET C-940-4 ONE COMPONENT SILVER FILLED POLYIMIDE	AMC	.08	.00	10M	170	AIR	COND ADHESIVE
				10M	270	AIR	
UNISET ME-845 THERMAL COND ADHESIVE OLIVE-GREEN	AMC	.30	.01	1H	125	AIR	THERM COND ADH
UNISET ME-945 ONE COMPONENT POLYIMIDE/F	AMC	.26	.02	1H	170	AIR	THERM COND ADH
				30M	270	AIR	
UNISET 909-60 ONE COMPONENT FILLED EPOXY	AMC	.48	.04	2H	125	AIR	THERM COND ADH

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
URALANE 5753 A/B/ALUMINA AS 1/5/3 BW	FPI	.73	.03	14H	38	AIR	ADHESIVE
				24H	55	AIR	
URALANE 5753LV A/B AS 1/5 BW/CABOSIL TS-720	GSC	.80	.02	7D	25	AIR	STAKING CPND
XA-3476 ONE COMPONENT GRAY EPOXY	MMM	.28	.04	1H	125	AIR	ADHESIVE
XC9-G710/H2 3561 AS 100/26 BW EPOXY	HYS	.90	.02	24H	25	AIR	ADHESIVE
				6H	69	AIR	
X1-2561 A/B AS 10/0.2 BW CLEAR SILICONE COATING	DCC	.10	.00	14D	25	AIR	CONF COAT
X3-6022/CAT 6060 AS 10/1 BW SILICONE/PRIMER DC92-023	DCC	.35	.00	1H	25	AIR	ADHESIVE
				24H	25	E-2	
Y-663 THERMOPOXY ADH ONE COMPONENT	STV	.40	.08	1H	177	AIR	ADHESIVE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ALPHA WIRE 5853 BLACK TEFLON INSULATION	AWC	.01	.00				WIRE INSUL
ALPHA WIRE 5853 WHITE TEFLON INSULATION	AWC	.01	.00				WIRE INSUL
B 142-1 PHENOLIC COIL VARNISH	WEC	.54	.04	8H	135	AIR	VARNISH
BC 500T SUFFLEX-SILVERFLEX SLEEVING	BCI	.05	.02				INSUL
BELDEN MAGNET WIRE 8082 MIL W583C POLYTHERMALEZE INS	BLD	.02	.00				WIRE COATING
BELDEN SML WIRE VALUES INCLUDE WT OF WIRE	BLD	.05	.02				MOTOR WINDING
BEN-HAR PYRO-SLEEVE ST COATED GLASS FIBER	BHM	.02	.02	24H	300	AIR	SLEEVING
BIW P/E 5636-L-G20 WHITE SILICONE WIRE INSULATION	BIW	.03	.02	24H	204	AIR	WIRE INSUL
BIW P/N F5639-L-G22 BLACK PART	BIW	.05	.03	24H	232	AIR	CABLE INSUL
BIW P/N F5639-L-G22 ENTIRE CABLE	BIW	.03	.00	24H	232	AIR	CABLE
BIW P/N F5639-L-G22 OUTER JACKET	BIW	.04	.01	24H	232	AIR	CABLE INSUL
BIW P/N F5639-L-G22 WHITE MIDDLE CORE	BIW	.04	.00	24H	232	AIR	CABLE INSUL
BIW 5639-L-G22 UNSHIELDED CABLE WHITE SILICONE INSUL	BIW	.11	.02	24H	204	AIR	CABLE INSUL
CABLE COAX WHITE OUTER INSUL MICRODOT	MIR	.00	.00				CABLE INSUL
CABLE C06C072 9551 COAX WHITE OUTER INSUL	WLG	.02	.00				CABLE INSUL
CABLE RG-316/U COAX TAN OUTER INSUL	BAY	.02	.01				CABLE INSUL
CABLE 2219X300 CR BLACK/WHITE TEFLON INSULATION	WLG	.03	.01				CABLE INSUL
CABLE 24799/408 KAPTON SHIELDED POLYIMIDE	CTD	.44	.01				CABLE INSUL
CABLE 2619X2.0 CRBSJ COAX RED OUTER INSUL	WLG	.00	.00				CABLE INSUL
CHEMFLUOR TEFLON TFE SHRINK TUBING	CHE	.00	.00	5M	325	AIR	SHRINK TUBING
CHO-SHRINK R TUBE 70-21-0003-0004 HEAT GUN SHRINK	CHO	.56	.03				SHRINK TUBING
CHO-SHRINK TUBING SILVER COND IN/SUR HEAT GUN SHRINK	CHO	.70	.10				SHRINK TUBING
CICOIL SILICONE CABLE INSUL	CIC	.24	.00				CABLE INSUL
DK-15-02 DRI-KOTE EPOXY	HYS	.49	.07				INSULATION
DURAD/TFE WIRE INSULATION RED/BLK NPC	HAV	.06	.00				WIRE INSUL
DURAD/TFE WIRE INSULATION YELLOW SPC	HAV	.02	.00				WIRE INSUL
EXPANDO SLEEVING HR BLACK HALAR	BHM	.18	.02				SLEEVING
EXPANDO SLEEVING HR RED HALAR	BHM	.29	.02				SLEEVING
EXPANDO SLEEVING HR WHITE HALAR	BHM	.27	.06				SLEEVING
EXPANDO SLEEVING PT BLACK POLYESTER	BHM	.19	.00				SLEEVING
EXPANDO SLEEVING PT WHITE POLYESTER	BHM	.21	.00				SLEEVING
FEP TEFLON 30KV WIRE INSULATION	WLG	.01	.00				WIRE INSUL
FIBERMAT 1 TYPE 2538 POLYESTER FILM/NO ADH	MMM	.15	.02				TAPE
FIBERMAT 1 TYPE 2540 POLYESTER FILM/NO ADH	MMM	.14	.10				TAPE
FIBERMAT 1V	MMM	.68	.04				INSULATION
FIT 350 KYNAR SHRINK TUBING NEUTRAL - HEAT GUN	AEW	.30	.07				SHRINK TUBING
FLEXITE SHRINKDOWN 7505 HA150C-VW1 HEAT GUN SHRINK	MAQ	.88	.07				SHRINK TUBING
FLUOROCARBON WIRE INSULATION BLACK	HAV	.09	.00				WIRE INSUL
GORE-TEX MICROWAVE CABLE INNER INSULATION WHITE	WLG	.02	.00				CABLE INSUL
GORE-TEX MICROWAVE CABLE OUTER INSULATION PURPLE	WLG	.04	.00				CABLE INSUL
GORE-TEX PTFE TEFLON CABLE INSULATION 3 PLY	WLG	.03	.00				CABLE INSUL
HELIAX COAXIAL CABLE BLACK OUTER JACKET	AND	.26	.03				CABLE INSUL
HELIAX COAXIAL CABLE FOAM DIELECTRIC	AND	.19	.04				DIELECTRIC
HFT GREEN WIRE INSULATION PTFE/KAPTON	WLG	.32	.01				WIRE INSUL
HFT ORANGE WIRE INSULATION PTFE/KAPTON	WLG	.35	.01				WIRE INSUL
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 12MIL	REA	.35	.00				WIRE COATING
ISONEL 200 MAGNET WIRE COATING BROWN 180C USE 18MIL	REA	.18	.00				WIRE COATING
KAPTON T400-1/20 BRAND-REX	BRX	.51	.10				WIRE INSUL
KAPTON-TEFLON FEP COATED T473-1/24 BRAND-REX	BRX	.52	.00				WIRE INSUL
KYNAR BLACK WIRE INSUL 30 GAUGE UL1422	AES	.11	.02	24H	85	E-2	WIRE INSUL
KYNAR ITT SPACE GRADE POLYALKENE WHITE WIRE INSUL	ITT	.23	.03				WIRE INSUL
KYNAR PURPLE WIRE INSUL 30 GAUGE UL1422	AES	.10	.02				WIRE INSUL
KYNAR SHRINK TUBING MIL I23053/8 HEAT GUN SHRINK	RCC	.39	.07				SHRINK TUBING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
KYNAR SHRINKABLE SEALING SLEEVE BLUE W/WHITE INSERTS	RCC	.66	.04	.25M	260	AIR	SHRINK SLEEVE
KYNAR SOLDER SLEEVE WITH POLYETHYLENE RINGS	RCC	.37	.07				SHRINK TUBING
KYNAR SOLDER SLEEVE WITHOUT POLYETHYLENE RINGS	RCC	.44	.07				SHRINK TUBING
KYNAR WIRE INSULATION - RED	BIC	.07	.01				WIRE INSUL
MAGNET WIRE COATING TFE TEFLON/DURAD	HAV	.29	.01				WIRE COATING
MAGNET WIRE HEAVY ARMOR POLYTHERMALEZE(COATING ONLY)	PDC	.53	.08				WIRE COATING
MAGNET WIRE HEAVY ML POLYIMIDE	PDC	.89	.10				WIRE COATING
MICROTHIN TEFLON SLEEVING 20 GAUGE	SHA	.02	.00				SLEEVING
MULTIFILAR MAGNET WIRE PYRE ML B-4-30-28-0-5 CALC %	MWS	.98	.03				MAGNET WIRE
PENN CHEM A TEFLON INNER CORE ONLY	PFC	.01	.01				TUBE/HOSE
PENNTUBE II SO 3-7164AX/C TEFLON TUBING	PFC	.01	.00				TUBING
RAYCHEM CABLE M27500-22 SB6T23 06090 WHITE OUTERINSL	RCC	.58	.02				CABLE INSUL
RAYCHEM COAX 5026A-1211-9 WHITE OUTER INSUL	RCC	.12	.04				WIRE INSUL
RAYCHEM POLYALKENE WIRE INSULATION YELLOW TYPE 44	RCC	.75	.03				WIRE INSUL
RAYCHEM POLYALKENE WIRE RADIATION CROSSLINKED	RCC	.34	.07				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0111-20-9 WHITE	RCC	.15	.01				WIRE INSUL
RAYCHEM POLYARYLENE WIRE 88B0811-20-9 GRAY	RCC	.14	.00				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL BLACK/CLEAR M81044/12-24	RCC	.77	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J020197902	RCC	.46	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 INNER	RCC	.71	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0408297704 OUTER	RCC	.18	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 INNER	RCC	.64	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J0604077905 OUTER	RCC	.17	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 INNER	RCC	.66	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1102067911 OUTER	RCC	.15	.02				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 INNER	RCC	.68	.03				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT J1105187913 OUTER	RCC	.22	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0401127801	RCC	.67	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0511107814	RCC	.65	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL LOT PJ0602278014	RCC	.26	.04				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL RED/CLEAR M81044/12-20	RCC	.91	.06	24H	80	AIR	WIRE INSUL
RAYCHEM SPEC 44 WIRE INSUL WHITE LOT PJ0505157909	RCC	.29	.05				WIRE INSUL
RAYCHEM SPEC 44 WIRE INSULATION WHITE	RCC	.52	.07				WIRE INSUL
RAYCHEM SPEC 44/0411 SPACE GR WHITE LOT PJ612127915	RCC	.19	.05				WIRE INSUL
RAYCHEM SPEC 44/0411-20 SPACE GR OUTER INS WHITE	RCC	.77	.03				WIRE INSUL
RAYCHEM SPEC 44/0411-20X SP GR INS W/O BENZOPHENONE	RCC	.26	.02				WIRE INSUL
RAYCHEM SPEC 44/0414-24-9 WHITE WIRE INSUL	RCC	.65	.05				WIRE INSUL
RAYCHEM SPEC 44/1441-24 SPACE GR OUTER INS WHITE	RCC	.13	.01				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 CLEAR INSUL	RCC	.70	.05				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 COLOR CODE INSUL	RCC	.46	.05				WIRE INSUL
RAYCHEM SPEC 44/2431-22-0/1/9-9 WHITE OUTER SHEATH	RCC	.15	.04				WIRE INSUL
RAYCHEM SPEC 55 IRRADIATED ETFE WHITE WIRE INSUL	RCC	.22	.00				WIRE INSUL
RAYCHEM SPEC 55A0811-24-9 PJ04032682 02 BLUE/WHITE	RCC	.08	.01				WIRE INSUL
RAYCHEM SPEC 88 POLY X INSULATION	RCC	.80	.00				WIRE INSUL
RAYCHEM WIRE END SEAL CAP D-305	RCC	.07	.00	5M	300	AIR	SHRINK TUBING
REMTEK GLO-135 WHITE POLYOLEFIN SHRINK TUBING	RTC	.49	.01	0.5M	135	AIR	SHRINK TUBING
RG 304/U CABLE INSUL PTFE OUTER COVERING ONLY	TIW	.01	.00				CABLE INSUL
RT 1146 BLACK VITON SHRINK TUBING - HEAT GUN SHRINK	RCC	.37	.07				SHRINK TUBING
SE 9025 SILICONE WIRE INSULATION RERUN GSFC3744	GEC	.16	.03	24H	125	E-7	WIRE INSUL
SPACE POLYOLEFIN TYPE 702 BLACK	RCC	.53	.02				SHRINK TUBING
STW 0474 WHITE SILICONE WIRE INSUL	STC	.10	.00	96H	204	AIR	INSULATION
SURLYN A WIRE INSULATION	DUP	.28	.03				WIRE INSUL
SURLYN A WIRE INSULATION IN SHEET FORM	DUP	.55	.06				INSULATION

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TEFLON FEP SHRINK TUBING FIT 400	AWC	.00	.00	5M	149	AIR	SHRINK TUBING
TEFLON INSUL 33181019 BRAND-REX	BRX	.00	.00				INSULATION
TEFLON PFA WIRE SLEEVING TE-9704 SODIUM ETCHED	DUP	.00	.00				WIRE INSUL
TEFLON PFA WIRE SLEEVING TE-9704 UNETCHED	DUP	.00	.00				WIRE INSUL
TEKFIT GPO 135 BLACK POLYOLEFIN HEAT GUN SHRINK	RTC	.50	.08				SHRINK TUBING
TEKFIT GPO 135 BLACK POLYOLEFIN SHRINK TUBING	RTC	.58	.05	5M	121	AIR	SHRINK TUBING
TEKFIT GPO 135 BLUE POLYOLEFIN HEAT GUN SHRINK	RTC	.62	.06				SHRINK TUBING
TEKFIT GPO 135 GREEN POLYOLEFIN HEAT GUN SHRINK	RTC	.54	.07				SHRINK TUBING
TEKFIT GPO 135 RED POLYOLEFIN HEAT GUN SHRINK	RTC	.63	.06				SHRINK TUBING
TEKFIT GPO 135 WHITE POLYOLEFIN HEAT GUN SHRINK	RTC	.57	.08				SHRINK TUBING
TEKFIT GPO 135 YELLOW POLYOLEFIN HEAT GUN SHRINK	RTC	.57	.09				SHRINK TUBING
TENSOLITE 4318L-1 HIGH VOLTAGE WIRE INSUL MOD TFE	CTD	.04	.00				WIRE INSUL
TFE WIRE INSULATION	MSY	.01	.00				WIRE INSUL
THERMATICS XT-24 TFE SLEEVING - NON SHRINKABLE	THI	.01	.00				WIRE INSUL
THERMATICS 1XZ-20-1932 WHITE WIRE INSUL	THI	.04	.01				WIRE INSUL
THERMATICS 3XZ-16-1929 BLACK WIRE INSUL	THI	.00	.00				WIRE INSUL
THERMAX TEFLON IMPREG FIBERGLASS WIRE INSULATION	TWC	.27	.08				WIRE INSUL
THERMAX TEFLON TFE WIRE INSULATION TYPE E	TWC	.02	.01				WIRE INSUL
THERMELEC G 2735 COIL COATING	BAL	.87	.02	1H	149	AIR	COIL COATING
				1H	204	AIR	
THERMOFIT KYNAR CLEAR	RCC	.14	.05	5M	300	AIR	SHRINK TUBING
THERMOFIT M120 VITON - BLACK HEAT GUN SHRINK	RCC	.31	.07				SHRINK TUBING
THERMOFIT RT 1800 HT TMS WHITE MARKER SLEEVE W/INK	RCC	.27	.03	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 218 WHITE KYNAR/VITON HEAT GUN SHRINK	RAY	.24	.01				SHRINK TUBING
THERMOFIT RT 850 KYNAR SHRINK TUBING NATURAL	RCC	.15	.05	1M	300	AIR	SHRINK TUBING
THERMOFIT RT 876 POLYOLEFIN WHITE HEAT GUN SHRINK	RCC	.67	.10				SHRINK TUBING
THERMOFIT RT 876 PRESHRUNK	RAY	.43	.10	15M	125	AIR	SHRINK TUBING
THERMOFIT TFE-R TEFLON PRE-SHRUNK	RAY	.00	.00				SHRINK TUBING
THERMOFLEX HYGRADE 1200 FIBERGLASS SLEEVE	LFM	.06	.01				INSUL SLEEVE
T4 MAGNET WIRE POLYURETHANE COATING	MWS	.66	.08				WIRE COATING
UNIGLASS 1542 FIBERGLASS TAPE/VOLAN A FINISH/NO ADH	UNI	.03	.01				INSULATION
VARGLAS S-1600 TYPE H FIBERGLAS SLEEVE	VFX	.01	.00				INSUL SLEEVE
VARGLAS SPEC A307 GLASS/SILICONE WIRE INSUL TAN	VFX	.60	.07				WIRE INSUL
VITON TUBING C-6412-47	DOU	.13	.00				TUBING
VOLTREX FEP HEAT SHRINK TUBING TYPE SST HEAT GUN SHR	STY	.01	.01				SHRINK TUBING
WIRE INSULATION YELLOW/BROWN	LDD	.68	.00				WIRE INSUL
WIRE INSULATION GREEN FLUOROCARBON POLYIMIDE/TFE	WLG	.24	.03				WIRE INSUL
WIRE INSULATION HSCR PTFE BLUE	WLG	.10	.03				WIRE INSUL
WIRE INSULATION ORANGE MIL-W-22759/16-20	ICO	.07	.01				WIRE INSUL
WIRE INSULATION RED FLUOROCARBON POLYIMIDE/TFE	WLG	.19	.01				WIRE INSUL
WIRE INSULATION WHITE FLUOROCARBON F01A080	WLG	.03	.00				WIRE INSUL
WIRE INSULATION WHITE MIL-W-22759/18-20	ICO	.10	.01				WIRE INSUL
ZIPPERTUBING ZTZ 0750 TSH CLEAR TEFLON	ZIP	.05	.01				INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ACRYLOID B-82 CLEAR COATING/F	ROH	.51	.04	1H	25	AIR	COATING
				8H	115	AIR	
BLUE COATING II 001057REVA FLEXIBLE MOD EPOXY	NCI	.41	.04	1H	125	AIR	COATING
				3H	200	AIR	
CAAP COAT FLUOROELASTOMER	CAA	.41	.01				FILM COATING
COATING RED HI VOLT CAPACITOR	TUS	.74	.01				COATING
CONATHANE CE 1155/CELLOSOLVE ACETATE MULTICURE	CON	.81	.05	10M	25	AIR	CONF COAT
				15M	49	AIR	
				3H	60	AIR	
CONATHANE CE 1155/PM ACETATE	CON	.74	.03	30M	25	AIR	CONF COAT
				3.5H	65	AIR	
CONATHANE EN-11 THINNED/SPRAYED/F	CON	.62	.08	16H	25	AIR	CONF COAT
				48H	60	AIR	
CV-1144-0 CLEAR COATING/F	MCG	.30	.00	7D	25	AIR	COATING
DC 3140	DCC	.16	.06	24H	150	E-6	COATING
				7D	25	AIR	
DC 6-1104 UNFILLED W/LUMINESCER 174	GSC	.30	.07	7D	25	AIR	CONF COAT
DC 6-1104/MEK/XYLENE	DCC	.28	.04	7D	25	AIR	CONF COAT
DC 6-1109 - UNFILLED SILICONE	DCC	.19	.01	7D	25	AIR	CONF COAT
DER 332LC/VERSAMID 140 AS 35/30 BW EPOXY COATING	DOW	.91	.05	3H	71	AIR	CONF COAT
DK 18-05 EPOXY POWDER COATING YELLOW-GREEN	HYS	.38	.04	30M	150	AIR	COATING
DK-4 DRI-KOTE EPOXY POWDER COATING	HYS	.37	.01	3M	204	AIR	POTTING-COATING
DURAFILM 300 SERIES ENAMEL	ADF	.33	.01	20M	149	AIR	COATING
				20M	149	AIR	
				20M	260	AIR	
EA 934 A/B AS 100/33 BW GRAY EPOXY	HYS	.79	.01	7D	25	AIR	COATING
				24H	60	AIR	
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 NEW	EMC	.51	.01	7D	25	AIR	CONF COAT
ECCOBOND 55/9 AS 50/6 BW EPOXY LOT 1A00470002 OLD	EMC	.59	.05	7D	25	AIR	CONF COAT
ECCOSORB 269E A/B AS 100/1 BW GRAY 10 SPRAY COATS	EMC	.83	.01	24H	25	AIR	COATING
				4H	75	AIR	
				16H	75	E-3	
EPIBOND 123/CAT 952 AS 20/3 BW EPOXY	FPI	.63	.03	24H	25	AIR	ADHESIVE
EPO-TEK H73 A/B AS 10/0.3 BW EPOXY	EPK	.43	.01	20M	100	AIR	COATING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.91	.01	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.24	.00	30D	25	AIR	COATING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.32	.00	7D	25	AIR	COATING
				24H	60	AIR	
EPON 828/VERSAMID 140/TI02 R-960 AS 5/5/0.6 BW	GSC	.87	.00	7D	25	AIR	COATING
EPOTHERM 180 A/B AS 100/4.5 BW BLACK EPOXY	TNC	.13	.01	2H	70	AIR	COATING
				4H	175	AIR	
EPOXY POWDER COATING EPC MIDNIGHT BLUE	DYN	.55	.04	1H	150	AIR	COATING
EPOXY POWDER COATING EPC 20 BLACK	DYN	.48	.00	1H	150	AIR	COATING
EPOXY POWDER COATING 68-2 GOLD	DYN	.48	.02	1H	150	AIR	COATING
FM 73/DACRON KNIT/BR 127 PRIMER ON FOIL	ACC	.78	.00	1H	120	AIR	COATING
				1H	120	AIR	
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	FPL	.38	.01	24H	25	AIR	COATING
				24H	60	AIR	
FPC 461 FLUOROCARBON/VINYL COPOLYMER FILM	FPL	.24	.01	24H	25	AIR	COATING
				48H	60	AIR	
IC-2 POLYURETHANE COATING	EMC	.59	.08	24H	50	AIR	CONF COAT
				48H	50	E-5	
ISOLEX R-65 ACRYLIC COATING SYSTEM/F	BEE	.52	.02	10M	125	AIR	COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ISOMID POLYESTER/POLYIMIDE COATING	SCH	.44	.03	2M	400	AIR	CONF COAT
MOBIL 173 COATED VDALUMINIZED KAPTON	KST	.85	.02				THERMAL BLANKET
OI 100 GLASS RESIN 40% BW IN ETHANOL/F	OII	.25	.07	1H	175	AIR	CONF COAT
OI 650 GLASS RESIN 40% BW IN ETHANOL/F	OII	.15	.03	1H	175	AIR	CONF COAT
PC 18M POLYURETHANE COATING CLEAR 50% RH CURE/F	HYS	.88	.03	16H	50	AIR	CONF COAT
				24H	80	E-5	
PC 401/T AS 100/17 BW SILK SCREEN EPOXY GREEN	PCK	.72	.01	3.5H	160	AIR	COATING MASK
PD 147 (RTV 511)	GEV	.11	.00	10H	93	AIR	COATING
				10H	177	AIR	
				48H	177	E-6	
POLYURETHANE COATING 22H ONE COMPONENT/FOIL	ELS	.91	.01	7D	25	AIR	COATING
				12H	120	AIR	
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	PRC	.63	.06	3H	25	AIR	CONF COAT
				60H	82	AIR	
PR 1546L A/B AS 40/100 BW POLYURETHANE THIN FILM	PRC	.78	.06	24H	25	AIR	CONF COAT
				84H	82	AIR	
PR 1660L A/B AS 1/4 BW W/MEK - POLYURETHANE	PRC	.86	.01	16H	65	AIR	CONF COAT
PT 201 THERMOSETTING YELLOW GOLD EPOXY COATING/F	PTI	.96	.07	1H	163	AIR	COATING
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	DUP	.96	.00	15M	149	AIR	COATING
				30M	204	AIR	
PYRE-ML RK 692 POLYIMIDE 15 MIN FLASH/COAT	DUP	.86	.00	15M	149	AIR	COATING
				30M	204	AIR	
				24H	149	AIR	
PYROFILM PVC 70 RESISTOR COATING	PYR	.91	.10				CONF COAT
PYROFILM PVC 70 RESISTOR COATING	PYR	.72	.06	26H	122	E-5	CONF COAT
PYROMARK 2500 FLAT BLACK COATING	TEM	.15	.05	18H	25	AIR	COATING
				15M	121	AIR	
				1H	249	AIR	
P413D PHENOLIC COATING - BROWN/F	HSC	.77	.00	20M	25	AIR	COATING
				30M	121	AIR	
				2H	204	AIR	
R&S 9384 COATED VDALUMINIZED KAPTON	KST	.73	.00				THERMAL BLANKET
R&S 9384 COATED VDALUMINIZED KAPTON	KST	.72	.01	24H	50	E-6	THERMAL BLANKET
R-1152 ONE COMPONENT SILICONE - CLEAR LOT 013-166	MCG	.15	.01	7D	25	AIR	CONF COAT
RANDAC KR 544-006 GOLD EPOXY	FPI	.63	.01	20M	150	AIR	COATING
RANDAC KR 544-8946 RED EPOXY	FPI	.62	.01	20M	150	AIR	COATING
RCC-15D UV POLYMER	WRG	.48	.03				CONF COAT
RESISTOR COATING TYPE 200 FLAT BLACK/F	TNC	.32	.08	15M	65	AIR	CONF COAT
				30M	125	AIR	
				30M	200	AIR	
RTV 511/T-12 AS 0.5% T-12 BW SILICONE	GEC	.09	.00	3D	25	AIR	COATING
				16H	177	E-5	
RTV 615 A/B AS 10/1 BW DEVOL AT 125C	GSC	.19	.07	7D	25	AIR	CONF COAT
SCOTCHCAST 260 GREEN EPOXY POWDER COATING	MMM	.68	.04	1	15	AI	COATING
SCOTCHCAST 262 RED EPOXY POWDER COATING	MMM	.87	.07	1	15	AI	COATING
SCOTCHCAST 281/282 EPOXY FORMULATION	MMM	.37	.05	4H	120	AIR	COATING
SOLITHANE 113/RICINOLEY ALCOHOL FORMULA 25	TCC	.59	.01	7D	25	AIR	CONF COAT
SOLITHANE 113/300 AS 100/100 BW FORMULA 4	TCC	.30	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.32	.04	20H	70	AIR	CONF COAT
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.28	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300/CALCAFLUOR WHITE/T-12/MIBK	TCC	.57	.04	5H	54	AIR	CONF COAT
SOLITHANE 113/300/CALCAFLUOR/TOLUENE	ITT	.50	.03	16H	66	AIR	CONF COAT
SOLITHANE 113/300/EH-330 AS 100/73/1 BW FORMULA 21	TCC	.56	.05	7D	25	AIR	CONF COAT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SOLITHANE 113/300/HUMISEAL THINNER 521	TCC	.32	.02	2H	93	AIR	COATING
SOLITHANE 113/300/MEK	LRC	.78	.03	5H	66	AIR	CONF COAT
SOLITHANE 113/300/MEK	LRC	.44	.02	5H	66	AIR	CONF COAT
SOLITHANE 113/300/N-METHYL MORPHOLINE FORMULA 23	TCC	.88	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 24	TCC	.29	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/QUADROL FORMULA 26	TCC	.31	.00	7D	25	AIR	CONF COAT
SOLITHANE 113/300/T-12/CALCAFLUOR RW/DB CASTOR OIL	SLK	.37	.02	3H	60	AIR	CONF COAT
SOLITHANE 113/300/T-12/SILFLAKE 135/HEXANE	TCC	.62	.00	7D	25	AIR	COND CONF COAT
SOLITHANE 113/300/TOLUENE AS 100/73 BW/173 BV	TCC	.50	.03	24H	55	AIR	CONF COAT
SOLITHANE 113/300/TRIETHYLAMINE FORMULA 22	TCC	.43	.03	7D	25	AIR	CONF COAT
SOLITHANE 113/300/328 AS 100/14.7/11.5 BW FORMULA 15	TCC	.79	.04	24H	70	AIR	CONF COAT
SOLITHANE 113/328/FLEXRICIN 9 FORMULA 29	TCC	.60	.03	7D	25	AIR	CONF COAT
SR 165/MICA/IRON OXIDE/ALUM SILICATE COATING	DEX	.30	.00	12H	300	AIR	COATING
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.65	.09	7D	25	AIR	COATING
TEFLON TFE/Y966/ALUM KAPTON/Y966 COMPOSITE TAPE	GTS	.57	.01				THERMAL CONTROL
URALANE 5750 A/B AS 18/100 BW	FPI	.41	.03	14H	25	AIR	CONF COAT
				2H	60	AIR	
URALANE 5750 A/B AS 18/100 BW	FPI	.83	.03	1H	25	AIR	CONF COAT
				3H	65	AIR	
URALANE 5750 A/B AS 4/25 BW URETHANE	FPI	.45	.01	9H	66	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	FPI	.65	.01	7D	25	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 BW/F	FPI	.27	.02	16H	65	AIR	CONF COAT
URALANE 5750LV A/B AS 18/100 W/TOLUENE/MEK	GSC	.48	.01	7D	25	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.62	.01	7D	25	AIR	CONF COAT
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.60	.01	24H	60	AIR	CONF COAT
VORITE 63 POLYURETHANE COATING	BAK	.66	.05	24H	25	AIR	CONF COAT
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	DCC	.19	.03	7D	25	AIR	CONF COAT
				1H	100	AIR	
X1-2561 A/B AS 10/1 BW CLEAR SILICONE COATING	DCC	.06	.03	21D	25	AIR	CONF COAT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AIRBORN CONNECTOR WGE92PR7GY BLACK GLASS FILL/NYLON	ABI	.71	.09				CONNECTOR
ALPHA LUX 400 POLYPHENOL OXIDE	WPC	.08	.01				INSULATION
AMP CONNECTOR VALOX 420 SEO BLUE INSERT	AMP	.40	.10				CONNECTOR
AMP CONNECTOR 645850-1 BLACK GLASS FILLED POLYESTER	AMP	.26	.07				CONNECTOR
AMP FEED THRU TERM BLOCK 204307-6-70-39 EPOXY	AMP	.28	.00				FEED THRU
AMP FEED THRU TERM BLOCK 204307-6-70-39 SILICONE	AMP	.66	.06				FEED THRU
AMPHENOL CONNECTOR SERIES 118 BLUE FLUOROSILICONE	ABR	.56	.10				CONN INSUL
APPLETON CONNECTOR RED/BLACK PHENOLIC FIBERGLASS	AEL	.24	.00				CONN INSUL
APPLETON CONNECTOR WHITE FLUOROSILICONE INSERT	AEL	.24	.09				CONN INSUL
AUGAT CONNECTOR 14005-64R3 GRAY POLYESTER	AUG	.24	.07				CONNECTOR
BENDIX CABLE GROMMET MS25506F20-2 BROWN	BEN	.19	.07	24H	190	E-2	GROMMET
BENDIX CONN MS27467T21F11S BLUE FIBERITE E3938C	BEN	.44	.01				CONN INSUL
BENDIX CONNECTOR BLUE SILICONE PROPRIETARY	BEN	.11	.01	16H	200	AIR	CONN INSUL
BENDIX CONNECTOR ECD 9-6500 RED SILICONE	BEN	.10	.03				CONN INSUL
BENDIX CONNECTOR JTG06RE-22-35S RED SILICONE	BEN	.16	.04				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P DARK BLUE POLYMER	BEN	.65	.02				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P PINK SILICONE	BEN	.29	.05				CONN INSUL
BENDIX CONNECTOR JTP02RE-24-35P RED SILICONE	BEN	.17	.04				CONN INSUL
BENDIX CONNECTOR MS27467T21F11S BROWN SILICONE	BEN	.18	.08	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 BRN SILICONE	BEN	.17	.09	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR MS27467T25F61PJ031717 RED SILICONE	BEN	.16	.07	24H	190	E-2	CONN INSUL
BENDIX CONNECTOR PT07H-14-19P GREEN GLASS INSERT	BEN	.00	.00				CONN INSUL
BENDIX CONNECTOR PT07H-14-19P RED SILICONE O RING	BEN	.23	.08				CONN SEAL
BENDIX CONNECTOR 9-5400 RED RUBBER INSERT MATERIAL	BEN	.10	.04	16H	232	AIR	CONN INSUL
BENDIX CONNECTOR 9-6500 RED RUBBER INSERT MATERIAL	BEN	.07	.03	16H	232	AIR	CONN INSUL
BENDIX GASKET MS27656T25F61SJ031160 RED SILICONE	BEN	.11	.05	24H	190	E-2	CONN GASKET
BENDIX O-RING MS105615561P BLUE FLUOROSILICONE	BEN	.50	.10				O-RING
CANNON CONNECTOR INTERFACIAL SEAL PINK	CAN	.23	.05				CONN INSUL
CANNON CONNECTOR MIK POLYCARBONATE INSUL GREEN	CAN	.15	.03				CONN INSUL
CANNON CONNECTOR MS3470L14-19P EPIALL 1908 BLACK	CAN	.84	.00	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	CAN	.20	.07				CONN INSUL
CANNON CONNECTOR MS3470L14-19P PINK SILICONE	CAN	.08	.02	48H	180	AIR	CONN INSUL
CANNON CONNECTOR MS3476 BLACK PHENOLIC INSERT	CAN	.54	.01				CONN INSUL
CANNON CONNECTOR MS3476 PINK SILICONE INSERT	CAN	.40	.10				CONN INSUL
CANNON CONNECTOR PINK SILICONE C-16 MSFC 40M 39569	CAN	.07	.01				CONN INSUL
CANNON CONNECTOR PVW6RGB372 PINK SILICONE ONLY	CAN	.14	.02				CONNECTOR
CANNON CONNECTOR PV6G24B31/SNC 16 BLACK PLASTIC	CAN	.61	.00				CONNECTOR
CANNON CONNECTOR PV6G24B31/SWC 16 RED SILICONE	CAN	.19	.00				CONNECTOR
CANNON CONNECTOR RED SILICONE C-16 MSFC 40M 39569	CAN	.08	.03				CONN INSUL
CANNON CONNECTOR SM 3500-55 PINK SILICONE	CAN	.06	.02				CONN SEAL
CANNON CONNECTOR SM 3500-63 PINK FLUOROSILICONE	CAN	.26	.03				CONN INSUL
CANNON CONNECTORS DBP-25PAA & 25SAA BLACK	CAN	.68	.01				CONNECTOR
CANNON FILTER PIN CONN DDJ-50PNM-A106 BLUE SILICONE	CAN	.31	.06	64H	100	E-6	CONN INSUL
CANNON WM 202 CONNECTOR	CAN	.24	.00				CONNECTOR
CERTANIUM 61 SOLDER - OXIDIZED SN/PB/15% CD	ARC	.00	.00				SOLDER
CERTANIUM 61 SOLDER SN/PB/15% CD	ARC	.00	.00				SOLDER
COIL FORM - CLEAR	CMT	.63	.06				COIL FORM
COIL FORM BASE - WHITE	CMT	.52	.00				BASE
CONNECTOR ELCO 5051 SERIES VALOX 420 SEO BLACK	PHP	.49	.08				CONNECTOR INSUL
CONNECTOR ELCO 5051/53 SERIES TYPE L-II-49 BLACK	PHP	.33	.01				CONNECTOR INSUL
CONNECTOR ELCO 5053 SERIES TYPE BR68 BLACK	PHP	.14	.00				CONNECTOR INSUL
CONNECTOR ELCO 9082 SERIES TYPE R-4 DARK BROWN	PHP	.12	.00				CONNECTOR INSUL
CONNECTOR INSERT TAN RUBBER PER MIL C38999	PMC	.23	.07	24H	175	AIR	CONNECTOR INSUL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CONNECTOR INSERT 474-11-96-093 RED FLUOROSILICONE	CIN	.20	.04				CONNECTOR INSUL
CONNECTOR INSERT 8293-50 RED SILICONE	PCD	.10	.04	24H	200	AIR	CONNECTOR INSUL
CONNECTOR PLUG JP1S1PB GRAY	WIN	.52	.01				CONNECTOR
CONNECTOR W/LOCTITE 18019 UV ADHESIVE	ABI	.55	.01				CONN ADHESIVE
CONNECTOR 18.163/4UE	WIN	.52	.01				CONNECTOR
CONNECTOR-THERMOCOUPLE BLUE COPPER/CON	TEL	.44	.01				TC CONNECTOR
D-8150 POLYAMIDE-IMIDE/ADH/COPPER	ROG	.15	.02				MEMORY CORE
D-8970 EPOXY FILM/ADH/COPPER	ROG	.42	.00				MEMORY CORE
DAP - MESA PLASTICS		.34	.00				CAST CPND
DAP CONNECTOR A1004202	HAC	.61	.01				CONNECTOR
DAP CONNECTOR 3-2-520 GLASS FILLED/FLAME RESISTANT	ACR	.97	.04				CONNECTOR
DAP GD1-30F GRAY GLASS FILLED	KUL	.48	.00				TERMINAL CONN
DAP INSERT/CANNON CONNECTOR DDM 24W7P	CAN	.44	.00				CONNECTOR
DAP MDG BLUE MINERAL FILLED	KUL	.93	.00				TERMINAL CONN
DAP SDG-F MIL M-14 AMP CONNECTOR	AMP	.44	.00				CONNECTOR
DAP TRW CONN 8602 DCCM51SSBN	TRW	.64	.00				CONN INSUL
DAP/FLAME RETARDANT-GLASS FILLED CANNON CON FS-80	CAN	.44	.00				CONNECTOR
DC 55U SILICONE CONN INSERT AMP 8411211638-4	AMP	.39	.02				CONN INSERT
DEUTSCH CONNECTOR	DEU	.95	.02				CONNECTOR
DEUTSCH CONNECTOR A81510F16-1451 BROWN SILICONE	DEU	.31	.10				CONNECTOR
DEUTSCH CONNECTOR M81511/46FF01S1 BROWN SILICONE	DEU	.22	.07				CONNECTOR
DEUTSCH CONNECTOR SILICONE RUBBER	DEU	.09	.06				CONNECTOR
DEUTSCH CONNECTOR 41-010350 RED SILICONE	DEU	.20	.05				CONNECTOR
DEUTSCH CONNECTOR 6825 RM04-442S SILICONE INSERT	DEU	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7221 UR864-212P SILICONE INSERT	DEU	.22	.01				CONNECTOR
DEUTSCH CONNECTOR 7503 RTK00-14-44P SILICONE INSERT	DEU	.16	.05				CONNECTOR
DEUTSCH CONNECTOR 7544E RE64-212P SILICONE INSERT	DEU	.16	.02				CONNECTOR
DEUTSCH CONNECTORS 6905 & 6906 RED SILICONE INSERT	DEU	.14	.00				CONNECTOR
DEUTSCH CTJ SERIES TERMINAL BLOCK RED SILICONE ONLY	DEU	.24	.03				TERMINAL BLOCK
DEUTSCH TERMINAL BLOCK TJ 11E 06-01 SILICONE INSERT	DEU	.19	.01				TERMINAL BLOCK
DIALL 52-70-70 SHORT GLASS FIBER/DAP	ACM	.43	.00	2H	138	AIR	CONNECTOR
ECCOSORB AN 74 ETHANOL WASH - 3	EMC	.70	.07	21H	100	AIR	ABSORBANT
ECCOSORB CR-S 124 A/B AS 100/1 BW SILICONE BASE	EMC	.29	.09	3H	80	AIR	ABSORBANT
ECCOSORB CR-124 X/Y AS 50/1 BW EPOXY	EMC	.11	.00	14D	25	AIR	ABSORBANT
ECCOSORB GDS IRON FILLED SILICONE	EMC	.20	.08				ABSORBANT
ELECTROLUMINESCENT LAMP-GRIMES-YELLOW	MRG	.41	.01				LAMP
EMA 7037 IRON	SBI	.34	.01				DIELECTRIC
EMA 7085 IRON	SBI	.23	.00				DIELECTRIC
EMA 8190 IRON	SBI	.21	.00				DIELECTRIC
GASKET AMP RF-SMA CONNECTOR RED SILICONE	AMP	.14	.02				GASKET
GORE-TEMP GTS 810 PTFE RIBBON CABLE	WLG	.01	.00				FLEX WIRING
GROMMET FR GOSHEN RUBBER SILICONE CPND S1817	GRC	.34	.09				GROMMET
GROMMET STRIP NATURAL	ELV	.23	.05				GROMMET STRIP
HDM 22 AMPLIMITE GROMMET	AMP	.24	.07	32H	200	AIR	CONN INSUL
HEATER - COLUMN WALL COX SPEC 4500 ELASTOMER	COX	.16	.00	24H	125	E-6	HEATER
HEATER LIW 269-20	TSI	.02	.01	8H	205	AIR	HEATER
HEATING TAPE CLAYBORN LABS A-16-2 DC 282 SILICONE/F	CLY	.10	.01	20H	155	E-1	HEAT TAPE
				48H	155	E-3	
HEATING TAPE CLAYBORN LABS F-16-2X DC 282 SILICONE	CLY	.15	.08	30H	150	E-2	HEAT TAPE
HEATING TAPE CLAYBORN LABS H-16-2X DC 282 SILICONE	CLY	.07	.03	48H	155	E-2	HEAT TAPE
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.24	.07	4H	204	AIR	CONN INSUL
INSULATOR 10230-DAP POLYURETHANE COATING	ROS	.44	.02				INSULATOR

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
INSULTEK 445 URETHANE DIELECTRIC	IER	.38	.01	1H 10D	163 25	AIR AIR	DIELECTRIC
ITT CONNECTOR 7929 DBM-258 BLUE/GREEN MOLD INSERT	ITT	.55	.01				CONN INSUL
MICRODOT CONNECTOR RED SILICONE INSERT	MIR	.18	.09	5H	171	E-2	CONN INSUL
MIKROY 750 REG GRADE LEAD BORATE/MICA MIX	MEI	.00	.00				INSULATION
NYLON/GLASS AS 70/30 CONNECTOR INSERT - CANNON	CAN	.91	.03				CONNECTOR
PA 61 CERAMIC	ELR	.00	.00				INSULATION
PLASTIC PART MOTOROLA CMOS 14011 DTD 7720	MOT	.27	.00				MOLD CPND
PLASTIC PART MOTOROLA CMOS 14044 DTD 7731	MOT	.25	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS00 DTD 7732	MOT	.26	.01				MOLD CPND
PLASTIC PART MOTOROLA 74LS174 DTD 7733	MOT	.27	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4011 DTD 723	NSE	.24	.00				MOLD CPND
PLASTIC PART NATL SEMICONDUCTOR CMOS 4044 DTD 727	NSE	.26	.00				MOLD CPND
PLASTIC PART RCA CMOS 4011 DTD 723	RCA	.27	.01				MOLD CPND
PLASTIC PART RCA CMOS 4044 DTD 701	RCA	.26	.02				MOLD CPND
PLASTIC PART SIGNETICS 74LS00 DTD 7733	SIG	.38	.00				MOLD CPND
PLASTIC PART SIGNETICS 74LS174 DTD 7723	SIG	.31	.02				MOLD CPND
PLASTIC PART TEXAS INST 74LS00 DTD 7710	TII	.24	.00				MOLD CPND
PLASTIC PART TEXAS INST 74LS174 DTD 7718	TII	.25	.01				MOLD CPND
POLYGON SG-101 COMPOSITE GLASS/SR 319 SILICONE	POL	.06	.02	10M	454	AIR	INSULATION
RESISTOR RLR07 BLUE EPOXY COATING	COR	.10	.01				RESISTOR
RESISTOR RNC55 BLACK EPOXY COATING	COR	.12	.01				RESISTOR
RESISTOR RWR81 DC 307 MOLDING CPND	DAL	.13	.02				RESISTOR
RESISTOR RWR89 SILICONE MOLDING CPND	DAL	.02	.01				RESISTOR
REXOLITE 1422 STYRENE	BRX	.16	.02				INSULATION
RLR05 RESISTOR COATING PHENOLIC	IRI	.10	.02	10M	160	AIR	COATING
RLR05 RESISTOR COATING PHENOLIC	IRI	.08	.02	2H	150	AIR	COATING
RNC50 RESISTOR COATING PHENOLIC/EPOXY	IRI	.18	.04	10M	160	AIR	COATING
RV 401 SPOOL EPOXY/FIBERGLASS	SPI	.32	.00				COIL FORM
SCOTCHFLEX SOCKET CONNECTOR GLASS REINF POLYESTER	MMM	.19	.04				CONNECTOR
SH 2X2-2.5 HEATER - RED SILICONE	EFH	.08	.03				HEATER
SH 3/4X5 HEATER - RED SILICONE	EFH	.12	.01				HEATER
SIL-PAD 1000 T-03 TRANSISTOR PAD	BER	.20	.08				THERMAL COND
STYCAST HI K 500 DIELECTRIC	EMC	.47	.04				INSULATOR
TEFLON PTFE CONDUCTOR RIBBON CABLE INSULATION	WLG	.00	.00				WIRE INSUL
VIBRO FLO E 8530-2 FLUIDIXED BED COATING	APC	.57	.02	5M	204	AIR	PWDR COATING
VIBRO-FLO E-301 EPOXY POWDER COATING	APC	.87	.08	30M	180	AIR	PWDR COATING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	CHO	.08	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1214 SILVER FILLED SILICONE	CHO	.26	.05				GASKET
CHO-SEAL 1214 SILVER FILLED SILICONE	CHO	.04	.02	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.06	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.46	.07	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.29	.01	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.03	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	CHO	.34	.08	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1220 SILVER FILLED SILICONE 200C GRADE	CHO	.05	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	CHO	.30	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1221 SILVER FILLED SILICONE AEROSPACE 200	CHO	.05	.00	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.43	.06	15M	171	AIR	SHIELD
				3H	177	AIR	
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.04	.02	15M	171	AIR	SHIELD
				3H	177	AIR	
				24H	177	AIR	
CHO-SHRINK TUBING SILVER COND INNER SURFACE	CHO	.61	.06	5M	121	AIR	SHRINK TUBING
CHO-SIL 1401 SILVER FILLED SILICONE	CHO	.05	.02	24H	177	AIR	SHIELD
CHO-SIL 1405 SILVER FILLED SILICONE	CHO	.06	.02	24H	177	AIR	SHIELD
CONSIL G SILVER FILLED SILICONE	TEC	.06	.01	24H	115	E-3	SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	TEC	.22	.10				SHIELD
CONSIL MEDIUM HARD SILVER FILLED SILICONE	TEC	.05	.01	24H	177	AIR	SHIELD
CONSIL R SILVER FILLED SILICONE	TEC	.20	.10	24H	115	E-3	SHIELD
CUSTOM LOAD 4101-190 EPOXY	CUM	.11	.01				RF ABSORBER
ECCOSHIELD PST-C-A ALUM FOIL/SILVER FILL ACRYLIC ADH	EMC	.26	.09				TAPE
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.16	.06				SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.03	.01	24H	177	AIR	SHIELD
ECCOSHIELD SV-R SILVER FILLED SILICONE	EMC	.15	.06				SHIELD
ECCOSORB FDS	EMC	.05	.02	6H	200	AIR	ABSORBANT
ECCOSORB MF 110 IRON FILLED EPOXY	EMC	.51	.01				ABSORBANT
ECCOSORB MF 112 IRON FILLED EPOXY	EMC	.26	.01				SHIELD
ECCOSORB MF 114 IRON FILLED EPOXY	EMC	.22	.00				SHIELD
ECCOSORB MF 124 IRON FILLED EPOXY	EMC	.08	.00				ABSORBANT
ECCOSORB SF 9.5 RESONANT ABSORBER-SILICONE FILLED	EMC	.10	.06	16H	177	AIR	ABSORBER
ECCOSORB SFT 2.5	EMC	.14	.06				ABSORBANT
ECCOSORB SFU-9 POLYURETHANE	EMC	.46	.05				ABSORBANT
ELASTOMET WIRE EMBEDDED SILICONE SHIELDING	TEC	.05	.03	36H	160	E-3	EMI SHIELDING
KAPTON FILM W/MOD ACRYLIC ADH ONE SIDE	TEE	.65	.00	1H	190	AIR	DIELECTRIC
METALASTIC SILICONE FILLED ALUM MESH	SHI	.03	.02	24H	177	AIR	SHIELDING

SECTION 5 -- ELECTRICAL SHIELDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PORCUPINE METALASTIC SILICONE FILLED MONEL MESH	SHI	.09	.05	24H	177	AIR	SHIELDING
SIC 9030/GREEN BINDER/C-240 GRIT	GSD	.24	.01				DIELECTRIC
STYCAST HIHIK FILLED EPOXY	EMC	.38	.00				DIELECTRIC
XECON CS-14 12% SILVER FILLED SILICONE	MET	.11	.05	17H	177	AIR	COND GASKET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ACLAR 22 ANTI STATIC FILM	ACM	.12	.01				ANTI STATIC FILM
ACLAR 22A CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	ACM	.13	.01				FILM
ACLAR 33 ANTI STATIC FILM	AFP	.10	.01				ANTI STATIC FILM
ACLAR 33C CLEAR FILM POLYCHLOROTRIFLUOROETHYLENE	ACM	.11	.01				FILM
ACRYLITE ACRYLIC SHEET	ACC	.51	.05				STRUCTURAL
ALTAIR 20 METALIZED POLYCARBONATE FILM	SOU	.24	.01				ANTI STATIC FILM
AMERI-STAT FILM METALIZED POLYESTER/POLYETHYLENE	ACV	.23	.04				ANTI STATIC FILM
ANTI STATIC FILM 2100	MMM	.32	.05				FILM
ARMALON FILM TG0350 BLACK TFE ON GLASS FABRIC	DUP	.09	.01				HEAT BARRIER
ARMALON FILM TG4030 NEUTRAL TEFLON ON GLASS FABRIC	DUP	.05	.01				HEAT BARRIER
BAVICK II METHYL METHACRYLATE -MODIFIED	CRY	.59	.00				LENS
BEKITEX 50/3 GRAY THREAD	SWI	.20	.03				THREAD
BETA MARQUISETTE WOVEN FIBERGLASS STYLE 2530	STE	.03	.00				INSULATION
BISCOTE HT-105 SILICONE COATED FIBERGLASS	BPI	.44	.10				INSULATION
CELLULOSE ACETATE BUTYRATE 200 MICRON FILM PURPLE	FAR	.95	.01				FILM
CHO-THERM 16-15-1616-1671 LOT ZB414 WHITE SILICONE	CHO	.32	.08				THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	CHO	.76	.08				THERM CONTROL
CHO-THERM 1661 THERM COND SHEET WHITE SILICONE	CHO	.10	.06	24H	175	AIR	THERM CONTROL
CHO-THERM 1663 THERM COND SHEET WHITE SILICONE	CHO	.26	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	CHO	.76	.07				THERM CONTROL
CHO-THERM 1671 THERM COND SHEET WHITE SILICONE	CHO	.10	.05	24H	175	AIR	THERM CONTROL
CHO-THERM 1673 THERM COND SHEET GREEN SILICONE	CHO	.11	.04	24H	175	AIR	THERM CONTROL
CHO-THERM 1674 THERM COND SHEET BLUE SILICONE	CHO	.12	.01	24H	175	AIR	THERM CONTROL
CHO-THERM 1677 THERM COND SHEET WHITE FLUOROSILICONE	CHO	.57	.01				THERM CONTROL
CLOTH BLACK POLYESTER STYLE 1825	KOM	.25	.02				CLOTH
CONDULON ANTISTATIC FILM 2 MIL BLACK	PVL	.88	.03				FILM
CONDULON ANTISTATIC FILM 4 MIL BLACK	PVL	.76	.02				FILM
CONDULON LH86-13 STATIC DISSIPATIVE FILM - BLACK	PVL	.68	.07				BAGGING
CONDULON 89-7A ANTISTATIC FILM BLACK #9437	PVL	.86	.02				FILM
COVERLITE H FABRIC 55-61811-XX HYPALON COATED NYLON	REE	.98	.02	72H	125	E-2	CLOTH
CRONAFLEX FILM - FROSTY	DUP	.75	.00				TRANSPARENCY
CRONAR POLYESTER FILM TRANSPARENCY	DUP	.37	.01				FILM
CRP NATURAL POLYETHYLENE FILM	CRR	.21	.06				ANTI STATIC FILM
CYCOM MCG FIBER - NICKEL COATED GRAPHITE	ACC	.02	.01				FIBERS
DACRON CLOTH 3 OZ CARROLLON	HOB	.05	.04				CLOTH
DACRON DAYBOND Y-46-8X	HOB	.45	.09				THREAD
DACRON MESH B2A	APX	.19	.03				MESH
DACRON MESH B2A POLYESTER NETTING	APX	.15	.00				THERM BLANKET
DACRON MESH B4A POLYESTER SCRIM	APX	.31	.03				MESH
DACRON NET MONOFILAMENT	APX	.23	.02				THERM BLANKET
DACRON NETTING 70886-10	BEH	.19	.06				NETTING
DACRON POLYESTER CLOTH	BEH	.33	.04				CLOTH
DACRON POLYESTER MESH STYLE 15320	SST	.12	.01				FABRIC MESH
DMP-128 COATED	POC	.50	.00				HOLOGRAM
DMP-128 UNCOATED	POC	.21	.00				HOLOGRAM FILM
DUN-CHROME 500C VDA TEFLON	DUN	.01	.00				THERMAL BLANKET
EA 7 POLYESTER FILM INSULATOR - FROSTY	EAS	.46	.01				FILM INSULATOR
ECTFE EXTRUDED SHEET HI-TEMP APPLICATION	ACM	.08	.01				INSULATION
ECTFE 0.5 MIL FILM	ACM	.17	.05				OPTICAL FILM
ECTFE 1.0 MIL FILM	ACM	.19	.04				OPTICAL FILM
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED UNWASHED	ACM	.62	.09				BLANKET
ECTFE 10.8 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	ACM	.28	.03				BLANKET
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED UNWASHED	ACM	.33	.08				BLANKET

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ECTFE 7.3 OZ/YD FABRIC UNCALENDERED WASHED ETOH/ACE	ACM	.21	.07				BLANKET
F-5 POLYESTER FILM 5 MIL	ELE	.55	.04				FILM
FAIRPRENE VS0060 BLACK VITON A SHEET	DUP	.35	.05				GASKET-SEAL
FAIRPRENE VS0080 BLACK VITON A SHEET	DUP	.22	.01				GASKET-SEAL
FIBERGLASS WOVEN NETTING STYLE 1562	STE	.23	.03				INSULATION
FLUOROFILM DF-1200 TEFLON FILM-ACRYLIC ADH	DIL	.19	.01				PRESS SENS FILM
FLUOROGLAS 389-7 BETA CLOTH/PTFE COATED	OMG	.03	.01				INSULATION
G 401500 SILVERED TEFLON FILM	GTS	.00	.00				FILM
G 4019 TAPE PTFE FILM/AG METALIZED/ACRYLIC ADH/R	GTS	.33	.00				TAPE
GENOTHERM D10B UNPLASTICIZED PVC FILM CLEAR	AMH	.12	.00				FILM
GENOTHERM HT UNPLASTICIZED PVC FILM CLEAR	AMH	.23	.01				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM CLEAR	AMH	.63	.05				FILM
GENOTHERM NTLS UNPLASTICIZED PVC FILM WHITE	AMH	.38	.05				FILM
GENOTHERM US 1002 UNPLASTICIZED PVC FILM CLEAR	AMH	.21	.02				FILM
GENOTHERM US 3003 UNPLASTICIZED PVC FILM CLEAR	AMH	.50	.06				FILM
GLASS CLOTH TAPE 134	FIC	.18	.03				CLOTH TAPE
GLASS CLOTH 1620 - SMALL WEAVE	STE	.13	.08				CLOTH
GLASS FABRIC 195/50/857 SQUARE MESH COATED WHITE	STE	.23	.05				INSULATION
KAPTON BLACK 100A-C09 FILM	DUP	.50	.02				FILM
KAPTON FEP FILM 400F022	DUP	.25	.01	90M	302	AIR	FILM
KAPTON FIBERGLASS SUPPORTED	NMC	.42	.08				FILM
KAPTON FILM 120F616 TEFLON BOTH SIDES	DUP	.90	.02				THERM BLANKET
KAPTON H FILM REINF W/GLASS CLOTH 104	RCA	.42	.05	24H	150	AIR	THERMAL CONTROL
KAPTON H FILM 5 MIL	DUP	.77	.02				FILM
KAPTON H FILM/LINOWEAVE BETA MARQUISETTE GLASS CLOTH	DUP	.13	.01	24H	150	AIR	INSULATION
KAPTON/DACRON MESH/CHEMGLAZE Z202 (BLACK KAPTON)	RCA	.53	.06				THERMAL BLANKET
KAPTON/DACRON MESH/CHEMGLAZE Z202 FILM	RCA	.67	.05				THERMAL BLANKET
KIMFOL 8 GAUGE POLYCARBONATE	KCC	.16	.00				INSULATION
KYNAR PIEZO FILM - NI COATED KYNAR	PEN	.07	.03				PIEZOELECTRIC
LEXAN 9034-112 POLYCARBONATE LENS	GEC	.19	.01				LENS
M 385-3 FILM BLACK TEFLON ON FABRIC	DIN	.05	.01				HEAT BARRIER
MAXORB SOLAR FOIL BLACK NICKEL W/O ADHESIVE	MPD	.02	.00				THERM CONTROL
MHM 2100 BLUE METALIZED FILM	MMM	.42	.09				ANTI STATIC FILM
MYLAR IMAGING FILM W/CIRCUITRY	SCG	.70	.04				FILM
MYLAR LA 616 - 7 MIL FILM	DUP	.15	.00				FILM INSERT
MYLAR PHOTOSENSITIVE FILM TYPE A	DUP	.59	.00				FILM/SHEET
NETTING POLYESTER MESH WHITE 40 DENIER	AMK	.28	.03				THERM BLANKET
NORYL GFN-3-801 MOD PPO	GEC	.03	.02				INSULATION
NORYL-MODIFIED PPO	GEC	.10	.00				MOUNT
ORCOFILM KN-10 KAPTON/NOMEX THREAD/POLYESTER BINDER	ORC	.92	.02	48H	125	E-5	THERMAL BLANKET
P-65 POLYETHER URETHANE FOAM WHITE H2O WASH	GTR	.91	.04	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE ISO-OCTANE WASH	GTR	.12	.10	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH WASH	GTR	.81	.02	24H	100	AIR	FOAM
P-65 POLYETHER URETHANE FOAM WHITE METOH/H2O WASH	GTR	.14	.05	24H	100	AIR	FOAM
PACKAGING FILM TRANSPARENT BLUE CONDUCTIVE	SII	.25	.06				ANTI STATIC FILM
PARASOL GT-76 LAMINATE NYLON/MYLAR/ALUM	JSC	.72	.08				THERMAL CONTROL
PARYLENE C FILM	UCC	.75	.02				FILM/SHEET
PLEXIGLAS VS-100 OPTICAL	ROH	1.00	.01				LENS
PLEXIGLAS 11 UVA	ROH	.57	.00				LENS
POLYCARBONATE CIRCUIT CARD GUIDE	CAL	.12	.02				GUIDE
POLYCHROME FILM 8 MIL	PCR	.64	.01				FILM
POLYESTER FILM TRANSPARENT METALLIZED 100 GAUGE	MPI	.16	.01				ANTI STATIC FILM
POLYESTER FILM TRANSPARENT METALLIZED 50 GAUGE	MPI	.17	.02				ANTI STATIC FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
POLYETHYLENE FILM ANTISTATIC DF PINK	SCE	.20	.06				FILM
POLYETHYLENE FILM 2 MILS ALATHON RESIN-BRANCHED	DUP	.14	.02				FILM
POLYETHYLENE ULTRA HIGH MOLECULAR WEIGHT	PHI	.02	.00				STRUCTURAL
POLYETHYLENE VAPO FILM 6 MIL	EXX	.37	.10				FILM
POLYPENCO POLYSTYRENE	PPC	.09	.00				STRUCTURAL
PREM 10 MIL TEFLON COATED FIBERGLASS	CHM	.02	.00				ANTI STATIC FILM
PREM 20 MIL TEFLON COATED FIBERGLASS FILM	CHM	.02	.00				ANTI STATIC FILM
PYRALUX FILM POLYIMIDE 2 MILS THICK	DUP	.34	.00	1H	177	AIR	FILM
RC-AS-1200 ANTISTATIC POLYETHYLENE FILM	RCI	.29	.04				FILM
RC-AS-4800 GRAY ANTISTATIC FILM	RCI	.33	.10				ANTI STATIC FILM
SAIL CLOTH ALUMINIZED	ADL	.43	.06				THERMAL CONTROL
SIL-PAD K-10 THERMAL COND SHEET - TAN	BER	.36	.09	10M	145	AIR	THERMAL COND
SIL-PAD K-4 THERMAL COND SHEET - GRAY	BER	.28	.07				THERMAL COND
SIL-PAD 1000 THERMAL CONDUCTIVE SHEET/FILM SILICONE	BER	.22	.08				THERMAL COND
SPECTRA-POR 146285 POLYCARBONATE FILTER MEMBRANE	SMI	.22	.01				FILTER
STATICURE ANTISTATIC FILM	MPH	.31	.07				ANTI STATIC FILM
SURLYN SB IONOMER FILM	PIE	.40	.05				FILM
SURLYN 1652 2 MIL BAGGING FILM	DUP	.39	.09				FILM
TCK 10 TEFLON COATED KEVLAR	CHM	.61	.01				ANTI STATIC FILM
TCK 1589 TEFLON COATED KEVLAR	CHM	.57	.00				ANTI STATIC FILM
TCK 1590 TEFLON COATED KEVLAR	CHM	.76	.00				ANTI STATIC FILM
TCK 6 TEFLON COATED KEVLAR	CHM	.36	.00				ANTI STATIC FILM
TEDLAR COATING ON ALUMINUM	RPC	.14	.05				COATING
TEDLAR 150 BL 30 CC BLACK FILM	DUP	.14	.00				FILM
TEFLON FEP INSULATION TX22-731	HTW	.02	.00				INSULATION
TEFLON FEP TYPE A 5 MIL FILM	DUP	.01	.00				FILM/SHEET
TEFLON PFA FILM SHEET TE-9705	DUP	.00	.00				FILM
TEFZEL FILM 2 MIL	DUP	.12	.02				BLANKET
TEX GUARD T 1600 N NICKEL-ACRYLIC FABRIC	TWT	.22	.02				EMI SHIELD
TEX GUARD T 3500 N NICKEL-POLYESTER-COTTON FABRIC	TWT	.93	.01				EMI SHIELD
TEXGUARD CR142 CU COATED POLYETHYLENE FIBER MESH	TWT	.47	.01				RFI/EMI SHIELD
THERMA-FILM 4300-002	THE	.79	.01				FILM
TROYFELT S4-19-070-17P POLYESTER	TRO	.10	.04				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	TRO	.25	.08				THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE	TRO	.04	.03	67H	95	E-5	THERMAL BLANKET
TROYTUF 1-9.0-195 NON WOVEN DACRON FELT WHITE WASHED	TRO	.25	.04	20H	115	AIR	THERMAL BLANKET
TX 300 POLYPROPYLENE FILM	TRE	.05	.02				ANTI STATIC FILM
VELOSTAT BLACK POLYOLEFIN ANTI STATIC FILM	MMM	.98	.02				ANTI STATIC FILM
WRIGHTLON 4000A RED NYLON FILM	IPP	.02	.01				ANTI STATIC FILM
XF-10 XEROGRAPHIC TRANSPARENCY FILM - CLEAR	NAC	.36	.01				FILM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AAP-SS-H RF ABSORBER METALLIC/GRAPHITE/FOAM	AAP	.85	.04				FOAM COMPOSITE
ABLESTIK 861-1/ECCOSPHERES SI AS 55/45 BW - WHITE	AAC	.78	.00	2H	93	AIR	POT FOAM
ABLESTIK 861-2/ECCOSPHERES SI AS 55/45 BW - WHITE	AAC	.80	.01	2H	93	AIR	POT FOAM
ABSAFIL F1200/20 FOAM/20% GLASS FIBERS	FBR	.33	.01				FOAM
AF3015/C125690-1 HARD FOAMED EPOXY	MMM	.88	.01	2H	177	AIR	FOAMED ADH
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	MCG	.16	.01	7D	25	AIR	FOAM
CCF1-2365 A/B AS 10/1 BW SILICONE FOAM	MCG	.21	.01	7D	25	AIR	FOAM
CHO-FOAM 1501 SILVER FILLED SILICONE	CHO	.50	.10				FOAM
CLARK FOAM 1234 POLYURETHANE - WHITE ALCOHOL WASH	CFP	.85	.03	24H	100	AIR	FOAM
CONAFLEX EA-50 POLYURETHANE FOAM ALCOHOL WASH	BLA	.65	.03	8H	100	AIR	INSULATION
CPR 17-2C POLYURETHANE FOAM	UJC	.87	.10	1H	120	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	.24	.10	6H	80	AIR	FOAM
CPR 17-2C POLYURETHANE FOAM	UJC	.97	.09	16H	75	AIR	FOAM
DC 5370 SILICONE FOAM	DCC	.59	.09	72H	150	E-4	FOAM
DER 661/2-PHENYLIMIDAZOLE WHITE SYNTACTIC FOAM	MOT	.72	.03	2H	100	AIR	FORM
DF 1471 ANTI STATIC FILM - BLACK	CHM	.00	.00				ANTI STATIC FILM
ECCOBOND SF 40 SYNTACTIC FOAM EPOXY RESIN	EMC	.23	.04	48H	25	AIR	FOAM
ECCOFOAM EFF-14 SYNTACTIC FOAM - YELLOW EPOXY	EMC	.40	.09	2H	100	AIR	FOAM DAMPER
				24H	125	E-6	
ECCOLITE 82-EP-PB A/B AS 100/9.6 BW EPOXY FOAM	EMC	.50	.01	24H	25	AIR	FOAM
ERL 2795/HN 951 SYNTACTIC FOAM	HAC	.50	.02	24H	25	AIR	FOAM
ETHAFOAM WHITE	PFI	.47	.03				FOAM PAD
ETHAFOAM 220 POLYETHYLENE FOAM 2.2#/CU FT	DOW	.36	.08				INSULATION
ETHAFOAM 400 POLYETHYLENE FOAM 4#/CU FT	DOW	.26	.04				INSULATION
ETHAFOAM 600 POLYETHYLENE FOAM 6#/CU FT	DOW	.24	.04				INSULATION
FLUOREL 1062 FOAM	MOS	.38	.03				FOAM
FLUOROSILICONE CLOSED CELL EXTRUDED FOAM - BROWN	INR	.12	.03	16H	204	AIR	FOAM
FM 41 EPOXY FOAM SILVER-GRAY	ACC	.76	.00	1H	170	AIR	ADH FOAM
FOAM CLOSED CELL POLYURETHANE MIL P26514 ETOH WASH	FOF	.84	.00	24H	100	AIR	FOAM
FOAM ME-1-10-94-1 POLYIMIDE	INT	.40	.02				THERM LOUVER
FOAM PL-2-17-52-3 POLYIMIDE	INT	.53	.05				THERM LOUVER
FOAM 1702-1 TAN THERMAL ACOUSTICAL	INT	.00	.00				FOAM
FR-3720 LAST-A-FOAM POLYURETHANE HONEYCOMB FILL	GPM	.87	.01	24H	120	AIR	FOAM
MET 100 ANTI STATIC FILM	MPI	.35	.01				ANTI STATIC FILM
MICROFOAM	AME	.70	.08				INSULATION
MONSANTO 1835 POLYETHER-URETHANE FOAM ISOPROP WASH	MON	.29	.08	1H	25	AIR	FOAM
				21H	100	AIR	
MONSANTO 1835 POLYETHER-URETHANE FOAM METOH WASH	MON	.27	.04	30M	25	AIR	FOAM
				4H	100	AIR	
NOPCO G302	NOP	.30	.07				FOAM
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GTR	.77	.08				FOAM DAMPER
P-17 POLYURETHANE FOAM 0.062 THICK WHITE	GTR	.49	.08	16H	100	AIR	FOAM DAMPER
P-25 POLYURETHANE FOAM OPEN CELL	GTR	.92	.04				FOAM
PORON P01-20062-7-3-1604 BLACK POLYURETHANE FOAM	ROG	.91	.09				FOAM DAMPER
PORON 4701-01-20125-1633 ALCOHOL WASH URETHANE FOAM	ROG	.73	.05	8H	100	AIR	DAMPER
PORON 4701-05-20125-1637 GRAY URETHANE FOAM	ROG	.97	.02	1.5M	177	AIR	DAMPER
PORON 4701-09-20125-1648 GRAY URETHANE FOAM	ROG	.92	.05	1.5M	177	AIR	DAMPER
PORON 4716-18-15250-1654 BLUE/GRAY URETHANE FOAM	ROG	1.00	.05	1.5M	177	AIR	DAMPER
PROFIL F60/20 POLYPROPYLENE FOAM/20% GLASS FIBER	FBR	.16	.04				FOAM
RFF 263 POLYURETHANE FOAM GRAY 48 HR METOH WASH	RFC	.53	.05	48H	66	AIR	FOAM
				24H	100	AIR	
SCOTT POLYESTER-URETHANE FOAM - TAN 2X24HR ETOH WASH	SCT	.81	.01	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM BROWN 2X24HR ETOH WASH	SCT	.88	.01	24H	100	AIR	FOAM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SCOTT POLYESTER-URETHANE FOAM 100 PPI	SCT	.86	.05	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 100 PPI METOH WASH	SCT	.69	.00	24H	100	AIR	FOAM
SCOTT POLYESTER-URETHANE FOAM 60 PPI METOH WASH	SCT	.33	.04	24H	100	AIR	FOAM
SERIES 24 ANTI STATIC FILM - BLACK	CHR	.13	.00				ANTI STATIC FILM
SHUR-LOK SLE 3010 SYNTACTIC FOAM BLUE-GREEN	SLK	.77	.03	16H	25	AIR	FOAM
				8H	65	AIR	
				8H	121	AIR	
SKYBOND RI 7271-06 RIGID POLYIMIDE FOAM	MON	.31	.04				FOAM
SKYBOND RI 7271-12 RIGID POLYIMIDE FOAM	MON	.42	.01				FOAM
SKYBOND RI 7271-18 RIGID POLYIMIDE FOAM	MON	.45	.01				FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	IMI	.20	.02				FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM	IMI	.19	.02	1H	288	AIR	FOAM
SOLIMIDE TA-301 FLEXIBLE POLYIMIDE FOAM MIL F87090	IMI	.28	.01				FOAM
STEPANFOAM G-306 6#/CU FT WHITE	SCC	.87	.06	24H	25	AIR	FOAM
				4H	66	AIR	
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	EMC	.36	.00	24H	125	AIR	FOAM
STYRAFIL F30/20 POLYSTYRENE FOAM/20% GLASS FIBER	FBR	.26	.02				FOAM
SYNTACTIC FOAM WHITE EPOXY/ECCOSPHERES AS 40/60 BW	MOT	.54	.00				FOAM
VITON 05-2154 CLOSED CELL EXTRUDED FOAM - GRAY	INR	.91	.01	16H	204	AIR	FOAM
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.80	.00	2H	125	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.82	.01	2H	100	AIR	FOAM DAMPER
				8H	66	E-5	
XN 3529/ECCOSPHERES SI AS 1/2 BW SYNTACTIC FOAM PINK	AMC	.88	.02	2H	100	AIR	FOAM DAMPER
ZEREFIL F700/20 VINYL FOAM/20% GLASS FIBERS	FBR	.21	.00				FOAM

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
APIEZON H HYDROCARBON GREASE	BID	.25	.02				GREASE
APIEZON L GREASE	BID	.04	.01				GREASE
APIEZON N GREASE	BID	.08	.00				GREASE
BLACK MAGIC MOLY SPRAY/FOIL - AEROSOL MOS2	SPR	.27	.02	24H	25	AIR	LUBRICANT
BRAYCO 815Z CLEAR OIL BATCH DLM3	BOC	.03	.00				LUBRICANT
BRAYCOTE 3L-38 GREASE BATCH DLD1 WHITE	BOC	.07	.03				GREASE
BRAYCOTE 3L-38 GREASE WHITE	BOC	.07	.03	7H	100	E-6	LUBRICANT
BRAYCOTE 3L-38-MS GREASE BATCH DLG1 GRAY	BOC	.04	.01				GREASE
BRAYCOTE 3L-38-RP GREASE BATCH CLT7 YELLOW	BOC	.09	.04				GREASE
BRAYCOTE 3L-38-ZN GREASE BATCH ELM4 BLACK	BOC	.02	.01				LUBRICANT
BRAYCOTE 601/CLM ADDITIVE (601 IS OLD 3L-38)	BOC	.27	.06				GREASE
BRAYCOTE 815Z OIL/CLM ADDITIVE	BOC	.17	.07				LUBRICANT
CROWN 6065 GREEN TFE AEROSOL COATING/F	CIP	.52	.09	20M	177	AIR	LUBRICANT
				24H	121	E-3	
CV-9052 BLACK ELEC COND SILICONE GREASE	MCG	.05	.02				ELEC COND GREASE
C6-1103 SILICONE GREASE	DCC	.17	.00				GREASE
DYFLON DRY FILM LUBRICANT	SWP	.68	.03				LUBRICANT
ECCOSLIP TM-24 LOW FRICTION EPOXY	EMC	.40	.00	1H	66	AIR	EPOXY LUBE
				1H	80	AIR	
				24H	116	AIR	
EKKCEL WR-25 AROMATIC POLYESTER/TFE BLEND TAN	CRB	.01	.00				SOLID LUBE
FLUOROSINT 500 MICA FILLED TFE	PPC	.05	.00				BEARING MATL
FOMBLIN VAC 3 FLUORINATED GREASE	MDG	.09	.02				LUBRICANT
KATHERM 41 SELF LUBE BEARING LINER BROWN	KAM	.72	.01				BEARING LINER
Q2-3067 OPTICAL COUPLING COMPOUND	DCC	.77	.05				GREASE
RT DUROID 4300 REINFORCED TEFLON PTFE	ROG	.01	.00				BEARING MTL
RULON A TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON B TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON C TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON J TEFLON FILLED BEARING MATERIAL	DIX	.10	.01				BEARING MATL
RULON LD TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
RULON 123 TEFLON FILLED BEARING MATERIAL	DIX	.00	.00				BEARING MATL
VESPEL SP 211-D-1 POLYIMIDE/15% GRAPHITE/10% TEFLON	DUP	.48	.00				SOLID LUBE
VESPEL SP-1-D-1 POLYIMIDE RESIN	DUP	.58	.01				SOLID LUBE
VESPEL SP-21-D-1 POLYIMIDE/15% GRAPHITE	DUP	.52	.01				SOLID LUBE
VESPEL SP-22-D-1 POLYIMIDE/GRAPHITE AS 60/40 BW	DUP	.57	.00				SOLID LUBE
VESPEL SP-3 POLYIMIDE/15% MOS2 FORMERLY SP-31-D-1	DUP	.54	.01				SOLID LUBE
VYDAX 1000 FLUOROTELEMER	DUP	.67	.08				LUBRICANT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CABLE CLAMP TAO 2105HO-07HB RED RUBBER SLEEVE	TAM	.22	.03				CABLE CLAMP
CLAMP WIRE BUNDLE TA 11C62 WD10 FIBERGLASS/SILICONE	TAM	.14	.09	24H	177	AIR	CLAMP
DIAL CORD STUR-D-DIAL DACRON 164 WHITE	GBE	.48	.10				DIAL CORD
DIAL CORD 753-24 TFE COATED GLASS FIBER	DIN	.08	.05				DIAL CORD
LACING TAPE DABURN 2047 DACRON - COATED	DAD	.11	.04	24H	125	AIR	LACING TAPE
LACING TAPE DACRON 20D-0F9X - WHITE	WFC	.33	.08				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS	DIN	.19	.04				LACING TAPE
LACING TAPE E 775-476 TFE TEFLON/GLASS METOH WASH	DIN	.07	.02	1H	100	AIR	LACING TAPE
LACING TAPE GE POLYESTER	HMB	1.00	.07				LACING TAPE
LACING TAPE GUDE-GLASS 18T FIBERGLAS/TEFLON WHITE	GBE	.08	.02				LACING TAPE
LACING TAPE GUDE-SPACE DPT-H LOT 086-X	GBE	.40	.02				LACING TAPE
LACING TAPE GUDE-SPACE 18D96 DACRON/SYN RUBBER WHITE	GBE	.24	.03	24H	100	AIR	LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GBE	.28	.03	15M	149	AIR	LACING TAPE
LACING TAPE STUR-D-LACE 18DH SCOURED LOT 30378	GBE	.51	.01				LACING TAPE
LACING TAPE STUR-D-LACE 18DPT SCOURED PROD SAMPLE	GBE	.14	.02				LACING TAPE
LACING TAPE STUR-D-LACE 18DU DACRON LEACHED	GBE	.13	.02				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GBE	.41	.05				LACING TAPE
LACING TAPE SUPER-GUDE-SPACE DPT-H SCOURED DACRON	GBE	.38	.04				LACING TAPE
LACING TAPE TEFGLAS 90L0F13A FIBERGLAS/TEFLON WHITE	WFC	.43	.05				LACING TAPE
LACING TAPE TEMP-LACE H231H TEFLON BRAID/SYN RUBBER	GBE	.36	.02				LACING TAPE
LACING TAPE TEMP-LACE H256H TEFLON BRAID/SYN RUBBER	GBE	.24	.05				LACING TAPE
LACING TAPE TEMP-LACE 230 TEFLON OLIVE DRAB/NO FIN	GBE	.24	.00				LACING TAPE
NYLON 6 BLACK CABLE CLAMP - WECKESSER	WEK	.84	.00	24H	125	AIR	CABLE CLAMP
PAN-TY CABLE MOUNT	PAN	.63	.04				CABLE MOUNT
PAN-TY CABLE TIE HALAR MAROON	PAN	.21	.01				CABLE TIE
PAN-TY CABLE TIE TEFZEL BLUE	PAN	.08	.02				CABLE TIE
TIE CORD E 761-1330 TFE TEFLON/GLASS	DIN	.15	.05				TIE CORD
TIE CORD E 761-688 TFE TEFLON/GLASS METOH WASH	DIN	.09	.01	1H	100	AIR	TIE CORD
TY 25M TY-RAP TEFZEL CABLE TIE BLUE/GREEN	TBT	.10	.00				CABLE TIE
TY 307 TY-RAP TEFLON CABLE TIE	TBT	.03	.00				CABLE TIE
TY-RAP KYNAR CABLE TIE	TBT	.05	.02				CABLE TIE
TYB 23M TY-RAP NYLON CABLE TIE	TBT	.85	.06	16H	100	AIR	CABLE TIE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CIRCUIT BOARD COMPOSITE NEMA G10 MICA/CE 1155	RCA	.48	.01				CIRCUIT BOARD
COAST EPOXY PREPREG F161-83-108-B	CMS	.46	.01	2H	163	AIR	ADH FILM
				1H	149	AIR	
				2H	204	AIR	
COAST EPOXY/GLASS PREPREG F161-83-1P08/20	CMS	.29	.01	165M	163	AIR	LAMINATE
CONVAIR GRAPHITE/EPOXY	GDC	.63	.03				COMPOSITE
CONVAIR GRAPHITE/EPOXY/SI203/ALUMINUM	GDC	.54	.01				COMPOSITE
CYCOM 950-S2 EPOXY/GLASS	ACC	.49	.01	1H	66	E-2	STRUCTURAL
				1.5H	138	PSI	
CYCOM 985-T300 GRAPHITE/EPOXY	ACC	.57	.01	1H	121	E-2	STRUCTURAL
				2H	177	PSI	
E-720 EPOXY/FIBERGLASS LAMINATE - POTTING FORMS	SPI	.54	.04				LAMINATE
ELECTROSHIELD C28 POLYESTER FILM/.0007 COPPER FOIL	LAM	.28	.03				RFI/RMI SHIELD
EPOXY FIBERGLASS BOOM CYLINDER	PLI	.20	.05				LAMINATE
FIBERITE HY-E 1076E EPOXY GRAPHITE LAMINATE	FIB	.50	.00	2H	177	AIR	LAMINATE
FIBERITE HY-E-1334A EPOXY/GRAPHITE LAYUP	FIB	.81	.00	2H	177	E-3	LAMINATE
FIREBAN 600 EPOXY/FIBERGLAS	TAY	.64	.03				LAMINATE
FLEXSTRIP FLEXIBLE WIRING LAMINATE	ANS	.22	.01				LAMINATE
GOODYEAR GRAPHITE FIBER EPOXY COMPOSITE	GAC	.55	.04				STRUCTURAL
GRAPHITE FIBER REINFORCED POLYMER HERCULES 2002M	HER	.48	.01	6H	149	E-4	STRUCTURAL
GT 5500 COPPER FOIL/MYLAR LAMINATE ONE SIDE	GTS	.05	.04				LAMINATE
GY-70/X-30 GRAPHITE EPOXY COMPOSITE	GDC	.46	.01				STRUCTURAL
GY-70/5208 GRAPHITE EPOXY COMPOSITE	WCN	.53	.01	2H	177	AIR	LAMINATE
GY-70/5209 GRAPHITE EPOXY COMPOSITE	WCN	.40	.01	2H	177	AIR	LAMINATE
HEXCEL F153 EPOXY GLASS PREPREG	HEX	.18	.00	7H	171	PSI	LAMINATE
HEXCEL F174-120 GLASS CLOTH/POLYIMIDE PRE PREG 7CURE	HEX	.40	.00				LAMINATE
KFL 4036 ACETAL/30% GLASS/15% TFE	LNP	.26	.02				STRUCTURAL
KFL 4536 ACETAL/30% GLASS/15% TFE/SILICONE	LNP	.35	.02				STRUCTURAL
KL 4540 ACETAL/20% TFE/SILICONE	LNP	.53	.01				STRUCTURAL
LAMINATE AL-300 G30 POLYIMIDE/GLASS - BROWN	ATL	.63	.00				LAMINATE
LAMINATE AL-3137 FR TYPE FL-GF W/O COPPER	ATL	.29	.00				LAMINATE
LAMINATE AL-3247 FR THIN W/O COPPER	ATL	.42	.00	1H	177	PSI	LAMINATE
				6H	135	AIR	
LAMINATE AS-4/1908 EPOXY/GRAPHITE	HER	.11	.01	2H	121	PSI	LAMINATE
LAMINATE AS-4/1908 EPOXY/GRAPHITE	HER	.19	.03	2H	149	PSI	LAMINATE
LAMINATE BL-2 EPOXY/FIBERGLASS W/O COPPER	GEC	.25	.01				LAMINATE
LAMINATE B33 NATURAL TYPE GF CORLAR 5104/GLASS/FR4	FLC	.62	.00	1H	177	PSI	LAMINATE
				6H	177	PSI	
LAMINATE CE339 HMS EPOXY/GRAPHITE	FER	.53	.07	2H	121	PSI	LAMINATE
LAMINATE CE339 HMS EPOXY/GRAPHITE TUBE	FER	.54	.03				STRUCTURAL
LAMINATE CMC 608-1-3-1 KAPTON/COPPER FOIL/KAPTON	GMC	.19	.02				LAMINATE
LAMINATE CUCLAD TEFLON/GLASS W/FORTIN EC031P03 ADH	MMM	.04	.01	45M	177	AIR	LAMINATE
LAMINATE CUSTOM LAM 606	MMM	.06	.00				LAMINATE
LAMINATE CUSTOM POLY TG TEFLON/FIBERGLASS	CUM	.02	.01				LAMINATE
LAMINATE EPOXY FIBERGLASS MULTIWIRE CKT BD	KOL	.43	.02				PC BOARD
LAMINATE EPOXY/FIBERGLASS TYPE II CLASS E GRADE 2	QUA	.28	.01				LAMINATE
LAMINATE EPOXY/FIBERGLASS/MY740/HY219/DY219/1275	MAS	.93	.00				LAMINATE
LAMINATE EPOXY/GLASS BLUE MIL-P13949/4A MULTILAYER	MUP	.35	.01				PC BOARD
LAMINATE EPOXY/GLASS MIL P25421A TYPE 2 CLASS 2	PFP	.27	.02				LAMINATE
LAMINATE EPOXY/GLASS UNIGLASS STYLE 181	UNI	.30	.00	2H	121	AIR	LAMINATE
				16H	232	AIR	
LAMINATE EPSILAM 10 MICROWAVE SUBSTRATE W/O COPPER	MMM	.04	.00				LAMINATE
LAMINATE E787 EPOXY/FIBERGLASS PREPREG	USP	.91	.00	2H	163	PSI	LAMINATE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE F-945 BASE/1 OZ CU FOIL	OMG	.19	.01				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-122 COVER SHEET	OMG	.26	.02				FLEX CIRCUITS
LAMINATE F-945 BASE/1 OZ CU FOIL/F-4487 COVER SHEET	OMG	.28	.01				FLEX CIRCUITS
LAMINATE FERRO PREG CPI2272X/T-300 POLYIMIDE BLACK	FER	.42	.00	90M	177	AIR	LAMINATE
				4H	232	AIR	
LAMINATE FIBERITE 176/EPON 828/360L	HCP	.67	.01	3H	121	PSI	LAMINATE
LAMINATE FLEXIBLE PRINTED WIRING	SPA	.13	.00				LAMINATE
LAMINATE FLG 65M 28-11 EPOXY/FIBERGLASS/FIRE RETARD	MMM	.19	.00				LAMINATE
LAMINATE FLG/FR-4 PC BOARD	USP	.32	.01				LAMINATE
LAMINATE FLGF03902/1B3B EPOXY/GLASS MULTI-LAYER	FLA	.51	.01				LAMINATE
LAMINATE FLGF250C2/2AIIB-BLACK W/COPPER 2 SIDE	ATL	.12	.00				LAMINATE
LAMINATE FR-4 G-11 EPOXY/FIBERGLASS	MCA	.31	.01				LAMINATE
LAMINATE F161-83-1P08/20 EPOXY/FIBERGLASS	HEX	.27	.00				LAMINATE
LAMINATE G-10 BLACK EPOXY FIBERGLASS	ATL	.30	.01				LAMINATE
LAMINATE G-10 EPOXY/FIBER GLASS	MCA	.48	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - NORPLEX	UOP	.93	.01				LAMINATE
LAMINATE G-10 TO MIL P13949 - WESTINGHOUSE	WEC	.42	.00				LAMINATE
LAMINATE G-10 465 EPOXY/FIBERGLASS	SYN	.47	.03				LAMINATE
LAMINATE G-11 GEC-111 EPOXY/GIBERGLASS	SYN	.59	.00				LAMINATE
LAMINATE GE 11 EPOXY/FIBERGLASS	GEC	.43	.01				LAMINATE
LAMINATE GEE MIL P18117 BLUE EPOXY/GLASS	GEC	.33	.02				LAMINATE
LAMINATE GEE TY MIL P18177 EPOXY/FIBERGLASS	GEC	.52	.00				LAMINATE
LAMINATE GEE-FR 4300 RESIN EPOXY/FIBERGLASS - BLACK	PFP	.61	.01				POTTING CUP
LAMINATE GLASS CLOTH/SILICONE - WHITE	WEC	.14	.01				LAMINATE
LAMINATE G10 WESTINGHOUSE 65M25 FR-4 FLAME RETARDANT	WEC	.34	.00				LAMINATE
LAMINATE HY1534/934 GRAPHITE EPOXY	GDC	.29	.00	85M	121	PSI	LAMINATE
				2H	177	AIR	
LAMINATE K 6098 TEFLON/FIBERGLASS/3M	MMM	.01	.00				LAMINATE
LAMINATE K-6098 W/AF 46 FILM ADHESIVE	MMM	.05	.01	90M	166	PSI	LAMINATE
LAMINATE KAPTON ENCAPSULATED COPPER	DUP	.39	.01				LAMINATE
LAMINATE MICAPLY EG 802 TYPE GF W/O COPPER	MCA	.41	.02	90M	171	PSI	LAMINATE
LAMINATE MICAPLY PG 402 UNCLAD	MCA	.91	.01				LAMINATE
LAMINATE MICAPLY PG 418T POLYIMIDE/FIBERGLASS	MCA	.82	.00				PC BOARD
LAMINATE MICAPLY 102-11 EPOXY/GLASS PRE-PREG 8 LAYER	MCA	.38	.03				LAMINATE
LAMINATE MICAPLY 102-11/G-10 EPOXY/GLASS	WEC	.44	.00	80M	163	PSI	LAMINATE
LAMINATE MICAPLY 102-28M FR-4 EPOXY/GLASS PRE-PREG	MCA	.39	.02	1H	188	PSI	LAMINATE
LAMINATE MICAPLY 818T W/O COPPER GREEN	MCA	.36	.00				LAMINATE
LAMINATE MICARTA 65M50-22 LIGHT GREEN	WEC	.28	.00				LAMINATE
LAMINATE MICROFILL 55/EPON 828/360L	HCP	.63	.01	3H	121	PSI	LAMINATE
LAMINATE MULTI-LAYER PER MIL P55617 P55636 P13949	TCI	.32	.00				LAMINATE
LAMINATE MULTIWIRE PC BOARD	KOL	.63	.01				PC BOARD
LAMINATE MXB 7934/7781 EPOXY/GLASS LIGHT GREEN	FIB	.49	.01	45M	121	AIR	LAMINATE
				2H	177	AIR	
LAMINATE N-105 EPOXY/GLASS FL-GF FR-4 W/O COPPER	NCO	.25	.00				LAMINATE
LAMINATE N-205 EPOXY/GLASS FL-GF FR-4 W/O COPPER	NCO	.24	.01				LAMINATE
LAMINATE N-3105 RESIN RICH FR EPOXY/GLASS W/O COPPER	NCO	.30	.00				LAMINATE
LAMINATE N-4105 EPOXY/GLASS FLEXIBLE W/O COPPER	NCO	.29	.00				LAMINATE
LAMINATE NARMCO 3203-120 EPOXY/GLASS	WCN	.33	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 3203-1581 EPOXY/GLASS	WCN	.32	.01	90M	127	PSI	LAMINATE
LAMINATE NARMCO 8517 EPOXY/GLASS	WCN	.47	.00				LAMINATE
LAMINATE NEMA FR-45 BY GE W/O COPPER	GEC	.23	.00				LAMINATE
LAMINATE NEMA G-10 GEC 500E EPOXY/FIBER GLASS	SYN	.38	.00				LAMINATE
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 NO COPPER	WEC	.11	.00				LAMINATE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
LAMINATE NEMA G10 WESTINGHOUSE 65M27-S-12 W/COPPER	WEC	.06	.01				LAMINATE
LAMINATE NEMA G7 GLASS FABRIC/SILICONE	SYN	.09	.02				LAMINATE
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST FILM	AUG	.12	.02	90M	135	AIR	LAMINATE/RESIST
LAMINATE NEMA/FR-4 W/SR1000 SOLDER RESIST/IR CURE	AUG	.14	.01	5M	177	AIR	LAMINATE/RESIST
LAMINATE NVF FLAME RETARDANT RED MARKING	NVF	.38	.00				LAMINATE
LAMINATE NVF G-10 GREEN MARKING	NVF	.49	.00				LAMINATE
LAMINATE PC BOARD IRRADIATED POLYOLEFIN	SAS	.29	.07				PC BOARD
LAMINATE PHENOLIC/FIBERGLASS PREPREG	VAC	.68	.01				LAMINATE
LAMINATE PMR-15/HMG EPOXY/GRAPHITE	USP	.48	.01				LAMINATE
LAMINATE PMS 1000 GRAPHITE REINF EPOXY	PMI	.38	.03	30M	138	PSI	LAMINATE
LAMINATE POLYIMIDE/GLASS FABRIC BY AMOCO	AOC	.77	.00				LAMINATE
LAMINATE SG-89	UCC	.40	.07	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SG-91	UCC	.45	.08	15M	80	PSI	LAMINATE
				2H	121	PSI	
LAMINATE SHIM ALUMINUM	ART	.05	.00				SHIM
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-CTR	GSC	.58	.10	48H	143	E-6	SHIELD
LAMINATE SUN SHADE AL-KAPTON/7366 TAPE/AG-TEFLON-EDG	GSC	.52	.06	48H	143	E-6	SHIELD
LAMINATE THORNEL 4CS X4500 EPOXY/GRAPHITE PRE-PREG	UCC	.43	.00	1H	120	AIR	LAMINATE
				2H	180	AIR	
LAMINATE TYPE GF EPOXY/FIBERGLAS	FLC	.20	.00				LAMINATE
LAMINATE T300/934 GRAPHITE EPOXY	FIB	.58	.00				LAMINATE
LAMINATE V-378A/HMG EPOXY/GRAPHITE	USP	.50	.01				LAMINATE
LAMINATE VECTORBOARD 85G24WE GLASS/EPOXY	VEC	.45	.01				PC BOARD
LAMINATE WBC 3201C ON 112 GLASS CLOTH EPOXY RESIN	FER	.17	.01	1H	163	AIR	LAMINATE
				2H	177	AIR	
LAMINATE WESTINGHOUSE EPOXY/FIBERGLASS	WEC	.25	.02				TUBE
LAMINATE YLI	YLI	.43	.00				LAMINATE
LAMINATE 1914	UCC	.44	.01	2H	149	PSI	LAMINATE
LAMINATE 1916	UCC	.46	.01	2H	149	PSI	LAMINATE
LAMINATE 1920T	UCC	.17	.01	2H	180	PSI	LAMINATE
LAMINATE 602 TEFLON/FIBERGLASS W/O COPPER	ATL	.01	.09				PC BOARD
LARC 160 GRAPHITE/POLYIMIDE LAMINATE 5 STEP POSTCURE	LRC	.83	.00	1H	177	E-2	LAMINATE
				3H	316	PSI	
NARMCO 550/120 EPOXY/GLASS PRE-PREG	WCN	.69	.06	90M	125	AIR	LAMINATE
NARMCO 550/1581 EPOXY PRE-PREG	WCN	.60	.02	90M	120	AIR	LAMINATE
				2H	180	AIR	
NELCO 11-4205-2 B-GLASS FR4 FABRIC/EPOXY COATED	NCO	.29	.00	85M	177	AIR	IMPREG FABRIC
				2H	163	AIR	
POTTING CUP	DBP	.62	.01	4H	135	AIR	LAMINATE
PYRALIN 12 POLYIMIDE PREPREG	DUP	.52	.00	30M	177	PSI	LAMINATE
				2H	260	PSI	
PYRALUX COPPER CLAD 2 SIDES 5.5 MILS THICK	DUP	.14	.00	1H	177	AIR	LAMINATE
RIGIDAMP 19010-1 LAMINATE ONLY	BAR	.57	.00				LAMINATE
RT DUROID 5870 - LAMINATE	ROG	.05	.00				LAMINATE
RT DUROID 5880 - LAMINATE	ROG	.03	.00				LAMINATE
RT DUROID 6010 - LAMINATE	ROG	.03	.00				LAMINATE
SCI REZ 80/S GLASS FILAMENT WOUND COMPOSITE	SCI	.22	.03	4H	79	AIR	BAND
				4H	107	AIR	
				3H	149	AIR	
				3H	177	AIR	
SCOTT POLYURETHANE FOAM/ALUM MYLAR SANDWICH	SCT	.81	.04	48H	120	E-5	INSULATION
SKYBOND 703 GRAPHITE/POLYIMIDE LAMINATE 3 STEP PCURE	MON	.36	.01	1H	177	PSI	LAMINATE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
STAND-OFF G-10 EPOXY/GLASS COMPOSITION	BPS	.10	.00				STAND-OFF
V 378 GRAPHITE/POLYIMIDE LAMINATE 2 STEP POSTCURE	USP	.60	.01	30M 4H	82 177	PSI PSI	THERM CONTROL
VELOSTAT 1801 ELEC COND POLYOLEFIN LAMINATE	MMM	.88	.05				LAMINATE
VELOSTAT 1880 ANTI STATIC FLOOR MAT LAMINATE	MMM	.60	.09				FLOOR MAT

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BCO 9-7293 WHITE SILICONE INK	ABR	.16	.02	2H	25	AIR	MARKING INK
				1H	249	AIR	
BRADY MARKERS B-953 HT-200/F	WHB	.81	.02	24H	150	AIR	MARKER
BRADY PERMA CODE LABELS SPECIAL	WHB	.52	.06				LABEL
BRADY XB-322 SHRINKABLE POLYOLEFIN SLEEVES	WHB	.45	.10	5M	149	AIR	WIRE MARKER
BRADY XB-323 SHRINKABLE POLYVINYLIDENFLUORIDE SLEEVE	WHB	.10	.02				WIRE MARKER
C-931-57 ONE COMPONENT SILVER FILLED URETHANE/F	AMC	.30	.03	30M	25	AIR	COND INK
				1H	121	AIR	
C-932-62-1 ONE COMPONENT SILVER FILLED INK/F	AMC	.41	.06	1H	100	AIR	COND INK
CAT-L-INK 50-100R/CAT 9 AS 100/6 BW WHITE INK/F	HYS	.64	.01	30M	149	AIR	INK
CAT-L-INK 50-202AR/CAT 9 AS 100/6 BW YELLOW INK/F	HYS	.56	.01	30M	149	AIR	INK
CAT-L-INK 50-700R/CAT 9 AS 100/7 BW BLACK INK/F	HYS	.74	.01	30M	149	AIR	INK
CHEMGLAZE Z004 W/5% CHROMIC OXIDE PIGMENT	HCC	.83	.03	2H	25	AIR	MARKING INK
				18H	60	AIR	
EPON 815/V 140/PMS 175-ED AS 50/50/5 BW WHITE EPOXY	SHL	.64	.07	3H	65	AIR	MARKING INK
EPON 828/VERSAMID 140/CR2O3 GREEN EPOXY	GSC	.85	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/FE2O3 RED EPOXY	GSC	.73	.01	7D	25	AIR	MARKING INK
EPON 828/VERSAMID 140/TIO2 WHITE EPOXY	GSC	.91	.01	7D	25	AIR	MARKING INK
FASCAL 710 CHROMIZED POLYESTER/ACRYLIC ADH/R	APF	.42	.01				NAMEPLATE
LABEL WIRE WRAP SOCKET POLYSTYRENE WHITE	KON	.19	.05				LABEL
M-O-N/CAT A AS 100/4 BW BLACK INK/F	HYS	.58	.07	30M	149	AIR	INK
M-O-N/CAT B-3 AS 100/4 BW BLACK INK/F	HYS	.50	.01	30M	149	AIR	INK
M-9-N/CAT B-3 AS 100/5 BW WHITE INK/F	HYS	.51	.04	30M	149	AIR	INK
MARKEM 7224 BLUE EPOXY PASTE INK/F	MIN	.43	.07	1H	149	AIR	INK
MARKEM 7224 GREEN INK 497-F	MIN	.45	.02	4H	121	AIR	INK
MARKEM 7224 RED EPOXY PASTE INK/F	MIN	.41	.04	1H	149	AIR	INK
MARKEM 7906 WHITE INK A/B AS 8.18/1 BW	MIN	.48	.01	2H	121	AIR	INK
NAMEPLATE ANODIZED ALUM W/3M TAPE 467 ADH/F	BEN	.63	.00				NAMEPLATE
NAMEPLATE PHOTO ALUMINUM W/ADH ON FOIL	MEL	.10	.01				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED	MPC	.10	.00				NAMEPLATE
NAMEPLATE PHOTOSENSITIVE ALUM/ANODIZED/SEALED BLACK	MPC	.11	.00				NAMEPLATE
R-O-N ONE PART BLACK INK/F	HYS	.88	.01	30M	149	AIR	INK
R-9-N ONE PART WHITE INK/F	HYS	.90	.02	30M	149	AIR	INK
SCOTCHCAL 8001 RED ALUM LABEL UNCOATED	MMM	.09	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/COATING 3900	MMM	.17	.00				FOIL LABEL
SCOTCHCAL 8001 RED ALUM LABEL/FILM 7730	MMM	.12	.01				FOIL LABEL
SCOTCHCAL 8005 BLACK PHOTO SENSE FILM/ALUM/ADH/FOIL	MMM	.12	.01				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/ACRYLIC ADH	MMM	.10	.00				DECAL/MARKER
SCOTCHCAL 8005 PHOTOSENS FILM/ALUM/VINYLCOAT/ACR ADH	MMM	.19	.01				DECAL/MARKER
SCOTCHCAL 8009 BLUE ALUM LABEL UNCOATED	MMM	.08	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/COATING 3900	MMM	.15	.01				FOIL LABEL
SCOTCHCAL 8009 BLUE ALUM LABEL/FILM 7730	MMM	.14	.01				FOIL LABEL
SCOTCHCAL 8011 RED PHOTO SENSE FILM/ADH/FOIL	MMM	.56	.03				DECAL/MARKER
THERMOFIT RT 1800/1 HT TMS WHITE HEAT GUN SHRINK	RCC	.97	.06				MARKER SLEEVE
THERMOFIT RT 1800/1 HT TMS WHITE MARKER SLEEVE	RCC	.72	.05	5M	175	AIR	SHRINK TUBING
THERMOFIT RT 1800/13 HT-TMS-CM CABLE MARKER W/INK	RCC	.23	.03				CABLE MARKER
WORNOW CAT-L-INK 50-100/CAT 9/50-900 THINNER WHITE/F	WPP	.62	.01	30M	25	AIR	INK
				30M	138	AIR	
				4H	149	AIR	
WORNOW M-2-N RED/CAT 45/T-1 THINNER/F	WPP	.40	.02	1H	25	AIR	INK
				15M	149	AIR	
				4H	149	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
WORNOW M-5-N GREEN/CAT 45/T-1 THINNER/F	WPP	.44	.02	1H 15M 4H	25 149 149	AIR AIR AIR	INK

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ACRYLAFIL G47/20 STYR/ACRYLONITRILE/FIB GLA AS 80/20	FBR	.23	.00				MOLD CPND
ACRYLAGLAS S40/35 STYRENE-ACRYLONITRILE/FIBER GLASS	FBR	.22	.03				MOLD CPND
ADIPRENE L83/CAYTUR 21 AS 100/16 BW POLYURETHANE	DUP	.34	.03	2H	120	AIR	MOLD CPND
				72H	100	E-6	
AF 1006 ACRYL BUTADIENE STYRENE	LNP	.20	.01				MOLD CPND
AMP MOLDING COMPOUND AMBER	AMP	.51	.00				MOLD CPND
ARYLON T POLYARYL ETHER MOLDED AT 260C	UNC	.36	.03				MOLD CPND
ASTREL 360 POLYARYL SULFONE	MMM	.94	.02				MOLD CPND
BF 1006 STYRENE ACRYLANITRILE	LNP	.24	.01				MOLD CPND
BUSHING TYPE MFE MIL M-14 MICA FILLED PHENOLIC	GHI	.98	.01				BUSHING
CELCON M-90-04 ACETAL COPOLYMER INJECTION MOLDED	CNS	.64	.04				MOLD CPND
CELCON M-90-04 ACETAL COPOLYMER UNMOLDED PELLETS	CNS	.57	.03				MOLD CPND
CF 1006 STYRENE/FIBER GLASS AS 70/30	LNP	.10	.01				MOLD CPND
CONNECTOR TUBING POLYPROPYLENE 20% GLASS FILLED	JAC	.26	.04				CONNECTOR
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	HYS	.68	.00	2.5H	105	AIR	MOLD CPND
DAIP GRADE K31 DIALLYL ISO META PHTHALATE GRAY	COS	.42	.00				MOLD CPND
DAIP K66V GRAY MOLDING CPND	COS	.79	.01	2M	149	PSI	MOLD CPND
DAP C2580-11B FR FMC - DAPON M	FMC	.30	.00				MOLD CPND
DAP D62V GREEN MOLDING CPND	COS	.69	.01	2M	149	PSI	MOLD CPND
				2H	135	AIR	
DAP D72 SHORT GLASS FIBER FILLED GRAY	COS	.44	.00				MOLD CPND
DAP PLASKON FS-6 CAF BLUE MINERAL FILLED	PEM	.52	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP PLASKON 73-70-70-C GRAY MIL-M-14G TYPE SDG-F	PEM	.39	.02				MOLD CPND
DAP PLASKON 73-70-70-R GREEN 1015 GLASS FILLED	PEM	.45	.00	3M	149	PSI	MOLD CPND
				2H	149	AIR	
DAP SHORT GLASS FIBER FILLED BLACK	ROG	.44	.00				MOLD CPND
DAP SHORT GLASS FIBER FILLED BLACK	ROG	.27	.00				MOLD CPND
DC 307 MOLDING CPND - FUSISTOR RS-1A-XX(R7741)	DCC	.12	.02	24H	177	AIR	MOLD CPND
DELRIN 107 BLACK	DUP	.62	.01				MOLDING CPND
DELRIN 550 ROD - WHITE	DUP	.39	.02				MOLD CPND
DEXSIL 201 - BORON/SILICA	CLI	.07	.00				MOLD CPND
DF 1006 POLYCARBONATE/FIBER GLASS AS 70/30	LNP	.14	.00				MOLD CPND
DUREZ 22761 DAP BLACK REINFORCED	OCI	.66	.04	3M	171	PSI	MOLD CPND
DUREZ 22761 DAP BLUE REINFORCED	OCI	.73	.02	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP AQUA REINFORCED	OCI	.66	.02	3M	171	PSI	MOLD CPND
DUREZ 24776 DAP GRAY MIL-M-14G TYPE SDG-F	OCI	.68	.03				MOLD CPND
ECCOMOLD L-28	EMC	.18	.01	64H	127	AIR	MOLD CPND
ECCOMOLD L28/9 AS 100/12 BW	EMC	.59	.03	30M	25	AIR	MOLD CPND
				2H	70	AIR	
ECCOMOLD 77A EPOXY - MOLD 10M AT 163C W/PSI	EMC	.32	.07				MOLD CPND
ECCOSORB CR-112 X/Y/CABOSIL AS 100/8.2/1.25 BW EPOXY	EMC	.32	.01	12H	75	AIR	MOLD CPND
ECCOSORB CR-117 X/Y AS 100/2.3 BW DARK GRAY EPOXY	EMC	.26	.01	12H	74	AIR	MOLD CPND
ECCOSORD CR-110 X/Y AS 100/12 BW EPOXY	FMC	.52	.00	16H	25	AIR	MOLD CPND
				12H	74	AIR	
EE 4215/HD 3561 AS 100/15 BW BLACK EPOXY (C9-4215)	HYS	.90	.01	24H	25	AIR	MOLD CPND
EKKCEL C-1000 AROMATIC COPOLYESTER BROWN HIGH TEMP	CRB	.26	.00				MOLD CPND
EKKCEL I-2000 AROMATIC COPOLYESTER TAN HIGH TEMP	CRB	.06	.00				MOLD CPND
ELTEN POLYETHERIMIDE	GEC	.65	.01	30M	316	AIR	MOLD CPND
EM 7302 GLASS FILLED EPOXY	USP	.48	.00	15M	135	PSI	MOLD CPND
				12H	143	PSI	
EM-166 TYPE K RED EPOXY MOLDING CPND	HTR	.38	.00	14M	149	PSI	MOLD CPND
				2H	138	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EMC 115-B-1 GLASS/EPOXY	PAC	.29	.00				MOLD CPND
EPIALL 1914 EPOXY/GLASS - BLACK	ACM	.43	.01				MOLD CPND
EPIALL 1914 EPOXY/GLASS - BLACK	ACM	.47	.00	7D	25	AIR	MOLD CPND
EPIALL 3100LS-X7049 EPOXY/GLASS/MINERAL FILL-GOLD	PEM	.38	.01				MOLD CPND
EPICAP 1961 BLACK EPOXY MOLDING CPND	PEM	.50	.00	5M	177	PSI	MOLD CPND
				4H	163	AIR	
EPOCAST 403-S-3	FPI	.32	.01	4M	163	AIR	MOLD CPND
EPOCAST 452-600 BLACK MINERAL FILLED EPOXY	BEN	.29	.00	2M	150	PSI	MOLD CPND
				4H	150	AIR	
EPOCAST 461-008 MINERAL FILLED EPOXY	FPI	.48	.09				MOLD CPND
EXTREN 525 EPOXY/FIBERGLASS SQUARE STRUCTURAL TUBE	MMF	.85	.04				STRUCTURAL
FF 1006 HI-DENSITY POLYETHYLENE/GLASS AS 70/30	LNP	.12	.03				MOLD CPND
FIBERITE E-21718 BLACK EPOXY/GRAPHITE	FIB	.73	.02				MOLD CPND
FIBERITE FM 4008 DK GREEN CONNECTOR INSERT	PCD	.94	.01	24H	200	AIR	MOLD CPND
FORMDAFIL G80-20 ACETYL/FIBER GLASS AS 80/20 BW	FBR	.44	.00				MOLD CPND
FURANE 8633-40 GLASS REINF CARBON FILLED EPOXY	FPI	.32	.00	6M	149	AIR	MOLD CPND
GAR-DUR CLEAR	GAR	.07	.01				MOLD CPND
GAR-DUR YELLOW	GAR	.10	.02				MOLD CPND
GEMON 3010 THERMOSET POLYIMIDE	GEC	.34	.02				MOLD CPND
GF 1006 POLYSULFONE/FIBER GLASS AS 70/30	LNP	.24	.00				MOLD CPND
HATHANE 1602-60D A/B AS 2/1 BV URETHANE	HPC	.72	.01	24H	25	AIR	MOLD CPND
				24H	60	AIR	
HF 1006 NYLON 11/GLASS AS 70/30	LNP	.37	.02				MOLD CPND
HOSTALEN GUR HIGH MOLECULAR WT POLYETHYLENE	AMH	.14	.02				MOLD CPND
IMPAX 5M W/UHMW POLYMER - NATURAL	IPI	.22	.03				STRUCTURAL
JF 1004 POLYETHERSULFONE/GLASS AS 80/20 BW	LNP	.59	.00				MOLD CPND
JF 1008 POLYETHERSULFONE/GLASS AS 60/40 BW BLACK	LNP	.49	.00				MOLD CPND
KF 1006 ACETAL/GLASS AS 70/30	LNP	.27	.01				MOLD CPND
LAMINATE F550 EPOXY/CELION 3000 GRAPHITE COMPOSITE	HEX	.42	.00	6H	121	PSI	LAMINATE
LEXAN 500 POLYCARBONATE	GEC	.10	.00				MOLD CPND
LEXAN 940 BLACK DIAL PLATE	GEC	.16	.00				DIAL PLATE
MAI-60 MOLDING CPND - GRAY	ACD	.73	.04				MOLD CPND
MAI-60 MOLDING CPND - GRAY	ACD	.75	.01	16H	100	AIR	MOLD CPND
MF 1006 POLYPROPYLENE/GLASS AS 70/30	LNP	.13	.03				MOLD CPND
MF0376 EPOXY MOLDING POWDER - GOLD	HYS	.19	.01	3M	150	PSI	MOLD CPND
				2H	150	AIR	
MG25F-LMP-1 EPOXY MOLDING POWDER - BLACK	HYS	.14	.01	2M	177	PSI	MOLD CPND
				4H	177	AIR	
MG8F-0134 MOLDING CPND - BLACK	HYS	.22	.01	3M	149	AIR	MOLD CPND
MH 11 BLACK MOLDING COMPOUND	HYS	.18	.01	5M	149	PSI	MOLD CPND
				2H	149	AIR	
MH2-W254 BLACK EPOXY MOLD CPND	HYS	.41	.00	10M	149	PSI	MOLD CPND
				5.5H	149	AIR	
MH6-78 BLACK EPOXY MOLD CPND	HYS	.26	.01	0.5M	160	PSI	MOLD CPND
				.25M	149	PSI	
MH6F MOLDING CPND - BLACK	HYS	.41	.01	3M	149	AIR	MOLD CPND
MH8F-0188-1 BLACK MOLDING CPND	HYS	.21	.01	2M	150	PSI	MOLD CPND
				2H	149	AIR	
MINDEL B MODIFIED PXM 8407 POLYARYLETHER	UCC	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8408 POLYARYLETHER	UCC	.12	.00	1M	288	PSI	MOLD CPND
MINDEL B MODIFIED PXM 8409 POLYARYLETHER	UCC	.19	.01	1M	288	PSI	MOLD CPND
MPC 3 GREEN EPOXY MOLD CPND	BEN	.42	.00	30M	149	AIR	MOLD CPND
				36H	132	E-2	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MPC 4K BLUE EPOXY MOLDING CPND	BEN	.23	.01	14M	177	PSI	MOLD CPND
				36H	149	AIR	
NF 1006 PPO/FIBER GLASS AS 70/30	LNP	.11	.01				MOLD CPND
NORYL EN 265	WPC	.17	.00				MOLD CPND
NORYL N300 BLACK	WPC	.25	.00				MOLD CPND
NYLASINT 64 HV SINTERED NYLON OIL RESERVOIR	PPC	.73	.02				OIL RESERVOIR
PEEK 450G (POLYETHER-ETHER-KETONE) BROWN	ICI	.30	.02				MOLD CPND
PHENOLIC 76-0001-08/EPOXY ANHYDRIDE 76-0001-10	SPE	.33	.07	16H	150	AIR	MOLD CPND
PM-8592 PHENOLIC MOLDING CPND	TRW	.98	.01	2H	160	AIR	MOLD CPND
POLYBUTYLENE TEREPHTHALATE (PBT) BLACK CELANEX 20-12	CNS	.34	.08				MOLD CPND
POLYBUTYLENE TEREPHTHALATE (PBT) WHITE CELANEX 20-12	CNS	.30	.05				MOLD CPND
POLYCARBAFIL G50/20 POLYCARBONATE/FIBER GLA AS 80/20	FBR	.12	.00				MOLD CPND
POLYETHYLENE TUBE PE-35	TPP	.13	.02				TUBING
POLYSET 440 BLACK EPOXY MOLD CPND	DYN	.29	.00	1.5M	177	PSI	MOLD CPND
POLYSET 450-2 BLACK EPOXY MOLD CPND	DYN	.26	.01	1.5M	177	PSI	MOLD CPND
POLYSET 521 BLACK	MNC	.30	.00				MOLD CPND
POLYSTYRENE CO-EXTRUDED BLUE BOX	SHC	.50	.09				MOLD CPND
POLYSTYRENE CO-EXTRUDED WHITE INSERT	SHC	.28	.05				MOLD CPND
POLYSULFONE	UCC	.33	.00				MOLD CPND
POREX ULTRA HIGH WEIGHT POLYETHYLENE HEAT PIPE WICK	POR	.11	.01				HEAT PIPE WICK
PR 1535 A/B AS 32/100 BW POLYURETHANE	PRC	.68	.10	7D	25	AIR	MOLD CPND
PR 1538 A/B AS 32/100 BW POLYURETHANE	PRC	.52	.05	144H	60	AIR	MOLD CPND
PR 1547 A/B AS 32/100 BW POLYURETHANE	PRC	.65	.03	7H	82	AIR	MOLD CPND
QF 1006 NYLON 6/10 30% FIBER GLASS	LNP	.65	.04				MOLD CPND
RF 1006 NYLON 6/6	LNP	.81	.04				MOLD CPND
ROGERS RX 611	ROG	.53	.01	10M	149	AIR	MOLD CPND
				30M	149	AIR	
				30M	204	AIR	
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH5	GSC	.20	.05	7D	25	AIR	POTTING
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GEC	.05	.02	30M	100	AIR	MOLD CPND
				24H	140	E-6	
RTV 630 A/B AS 10/1 BW GRAY MOLDED ISOLATION MOUNT	GEC	.04	.01	30M	100	AIR	MOLD CPND
				48H	140	E-6	
RYNITE E37641-18-1 TAN PELLETS UNMOLDED	DUP	.21	.01				MOLD CPND
RYTON R-4 POLYPHENYLENE SULFIDE/40% GLASS	PHP	.09	.00				MOLD CPND
RYTON R3 POLYPHENYLENE SULFIDE	PHP	.10	.02				MOLD CPND
SCOTCHCAST 225 A/B AS 5/8 BW MAROON POLYURETHANE	MMM	.53	.03				MOLD CPND
SE 4401 SILICONE ELASTOMER GRAY SHORE A40	GEC	.15	.05	10M	166	PSI	MOLD CPND
				7H	210	E-1	
SE 4401 U GENERAL PURPOSE SILICONE	GEC	.06	.00	24H	249	AIR	MOLD CPND
SE 4404 U GENERAL PURPOSE SILICONE	GEC	.10	.00	24H	249	AIR	MOLD CPND
SE 4524U CLEAR SILICONE	GEC	.10	.01	25M	163	AIR	MOLD CPND
				7H	200	E-6	
SE 4524U CLEAR SILICONE	GEC	.07	.00	25M	163	AIR	MOLD CPND
				7H	200	E-6	
				24H	216	AIR	
SE 5204 SILICONE	GEC	.07	.00	8H	232	AIR	ELASTOMER
SE 5554U SILICONE FOOD GRADE FF	GEC	.16	.00	30M	163	PSI	MOLD CPND
				15H	200	E-6	
SE 5554U SILICONE FOOD GRADE GG	GEC	.25	.00	30M	163	PSI	MOLD CPND
				15H	121	E-6	
SE 565/VAROX AS 100/0.6 BW EXTREME LOW TEMP SILICONE	GEC	.12	.03	2H	177	AIR	MOLD CPND
				48H	177	E-6	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SF 1006 NYLON 12/GLASS AS 70/30	LNP	.65	.01				MOLD CPND
SILASTIC 6508/TS-50 CADOX AS 99/1 BW SILICONE	DCC	.20	.06	5M	116	AIR	MOLD CPND
				90M	216	AIR	
				24H	121	E-3	
STYCAST 0005 POLYSTYRENE	EMC	.29	.01				MOLD CPND
STYRAFIL G37/20/CR BLACK POLYSTYRENE/FIBER GLASS	FBR	.53	.00				MOLD CPND
SULFIL 1500/20 POLYSULFONE/FIBER GLASS AS 80/20	FBR	.20	.01				MOLD CPND
SUPRAMICA 500 SYNTHETIC MICA/ORGANIC BINDER	MYC	.00	.00				STRUCTURAL
TEFLON PFA MOLDED SPECIMEN TE-9704	DUP	.01	.00				MOLD CPND
TEFLON PFA PELLETS (PERFLUOROALKOXY TEFLON)	DUP	.00	.00				MOLD CPND
TEFZEL ETHYLENE/TETRAFLUOROETHYLENE COPOLYMER	DUP	.03	.00				MOLD CPND
TF 1008 POLYURETHANE/GLASS AS 60/40	LNP	.37	.08				MOLD CPND
UDEL POLYSULFONE MOLDING CPND CLEAR	UCC	.40	.01				MOLD CPND
ULTEM D6202 GREY/BROWN MOLD CPND FILLED	GEC	.37	.00				MOLD CPND
ULTEM 1000 CLEAR AMBER MOLD CPND UNREINFORCED	GEC	.40	.00				MOLD CPND
VALOX DR48 BLACK MOLDED STRIP	GEC	.47	.08				MOLD CPND
VALOX DR48-7001 BLACK MOLDING CPND	GEC	.34	.06	0.5M	260	PSI	MOLD CPND
VALOX 310 THERMOPLASTIC POLYESTER	GEC	.20	.02				MOLD CPND
VALOX 310-SEO WHITE THERMOPLASTIC POLYESTER	GEC	.24	.01	0.5M	250	PSI	MOLD CPND
VALOX 325 WHITE THERMOPLASTIC POLYESTER	GEC	.27	.01	0.5M	250	PSI	MOLD CPND
VALOX 420 SEO THERMOPLASTIC POLYESTER/30% GLASS	GEC	.16	.03				MOLD CPND
VALOX 420 SEO 2051 THERMOPL POLYESTER/30% GLASS BLUE	GEC	.38	.10				MOLD CPND
VALOX 420 SEO-2051 BLUE MOLDING CPND	GEC	.34	.08	0.5M	260	PSI	MOLD CPND
VALOX 420 SEO-7001 BLACK MOLDING CPND	GEC	.33	.07	0.5M	260	PSI	MOLD CPND
VALOX 420 THERMOPLASTIC POLYESTER/30% GLASS FIBER	GEC	.09	.02				MOLD CPND
VESPEL SP-5 POLYIMIDE/30% SHORT GLASS FIBERS	DUP	.49	.00				MOLD CPND
VF 1007 PVC 35% FIBER GLASS	LNP	.30	.05				MOLD CPND
WF 1006 THERMOPLASTIC POLYESTER/FIB GLASS AS 70/30	LNP	.19	.00				MOLD CPND
XF 1006 POLYARYL ETHER/GLASS AS 70/30	LNP	.29	.00				MOLD CPND
XYDAR SRT-300	DAR	.03	.01				MOLD CPND
ZF 1006 NORYL/FIBER GLASS AS 70/30	LNP	.04	.00				MOLD CPND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
BR-127 PRIMER/F	ACC	.48	.03	90M	127	AIR	PRIMER
BR-127 PRIMER/F	ACC	.95	.02	30M	25	AIR	PRIMER
				30M	121	AIR	
CAT-A-LAC 463-3-8 BLACK OVER PRIMER 463-6-2 GREEN/F	FPC	.70	.03	24H	25	AIR	PAINT COMPOSITE
				48H	121	AIR	
CHEMGLAZE A276 HIGH GLOSS WHITE POLYURETHANE/F	HCC	.99	.08	15D	25	AIR	PAINT
				48H	96	E-6	
CHEMGLAZE H322 BLACK CONDUCTIVE PAINT POLYURETHANE	HCC	.86	.09	30H	121	AIR	COND PAINT
CHEMGLAZE V200/9924 GLOSS WHITE POLYURETHANE PAINT/F	HCC	.72	.03	11D	25	AIR	PAINT SYSTEM
				72H	90	E-6	
CHEMGLAZE Z004 BLACK COND PAINT MOD POLYURETHANE	HCC	.90	.04	7D	25	AIR	COND PAINT
				24H	70	AIR	
CHEMGLAZE Z202 POLYURETHANE FORMERLY TS 1603-16	HCC	.60	.02	7D	25	AIR	PAINT
CHEMGLAZE Z306 BATCH L11247	HCC	.49	.02	21D	25	AIR	PAINT
				24H	100	E-6	
CHEMGLAZE Z306 LOT CJA/F	HCC	1.00	.02	40D	25	AIR	THERM CONTROL
CHEMGLAZE Z306 LOT CJA/F	HCC	.86	.02	35D	25	AIR	THERM CONTROL
				24H	80	AIR	
CHEMGLAZE Z306 LOT LBC	HCC	.47	.04	2H	25	AIR	PAINT
				16H	66	AIR	
CHEMGLAZE Z306 LOT MHA	HCC	.92	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA	HCC	.90	.00	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NBA SPRAYED	HCC	.87	.04	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT NDA	HCC	.76	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT RLA	HCC	.91	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT TDA	HCC	.83	.01	14D	25	AIR	PAINT
CHEMGLAZE Z306 LOT WHA	HCC	.92	.03	14D	25	AIR	PAINT
CHEMGLAZE Z306/B40D MICROBALLOONS/TOLUENE	HCC	.83	.03	15D	25	AIR	PAINT
CHEMGLAZE Z306/CHEMLOK AP131 PRIMER/F	HCC	.76	.05	30D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H	HCC	1.00	.08	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	HCC	.94	.09	42D	25	AIR	PAINT COMPOSITE
CHEMGLAZE Z306/KAPTON H REINF	HCC	.88	.09	24H	125	AIR	PAINT COMPOSITE
				41D	25	AIR	
CHEMGLAZE Z402 ALUM FILLED POLYURETHANE LOT MEB	HCC	.68	.07	14D	25	AIR	PAINT
CUVERTIN 306 BLACK POLYURETHANE COATING	HNC	.69	.02	14D	25	AIR	PAINT
CV-1144-1 WHITE ONE PART SILICONE PAINT	MCG	.33	.03	7D	25	AIR	PAINT
CV-1144-2 BLACK ONE PART SILICONE PAINT	MCG	.24	.01	7D	25	AIR	PAINT
DAG EC 1652 BLACK PAINT	ACH	.79	.02				PAINT
DUPONT 4922 A/B AS 1/1 BW COND SILVER PAINT	DUP	.61	.00	15M	66	AIR	COND PAINT
				48H	99	AIR	
D4D LEAFING ALUMINUM	GEC	.72	.10	48H	25	AIR	PAINT
				48H	99	AIR	
E-KOTE 3030 CONDUCTIVE ACRYLIC PAINT	EPO	.76	.05	1H	66	AIR	COND PAINT
				24H	25	AIR	
ECP 2200 BLACK SOLAR ABSORBER COATING/F	MMM	.08	.00	4H	204	AIR	THERM CONTROL
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	MMM	.09	.01	40H	25	AIR	THERM CONTROL
				4H	204	AIR	
ECP 2200 BLACK SOLAR ABSORBER COATING/F SPRAYED	MMM	.33	.05	7D	25	AIR	THERM CONTROL
				24H	90	E-5	
FISHER BLACK COATING 113/113-300/CARBOLAC/MEK/T-12	GSC	.51	.02	7D	25	AIR	PAINT
FLUOROCLAD CLEAR V78VP21	SHW	.05	.01	30M	93	AIR	PAINT
				15M	260	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
FLUOROCLAD WHITE G79WP37	SHW	.67	.05	30M	93	AIR	PAINT
				15M	260	AIR	
FSS BLUE PAINT/F	GSC	.71	.05	72H	25	AIR	PAINT
				24H	96	E-6	
G 3113 BLACK COATING BALL CHEM ALKYD-SILICONE	BAL	.03	.02	1H	232	AIR	PAINT
G-1897 HT ALUMINUM COATING	BAL	.09	.04	1H	232	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSC	.17	.09	3.5D	25	AIR	PAINT
GSFC 657-41 SILICONE WHITE PAINT	GSC	.14	.00	7D	25	AIR	PAINT
				24H	66	AIR	
GSFC 657-42 SILICONE WHITE PAINT	GSC	.21	.08	4D	25	AIR	PAINT
GSFC 657-44 SILICONE WHITE PAINT	GSC	.15	.07	3D	25	AIR	PAINT
				20H	100	AIR	
HALON TFE IN Q9-6313 SILICONE WHITE	GSC	.14	.01				PAINT
LAMINATE ASHLAM G40 GRADE EPOXY/FIBERGLAS	MMS	.39	.01				LAMINATE
MAGNETICS A2 GRAY POLYESTER PAINT	MAH	.37	.09	30M	177	AIR	PAINT
MS 125 WHITE COATING BASO4/PVA/KRYLON	GSC	.70	.10	14D	25	AIR	OPTICAL PAINT
MSA 101E GREEN PAINT OI 650/CHROMIC OXIDE	GSC	.11	.00	6H	150	AIR	PAINT
MSA 90 WHITE PAINT OI 650/POTASSIUM TREATED ZNO	GSC	.58	.06	6H	150	AIR	PAINT
NE 560 WATER BASE LATEX SI02 PAINT	NEL	.96	.03	21D	25	AIR	PAINT
OI 650 RESIN WHITE PAINT GSFC SHAI	GSC	.51	.02	16H	100	AIR	PAINT
OI 650 RESIN WHITE PAINT/ZRO GSFC TRIOLO	GSC	.77	.00				PAINT
P 764-1A WHITE SILICONE PAINT	GSC	.59	.03	7D	25	AIR	PAINT
PAINT POLAR WHITE/GRAY PRIMER EXPERIMENTAL	APA	.62	.06	48H	125	AIR	PAINT SYSTEM
PAINT POLAR WHITE/GRAY PRIMER STANDARD	APA	.44	.05	48H	125	AIR	PAINT SYSTEM
PAINT POLARIS SILVER/GRAY PRIMER STANDARD	APA	.66	.10	48H	125	AIR	PAINT SYSTEM
PAINT RAVEN BLACK/GRAY PRIMER EXPERIMENTAL	APA	.45	.06	48H	125	AIR	PAINT SYSTEM
POTASSIUM TITANATE WHITE PAINT 150 GSFC SHAI	GSC	.84	.00	18H	122	AIR	PAINT
PYROMARK STANDARD WHITE SILICONE ON ALUMINUM	TEM	.06	.02				PAINT
PYROMARK STANDARD WHITE SILICONE ON EPOXY	TEM	.40	.03				PAINT
RTV 602 764-1A WHITE PAINT FR BATCH 9	GSC	.44	.01	7D	25	AIR	PAINT
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM242 BATCH 5	GSC	.46	.00	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT BM252 BATCH 3	GEC	.65	.05	7D	25	AIR	PAINT BASE
RTV 602/SRC 05 AS 0.25% CAT DEVOL LOT CN258 BATCH 3	GEC	.41	.03	7D	25	AIR	PAINT BASE
RTV 602/SRC 05/ZNO/TOLUENE DEVOL BATCH 4	GSC	.33	.00	7D	25	AIR	PAINT
S-13-G SILICONE WHITE PAINT	ITR	.42	.09	48H	25	AIR	PAINT
				16H	121	E-6	
S-13-G-LO WHITE PAINT A/B AS 100/1 BW W/TOLUENE	ITR	.54	.10	7D	25	AIR	PAINT
S-13-G-LO WHITE PAINT W/PRIMER BATCH E-389	ITR	.37	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-406	ITR	.44	.04				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-497	ITR	.40	.02				PAINT
S-13-G-LO WHITE PAINT/SS 4044 PRIMER BATCH E-555	ITR	.47	.03				PAINT
SICON BLACK 7X9055 SILICONE	MID	.98	.04	30M	177	AIR	PAINT
SICON R 8X929 BLACK PAINT	MID	.05	.00	15M	510	AIR	PAINT
SICON 3X258 LEAFING ALUMINUM	MID	.79	.09	48H	25	AIR	PAINT
				8D	71	E-3	
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC	.38	.06	7D	25	AIR	PAINT
SOLITHANE 113/300/T-12/FERRIC OXIDE/CABOSIL	GSC	.40	.05	2D	25	AIR	PAINT
				24H	60	AIR	
SPACE GARD 4-B-33 OVER RANDOLPH PRIMER T54/F	DEX	.79	.03	24H	100	E-2	PAINT COMPOSITE
SPEREX SP-101 VHT HIGH TEMP COATING-WHITE SILICONE	SPX	.29	.01	15M	25	AIR	PAINT
				15M	121	AIR	
				1H	316	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
VARNISH STERLING THERMOPOXY T-653-LBH	STV	.70	.02	4H 24H	180 25	AIR E-5	VARNISH
Y-210 VARNISH - THERMODUR	STV	.56	.07	20H 24H	149 125	AIR E-6	VARNISH

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ABLETHERM 7-2 FILLED SILICONE	AAC	.29	.10	4H	74	AIR	POTTING
ABLETHERM 908-3 CERAMIC FILLED SOLITHANE 113/300/T12	AAC	.16	.01	4H	74	AIR	POTTING
ADIPRENE L100/SOLITHANE C-300/CRBN BLK AS 100/40/1.4	DUP	.74	.07	48H	50	AIR	POTTING
ALLACAST 1776 POTTING CPND FOR OPTICAL COMPONENTS	BAC	.25	.01	24H	25	AIR	POTTING
ARALDITE CY179/906/065/MS-XL EPOXY	CIB	.16	.00	16H	93	AIR	POTTING
ARALDITE MY750/HT972/MARBLE FLOUR AS 100/27/100 BW	CIB	.26	.01	3H	80	AIR	POTTING
ARALDITE MY750/HY974 AS 20/4.6 BW EPOXY	CIB	.27	.03	45M	100	AIR	ADH POTTING
BACON IND IMPREGNANT NO 2	BAC	.27	.01	4H	71	AIR	POTTING
				8H	100	AIR	
BAKER POLYURETHANE SYSTEM 65	BAK	.28	.03	4H	25	AIR	CONF COAT-POT
				16H	80	AIR	
BAKER POLYURETHANE SYSTEM 65	BAK	.26	.01	16H	60	AIR	CONF COAT-POT
BR-626 ONE COMPONENT HEAT CURING EPOXY	ACC	.72	.01	1H	121	AIR	POTTING
BSL 308 EPOXY	CIB	.49	.10	1H	175	AIR	POTTING
C-18F A/B AS 4/5 BW W/1% H4-3441 BLACK EPOXY	HYS	.74	.06	4H	130	AIR	POTTING
CAPCURE AF/2334-1-145-I AS 100/23 BW EPOXY	DSH	.92	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CAPCURE AF/2334-1-145-II AS 100/23 BW EPOXY	DSH	.97	.01	2H	100	AIR	POTTING
				3H	150	AIR	
CF 2500 A/B AS 10/1 BW CLEAR SILICONE	MCG	.13	.04	14D	25	AIR	POTTING
CF 2500-1 A/B AS 10/1 BW CLEAR SILICONE	MCG	.05	.00	7D	25	AIR	POTTING
CF 3003 EPOXY FR HUGHES CONNECTOR 138C320 H01	HAC	.43	.04				POTTING
CI-6/BA-42 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.83	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.56	.00	4H	100	AIR	IMPREGNANT
CI-6/BA-45 AS 10/2.3 BW EPOXY COIL IMPREGNANT	BAC	.64	.02	7D	25	AIR	IMPREGNANT
COLAD 984 A/B AS 3/1 BV WHITE QUICK SET EPOXY	CCD	.84	.01	16H	100	AIR	POTTING
CONATHANE EN 20 A/B AS 10/17 BW POLYURETHANE	CON	.67	.05	7D	25	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW	CON	.33	.02	24H	60	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.27	.01	10H	60	AIR	POTTING
				24H	60	E-3	
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.45	.03	10D	25	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.43	.02	24H	55	AIR	POTTING
CONATHANE EN-11 A/B AS 100/55 BW POLYURETHANE	CON	.38	.01	24H	50	AIR	POTTING
CONATHANE EN-12 A/B AS 100/55 BW	CON	.43	.01	48H	50	AIR	POTTING
CONATHANE EN-12 A/B AS 71.3/75 BW BUTADIENE URETHANE	CON	.44	.02	12H	38	AIR	POTTING
				24H	55	AIR	
CONATHANE EN-20 A/B AS 10/17 BW	CON	.55	.02	8H	60	AIR	POTTING
CONATHANE EN-5 A/B AS 100/17.5 BW POLYURETHANE	CON	.78	.02	7D	25	AIR	POTTING
CONATHANE EN-7 A/B AS 100/17.5 BW POLYURETHANE	CON	.32	.01	20H	25	AIR	POTTING
				24H	60	AIR	
CONATHANE EN-9 POLYURETHANE	CON	.35	.00	24H	65	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.37	.00	16H	85	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.32	.00	8H	95	AIR	POTTING
CONATHANE EN-9 POLYURETHANE	CON	.39	.00	30M	25	AIR	POTTING
				8H	93	AIR	
CONOPTIC EN-30 A/B AS 50/22.75 BW CLEAR URETHANE	CON	.74	.01	16H	60	AIR	POTTING
CREST 7340/7109/7120 EPOXY	CPC	.35	.04	2H	100	AIR	POTTING
				2H	154	AIR	
				2H	204	AIR	
CV-2500 A/B AS 10/1 BW CLEAR SILICONE	MCG	.12	.02	7D	25	AIR	POTTING
CV-2944 A/B AS 10/1 BW WHITE THERM COND SILICONE	MCG	.58	.04	7D	25	AIR	THERMAL POTTING
CV-2945 A/B AS 15/1 BW WHITE THERM COND SILICONE	MCG	.19	.03	7D	25	AIR	THERMAL POTTING
CV-2946 A/B AS 15/1 BW WHITE THERM COND SILICONE	MCG	.07	.01	7D	25	AIR	THERMAL POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
C2-4259/3401	HYS	.55	.01				POTTING
C9 F700 EPOXY	HYS	.16	.00	4H	77	AIR	POTTING
C9-4183/H2-3561/PC-1244 EPOXY	HYS	.50	.00	24H	25	AIR	POTTING
C9-4190/H8-3563 AS 10/13 BV RED FLEX&BLE EPOXY	HYS	.43	.03	3H	125	AIR	POTTING
				25H	125	AIR	
C9-4198/H2-3561 AS 100/15 BW EPOXY	HYS	.38	.09	8H	60	AIR	POTTING
C9-4215/H2-3561 AS 20/3 BW BLACK EPOXY	HYS	.46	.00	8H	25	AIR	POTTING
C9-5340/3426 AS 100/8.3 BW EPOXY	HYS	.60	.05	8H	25	AIR	POTTING
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.20	.02	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.16	.00	7D	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE	DCC	.29	.00	24H	25	AIR	POTTING-ENCAPS
DC 93-500 A/B AS 10/1 BW SILICONE LOT E2134-16	DCC	.12	.00	7D	25	AIR	POTTING-ENCAPS
DC 93-500 FM 029159 FEB 79	DCC	.17	.02				POTTING
DC 93-500 FM 128101 DEC 78	DCC	.24	.10				POTTING
DER 332/MDA/LITHAFRAX/P-200 MODIFIED GRAY	DOW	.50	.00	18H	65	PSI	POTTING
DER 332/MDA/LITHAFRAX/P-200/CARBON BLACK MODIFIED	DOW	.48	.00	18H	65	PSI	POTTING
DER 332/TETA AS 10/1 BW EPOXY	DOW	.54	.00				POTTING
DER 332LC/HV AS 100/18 BW EPOXY	DOW	.33	.01	5H	25	AIR	POTTING
				12H	90	AIR	
				24H	90	AIR	
E 876 EPOXY	USP	.88	.00	2H	121	AIR	POTTING
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	HYS	.95	.03	7D	25	AIR	POTTING
EA 9309.3 A/B AS 100/22/0.5% POLYPROPYLENE BEADS BW	HYS	.99	.02	24H	25	AIR	POTTING
				4H	71	AIR	
EA 9559 BROWN EPOXY	HYS	.80	.00	2H	177	AIR	POTTING
EC 1386 ONE COMPONENT EPOXY	MMM	.65	.07	45M	177	AIR	POTTING
ECCOFOAM FPH/12-2H POLYURETHANE FOAM	EMC	.99	.07	8H	60	AIR	FOAM
				12H	60	E-4	
ECCOFOAM FPH/12-4H POLYURETHANE FOAM	EMC	.68	.08	48H	100	AIR	FOAM
ECCOFOAM SH 4#/CU FT POLYURETHANE FOAM	EMC	.78	.00				FOAM
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW BLACK EPOXY	EMC	.27	.01	4H	71	AIR	POTTING
				1H	177	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOXY	EMC	.41	.00	4H	71	AIR	POTTING
				16H	130	AIR	
ECCOSEAL 1207/CAT 20 AS 100/1.5 BW HIGH TEMP EPOXY	EMC	.40	.00	4H	71	AIR	POTTING
				16H	177	AIR	
ECCOSIL 4954/CAT 50 AS 10/0.01 BW/PRIMER S-11/F	EMC	.24	.10	7D	25	AIR	POTTING
				48H	60	AIR	
EMC 90 - BLACK	PAC	.60	.01	5M	150	AIR	POTTING
EPOCAST N4E-053/CAT 9816	FPI	.07	.02	24H	25	AIR	POTTING
				2H	93	AIR	
EPON 815/V 140 AS 50/50 BW EPOXY	SHL	.70	.06	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140 AS 65/35 BW EPOXY	SHL	.40	.02	3D	25	AIR	POTTING
				24H	110	AIR	
EPON 815/V 140/SILFLAKE 135 AS 5/5/38 BW	GSC	.65	.03	7D	25	AIR	COND POTTING
EPON 825/V 140 AS 7/6 BW EPOXY	SHL	.32	.02	2H	75	AIR	POTTING
EPON 826/871/Z AS 100/60/25.4 BW EPOXY	ITT	.64	.01	2H	80	AIR	POTTING
				4H	130	AIR	
EPON 828/EM 308 AS 2/1 BW EPOXY	SHL	.77	.06	48H	25	AIR	POTTING
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY	SHL	.34	.00	1H	100	AIR	POTTING
				48H	70	AIR	

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
EPON 828/LINDRIDE 8/DMP 30 AS 100/90/1 BW EPOXY/SAND	SHL	.04	.00	1H	100	AIR	POTTING
				48H	70	AIR	
EPON 828/VERSAMID 125 AS 50/50 BW EPOXY	SHL	.79	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 60/40 BW EPOXY	SHL	.46	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 65/35 BW EPOXY	SHL	.55	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 125 AS 66/33 BW EPOXY	SHL	.59	.05	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.86	.03	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 50/50 BW EPOXY	SHL	.86	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 60/40 BW EPOXY	SHL	.43	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 65/35 BW EPOXY	SHL	.30	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 66/33 BW EPOXY	SHL	.26	.00	7D	25	AIR	POTTING
EPON 828/VERSAMID 140 AS 70/30 BW EPOXY	SHL	.19	.01	7D	25	AIR	POTTING
EPON 828/VERSAMID 140/B40A MICROBALLOONS	GSC	.61	.03	4H	25	AIR	POTTING
				90M	126	AIR	
EPON 828/871/AEP AS 40/60/15.5 BW	SHL	.46	.02	16H	65	AIR	POTTING
EPOXI-PATCH KIT 56C WHITE EQUAL LENGTHS FR TUBES	HYS	.34	.02	6H	25	AIR	POTTING
EPOXY 24C/BA-45 AS 100/6 BW BLACK	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-45 AS 100/6 BW BLACK	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 24F/BA-45 AS 100/6 BW RED	BAC	.31	.00	24H	57	AIR	POTTING
				24H	71	AIR	
EPOXY 71B PRE-MEASURED MIX PKG	EPX	.97	.02	30M	81	AIR	POTTING
EPOXYLITE 6203 A/B AS 2/1 BW EPOXY	EPC	.45	.03	4H	121	AIR	POTTING
FLUORINATED ACRYLATE	NRL	.12	.00				POTTING
FLUORINATED EPOXIDE	NRL	.59	.00				POTTING
FULTON 404 ACETAL TEFLON 80/20	LNP	.52	.01				POTTING
GENEPOXY 190/VERSAMID 140 AS 3/2 BW AMBER EPOXY	GMC	.24	.01	12H	25	AIR	POTTING
				2H	60	AIR	
HUMISEAL 2B74 A/B/CABOSIL AS 15/10/1.75 BW URETHANE	CTC	.58	.04	14D	25	AIR	POTTING
HY-MAT 7534 MOLDED GRAPHITE/EPOXY	FIB	.47	.00	3H	177	PSI	POTTING
HYDANTOIN TC-1-149-1 LIGHT GRAY EPOXY	WEI	.36	.00	16H	135	AIR	POTTING
				72H	150	AIR	
HYSOL 0025 A/B AS 1/1 BW	HYS	.97	.03	24H	50	AIR	POTTING
INSULCAST 3-195-1 A/B AS 1/1 BW	PSL	.18	.00	2H	100	AIR	POTTING
				1H	125	AIR	
INSULSTRUC P5003-FR22 GLASS FILL THERMOSET POLYESTER	CCL	.56	.02				ENCAPSULANT
LCA4/ACT BA5 A/B AS 100/6 BW EPOXY ENCAPSULANT	BAC	.12	.00	48H	56	AIR	POTTING
				16H	100	AIR	
P-82 EPOXY	BAC	.16	.03	7H	125	AIR	POTTING
P-82F CERAMIC FILLED RED EPOXY	BEN	.34	.00	3H	71	AIR	POTTING
				16H	100	AIR	
PC 22 A/B AS 3/1 BW	HYS	.75	.00	8H	66	AIR	POTTING
PD 200-16 FOAMED RTV 560	GEC	.03	.02	10H	93	AIR	POTTING
				10H	177	AIR	
				24H	177	E-6	
PR 1524 A/B AS 26/100 BW POLYURETHANE	PRC	.82	.09	10H	82	AIR	POTTING
PR 1527 A/B AS 26/100 BW POLYURETHANE	PRC	.92	.10	5D	25	AIR	POTTING
				72H	51	E-6	
PR 1538 A/B AS 32/100 BW POLYURETHANE	PRC	.97	.02	20H	70	AIR	POTTING
PR 1546L A/B AS 40/100 BW POLYURETHANE THICK BLOCK	PRC	.67	.06	24H	25	AIR	POTTING
				84H	82	AIR	
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	PRC	.72	.01	7D	25	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
PR 1564 A/B AS 6.9/100 BW POLYURETHANE	PRC	.74	.02	24H	85	AIR	POTTING
				72H	100	E-5	
PR 1564 A/B AS 7.7/100 BW POLYURETHANE	PRC	.86	.00	48H	25	AIR	POTTING
PR 1570	PRC	.35	.03	24H	25	AIR	POTTING
				16H	82	AIR	
				16H	82	E-6	
PR 1570 A/B AS 1/4 BW POLYURETHANE	PRC	.34	.06	8H	82	AIR	POTTING
PR 1574 A/B AS 18/100 BW POLYURETHANE	PRC	.40	.04	25H	25	AIR	POTTING
				19H	82	AIR	
PR 1574 A/B AS 18/100 BW POLYURETHANE	PRC	.54	.02	25H	25	AIR	POTTING
				31H	74	AIR	
R-179 CYCLOALIPHATIC EPOXY UNFILLED	CIB	.81	.03	30M	160	AIR	POTTING
R-2566 0.5% BW CAT RED SILICONE LOT 274	MCG	.34	.05	7D	25	AIR	POTTING
RB 8-1338 A/B AS 100/65 BW POLYURETHANE	ALL	.51	.04	8H	52	AIR	POTTING
				24H	60	E-2	
RB 8-1338 A/B AS 50/34 BW POLYURETHANE	ALL	.75	.00	7D	25	AIR	POTTING
RTV 511 0.5% BW CAT DEVOL AT 160C LOT JN 170	GSC	.39	.05	7D	25	AIR	ADHESIVE
RTV 566 0.1% BW CAT SILICONE LOT GJ 124	GEC	.13	.01	7D	25	AIR	POTTING
RTV 566 0.175% BW CAT/CAB-O-SIL	GEC	.12	.02				POTTING
RTV 566 0.2% BW CAT SILICONE	GEC	.23	.03	24H	25	AIR	POTTING-ADH
RTV 566 0.5% BW CAT SILICONE	GEC	.41	.01	24H	25	AIR	POTTING-ADH
RTV 567 0.3% BW CAT SILICONE	GEC	.18	.01	12D	25	AIR	POTTING-ADH
RTV 602/SRC 05 AS 0.4% CAT/CABOSIL LOT BM242 BATCH 5	GSC	.70	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT HD183	GSC	.15	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210	GSC	.13	.01	7D	25	AIR	ENCAPSULANT
RTV 615 A/B AS 10/1 BW DEVOL AT 125C LOT KA210 BTCH4	GSC	.19	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH1	GSC	.17	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH2	GSC	.15	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT BC226 BTCH3	GSC	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH6	GSC	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL AT 140C LOT KA210 BTCH7	GSC	.20	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 1	GSC	.15	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT BF230 BATCH 2	GSC	.21	.10	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 1	GEC	.16	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 4	GSC	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 6	GSC	.11	.02	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 7	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 8	GSC	.15	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH 9	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CB237 BATCH11	GSC	.20	.09	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 1	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 2	GSC	.16	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 3	GSC	.20	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH 4	GSC	.20	.09	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH10	GSC	.18	.08	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH101	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH102	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH103	GSC	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH11	GSC	.12	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH12	GSC	.13	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH13	GSC	.19	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH14	GSC	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH15	GSC	.14	.03	7D	25	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH16	GSC	.15	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH17	GSC	.18	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH18	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH19	GSC	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH20	GSC	.18	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH22	GSC	.17	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BATCH23	GSC	.15	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT CD239 BCH21-7/24-7	GSC	.21	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 1	GSC	.16	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 2	GSC	.17	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 3	GSC	.11	.06	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 4	GSC	.13	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT DK248 BATCH 5	GSC	.16	.05	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 1	GSC	.11	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EB250 BATCH 2	GSC	.10	.03	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW DEVOL LOT EG253 BATCH 1	GSC	.22	.07	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 125C	GSC	.12	.04	7D	25	AIR	POTTING
RTV 615 A/B AS 10/1 BW LOT JG202 DEVOL AT 150C	GSC	.11	.01	7D	25	AIR	POTTING
RTV 615 A/B AS 9/1 BW DEVOL AT 150C	GSC	.16	.02	7D	25	AIR	POTTING
RTV 616 A/B AS 10/1 BW DEVOL LOT DC170 BATCH 1	GSC	.30	.03	7D	25	AIR	POTTING
RTV 655 A/B AS 10/1 BW DEVOL AT 125C LOT KF084	GSC	.39	.05	7D	25	AIR	ENCAPSULANT
RTV 655 A/B AS 10/1 BW DEVOL LOT KF084 BATCH 1	GSC	.51	.08	7D	25	AIR	POTTING
RTV 670 A/B AS 10/1 BW DEVOL LOT CM206 BATCH 1	GSC	.06	.02	12H	65	AIR	POTTING
R9-2039/H2-3404 AS 9/1 BW EPOXY	HYS	.64	.00	1H	80	AIR	POTTING
				5M	100	AIR	
				30M	150	AIR	
S-13-G-LO-1 WHITE PAINT L-048 IITRI	ITR	.30	.01	21D	25	AIR	PAINT
SCOTCHCAST XR-5133 EPOXY CASTING POWDER	MMM	.42	.01	30M	149	AIR	POTTING
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.55	.01	16H	25	AIR	POTTING
				24H	60	E-3	
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.25	.02	24H	50	AIR	POTTING
SCOTCHCAST 221 A/B AS 5/8 BW POLYURETHANE	MMM	.71	.05	72H	25	AIR	POTTING
SCOTCHCAST 250 A/B AS 1/1 BW EPOXY BROWN	MMM	.65	.00	24H	75	AIR	IMPREGNANT
SCOTCHCAST 255 A/B AS 2/3 BW EPOXY	MMM	.52	.05	4H	120	AIR	POTTING
SCOTCHCAST 281 A/B AS 2/3 BW BLACK EPOXY	MMM	.56	.08	4H	130	AIR	POTTING
SCOTCHCAST 281 A/B AS 2/3 BW GRAY EPOXY	MMM	.35	.02	12H	100	AIR	POTTING
				72H	150	AIR	
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	MMM	.49	.10	16H	90	AIR	POTTING
SCOTCHCAST 282 A/B AS 2/3 BW SEMI RIGID BLACK EPOXY	MMM	.45	.09	16H	90	AIR	POTTING
				8H	66	E-5	
SHUR-LOK SLE 3007 EPOXY - GRAY	SLK	.32	.00	12H	25	AIR	POTTING
				8H	65	AIR	
				8H	121	AIR	
SOLITHANE 113/300	TCC	.40	.09	16H	65	AIR	POTTING
SOLITHANE 113/300 AS 100/120 BW FORMULA 6	TCC	.41	.10	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	TCC	.37	.08	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/150 BW FORMULA 7	TCC	.31	.04	16H	50	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW FORMULA 1	TCC	.31	.04	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/73 BW 33% ALUM PIGMENT	TCC	.69	.09	7D	25	AIR	POTTING
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	TCC	.30	.01	24H	50	AIR	POTTING
SOLITHANE 113/300 FORMULA 6 OVER PRIMER 919/920	TCC	.72	.03	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/RODAMINE B/T-12	TCC	.47	.00	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL MS5/T-12	TCC	.42	.01	7D	25	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SOLITHANE 113/300/CABOSIL MS5/T-12/FLUORESCENT DYE	TCC	.46	.04	7D	25	AIR	POTTING
SOLITHANE 113/300/CABOSIL/T-12/BLUE DYE	APL	.44	.08	3H	60	AIR	POTTING
SOLITHANE 113/300/DTDL AS 100/80/1 BW	TCC	.66	.09	15H	50	AIR	POTTING
SOLITHANE 113/300/M-5 AS 10/7.4/1 BW	TCC	.37	.02	48H	40	AIR	POTTING
SOLITHANE 113/300/M-5/TC-700	TCC	.91	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/T-12 AS 25/18.25/1 DROP BW	TCC	.37	.01	7D	25	AIR	POTTING
SOLITHANE 113/300/TIPA/ALUMINA T61	TCC	.14	.01	4H	60	AIR	ADHESIVE
SOLITHANE 113/300/TRACER-TECH T-704/80	SLM	.36	.02	7D	25	AIR	POTTING
SOLITHANE 113/300/ZNO AS 20/14.6/1 BW	TCC	.44	.04	20H	66	AIR	POTTING
SOLITHANE 113/300/328 AS 100/44/6 BW FORMULA 11	TCC	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328 AS 100/51/4.5 BW FORMULA 10	TCC	.34	.00	16H	70	AIR	POTTING
SOLITHANE 113/300/328/B 35A GLASS BUBBLES	TCC	.21	.00	21D	25	AIR	POTTING
SOLITHANE 113/300/328/ECCOSPHERES SI	TCC	.53	.00	16H	57	AIR	POTTING
SPECTRUM 2000 FMG GREEN ACRYLIC VISIBLE LIGHT CURE	KEN	.78	.01				POTTING
STYCAST CPC-41 A/B AS 5/6 BW POLYURETHANE	EMC	.39	.04	7D	25	AIR	POTTING
STYCAST 1090-SI/24LV AS 100/23 BW EPOXY FOAM	EMC	.74	.09	16H	25	AIR	FOAM
				6H	65	AIR	
STYCAST 1090/11 AS 100/12 BW EPOXY FOAM	EMC	.49	.06	24H	100	AIR	FOAM
STYCAST 1090/9 AS 10/1 BW EPOXY FOAM	EMC	.46	.06	30D	25	AIR	FOAM POTTING
STYCAST 1095/11 AS 100/12 BW EPOXY FOAM	EMC	.38	.04	3H	95	AIR	FOAM
				3H	150	AIR	
STYCAST 1095/9 AS 100/9 BW BLACK EPOXY FOAM	EMC	.72	.07	16H	25	AIR	FOAM-POTTING
STYCAST 1467/CAT 9 AS 100/7 BW EPOXY	EMC	.14	.00	16H	25	AIR	POTTING
				1H	77	AIR	
STYCAST 2057/CAT 9 AS 100/6 BW EPOXY	EMC	.72	.01	24H	25	AIR	POTTING
STYCAST 2651-40/CAT 11 AS 10/1 BW BLACK EPOXY	EMC	.55	.01	2H	100	AIR	POTTING
				4H	125	AIR	
STYCAST 2651-40/CAT 11 AS 100/11 BW BLACK EPOXY	EMC	.43	.01	4H	80	AIR	POTTING
				4H	150	AIR	
				4H	175	AIR	
STYCAST 2651-40/CAT 9 AS 100/9 BW BLACK EPOXY	EMC	.31	.03	16H	25	AIR	POTTING
				4H	75	AIR	
STYCAST 2651/CAT 11 EPOXY	EMC	.14	.00				POTTING
STYCAST 2651/CAT 9 EPOXY	EMC	.37	.03	8H	25	AIR	POTTING
STYCAST 2662/CAT 14 AS 4/1 BW BLACK EPOXY	EMC	.63	.00	2H	120	AIR	POTTING
STYCAST 2762/14 AS 25/2 BW BLACK EPOXY	EMC	.27	.08	3H	149	AIR	POTTING
STYCAST 2850FT/9 AS 100/3 BW EPOXY	EMC	.25	.01				POTTING
STYCAST 2850FT/11 AS 100/3 BW BLACK EPOXY	EMC	.40	.01	20H	70	AIR	POTTING
STYCAST 2850FT/11 AS 20/1 BW BLACK EPOXY	EMC	.47	.01	2H	60	AIR	POTTING
				30M	120	AIR	
				30M	160	AIR	
				2H	200	AIR	
STYCAST 2850FT/11/9 AS 100/3/1.5 BW BLUE EPOXY	EMC	.40	.00	4H	60	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	EMC	.58	.03	24H	25	AIR	POTTING
STYCAST 2850FT/23LV AS 100/7.5 BW BLUE EPOXY	EMC	.49	.01	2H	63	AIR	POTTING
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.55	.02	24H	25	AIR	POTTING
				2H	65	AIR	
STYCAST 2850KT/24LV AS 25/1 BW BLUE EPOXY	EMC	.34	.01	16H	65	AIR	POTTING
STYCAST 2851KT ONE COMP BLUE THERM COND EPOXY	EMC	.29	.04	2H	105	AIR	POTTING
STYCAST 3050/11/B40A MICROBALLOONS	GSC	.75	.01	72H	25	AIR	POTTING
				90M	126	AIR	
TRA-CON EPON 815/Z BIPAX KIT	TRA	.81	.00				POTTING
TRUCAST 111/901 AS 100/3.4 BW	FEN	.36	.01	24H	25	AIR	POTTING

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
TRUCAST 111M/TRUCURE 901 EPOXY	FEN	.60	.01	3H	66	AIR	POTTING
TU-0590/XHD-0158 AS 1/1 BW GREEN POLYURETHANE	HYS	.85	.02	4H	25	AIR	POTTING
				6H	50	AIR	
URALANE 5753-B-40 A/B AS 1/5 BW BLACK POLYURETHANE	FPI	.72	.01	7D	25	AIR	POTTING
URALANE 5753-40LV A/B AS 1/5 BW BLACK POLYURETHANE	FPI	.66	.01	3D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE	FPI	.87	.01	7D	25	AIR	POTTING
URALANE 5753LV A/B AS 1/5 BW POLYURETHANE/PRIMER PR1	FPI	.69	.02	14D	25	AIR	POTTING
VARY-FLEX EPOXY POLYAMIDE	SIP	.64	.01	24H	25	AIR	POTTING
				40M	121	AIR	
XR-5166 A/B AS 2/3 BW FLEXIBLE BLACK EPOXY	MMM	.51	.07	24H	70	AIR	POTTING
XTU-0021/XHD-0165 AS 1/1 BW BLACK POLYURETHANE	HYS	.87	.01	6H	25	AIR	POTTING
				4H	66	AIR	
XUS-0050 A/B AS 100/36 BW	HYS	.83	.01	24H	50	AIR	POTTING

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
AF-E-332-11 ETHYLENE PROPYLENE DERIVATIVE	TRW	.60	.08				BLADDER
AMS 3345 SILICONE RUBBER	AMS	.11	.04	48H	121	E-4	CUSHION
BTR RUBBER HD22-31	LOR	.39	.09	24H	250	AIR	DAMPER
				16H	82	AIR	
BTR RUBBER HD222-22-2 IN ALUMINUM SANDWICH	LOR	.28	.01				DAMPER
CFB 4012 FLUOROSILICONE COATED DACRON FABRIC	CHR	.45	.09				GASKET
CHO-SEAL 1212 SILVER FILLED SILICONE 125 GRADE	CHO	.07	.02	24H	177	AIR	GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.45	.10				GASKET
CHO-SEAL 1215 SILVER FILLED SILICONE 125 GRADE	CHO	.06	.01	24H	177	AIR	GASKET
CHO-SEAL 1217 SILVER FILLED FLUOROSILICONE 125 GRADE	CHO	.45	.01				GASKET
CHO-SEAL 1220 SILVER FILLED SILICONE 200 GRADE	CHO	.23	.08				GASKET
CHO-SEAL 1221 SILVER FILLED FLUOROSILICONE	CHO	.35	.02				GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.41	.10				GASKET
CHO-SEAL 1224 SILVER FILLED SILICONE AEROSPACE 200	CHO	.07	.04	24H	177	AIR	GASKET
CHO-SEAL 1236 REINFORCED SILICONE GASKET SEAL RED	CHO	.17	.05				GASKET
CHO-SEAL 1250 SILVER FILLED SILICONE	CHO	.15	.07				GASKET
CHO-SEAL 1285 ELEC COND SILICONE BLUE	CHO	.12	.05	24H	177	AIR	GASKET SEAL
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	CHO	.62	.09				RFI/EMI SHIELD
CHO-SEAL 1285 SILVER/ALUM FILLED SILICONE	CHO	.12	.01	24H	177	AIR	RFI/EMI SHIELD
CHO-SEAL 1287 AG COATED ALUM FILLED FLUOROSILICONE	CHO	.63	.03				GASKET
CHO-SEAL 2020 AG COATED ALUM FILLED SILICONE BLUE	CHO	.29	.06				GASKET
CHO-SIL 1485 AG COATED ALUM FILLED SILICONE	CHO	.36	.08				GASKET
CHO-THERM 1671 THERM COND SHEET - WHITE SILICONE	CHO	.04	.01	24H	175	AIR	ELASTOMER
CHO-THERM 1678 THERM COND SHEET PINK W/ADH FILM/F	CHO	.43	.10				THERM CONTROL
COHRLASTIC RUBBER R10470 SILICONE SPONGE	CHR	.10	.03	24H	204	AIR	DAMPER
COHRLASTIC RUBBER R10470 SILICONE SPONGE BROWN	CHR	.12	.05	24H	182	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	CHR	.17	.10	24H	177	AIR	DAMPER
COHRLASTIC R10450 GLASS REINF DARK GRAY SILICONE	CHR	.21	.08	24H	190	AIR	DAMPER
COHRLASTIC R10480 RED SILICONE SPONGE - SOFT	CHR	.16	.06	100H	100	E-6	DAMPER
COHRLASTIC 500 SILICONE RUBBER SHEET RED	CHR	.20	.02	24H	204	AIR	GASKET
CONSIL C COMPOUND 874 SILVER FILLED SILICONE	TEC	.06	.03	24H	175	AIR	GASKET
CONSIL 11 CPND 842 (FORMERLY CONSIL G)	TEC	.14	.09	24H	175	AIR	SHIELD
CV-1143 WHITE ONE PART SILICONE	MCG	.32	.03	7D	25	AIR	SEALANT
CV-2942 A/B AS 20/1 BW FILLED GRAY SILICONE	MCG	.13	.03	7D	25	AIR	THERM COND
CV-2943 A/B AS 500/1 BW FILLED GRAY SILICONE	MCG	.08	.01	7D	25	AIR	THERM COND
DC 6-1104	DCC	.19	.01	7D	25	AIR	SEALANT
DC 6-1104 LOT FM099313	DCC	.20	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA054437	DCC	.21	.07	7D	25	AIR	SEALANT
DC 6-1104 LOT GA054438	DCC	.21	.08	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083347	DCC	.16	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA083348	DCC	.15	.03	7D	25	AIR	SEALANT
DC 6-1104 LOT GA085876	DCC	.19	.07				SEALANT
DC 6-1104 LOT GA093568	DCC	.14	.02	7D	25	AIR	SEALANT
DC 6-1104 W/1% V-1232 BLUE FERRO DYE	DCC	.33	.03	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	DCC	.29	.01	24H	25	AIR	SEALANT
DC 6-1104 W/1% V-1936 YELLOW FERRO DYE	DCC	.21	.03	24H	25	AIR	SEALANT
DC 6-1104 W/10% V-1747 BLACK FERRO DYE	DCC	.42	.07	24H	25	AIR	SEALANT
DC 6-1104CV LOT FM119336	DCC	.13	.02	45D	25	AIR	SEALANT
DC 6-1106 A/B AS 10/1 BW SILICONE	DCC	.09	.01	7D	25	AIR	SEALANT
DC 6-1126 ONE COMPONENT BLACK SILICONE	DCC	.19	.03	7D	25	AIR	SEALANT
DC 93-500 A/B AS 10/1 BW W/BORON NITRIDE AS 3/2 BW	GSC	.27	.02	7D	25	AIR	THERMAL COND

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
DC 955 SILICONE ELASTOMER PEROXIDE CAT DI CUP 40C	DCC	.15	.00	15M	160	AIR	ELASTOMER
				6H	177	AIR	
				24H	175	E-4	
DE 100 SILICONE RUBBER GE SE 565 BASE	DEC	.05	.02	4H	177	AIR	SILICONE
				5H	204	AIR	
				30M	232	AIR	
ECCOSIL 4954/CAT 50 AS 10/0.01 BW FILLED SILICONE	EMC	.24	.10	7D	25	AIR	THERM CONTROL
ECD 006 PERFLUOROELASTOMER	DUP	.14	.00				SEAL-GASKET
ECD 487-90 FLUOROELASTOMER	DUP	.51	.00				SEAL
EMC 14107-01-445 GLASS FILLED POLYESTER AQUA	ELC	.23	.04				MOLD CPND
EMC 15108-01-446 GLASS FILLED POLYESTER AQUA	ELC	.19	.01				MOLD CPND
FLUOROSILICONE GASKET WHITE THREE PART SYSTEM	BEN	.41	.05	8H	200	AIR	GASKET
FLURAN F5000 BLACK FLUOROELASTOMER TUBING	NPC	.16	.03				TUBING
FLURAN F5005 VITON A RED TUBING	NPC	.53	.00				TUBING
GORE-TEX CARBON DOPED EXPANDED TEFLON - GRAY	GOR	.05	.00				DAMPER
GORE-TEX DOPED TIO2/CARBON AS 9/1 BW - GRAY/WHITE	GOR	.18	.03				DAMPER
GORE-TEX JOINT SEALANT	WLG	.05	.01				GASKET-SEALANT
GORE-TEX MODIFIED DOPED WITH CARBON - BLACK	GOR	.10	.01				DAMPER
GROMMET MIL ZZR765 CL2 GR50 BLACK SILICONE	AIR	.11	.02	24H	200	AIR	GROMMET
GROMMET MS35489-38X SILICONE MIL-ZZR765	MCO	.15	.06	24H	200	AIR	GROMMET
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.12	.00	7.5H	255	AIR	CONN INSUL
HS 50/VAROX/RUBBER ADDITIVES BLUE CONNECTOR INSUL	DCC	.13	.01	4H	204	AIR	CONN INSUL
				8.5H	260	AIR	
HYTREL 4055 POLYESTER/ANTI-OXIDANT	DUP	.22	.08				ELASTOMER
IMPALENE TUBING STABILIZED POLYPROPYLENE	IMP	.29	.04				TUBING
INTERFACIAL SEAL SILICONE UC-K-1314	UCC	.21	.06	26H	125	AIR	SEAL
KALREZ 1050 PERFLUOROELASTOMER	DUP	.44	.00				O RING
KALREZ 3018 PERFLUOROELASTOMER	DUP	.40	.00				O RING
KIRKHILL SILICONE SPONGE RUBBER	KRC	.23	.10	24H	177	AIR	GASKET
MOSITES 1028 BLACK FLUOREL SPONGE RUBBER	MOS	.30	.08	96H	125	AIR	CUSHION
MOSITES 1028 SPONGE	MOS	.21	.00				CUSHION
MOSITES 1059 FLUOREL FLUOROCARBON ELASTOMER	MOS	.05	.00				ELASTOMER
MOSITES 1079K FLUOREL FLUOROCARBON ELASTOMER	MOS	.24	.10				ELASTOMER
MS-20L08	MOX	.04	.00				ELASTOMER
MS-30C02	MOX	.07	.05				ELASTOMER
O RING - VITON A	AMI	.21	.03				O RING
PARKER O-RING E-962-85 ETHYLENE PROPYLENE	PSC	.65	.02				O-RING
PARKER O-RING L-677-7 RED FLUOROSILICONE	PSC	.07	.03	8H	200	AIR	O-RING
PARKER O-RING L-806-80 BLUE FLUOROSILICONE	PSC	.32	.03				O-RING
PARKER O-RING S-383-70 RED SILICONE	PSC	.17	.01				O-RING
PARKER O-RING S-455-70 RED SILICONE	PSC	.18	.02				O-RING
PARKER O-RING S-613-60 RED SILICONE	PSC	.22	.09	24H	175	AIR	O-RING
PARKER O-RING S-641-5 SILICONE	PSC	.29	.09				O-RING
PARKER O-RING V-747-75 VITON DUP E60C FLUOROCARBON	PSC	.10	.00				O-RING
PARKER O-RING 77-545 VITON A	PSC	.35	.02				O-RING
PARKER SEAL S 1808-50 GREEN SILICONE	PSC	.11	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				24H	249	AIR	
PR 1710 POLYSULFIDE SEALANT	PRC	.66	.04	16H	25	AIR	SEALANT
				2H	121	AIR	
PRP 11165 SILICONE O-RING	PRP	.30	.04				O-RING
RR 423 SILICONE RUBBER	RRC	.11	.02	24H	232	AIR	SEAL
RTV 136 SILICONE	GEC	.25	.03	24H	25	AIR	SILICONE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
SE 456/TS-50 SILICONE - TAN	GEC	.10	.01	16H	238	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GEC	.22	.07	4H	204	AIR	MOLD CPND
SE 456/TS-50 SILICONE - TAN	GEC	.17	.02	8H	238	AIR	MOLD CPND
SE 5211 U LOW TEMP SILICONE	GEC	.08	.02	4H	249	AIR	GASKET
SE 557/VAROX AS 100/0.3 BW GRAY SILICONE	GEC	.09	.02	4M	188	AIR	SEAL
				2H	177	AIR	
				16H	249	AIR	
SILASTIC 35	DCC	.14	.06	24H	249	AIR	SILICONE
SILASTIC 675 SILICONE	DCC	.41	.04	5M	116	PSI	SEAL-GASKET
				24H	250	AIR	
SILASTIC 69-210 LOT EU 103007	DCC	.02	.00	16H	250	AIR	COATING
SILASTIC 75 SILICONE	DCC	.29	.09	3H	204	AIR	VALVE SEAT
SILASTIC 916	DCC	.40	.00	24H	249	AIR	SILICONE
SILICONE RUBBER MIL ZZ-R-765 CLASS 2 GRADE 50 - GRAY	FCC	.11	.06	16H	200	AIR	GASKET
SILICONE RUBBER UNION CARBIDE	UCC	.10	.09	24H	232	AIR	SILICONE
SILICONE RUBBER 16254 GRAY SHEET	FCC	.14	.07	6H	204	AIR	CUSHION
SILICONE RUBBER 950-C-15-69 GRAY	KRC	.08	.02	24H	175	AIR	CUSHION
				24H	195	E-2	
SILICONE SPONGE RUBBER 9-S-603 GRAY MODIFIED	KRC	.38	.03	24H	249	AIR	DAMPER
SLM 71271 A/B AS 9/1 BW RED SILICONE	WAC	.49	.04	7D	25	AIR	SEALANT
SMRD 100B50P2	GEV	.47	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 100F90P2	GEV	.83	.05	24H	121	AIR	DAMPER
				96H	135	E-6	
SMRD 1010 VAC BAKE	GEV	.91	.02	6H	121	AIR	DAMPER
SMRD 1010/STRIPPED RESIN/VAC BAKE	GEV	.99	.04	6H	121	AIR	DAMPER
SMRD 1014 VAC BAKE	GEV	.91	.03	6H	121	AIR	DAMPER
SOLITHANE 113/300 AS 100/80 BW FORMULA 2	TCC	.36	.01	7D	25	AIR	DAMPER
SOLITHANE 113/300/CABOSIL M5/CARBOLAC 1	TCC	.43	.03	7D	25	AIR	SEALANT
SPONGE RUBBER SILICONE AMS 3195 0.031#/CU IN	SRC	.07	.00	22H	177	AIR	DAMPER
SR 2702-75 VITON PER MIL R83248 TYPE 2 CLASS 1	STI	.16	.00				DUST SEAL
SR 2724-75 VITON E-60	STI	.46	.00	24H	260	AIR	SEAL
SR 634-70 BUTYL O RING STILLMAN RUBBER	SIS	.93	.10				O RING
TC 100 FILLED BLUE SILICONE	CHR	.07	.02	5M	121	AIR	GASKET
				4H	204	AIR	
TECKNIT 72-00005 SILVER FILLED ACETATE	TEC	.21	.02	7D	25	AIR	CAULK/GASKET
TECKNIT 86-10005 BLACK RUBBER GASKET/O RING	TEC	.09	.04	24H	175	AIR	GASKET/O RING
THERMACOTE 250 THERMAL JOINT CPND	THE	.09	.02				SEALANT
TORR SEAL A/B AS 1/1 BV	VAR	.84	.00	24H	25	AIR	ADH SEALANT
TUBING-SILICONE-RED GRADE 60 CL2 SPEC ZZR765	MET	.09	.04	24H	166	AIR	TUBING
UDRI-3 ACRYLIC COPOLYMER/GRAPHITE/CARBON BLACK	GEV	.58	.03				DAMPER
V-700075/BENZOYL PEROXIDE AS 100/1 BW	RES	.47	.01	10M	93	AIR	TUBE
VALCOR O RING - RTV 75	DCC	.25	.09				O RING
VITON A	DUP	.21	.02				SEAL
VITON A O RING NAS 1593-012	DUP	.21	.02				O RING
VITON B	AGI	.89	.00				GROMMET
VITON B DUPONT	DUP	.86	.04				SEAL
VITON B-525 FOAM RUBBER BLACK CLOSED CELL	INR	.33	.06	16H	204	AIR	FOAM DAMPER
VITON C HOSE	DUP	.30	.03				TUBING
VITON IMPREGNATED DACRON DUPONT 84-001	DUP	.85	.09				DAMPER
VITON V14 BLACK BATCH 64135 CARBON BLACK	FEM	.17	.01				SEAL
VITON V31 WHITE BATCH 50592 ZNO	FEM	.46	.05				SEAL
VITON V31 WHITE BATCH 50592 ZNO	FEM	.22	.01				SEAL

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
WASHER POLYPHENYLENE SULFIDE 40% GLASS FILLED	THE	.08	.01				WASHER

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHO-FOIL 101 COPPER FOIL/ADHESIVE/F	CHO	.04	.00				COND FOIL TAPE
FASCAL 715 CHROME METALIZED MYLAR/ACRYLIC ADH/R	APF	.36	.03	16H	65	AIR	TAPE-FILM
FIBERMAT TAPE 2540 NO ADHESIVE	MMM	.34	.06				TAPE
FLORMEL TAPE 404 ALUM FOIL	FLL	.11	.01				TAPE
FLUORGLAS TAPE 2342-1R KAPTON/ACRYLIC ADH/F	OMG	.83	.03				TAPE
G 400201 TAPE ALUMINIZED TEFLON/Y966 ADH/F	GTS	.27	.00				TAPE
G 406400 TAPE AU COATED KAPTON/ACRYLIC ADH/F	GTS	.75	.01				TAPE
G 408150 SILVER/TEFLON/INCONEL/SILICONE ADH	GTS	.20	.09				TAPE
G-400/100 TAPE/S	GTS	.94	.00				TAPE
GT 100 TAPE MYLAR COMPOSITE AS MYLAR/GT 100/MYLAR	GTS	.25	.08	5M	149	AIR	TAPE COMPOSITE
KAPTON H FILM - ALUMINIZED W/MMM 467 ADH/F	MMM	.80	.04	24H	100	E-5	TAPE
LAMART TAPE 892 ALUM FOIL	LAM	.21	.01				TAPE
MMM TAPE X-1181 COPPER FOIL/ACRYLIC ADH/F (ECC4868P)	MMM	.31	.04				TAPE
MMM TAPE X-1205 KAPTON/ACRYLIC ADH/F	MMM	.38	.02	1H	125	AIR	TAPE
MMM TAPE X-1267 EMBOSS AL/ACRYL ADH/F BAKE ON SCREEN	MMM	.20	.05	16H	120	E-2	TAPE
MMM TAPE Y-8437 ALUM/MYLAR/ACR ADH/F (FORMER Y-9360)	MMM	.68	.02				TAPE
MMM TAPE Y-9224 TEFLON FEP/ACRYLIC ADH/R	MMM	.18	.03				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 2-2UAL	MMM	.80	.02				TAPE
MMM TAPE Y-9339 ALUM FOIL/ACRYLIC ADH/R TYPE 3-3UAL	MMM	.20	.00				TAPE
MMM TAPE Y-9360 ALUM/MYLAR/ACRYLIC ADH/R	MMM	.54	.01				TAPE
MMM TAPE Y-9460 ISOTAC ACRYLIC TRANSFER FILM 2 MIL/F	MMM	.85	.00				TRANSFER TAPE
MMM TAPE Y-967 TRANSFER FILM ACRYLIC/FOIL SANDWICH	MMM	.81	.01				TRANSFER TAPE
MMM TAPE 1245 EMBOSSED COPPER FOIL/ACRYLIC ADH/F	MMM	.20	.05				TAPE
MMM TAPE 415 SCOTCHPAR FILM/2 SIDE ACRYLIC ADH/F	MMM	.91	.01				2 SIDED TAPE
MMM TAPE 420 5 MIL LEAD FOIL/RUBBER BASE ADH/F	MMM	.09	.00				TAPE
MMM TAPE 422 LEAD FOIL/ACRYLIC ADH/F	MMM	.05	.00				TAPE
MMM TAPE 425 ALUM FOIL/SYNTHETIC ADH	MMM	.24	.03				TAPE
MMM TAPE 425 3 MIL ALUM FOIL/ACRYLIC ADH/F	MMM	.20	.01				TAPE
MMM TAPE 467 TRANSFER FILM ACRYLIC/FOIL SANDWICH	MMM	.88	.02	24H	75	AIR	TRANSFER TAPE
MMM TAPE 467NBA FIBER IMBED ACRYLIC TRANS FILM/F	MMM	.83	.04				TRANSFER TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/F	MMM	.57	.09				TAPE
MMM TAPE 5 POLYESTER/ACRYLIC ADH/R	MMM	.56	.00				TAPE
MMM TAPE 5411 KAPTON/SILICONE ADH/F	MMM	.58	.03	1H	125	AIR	TAPE
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	MMM	.14	.07	3H	260	AIR	TAPE
MMM TAPE 61 TEFLON TFE/THERMOSET SILICONE ADH/R	MMM	.33	.09				TAPE
MMM TAPE 63 TEFLON TFE/THERMOSET ACRYLIC ADH/R	MMM	.33	.03				TAPE
MMM TAPE 65 TEFLON TFE/ACRYLIC ADH/R	MMM	.29	.08				TAPE
MMM TAPE 70 SILICONE RUBBER TAPE/SILICONE ADH/R	MMM	.40	.07	24H	121	E-3	TAPE
MMM TAPE 79 GLASS CLOTH/ACRYLIC ADH/F	MMM	.54	.07				TAPE
MMM TAPE 850 ALUMINIZED POLYESTER/ACRYLIC ADH/R	MMM	.68	.09				TAPE
MMM TAPE 850 BLACK MYLAR/ACRYLIC ADH/R	MMM	.77	.02				TAPE
MMM TAPE 850 MYLAR/ALUMINIZED/CLEAR ACRYLIC ADH/F	MMM	.74	.03				TAPE
MMM TAPE 850 MYLAR/RED ACRYLIC ADH/F	MMM	.77	.02				TAPE
MMM TAPE 850 MYLAR/WHITE ACRYLIC ADH/F	MMM	.48	.04				TAPE
MMM TAPE 850 TRANSPARENT POLYESTER/ACRYLIC ADH/F	MMM	.61	.08				TAPE
MMM TAPE 852 ALUM/MYLAR/ACRYLIC ADH/F	MMM	.79	.02				TAPE
MYSTIK TAPE 4053TLC ALUM MYLAR FILM/ACRYLIC ADH/R	BCM	.41	.06				TAPE
MYSTIK TAPE 6401 POLYESTER FILM/ACRYLIC ADH/F	BCM	.51	.03				TAPE
MYSTIK TAPE 7341 POLYESTER/ACRYLIC ADH/R	BCM	.23	.04				TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.25	.03	48H	150	E-5	TAPE
MYSTIK TAPE 7361 KAPTON/SILICONE ADH/F	BCM	.19	.03	24H	150	E-5	TAPE
MYSTIK TAPE 7362 KAPTON/SILICONE ADH/F	BCM	.65	.03	48H	100	E-6	TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH	BCM	.63	.04				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	BCM	.69	.02				TAPE
MYSTIK TAPE 7367 KAPTON/ACRYLIC ADH/F	BCM	.65	.02	24H	93	AIR	TAPE
MYSTIK TAPE 7375 TEDLAR/ACRYLIC ADH/R WHITE	BCM	.34	.00				TAPE
MYSTIK TAPE 7420 COPPER FOIL/ACRYLIC ADH/R	BCM	.21	.01				TAPE
MYSTIK TAPE 7430 4.5 MIL LEAD FOIL/RUBBER ADH/F	BCM	.24	.06				TAPE
MYSTIK TAPE 7452 ALUM FOIL/ACRYLIC ADH/R	BCM	.25	.03				TAPE
MYSTIK TAPE 7453 ALUM FOIL/ACRYLIC ADH/R	BCM	.09	.00				TAPE
MYSTIK TAPE 7505 TEFLON/SILICONE ADH/F	BCM	.21	.08				TAPE
PERMACEL TAPE EE-7240 GLASS CLOTH/ACRYLIC ADH/R	PER	.45	.03				TAPE
PERMACEL TAPE EE-7390 MYLAR FILM/ACRYLIC ADH/R	PER	.71	.02				TAPE
PERMACEL TAPE P280 CLEAR POLYESTER/ACRYLIC ADH/F	PER	.50	.06				TAPE
PERMACEL TAPE 213 GLASS CLOTH/ACRYLIC ADH/F	PER	.47	.02				TAPE
PERMACEL TAPE 224 KAPTON/ACRYLIC ADH/F	PER	.60	.01				TAPE
PERMACEL TAPE 422 TEFLON/SILICONE ADH/R	PER	.25	.09				TAPE
SB 1020 GLASS REINFORCED SILICONE RUBBER TAPE	MOX	.25	.05	16H	125	E-2	TAPE
STRIP-N-STICK 200A RED SILICONE SPONGE/ACRYLIC ADH/F	CHR	.30	.10				TAPE
TEMP-R-TAPE C-400 TEFLON FEP/SILICONE ADH/R	CHR	.27	.09				TAPE
TEMP-R-TAPE C-661 COPPER FOIL/ACRYLIC ADH/F	CHR	.15	.01				TAPE
TEMP-R-TAPE C-662 ALUM FOIL/ACRYLIC ADH/F	CHR	.21	.02				TAPE
TEMP-R-TAPE C-665 CU FOIL/ACRYLIC ADH/F	CHR	.07	.02				TAPE
TEMP-R-TAPE G-550 FIBERGLASS/ACRYLIC ADH/F	CHR	.30	.05				TAPE
TEMP-R-TAPE G-557 SILICONE COAT FIBERGLASS/SIL ADH/F	CHR	.14	.02	4H	205	AIR	TAPE
TEMP-R-TAPE G-569 FIBERGLASS/ACRYLIC ADH/F	CHR	.32	.05				TAPE
TEMP-R-TAPE HM-225 TEFLON TFE/SILICONE ADH/F	CHR	.22	.10				TAPE
TEMP-R-TAPE HM-430 TEFLON TFE/ACRYLIC ADH/F	CHR	.14	.02				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/F	CHR	.14	.07				TAPE
TEMP-R-TAPE HM-650 TEFLON TFE/SILICONE ADH/R	CHR	.19	.08				TAPE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	CHR	.65	.01				TAPE
TEMP-R-TAPE K-102 KAPTON/ACRYLIC ADH/F	CHR	.78	.01				TAPE
TEMP-R-TAPE K-103 KAPTON/ACRYLIC ADH/F	CHR	.84	.03				TAPE
TEMP-R-TAPE M-60/TRANSPARENT POLYESTER/ACRYLIC ADH/F	CHR	.48	.04				TAPE
TEMP-R-TAPE M-69 MYLAR FILM/2 SIDE ACRYLIC ADH/F	CHR	.63	.02				2 SIDED TAPE
TEMP-R-TAPE M-705 POLYESTER FILM/BLACK ACRYLIC ADH/F	CHR	.76	.06				TAPE
TEMP-R-TAPE M-706/WHITE POLYESTER/FR ACRYLIC ADH/F	CHR	.41	.04				TAPE
TEMP-R-TAPE M-97 MYLAR/ACRYLIC ADH/YELLOW/F	CHR	.52	.07				TAPE
TEMP-R-TAPE M-99 MYLAR/ACRYLIC ADH/F YELLOW	CHR	.37	.05				TAPE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
CHOMERICS 4220 SILVER FILLED SILICONE GREASE	CHO	.57	.10				COND GREASE
CV-9042 WHITE THERMAL COND SILICONE GREASE	MCG	.11	.02				THERMAL GREASE
C6-1102 SILICONE GREASE	DCC	.05	.02				THERMAL GREASE
ECCOTHERM TC 4 FILLED HEAT SINK GREASE	EMC	.54	.05				THERM GREASE
ECCOTHERM TC-5 FILLED HEAT SINK GREASE	EMC	.50	.10				THERM GREASE
G-641 INSULGREASE	GEC	.16	.07				THERMAL GREASE
G-9042 THERMAL GREASE - WHITE SILICONE	MCG	.05	.00				THERMAL GREASE
G-9052 ELEC CONDUCTIVE GREASE - BLACK SILICONE	MCG	.05	.01				COND GREASE
X5-8003 WHITE SILICONE THERMAL GREASE	DCC	.12	.06				THERMAL GREASE

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
ALUMINIZED MYLAR 100M42	STC	.13	.01				REFLECTOR
ALUMINIZED MYLAR/DACRON DUPONT ADH 46960	ZZZ	.46	.09				COND FILM
ARMSTRONG A-31 A/B AS 6/4 BW EPOXY	APC	.56	.03	2H	60	AIR	ADHESIVE
B-010 UNBONDED B FIBER	JOM	.21	.01				INSULATION
B-010 UNBONDED B FIBER	JOM	.07	.00	1H	482	AIR	INSULATION
BORON NITRIDE - HEAT SINK WASHER	UCC	.12	.00				WASHER
CROFON LIGHT COND CLEAR NO JACKET	DUP	.37	.08				FIBER OPTIC
CROFON 1 COND/JACKET YELLOW CODE	DUP	.23	.05				FIBER OPTIC
CROFON 1 YELLOW CODED JACKET ONLY	DUP	.26	.08				FIBER OPTIC
CROFON 3 COND/JACKET GREEN CODE	DUP	.26	.06				FIBER OPTIC
CROFON 4 COND/JACKET PURPLE CODE	DUP	.27	.04				FIBER OPTIC
CROFON 5 COND/JACKET BLUE CODE	DUP	.23	.02				FIBER OPTIC
CV-2500 UNCURED MONOMER LOT 1028	MCG	.10	.02				DAMPER FLUID
DC 2106 SILICONE RESIN	DCC	.06	.02				SILICONE
DC 93-500 UNCURED MONOMER LOT E2467-133	DCC	.06	.02				DAMPER FLUID
DUOCEL ALUMINUM FOAM 10 PPI 6-8% DENSITY	ERG	.03	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 20 PPI 6-8% DENSITY	ERG	.03	.01				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 50% DENSITY	ERG	.11	.00				STRUCTURAL
DUOCEL ALUMINUM FOAM 40 PPI 6-8% DENSITY	ERG	.03	.00				STRUCTURAL
DYNA-FELT REFRACTORY FIBER FELT - ETOH WASH	JOM	.09	.01				FELT
DYNA-FLEX REFRACTORY FIBER FELT	JOM	.13	.05				FELT
ECCOMOLD 66A EPOXY - MOLD AT 135C AND 420 PSI	EMC	.49	.06	1H	118	AIR	STRUCTURAL
ECCOSORB AN 74 METHANOL WASH - 3	EMC	.51	.05	21H	100	AIR	ABSORBANT
EPON 828/VERSAMID 125/MD AS 100/21/13 BW EPOXY	SHL	.70	.01	4H	71	AIR	ADHESIVE
EPON 929 EPOXY	SHL	.60	.00	1H	149	AIR	ADHESIVE
FIBER OPTIC BUNDLE	RSI	.03	.00				FIBER OPTIC
FIBER OPTIC CABLE OC-100	BRX	.27	.07				FIBER OPTIC
FIBER OPTIC CABLE OC-1050 4 PART SYSTEM	BRX	.09	.02				FIBER OPTIC
FIBER OPTIC CABLE 5030ST - NO SILICONE	PIR	.28	.07				FIBER OPTIC
FMD 60-FURF FIBERGLASS BATTING	OII	.69	.01				INSULATION
FORMVAR MAGNET WIRE COATING 105 DEG C USE	ZZZ	.23	.04				WIRE COATING
F6-1100 CONTROLLED VOLATILITY FLUID	DCC	.07	.04				SILICONE FLUID
F6-1101 CONTROLLED VOLATILITY FLUID	DCC	.05	.03				SILICONE FLUID
F6-1105 CONTROLLED VOLATILITY FLUID	DCC	.07	.06				SILICONE FLUID
F6-1107 CONTROLLED VOLATILITY FLUID	DCC	.11	.07				SILICONE FLUID
GFRP TUBE	ZZZ	.68	.02				STRUCTURAL
GLASS/POLYESTER TUBE	POL	.54	.01				STRUCTURAL
GRAPHITE POGO AXF5Q HEAT TREATED	PGI	.00	.00				STRUCTURAL
HEATER KAPTON TS Q-9485	STS	.58	.01				HEATER
HIGH K-707-L-9	GEC	.07	.00				DIELECTRIC
INSULATION BLANKET MULTILAYER	NMC	.61	.03				INSULATION
LAMINATE MAS-G-10-84	ZZZ	.37	.00				LAMINATE
LAMINATE REXOLITE 2200	ZZZ	.88	.00				LAMINATE
MAGNET FLEXIBLE STRIP MGO-1016	MMM	.34	.07				MAG HOLD DOWN
MICROLITE FELT AA 0.6#/CU FT W/SILICONE BIND-CENTER	JOM	.29	.09	1H 4H	260 330	AIR AIR	INSULATION
MIN-K TYPE SS HT INSULATION	JOM	.20	.00				INSULATION
MIN-K 1301 HT INSULATION	JOM	.51	.06				INSULATION
MMM TAPE ALUM/MYLAR/ALUM/ACRYLIC ADH/R (Y-9360)	MMM	.79	.06				TAPE
MS 224 MH5 MOLD RELEASE ON FOIL	MSI	.37	.08				MOLD RELEASE
NICKEL BLACK/ELECTROLESS PLATED ALUMINUM	GSC	.32	.04				COATING
NICKEL DULL PLATED ALUMINUM	GSC	.15	.03				COATING
NICKLE B GLOSSY PLATED ALUMINUM	GSC	.12	.05				COATING

SECTION 18 -- MISCELLANEOUS

MATERIAL	MFR CODE	%TML	%CVCM	CURE TIME	CURE TEMP	ATMOS	APPLICATION
NICKLE BLACK/COPPER/ALUMINUM	GSC	.28	.05				COATING
REFLECTOR RED STIMSONITE	SPD	.38	.01				REFLECTOR
ROD JANCO HIGH TEMPERATURE - BLUE	JAN	.60	.01				INSUL SHIM
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 10	GSC	.33	.01	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 15	GSC	.39	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 20	GSC	.30	.02	7D	25	AIR	POTTING
RTV 602/SRC 05 AS 0.25% CAT DEVOL BATCH 25	GSC	.57	.01	7D	25	AIR	POTTING
SAM SILICONE RESIN RIGIDIZED W/SILICA FIBERS	GEV	.20	.02	16H	204	AIR	ABLATIVE
SCOTCHMATE POLYESTER FASTENER HOOK/NAP	MMM	.39	.03				FASTENER
SE 5403 U	GEC	.10	.02	3H	204	AIR	SILICONE
S102 D10-10 FASTENER GRAY ANODIZE	DEL	.02	.01				FASTENER
TECKFELT 45-09810 UNFILLED SINT STAINLESS	TEC	.01	.00				FELT
TECKNIT 82-124571 SILICONE SPONGE W/SCREEN	TEC	.12	.02	48H	121	E-5	DAMPER
TECKNIT 82-124571/72-00002/82-124571 COMPOSITE	TEC	.05	.01	48H	121	E-5	DAMPER
THERMA-FILM 43-03-4 INSULATOR	THE	.08	.00				INSULATOR
VELCRO ASTRO H&L POLYESTER/GLASS-TEFLON/GLASS	VEL	.50	.02				FASTENER
VELCRO HI-GARD HOOK & PILE STAINLESS STEEL	VEL	.02	.00				FASTENER
VELCRO HI-GARD HOOKS STAINLESS STEEL	VEL	.02	.01				FASTENER
VELCRO HI-MEG SILVERED NYLON HOOK & LOOP	VEL	.83	.02				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE	VEL	.52	.00				FASTENER
VELCRO MIDTEMP FASTENER NOMEX/POLYIMIDE/EXTRACTED	VEL	.55	.00				FASTENER
VELCRO 100 POLYESTER HOOK AND LOOP	VEL	.54	.02				FASTENER
VELCRO 100-005-012-0199AB/100-101-012-0199AB H&L	VEL	.70	.02				FASTENER
VELCRO 1000-081-012-0199/1000-009-012-0199 WHITE	VEL	.40	.05				FASTENER
XR PERFLUOROSULFONIC ACID PRECURSOR TUBING	DUP	.03	.02				TUBING

APPENDIX

CODE LIST OF MANUFACTURERS

CODE LIST OF MANUFACTURERS

AAC ABLESTICK ADHESIVE CO., ABLETECH DIVISION, GARDENA,CA

AAI ANCHOR ALLOYS, INC., BROOKLYN, NY

AAP ADVANCED ABSORBER PRODUCTS, AMESBURY, MA

AAT ARNO ADHESIVE TAPES, INC., MICHIGAN CITY, IN

ABC ANDREW BROWN CO., LOS ANGELES CA

ABI AIRBORN, INCORPORATED, ADDISON, TX

ABR AMPHENOL CORP., DIV BUNKER RAMO, SCARBOROUGH, ONTARIO, CANADA

ACA AMERICAN CHAIN & CABLE CO., WATERBURY, CT

ACC AMERICAN CYANAMID COMPANY

BLOOMINGDALE DEPARTMENT, HAVRE DE GRACE, MD

FORMICA CORP., CINCINNATI, OH

PLASTICS & RESIN DIV., WALLINGFORD, CT

ACD ALLIED CHEMICAL & DYE CO., EDGEWATER NJ (CELATEX DIV)

ACE AMERICAN CHEMICAL & ENGINEERING CO., TORRINGTON, CT

ACH ACHESON COLLOIDS, PORT HURON, MI (DIV ACHESON INDUSTRIES, INC.)

ACI ACME CHEMICAL & INSULATION COMPANY, NEW HAVEN, CT

ACL ARMSTRONG CORK CO., LANCASTER, PA

ACM ALLIED CHEMICAL CORP., MESA PRODUCTS, LOS ANGELES, CA

ACO ADVANCED COATINGS & CHEMICALS, TEMPLE CITY, CA

ACP ACPO INC., FLORHAM PARK, NJ

ACR ACME RESIN CORP., FOREST PARK, IL

ACT ACTON RESEARCH CO., ACTON, MA

ACV AMERICAN CONVERTERS, MINN, MN

ADC APPLIED DESIGN CO., INC., TANAWANDA, NY

ADF AMERICAN DURAFILM CO., INC., NEWTON LOWER FALLS, MA

ADL ARTHUR D LITTLE, INC., CAMBRIDGE, MA

AEC ADHESIVE ENGINEERING CO., SAN CARLOS, CA

AEL APPLETON ELECTRIC CO., CHICAGO, IL

AES ADVANCE ELECTRICAL SALES, INC., DENVER, CO.

AEW ALPHA WIRE CORP., LINDEN, NJ

AFP ALLIED ENGINEERED PLASTICS, MORRISTOWN, NJ

AGI AGI RUBBER CO., BRIDGEPORT, CT

AIR ATLANTIC INDIA RUBBER WORKS, CHICAGO, IL

ALL ALLACO PRODUCTS, INC., WESTBURY, NY

ALR ALLIED RESIN CORP., EAST WEYMOUTH, MA

AMA AMERICAN AEROSOLS INCORPORATED, HOLLAND, MI

AMC AMICON CORP., LEXINGTON, MA

AME AMETEK, HAVEG DIVISION, WILMINGTON, DE

AMH AMERICAN HOECHST, SOMERVILLE, NJ

AMI AMERICAN MICROWAVE INDUSTRIES, WALTHAM, MA

AMJ AMJET, WAUKEEGAN, IL

AMK ENKA AMERICA, CHARLOTTE, NC

AMP AMP INC., HARRISBURG, PA

AMR AMR INDUSTRIES INC., CANOGA PARK, CA

AMS AMERICAN METASEAL CO., CARLSTADT, NJ

AND ANDREW CORPORATION, ORLAND PARK, IL

ANS ARTHUR ANSLEY MANUFACTURING CO., PERKASIE, PA

AOC AMOCO CHEMICALS CORP., CHICAGO, IL

AOP AMERICAN OPTICAL CO., SOUTHBRIDGE, MA

APA AECI PAINTS LTD., TRANSVAAL, SOUTH AFRICA

APC ARMSTRONG PRODUCTS CO., INC., WARSAW, IN

APF AVERY INTERNATIONAL

FASSON INDUSTRIAL DIVISION, PAINESVILLE, OH

AVERY LABEL, MONROVIA, CA

API AREMCO PRODUCTS INC., OSSINING, NY

APL APPLIED PHYSICS LABORATORY, JOHNS HOPKINS UNIV., LAUREL, MD

APP APPLIED PLASTICS CO., EL SEGUNDO, CA

APR APPLE RUBBER PRODUCT CO., LANCASTER, NY

APS ADVANCED PROCESS SUPPLY CO., CHICAGO, IL

APX APEX MILLS INC., NEW YORK, NY

ARC ALLOYS & RESEARCH CO., CLEVELAND, OH

ARE AMES RESEARCH CENTER, MOFFETT FIELD, CA

ARI ADHESIVES RESEARCH, INC., GLENN ROCK, PA

ARM JOHN L ARMITAGE & CO., NEWARK, NJ

ARP AMERICAN REINFORCED PLASTICS CO., LOS ANGELES, CA

ART ARTUS CORPORATION, ENGLEWOOD, NJ

ASC ASSURANCE TECHNOLOGY CORP., CARLISLE, MA

AST ASTRO CHEMICAL CO., INC., SCHENECTADY, NY

ATC AMERICAN THREAD CO., NEW YORK, NY

ATL ATLANTIC LAMINATES, FRANKLIN, NH

ATP ATLAS PLASTICS, BUFFALO, NY

AUC ANGELICA UNIFORM CO., ST LOUIS, MO

AUG AUGAT INC., ATTLEBORO, MA

AUI AUTOMATION INDUSTRIES, INC., DANBURY, CT

AWC ALPHA WIRE CO., ELIZABETH, NJ

BAC BACON INDUSTRIES, INC., WATERTOWN, MA

BAI BARRY ISOLATOR CO., WATERTOWN, MA

BAK BAKER CASTOR OIL CO., BAYONNE, NJ

BAL BALL CHEMICAL CO., GLENSHAW, PA

BAP BEL-ART PRODUCTS, PEQUANNOCK, NJ

BAR BARRY WRIGHT, BARRY DIVISION, WATERTOWN, MA

BAX BAXENDER CHEMICALS, EUROPE

BAY BAY ASSOCIATES, PALO ALTO, CA

BCC BASF COLORS AND CHEMICALS, INC., NEW YORK, NY

BCI B & C INSULATION PRODUCTS, ISELIN, NJ

BCL BERSER CHEMICALS, LTD., NEWCASTLE, ENGLAND

BCM THE BORDEN COMPANY, NEW YORK, NY

THE BORDEN CHEMICAL CO., PHILADELPHIA, PA

MYSTIK TAPE, NORTHFIELD, IL

BDC BROD-DUGAN COMPANY, ST. LOUIS, MO

BEE BEE CHEMICAL CO., LANSING, IL

BEH BERKSHIRE HATHAWAY, INC., NEW BEDFORD, MA

BEI WINFRED BERG, INC., E. ROCKAWAY, L.I., NY

BEL BALSA ECUADOR LUMBER CORP., NEW YORK, NY

BEN THE BENDIX CORPORATION, TETERBORO, NJ

BER THE BERGQUIST COMPANY, MINNEAPOLIS, MN

BFG B F GOODRICH CHEMICAL CO., CLEVELAND, OH

BGG THE BIGGS CO., SANTA MONICA, CA

BHM BENTLEY-HARRIS MFG. CO., LIONVILLE, PA

BIC BRITISH INSULATED CALLENDER'S CABLES, LTD., LIVERPOOL, ENGLAND

BID JAMES G BIDDLE CO., PLYMOUTH MEETING, PA

BIS BISHOP ELECTRIC, CEDAR GROVE, NJ

BIV BIVAR, INC., SANTA ANA, CA

BIW BOSTON INSULATED WIRE AND CABLE CO., DORCHESTER, MA

BLA H L BLACHFORD, INC., TROY, MI

BLD BELDEN MFG., CO., CHICAGO, IL

BLH BLH ELECTRONICS INC., (BALDWIN-LIMA-HAMILTON), WALTHAM, MA

BNL BAUSCH & LOMB, BUFFALO, NY

BOA BOEING AEROSPACE CO., SEATTLE, WA

BOC BRAY OIL CO., INC., LOS ANGELES, CA

BOSTIK-FINCH IS CODED FPC

BPI BISCO PRODUCTS INC., BISCOTE DIV., PARK RIDGE, IL

BPS BRONZE & PLASTICS SPECIALTIES, BALTIMORE, MD

BRADY LABELS ARE CODED WHB

BRC BPI RUBBER COMPANY, FULLERTON, CA

BRN BICRON CORP., NEWBURY, OH

BRX BRAND - REX CO., WILLIMANTIC, CT

BUR WM T BURNETT & CO., BALTIMORE, MD

BWC BORG-WARNER CHEMICALS, PARKERSBURG, WV

CAA CAAP COMPANY, HUNTINGTON, CT

CAC CARROLL PRODUCTS, INC., FARMINGDALE, LONG ISLAND, NY

CAF CALI-FOAM, SANTA ANA, CA

CAL CALABRA PLASTICS, UPPER DARBY, PA

CAM CARMAC CO., SHAWNEE, KS

CAN ITT CANNON ELECTRIC, LOS ANGELES, CA

CAR CARTER'S INK CO., CAMBRIDGE, MA

CAS CASTALL INC., EAST WEYMOUTH, MA

CAU L D CAULK CO., MILFORD, DE

CBC CBC CORPORATION, MARATHON SHORES, FL

CCC CHEMICAL DIVISION, CHRYSLER CORP., TRENTON, MI

CCD COLGATE CHEMICAL CO., EAST BRUNSWICK, NJ

CCE CHEMICAL COATINGS & ENGINEERING CO., MEDIA, PA

CCL C. P. CLARE & CO., CHICAGO, IL

CEL CELLASTO CORPORATION, YPSILANTI, MI

CFC CRAWFORD FITTING COMPANY, CLEVELAND, OH

CFP CLARK FOAM PRODUCTS CORP, CHICAGO, IL

CHA CHAMPLAIN WIRE & CABLE, WINOOSKI, VT

CHE CHEMPLAST INC., WAYNE, NJ

CHM CHEMFAB MATERIAL TECH-DIV, MERRIMAC, NH

CHO CHOMERICS INC., WOBURN, MA

CHR CONNECTICUT HARD RUBBER CO., NEW HAVEN, CT

CHT CABLE HARDWARE & TOOL, NAPLES, FL

CIB CIBA CORPORATION, SUMMIT, NJ

CIC CICOIL CORPORATION, CHATSWORTH, CA

CIF CARDINAL INDUSTRIAL FINISHES, EL MONTE, CA

CIN CINCH CONNECTOR DIV., TRW INC., ELK GROVE, IL

CIP CROWN INDUSTRIAL PRODUCTS, HEBRON, IL

CIR CHICAGO INK & RESEARCH CO., ANTIOCH, IL

CLI CAIG LABS INC., ESCONDIDO, CA

CLY CLAYBORN LABS INC., SANTA ANA, CA

CMC CIRCUIT MATERIALS CO., PRINCETON, NJ

CME CAL-METEX CORPORATION, INGLEWOOD, CA

CMS COAST MANUFACTURING & SUPPLY CO., LIVERMORE, CA

CMT CAMBRIDGE THERMIONIC CORP., CAMBRIDGE, MA

CNS CELANESE CORPORATION, NEW YORK, NY

COL COLONIAL LACQUER & CHEMICAL CO., ASHLAND, MA

COM COMPAC CORPORATION, NEWARK, NJ

CON CONAP, INC., ALLEGANY, NY

COR CORNING GLASS WORKS, CORNING, NY

COS COSMIC PLASTICS INC., SAN FERNANDO, CA

COT COTRONICS CORPORATION, BROOKLYN, NY

COX COX & CO., INC., NEW YORK, NY

CPC CREST PRODUCTS CO., SANTA ANA, CA

CHEMICAL PRODUCTS RESEARCH IS CODED UJC

CPT COAST PRO-SEAL DIV., ESSEX CHEMICAL CORP., COMPTON, CA

CRE CARE LABORATORIES, INC., COLLEGEVILLE, PA

CPI CHART-PAK INC., LEEDS, MA

CRB CARBORUNDUM CO., PLASTICS & ADHESIVES DEPT., ATLANTA, GA

CRP CALIFORNIA REINFORCED PLASTICS (ADDRESS UNKNOWN)

CRR CLEAN ROOM PRODUCTS, INC., BAYSHORE, NY

CRY CRYTON OPTICS, ROSLYN, NY

CTC COLUMBIA CHASE CORP., HUMISEAL DIV., WOODSIDE, NY

CTD CARLISLE CORP., TENSOLITE INSULATED WIRE CO., INC., CARLISLE PA

CTL CHEMICAL TECHNOLOGY LABORATORIES, LOS ANGELES, CA

CTP CHICAGO TRANSPARENT PRODUCTS, CHICAGO, IL

CUM CUSTOM MATERIALS INC., CHELMSFORD, MA

CVC CONSOLIDATED VACUUM CORP., ROCHESTER, NY

CWR CHASE-WALTON RUBBER CO., HUDSON, MA

DAC DURKEE-ATWOOD COMPANY, MINNEAPOLIS, MN

DAD DABURN ELECTRONICS & CABLE CORP., BRONX, NY

DAL DALE ELECTRONICS, COLUMBUS, NB

DALCO INDUSTRIES IS CODED SPA

DAR DARTCO MFG CO., AUGUSTA, GA

DAY DAYTON CHEMICAL CO., DAYTON, OH

DBC DURACELL BATTERY CO., BELGIUM

DBP DB PRODUCTS, PASADENA, CA

DCC DOW CORNING CORP., MIDLAND, MI

DCI DANVERS CHEMICAL INDUSTRIES INC., DANVERS, MA

DEC DOW-ELCO CO., MONTIBELLO, CA

DEF DEFT CHEMICAL COATINGS, TORRANCE, CA

DEL DELRON FASTENERS, SANTA ANA, CA

DES DESOTO INCORPORATED, DES PLAINS, IL

DEU DEUTSCH CO., LOS ANGELES, CA

DEV CHEMICAL DEVELOPMENT CORP., DEVCON CORP., DANVERS, MA

DEX DEXTER CORP., MIDLAND DIV., HAYWARD, CA

DIC DISOGREN INDUSTRIES CORP., MANCHESTER, NH

DIL DILECTRIX CORP., FARMINGDALE, LONG ISLAND, NY

DIN DODGE INDUSTRIES, HOOSICK FALLS, NY

DIP DIELECTRIC POLYMERS, HOLLYHOKE, MA

DIS DIELECTRIC SCIENCES, WOBURN, MA

DIV DIVERSIFIED MARINE IND., NORWALK, CT

DIX DIXON CORP., BRISTOL, RI

DNN DENNISON MFG., CO., FRAMINGHAM, MA

DNS DENNIS CHEMICAL CO., ST LOUIS, MO

JOHN C DOLPH CO IS CODED JCD

DOU DOUGLAS ELASTOMERS, AKRON, OH

DOW DOW CHEMICAL CO., MIDLAND, MI

DRC DAVOL INC., PROVIDENCE, RI

DRI DRILUBE CO., GLENDALE, CA

DSC D STRAUSS CO., INC., NEW YORK, NY

DSH DIAMOND SHAMROCK CHEMICAL CO., MORRISTOWN, NJ

DSL DOWTY SEALS LTD., ASHCHURCH, TEWKSBURY, ENGLAND

DTC DEVON TAPE CORP., CARLSTADT, NJ

DUK DUKERIES TEXTILES & FANCY GOODS, NOTTINGHAM, ENGLAND

DUN DUNMORE CORPORATION, NEWTOWN, PA

DUP E I DUPONT DE NEMOURS AND CO., INC., WILMINGTON, DE

ELASTOMER CHEMICALS DEPARTMENT

FABRICS AND FINISHES DEPARTMENT

FILM DEPARTMENT

PLASTICS DEPARTMENT

DXN JOSEPH DIXON CRUCIBLE CO., JERSEY CITY, NJ

DYN DYNACHEM CORPORATION, RINGWOOD, IL

EAC EASTMAN CHEMICAL PRODUCTS CO., KINGSPORT, TN

EAS EASTMAN KODAK CO., ROCHESTER, NY

ECC ELECTRONIZED CHEMICALS CORP., BURLINGTON, MA

ECI ELDRE COMPONENTS INC., ROCHESTER, NY

ECP ECLIPSE-PIONEER DIVISION, TETERBORO, NJ

EDC ELDEC CORPORATION, LYNNWOOD, WA

EDD EDDINGTON THREAD MFG., EDDINGTON, PA

EFH ELECTRO-FLEX HEAT, INC., BLOOMFIELD, CT

EFI ELECTROFILM INC., NORTH HOLLYWOOD, CA

EHC ENGLEHARD MINERALS & CHEMICALS CORP., NEWARK, NJ

ENGLEHARD INDUSTRIES DIV., NEWARK, NJ

MINERALS & CHEMICALS DIV., EDISON, NJ

ELB ELLIOT BROTHERS STEEL CO., NEW CASTLE, PA

ELC ELECTRONIC MOLDING CORP., WOONSOCKET, RI

ELI ELECTROPLY, INC., EL SEGUNDO, CA

ELM ELMHURST RUBBER CO., ELMHURST, NY

ELP ELCO-PACIFIC CO., EL SEGUNDO, CA

ELR ELECTRICAL REFRACTORIES, EAST PALESTINE, OH

ELS ELECTRO-SCIENCE LABORATORIES, INC., PENNSAUKEN, NJ

ELV ELECTROVERT, INC., MT VERNON, NY

EMC EMERSON & CUMING INC., CANTON, MA

EMI EMI ELECTRONICS LTD., MIDDLESEX, ENGLAND

EML ELECTRO MECHANISMS LTD., ENGLAND

EMU E.M.LUBRICANTS, INC., W. LAFAYETTE, IN

ENJ ENJAY CHEMICAL CO., NEW YORK, NY

EON EON CORPORATION, LOS ANGELES, CA

EPC EPOXYLITE CORP., SOUTH EL MONTE, CA

EPK EPOXY TECHNOLOGY INC., BILLERICA, MA

EPO EPOXY PRODUCTS CO., IRVINGTON, NJ

EPP EPPLEY LABORATORIES INC., NEWPORT, RI

EPX EPOXY PACK CO., LOS ANGELES, CA

ERG ENERGY RESEARCH & GENERATION, INC., OAKLAND, CA

ERP EXPANDED RUBBER & PLASTICS, GARDENA, CA

ESX ESSEX CHEMICAL CORPORATION, COMPTON, CA

EWC ELCO WEBSTER CORP., WATERTOWN, MA

EXX EXXON CHEMICAL COMPANY, USA, HOUSTON, TX

FAL FENNER AMERICA LTD., MIDDLETOWN, CT

FAR FARBENFABRIKEN BAYER AG, GERMANY

FASSON IS CODED APF

FBC FIBER-RESIN CORP., BURBANK, CA

FBR FIBERFIL DIV., DART INDUSTRIES, EVANSVILLE, IN

FCC FLUOROCARBON CO., SUNNYVALE, CA

REEVES RUBBER DIVISION, SAN CLEMENTE, CA

FED FEDERAL PEN CO., JERSEY CITY, NJ

FEM FEDERAL MOGUL CORP., NATIONAL SEAL DIV., SOUTHFIELD, MI

FEN FENWAL INDUSTRIES, ASHLAND, MA

FER FERRO CORPORATION, CLEVELAND, OH

FHB H B FULLER CO., ST PAUL, MN

FIB FIBERITE CORPORATION, WINONA, MN

FIC FIBER MFG., CO., NEWTON, NC

FIR FRANKLIN INSTITUTE RESEARCH LABORATORIES, PHILADELPHIA, PA

FIS FISK BROTHERS, NEWARK, NJ

FLA FORTIN LAMINATING CORP., SYLMAR, CA

FLC FORTIN PLASTICS INC., VALENCIA, CA

FLI FLINTKOTE CO., STAMFORD, CT

FLL FLORMEL CO., BAYSIDE, NJ

FLO FLOQUIL PRODUCTS INC., COBLESKILL, NY

FLX FLEXAUST CO., DIV. OF CALLAHAN MINING CORP., AMESBURY, MA

FMC FMC CORPORATION, INDUSTRY, CA

FOF FOAM FAB CO., FRANKLIN, MA

FOM FOMO PRODUCTS, AKRON, OH

FOR FORMULATED RESINS, INC., GREENVILLE, RI

FORMICA CORP IS CODED ACC

FPC BOSTIK-FINCH, INC.,(SUBSIDIARY OF USM CORP), TORRANCE, CA

FPI FURANE PLASTICS INC., LOS ANGELES, CA

FPL FIRESTONE PLASTICS CO., POTTSTOWN, PA

GPM GENERAL PLASTICS MFG., CO., TACOMA, WA

GRC GOSHEN RUBBER CO., GOSHEN, IN

GRE GREENE RUBBER CO., CAMBRIDGE, MA

GRI GRIFFOLYN COMPANY, HOUSTON, TX

GRO GROW CHEMICAL CORPORATION, CLEVELAND, OH

GRU GRUMMAN AEROSPACE CORPORATION, BETHPAGE, LONG ISLAND, NY

GSC GODDARD SPACE FLIGHT CENTER, GREENBELT, MD

GSD GS DIELECTRIC COMMUNICATIONS, LITTLETON, MA

GTR GENERAL TIRE & RUBBER CO., AKRON, OH

GTS G T SCHJELDAHL CO., NORTHFIELD, MN

HAB HANLINE BROTHERS, INC., BALTIMORE, MD

HAC HUGHES AIRCRAFT CO., CULVER CITY, CA

HAN HANDSCHY CHEMICAL CO., CHICAGO, IL

HAR HARSHAW CHEMICAL CO., SOLON, OH

HAV HAVEG INDUSTRIES, WINOOSKI, VT

HADBAR IS CODED PPH

HCC HUGHSON CHEMICALS, LORD CORPORATION, ERIE, PA

HCP HARRIS CORPORATION, MELBOURNE, FL

HDM HYGIENIC DENTAL MFG., CO., AKRON, OH

HEM HETTINGER, BALDWIN & MESSTECHNIK, NETHERLANDS

HEQ HERCULITE PRODUCTS INC., NEW YORK, NY

HER HERCULES INC., WILMINGTON, DE

HEX HEXCEL PRODUCTS INC., BERKELEY, CA

HIC HARDMAN INCORPORATED, BELLEVILLE, NJ

HLR HOFFMANN-LA ROCHE, INC., NUTLEY, NJ

HMB HEMINWAY & BARTLETT MFG., CO., NEW YORK, NY

HNC HENKEL & CIE, GERMANY

HNO HENKEL, OMNITECHNIC, MUNCHEN, GERMANY

HOB HOWE & BAINBRIDGE INC., BOSTON, MA

HOI HOWE INDUSTRIES, N HOLLYWOOD, CA

HPC HASTINGS PLASTICS CO., SANTA MONICA, CA

HSC HERESITE-SAEKAPHEN CHEM CO., MANITOWOC, WI

HSD HAWKER & SIDDELEY DYNAMICS, LTD., LONDON, ENGLAND

HSP HIGH STRENGTH PLASTICS CORPORATION, CHICAGO, IL

HTC HEATH-TECNA CORPORATION, KENT, WA

HTR HI-TEMP RESINS INC., STAMFORD, CT

HTW HI-TEMP WIRES CO., WESTBURG, LONG ISLAND, NY

HUE HUGHES ASSOCIATES, EXCELSIOR, MN

HUL HULZ A G, GERMANY

HUMISEAL IS CODED CTC

HWC HOPE WEBBING CO., INC., PROVIDENCE, RI

HYD HYDRON LABORATORIES INC., NEW BRUNSWICK, NJ

HYS HYSOL DIVISION, THE DEXTER CORPORATION, OLEAN, NY

IBM IBM CORPORATION, ARMONK, NY

ICA IMPERIAL CHEMICAL, AYRSHIRE, GREAT BRITAIN

ICI ICI AMERICAS INC., WILMINGTON, DE

ICO ICORE WIRE & CABLE, SANTA BARBARA, CA

IDE IDEAS INC., BELTSVILLE, MD

IER INTERNATIONAL ELECTRONIC RESEARCH CORP., BURBANK, CA

IMI IMI-TECH CORPORATION, ELK GROVE VILLAGE, IL

IMP IMPERIAL EASTMAN, CHICAGO, IL

IND INDEPENDENT INK INC., GARDENA, CA

INK INKS AND SPECIALTIES, IRVING, TX

INR INDUSTRIAL ELECTRONIC RUBBER CO., TWINSBURG, OH

INS INSTA-FOAM PRODUCTS, ADDISON, IL

INT INTERNATIONAL HARVESTER, CHICAGO, IL

INX INSL-X COMPANY, BROOKLYN, NY

IPI IMPACT PLASTICS INC., GASTONIA, NC

IPP INTERNATIONAL PLASTICS PRODUCTS, INC., CARSON, CA

IRC ISOCHEM PRODUCTS CO., LINCOLN, RI

IRI INTERNATIONAL RESISTIVE CO., INC., BOONE, NC

IST INSULTAB INC., WOBURN, MA

ITR IIT RESEARCH INSTITUTE, CHICAGO, IL

ITT INTERNATIONAL TELEPHONE & TELEGRAPH CORPORATION

ITT AEROSPACE - OPTICAL DIVISION, FORT WAYNE, IN

ITT INDUSTRIAL PRODUCTS DIVISION, SAN FERNANDO, CA

JAC JACO MFG., CO., BEREA, OH

JAN JANCO PRODUCTS, INC., MISHAWAKA, IN

JAS JASPER RUBBER CO., JASPER, IN

JCD JOHN C DOLPH CO., MONMOUTH JUNCTION, NJ

JMC JORDON MARSH CO., BOSTON, MA

JMM JOHNSON MASSEY METALS LTD., LONDON, ENGLAND

JOM JOHNS-MANVILLE, NEW YORK, NY

JSC JOHNSON SPACE CENTER, HOUSTON, TX

JSP JOHNSTON SPECIALTY COATINGS, HUNTINGTON BEACH, CA

KAM KAMATICS CORPORATION, BLOOMFIELD, CT

KAR KARMAN RUBBER COMPANY, AKRON, OH

KAS KASEN INDUSTRIES, NEWARK, NJ

KCC KIMBERLEY-CLARK CORPORATION, NEENAH, WI

KCF KEENE CORPORATION, CHASE FOSTER DIV., BEAR, DE

KCO KENICS CORPORATION, DANVERS, MA

KCW KEANE CORPORATION, WHEELER LIGHTING DIV., WILMINGTON, MA

KEE KEELER & LONG, WATERTOWN, CT

KEN KENDALL CO., WELLESLEY HILLS, MA

KEY KEY POLYMER CORPORATION, LAWRENCE, MA

KMC KINGSLEY MACHINE CO., HOLLYWOOD, CA

KOK KOKUSAI CHEMICALS, JAPAN

KOL KOLLMORGEN CORP., MULTIWIRE DIV., NORTHAMPTON, MA

KOM KOMCO TEXTILES, INC., NEW YORK, NY

KON KONTAC, SOUTH RIVER, NJ

KOP KOPPERS CO., IRVING, TX

KRC KIRKHILL RUBBER CO., BREA, CA

KST KING-SEELEY THERMOS CO., PROSPECT HEIGHTS, IL

KUL KULKA ELECTRIC CORP., MT VERNON, NY

LAM LAMART CORP., CLIFTON, NJ

LCC LEFFINGWELL CHEMICAL CO., BREA, CA
and/or TECHFORM LABORATORIES, INC., LOS ANGELES, CA

LCR LEACH CORPORATION, RELAY DIV., LOS ANGELES, CA

LDD LABARGE, DORFLEX DIV., SANTA ANA, CA

LDV LDV ELECTROSCIENCE, SYRACUSE, NY

LEC THE LEAL CO., CAMDEN, NJ

LEM LEM PRODUCTS, MT VERNON, NY

LES LUNDY ELECTRONICS & SYSTEMS INC., GLEN HEAD, NY

LFM L FRANK MARKEL & SONS, NORRISTOWN, PA

LLS LESONAL WERKE-LECHLER & SONS, STUTTGARDT, GERMANY

LNP LIQUID NITROGEN PROCESSING CORP., MALVERN, PA

LOC LOCKHEED MISSILE & SPACE CO., PALO ALTO, CA

LOR LORD MANUFACTURING CO., ERIE, PA

LRC LANGLEY RESEARCH, HAMPTON, VA

LTC LOCTITE CORPORATION, NEWINGTON, CT

LUD LUDLOW CORPORATION, NEEDHAM HEIGHTS, MA

LUS LUSOL PRODUCTS, EL MONTE, CA

MAG MAGIC AMERICAN CHEMICAL CORP., CLEVELAND, OH

MAH MAGNETICS, BUTLER, PA

MAQ MARKEL, L. FRANK & SONS INC., NORRISTOWN, PA

MAR MARKEL RUBBER PRODUCTS, BRONX, NY

MAS MAR GLASS, SHERBOURNE, ENGLAND

MAV MASON-VACTRON LTD., LONDON, ENGLAND

MBI MASTER BOND INC., TEANECK, NJ

MCA THE MICA CORPORATION, CULVER CITY, CA

MCC MICRO-CIRCUITS CO., NEW BUFFALO, MI

MCG MC GHAN NUSIL CORPORATION, CARPINTERIA, CA

MCM MCMASTER CARR, CHICAGO, IL

MCO MINOR RUBBER COMPANY, SANTA FE SPRING, CA

MDG MONTEDISON GROUP, NEW YORK, NY

MEC METACHEM RESINS CORPORATION, W WARWICK, RI

MEI MICRO ELECTRONICS, INC., (ADDRESS UNKNOWN)

MEL MELROSE NAMEPLATE, OAKLAND, CA

MEP MERECO PROD., DIV., METACHEM RESINS CORP., CRANSTON, RI

MER MERIDIAN LABORATORY INC., MIDDLETON, WI

MET METEX CORPORATION, EDISON, NJ

MGI MEASUREMENTS GROUP INC., RALEIGH, NC

MIC MICROTECH INC., FOLCROFT, PA

MID MIDLAND INDUSTRIAL FINISHES CO., WAUKEGAN, IL

MICARTA IS CODED WEC

MIF MICROWELL DIV, PITNEY BOWES INC., STAMFORD, CT

MIN MARKEM CORPORATION, KEENE, NH

MIR MICRODOT INC., PASADENA, CA

MMC MONTE-MARTINI CO., ITALY

MMF MORRISON MOLDED FIBERGLASS COMPANY, BRISTOL, VA

MMM MINNESOTA MINING & MANUFACTURING COMPANY, ST PAUL, MN

ADHESIVES, COATINGS AND SEALERS DIVISION

ELECTRO-PRODUCTS DIVISION

INDUSTRIAL TAPE DIVISION

MAGNETIC PRODUCTS DIVISION

MMS MICA & MICANITE SUPPLIES LTD., BARNSBURY SQ, LONDON, ENGLAND

MNC MORTON-NORWICH CHEMICAL CO., INC., CHICAGO, IL

MNR MINNESOTA RUBBER, MINNEAPOLIS, MN

MOB MOBAY CHEMICAL CO., PITTSBURGH, PA

MOL STEVENS MOLDED PRODUCTS DIV, EASTHAMPTON, MA

MON MONSANTO CO., ST LOUIS, MO

MOR MORGAN ADHESIVE CO., STOW, OH

MOS MOSITES RUBBER CO., FORT WORTH, TX

MOT MOTOROLA INC., FRANKLIN PARK, IL

MOX MOXNESS PRODUCTS INC, RACINE, WI

MPC METAL PHOTO CORP., CLEVELAND, OH

MPD MPD TECHNOLOGY CORPORATION, ERGENICS DIV., WALDWICK, NJ

MPH METALLIZED PRODUCTS DIV HOUSEHOLD MFG., WINCHESTER, MA

MPI MARTIN PROCESSING INC., MARTINSVILLE, VA

MRC THE MARBLETTE CORPORATION, LONG ISLAND CITY, NY

MRG MIDLAND-ROSS CORP., GRIMES DIV., URBANA, OH

MSF MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, AL

MSH MICRO SWITCH, DIV., OF HONEYWELL, FREEPORT, IL

MSI MILLER-STEPHENSON CHEMICAL CO., INC., DANBURY, CT

MSL MIDLAND SILICONES LTD., ENGLAND

MSY MOORE SYSTEMS, SUNNYVALE, CA

MTC MARK-TEX CORPORATION, ENGLEWOOD, NJ

MUH MULLARD HOUSE, LONDON, ENGLAND

MUP MUPAK, BROCTON, MA

MWS MWS PRECISION WIRE, CHATSWORTH, CA

MYC MYCALEX CORP., DIV SPAULDING FIBRE CO., INC., CLIFTON, NJ

NAC NASHUA CORP., NASHUA, NH

NAL NALGE COMPANY, ROCHESTER, NY

NAZ NAZ-DAR COMPANY, CHICAGO, IL

NBC NATIONAL BERYLLIA CORPORATION, HASKELL, NJ

NARMCO IS CODED WCN

NCI NCI INC., WEST PALM BEACH, FL

NCO NEW ENGLAND LAMINATES CO., INC., FRAZER, PA

NDA NITTO DENKO AMERICA, INC., PORT WASHINGTON, NY

NDC NAVAL AIR DEVELOPMENT CENTER, WARMINSTER, PA

NEL NUCLEAR ENTERPRISES LTD., WINNIPEG CANADA AND SAN CARLOS, CA

NEO NEOSID LTD., ENGLAND

NEW M M NEWMAN CORPORATION, MARBLEHEAD, MA

NLC NATIONAL LEAD CO., NEW YORK, NY

NMC NATIONAL METALLIZING DIV., STANDARD PACKAGING CORP., CRANBURY, NJ

NOC NORTON CO., WORCHESTER, MA

NORTRONICS CHEM CO IS CODED SRW

NORPLEX IS CODED UOP

NOI NOPI INC., HACKENSACK, NJ

NOP NOPCO CHEMICAL CO, NEWARK, NJ

NOR NORLAND PRODUCTS, INC., NEW BRUNSWICK, NJ

NPC NORTON PLASTICS, AKRON, OH

NRL NAVAL RESEARCH LABORATORY, WASHINGTON, D.C.

NSC NATIONAL STARCH & CHEMICAL CO., NEW YORK NY

NSE NATIONAL SEMICONDUCTORS CORP., SANTA CLARA, CA

NTI NT INDUSTRIES, ENGLEWOOD CLIFFS, NJ

NVF NVF CO., YORKLYN, DE

NYE WM F NYE INC., NEW BEDFORD, MA

NYL NYLOK-DETROIT CORP., TROY, MI

OAK THE OAKLAND CORP., TROY, MI

OCC ORCHARD CO. (ADDRESS UNKNOWN)

OCI OCCIDENTAL CHEMICAL CORP., N. TONAWANDA, NY

OII OWENS ILLINOIS INC., TOLEDO, OH

OLI OLIN MATHIESON CHEMICAL CORP., NEW YORK, NY

OMG OAK MATERIALS GROUP, INC., FLUORGLAS DIV., HOOSICK FALLS, NY

OPC ORGANIC PRODUCTS CO., IRVING, TX

ORC ORCON CORPORATION, UNION CITY, CA

ORT ORTEC INC., OAK RIDGE, TN

OXI OXFORD INSTRUMENTS, COLUMBIA, MD

PAC PACIFIC RESINS& CHEMICALS INC., SEATTLE, WA

PAI PRECISION ASSOCIATES, INC., MINNEAPOLIS, MN

PAL PALFLEX PRODUCTS CORPORATION, PUTNAM, CT

PAN PANDUIT CORPORATION, TINLEY PARK, IL

PAR PARSONS OF CALIFORNIA, STOCKTON, CA

PCC PENNSALT CHEMICALS CORP., NEW YORK, NY

PCD PRECISION CONNECTOR DESIGNS, INC., WINCHESTER, MA

PCE PETERSON CHEMICAL CO., SHEBOYGAN, WI

PCI PERMATEX COMPANY, INC., KANSAS CITY, KS

PCK PCK TECHNOLOGY, MELVILLE, NY

PCR POLYCHROME FILM CORP., YONKERS, NY

PDC PHELPS DODGE COPPER PRODUCTS CORP, NEW YORK, NY

PEL PELMOR LABORATORIES, INC., NEWTOWN, PA

PEM PLASKON ELECTRONIC MATERIALS, INC., LOS ANGELES, CA

PEN PENNWALT CORP., KING OF PRUSSIA, PA

PEP PORT ERIE PLASTICS INC., HARBORCREEK, PA

PER PERMACEL, NEW BRUNSWICK, NJ

PFC PENNTUBE PLASTICS CO., CLIFTON HEIGHTS, PA

PFI PERMA FOAM INC, IRVINGTON, NJ

PFP PRECISION FIBERGLASS PRODUCTS, SAN PEDRO, CA

PGI POCO GRAPHITE INC., DECATUR, TX

PHG PHILIPS GELDROP, NETHERLANDS

PHI POLY-HI INC., FORT WAYNE, IN

PHP PHILLIPS 66 PETROLEUM CO., BARTLESVILLE, OK

PHR PHILADELPHIA RESINS CORP., MONTGOMERYVILLE, PA

PIC PERMABOND INTERNATIONAL CORP., ENGLEWOOD, NJ

PIE PIERSON INDUSTRIES, PALMER, MA

PIR PIRELLI CABLE CORP., UNION, NJ

PKA PARK AVENUE (ADDRESS UNKNOWN)

PLA PRECISION LABS, CINCINNATI, OH

PLI PERMALI INC., MT PLEASANT, PA

PLK PLASTI-KOTE DIV., MEDINA, OH

PLL POLY-LOK FASTENERS, CORP., CINCINNATI, OH

PLM PALMER PRODUCTS, NEW YORK, NY

PMC PLESSEY MFG., CO., LTD., KINGSTHORPE, NORTHAMPTON, UK

PMI PRINCE MANUFACTURING, INC., EL CAJON, CA

POC POLAROID CORPORATION, CAMBRIDGE, MA

POI POLYTRONIC INC., RICHARDSON, TX

POL POLYGON CO., WALKERTON, IN

POR POREX INC., FAIRBURN, GA

POT POTOMAC RUBBER CO., WASHINGTON, D C

PPC THE POLYMER CORP., READING, PA (FOREIGN SUBSIDIARIES ARE POLYPENCO)

PPG PPG INDUSTRIES ADHESIVE PRODUCTS, BLOOMFIELD, NJ

PPH PUROLATOR PRODUCTS INC., HADBAR DIV, ALHAMBRA, CA

PPR PHILLIPS PROCESSING CO., ROCHESTER, NY

PRC PRODUCTS RESEARCH & CHEMICAL CORP., BURBANK, CA

PRD PHYSICS RESEARCH & DEVELOPMENT INC., BOULDER, CO

PRG PROCTOR & GAMBLE CO., CINCINNATI, OH

PRO PRO-LINE PAINT CO., SAN DIEGO, CA

PRP PLASTICS & RUBBER PRODUCTS CO., ONTARIO, CA

PSC PARKER SEAL CO., CULVER CITY, CA

PSL PERMAGILE-SALMON LTD., PLAINVIEW, NY

ROS MILTON ROSS COMPANY, SOUTH HAMPTON, PA

RPC RIEGEL PAPER CORPORATION, NEW YORK, NY

RRC RONTHOR REISS CORPORATION, LITTLE FALLS, NJ

RSI REICHERT SCIENTIFIC INSTRUMENTS, SOUTHBRIDGE, MA

RTC REMTEK CORPORATION, FREMONT, CA

RVM RISDON VACUUM METALLIZING CO, VAN NUYS, CA

SAG SCHERING A. G. BERGHAMEN, WESTFALEN, FEDERAL REPUBLIC OF GERMANY

SAM SAMTEC, NEW ALBANY, IN

SAN SANFORD INK CO., BELLWOOD, IL

SAS SANDERS ASSOCIATES, MANCHESTER, NH

SAU SAUNDERS THREAD CO., GASTONIA, NC

SBI SOLAR BASIC INDUSTRIES, LITTLETON, MA

SCC STEPAN CHEMICAL COMPANY, NORTHFIELD, IL

SCE SCIENTIFIC ENTERPRISES, BLOOMFIELD, CO

SCG SCOTT GRAPHICS INC., HOLYOKE, MA

SCH SCHENECTADY CHEMICALS INC., SCHENECTADY, NY

SCHJELDAHL IS CODED GTS

SCI STRUCTURAL COMPOSITES INDUSTRIES, AZUSA, CA

SCT SCOTT PAPER, INDUSTRIAL FOAM, CHESTER, PA

SEC SPRAGUE ELECTRIC CO, NORTH ADAMS, MA

SEL SPACE ENVIRONMENT LABORATORIES INC., BOULDER, CO

SFR SANTA FE RUBBER PRODUCTS, INC, WHITTIER, CA

SHA W S SHAMBAN CO., NEWBURY PARK, CA

SHC SHELL CONTAINERS INC., GREAT NECK, NY

SHE SHENANDOAH PLASTICS CORPORATION, FREDERICK, MD

SHI SHIELDING TECHNOLOGY INC., PISCATAWAY, NJ

SHL SHELL CHEMICAL CO., NEW YORK, NY

SHW SHERWIN-WILLIAMS CO, CLEVELAND, OH

SIE SIEMENS CORPORATION, ISELIN, NJ

SIG SIGNETICS CORPORATION, SUNNYVALE, CA

SII SCHARR INDUSTRIES, INC., BLOOMFIELD, CT

SIK SIKKENS AEROSPACE FINISHES, TORRANCE, CA

SIO SIEGRIST OREL, EUROPE

SIP SIGMA PLASTRONICS, DEARBORN, MI

SIS SARGENT INDUSTRIES, STILLMAN RUBBER DIV., CULVER CITY, CA

SLK SCI SYSTEMS INC., HUNTSVILLE, AL

SLM SHANNON LUMINOUS MATERIALS CO., LOS ANGELES, CA

SMC SPIRA MANUFACTURING CORP., BURBANK, CA

SMI SPECTRUM MEDICAL INDUSTRIES, LOS ANGELES, CA

SNL SANDIA NATIONAL LABORATORIES, ALBUQUERQUE, NM

SNZ SANDOZ CHEMICAL CO., HANOVER, NJ

SOM SMOOTH-ON MFG., CO., GILLETTE, NY

SOR SORBOTHANE INC., KENT, OH

SOU SOUTHWALL TECHNOLOGIES, PALO ALTO, CA

SPA DALCO INDUSTRIES (SHURLOK), HAWTHORNE, CA

SPC SPECIALTY COATINGS CO., ELK GROVE VILLAGE, IL

SPD SIGNAL PRODUCTS, SIGNAL PRODUCTS DIV., NILES, IL

SPE SPECTRUM CONTROL INC., FAIRVIEW, PA

SPK SPENCER KELLOGG DIVISION, BUFFALO, NY

SPI STEVENS PRODUCTS INC., STEVENS TUBING CORP., EAST ORANGE, NJ

SPL SPRAYLAT CORPORATION, NEW YORK, NY

SPR SPECIALTY PRODUCTS CO., JERSEY CITY, NJ

SPS SPECTRON CORP., STURBRIDGE, MA

SPT STONE INDUSTRIAL CORPORATION, WASHINGTON, D C

SPX SPEREX CORPORATION, GARDENA, CA

SRC STOCKWELL RUBBER CO., PHILADELPHIA, PA

SRP SCHULTZ RUBBER PRODUCTS (ADDRESS UNKNOWN)

SRW NORTRONICS CHEMICAL CO., COSTA MESA, CA

SSC SPECTRA-STRIP CORP., GARDEN GROVE, CA

SST STERN & STERN TEXTILES INC., NEW YORK, NY

STA STANLEY CHEMICAL, EAST BERLIN, CT

STC SUPER TEMP WIRE DIV., WINOOSKI, VT

STE J P STEVENS & CO., INC., NEW YORK, NY

STEVENS MOLDED PRODUCTS IS CODED MOL

STI STILLMAN RUBBER DIV., SARGENT INDUSTRIES, CULVER CITY, CA

STR STRANCO PRODUCTS INC., CHICAGO, IL

STS SIERRACIN/THERMAL SYSTEMS, LOS ANGELES, CA

STT STAR-TEX CORP., LAKEVILLE, MN

STU STANFORD UNIVERSITY, STANFORD, CA

STV STERLING VARNISH, SEWICKLEY, PA

STY SPC TECHNOLOGY, BENSONVILLE, IL

SUM SUMMERS LABORATORIES, INC., FORT WASHINGTON, PA

SUN SUN CHEMICAL CORP., PATTERSON, NJ

SWC SEQUOIA WIRE CO., REDWOOD CITY, CA

SWI STEEL WIRE CORPORATION, ATLANTA, GA

SWP SOUTHWEST PRODUCTS CO., MONROVIA, CA

SWS SWS SILICONES CORP., ADRIAN, MI

SYL SYLVANIA ELECTRIC PRODUCTS INC., NEW YORK, NY

ELECTRONIC SYSTEMS DIV., BUFFALO, NY

CHEMICAL & METALLURGICAL DIV., TOWANDA, PA

SEMICONDUCTOR DIV., WOBURN, MA

SYN SYNTHANE TAYLOR INC., VALLEY FORGE, PA

TAM TA MANUFACTURING CORPORATION, GLENDALE, CA

TAY TAYLOR CORPORATION, VALLEY FORGE, PA

TBT THE THOMAS & BETTS CO., INC., ELIZABETH, NJ

TCC THIOKOL CHEMICAL CORPORATION, TRENTON, NJ

TCI TRANS/CIRCUITS INC., FALLS CHURCH, VA

TRW TRW, REDONDO BEACH, CA (THOMPSON-RAMO-WOOLRICH)

TSC TELEDYNE SYSTEMS CO, NORTHRIDGE, CA

TSI THERMAL SYSTEMS INC., LOS ANGELES, CA

TTE TRI-TECH ELECTRONICS, ORLANDO, FL

TTP TELATEMP, FULLERTON, CA

TUF TUFNOL LTD., ENGLAND

TUI TECHTHANE URETHANES, INC., CLEARBROOK, VA

TUS TUSONIX COMPANY, TUCSON, AZ

TWC THERMAX WIRE CORPORATION, NEW YORK, NY

TWP TECHNICAL WIRE PRODUCTS CO., INC., CRANFORD, NJ

TWT TW TRADING INTERNATIONAL, SANTA CRUZ, CA

TXI TEXACO INC., WHITE PLAINS, NY

TYC TYCODURE LTD., LONDON, ENGLAND

TYT TYTON CORPORATION, MILWAUKEE, WI

UCC UNION CARBIDE CORPORATION, NEW YORK, NY

UIC UNION INK CO., RIDGEFIELD, NJ

UJC UPJOHN CO., KALAMAZOO, MI

UNC UNIROYAL INC., NEW YORK, NY

UNF UNITED FOAM, COMPTON, CA

UNI UNIGLASS INDUSTRIES, LOS ANGELES, CA

UOP UNIVERSAL OIL PRODUCTS, NORPLEX DIV., LACROSSE, WI

USE USECO DIV., LITTON INDUSTRIES, VAN NUYS, CA

USP U S POLYMERIC INC., SANTA ANA, CA

VAC VOUGHT AERONAUTICS CO., DIV LTV CORP., DALLAS, TX

VAL NIKON VALCA, JAPAN

VAR VARIAN ASSOCIATES, VACUUM PRODUCTS DIV., PALO ALTO, CA

VEC VECTOR ELECTRONIC CO., INC., SYLMAR, CA

VEL VELCRO CORPORATION, NEW YORK, NY

VIG VIGOR CO., (DISTRIBUTORS), NEW YORK, NY

VFX VARFLEX CORPORATION, ROME, NY

VIS VISHAY RESISTIVE SYSTEMS GROUP, MALVERN, PA

VOL VOLTEK COMPANY, LAWRENCE, ME

VVP VITA-VAR CO., NEW BRUNSWICK, NJ

WAC WACKER, MUNICH, GERMANY

WAI WILCO ASSOCIATES INC., GARDENA, CA

WAK WAKEFIELD ENGINEERING CO., WAKEFIELD, MA

WCN WHITTAKER CORPORATION, NARMCO MATERIALS DIV., COSTA MESA, CA

WEC WESTINGHOUSE ELECTRIC CORP., MICARTA DIV., HAMPTON, SC

WEI WESTINGHOUSE ELECTRIC CORP., IND PLASTICS DIV., WEST MIFFLIN, PA

WEK WECKESSER CO., CHICAGO, IL

WFC WESTERN FILAMENT CORPORATION., GLENDALE, CA

WGP WESTERN GASKET & PACKING CO., LOS ANGELES, CA

WHB W H BRADY CO., MILWAUKEE, WI

WIL WILSHIRE FOAM PRODUCTS INC, TORRANCE, CA

WIN WINCHESTER ELECTRONICS DIV., LITTON INDUSTRIES, OAKVILLE, CT

WJR W J RUSCO CO., AKRON, OH (DIST FOR INTERCHEM CORP., FINISHES DIV.)

WLG W L GORE & ASSOCIATES, INC., NEWARK, DE

WMI WOOLSEY MARINE INDUSTRIES, NEW YORK, NY

WOP WOODMONT PRODUCTS, HUNTINGTON VALLEY, PA

WPC WESTLAKE PLASTICS CO., LENNI, PA

WPP WORNOW PROCESS PAINT CO., LOS ANGELES, CA

WRG W R GRACE & CO., COLUMBIA, MD

WSA WATERFORD SPECIALTY ADHESIVES INC., MCKEESPORT, PA

WSL WESTERN STATES LACQUER CORPORATION, LOS ANGELES, CA

WTB WILLIAM T BEAN CO., DETROIT, MI

YAN YANKEE ENGINEERING, INC., N SCITUATE, RI

YAR YARSLEY LTD., UNITED KINGDOM

YLI YOUNGBLOOD CO., MILLBURY, MA

ZIP ZIPPERTUBING CO., LOS ANGELES, CA

ZZZ MANUFACTURER UNKNOWN

The charge-out number for this book is:

NASA - JSC
TECHNICAL
LIBRARY
Call No:
TL
953
C35
1987
c.1

Report Documentation Page

(Accession No.) 63356

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.
RP-1124 Revised		

d Subtitle	5. Report Date
ssing Data for Selecting Spacecraft ials	August 1987
	6. Performing Organization Code: 313
(s)	8. Performing Organization Report No.
am A. Campbell, Jr., and Richard S. Marriott	87B0347
	10. Work Unit No.
ming Organization Name and Address	11. Contract or Grant No.
Goddard Space Flight Center Greenbelt, MD 20771	13. Type of Report and Period Covered: Reference Publication
12. Sponsoring Agency Name and Address	14. Sponsoring Agency Code
National Aeronautics and Space Administration Washington D.C. 20546	

15. Supplementary Notes

16. Abstract

Outgassing data, derived from tests at 398 K (125°C) for 24 hours in vacuum as per ASTM E 595-77, have been compiled for numerous materials for spacecraft use. The data presented are the total mass loss (TML) and the collected volatile condensable materials (CVCM). The various materials are compiled by likely usage and alphabetically.

17. Key Words (Suggested by Author(s))	18. Distribution Statement
Outgassing data, Spacecraft materials, Total mass loss, Collected volatile condensable materials	Unclassified-Unlimited Subject Category 24

19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of pages	22. Price
Unclassified	Unclassified	332	A15

NASA FORM 1626 OCT 86